## Raymond W J G Ostelo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1283063/publications.pdf

Version: 2024-02-01

201 papers

16,457 citations

59 h-index 122 g-index

215 all docs

215 docs citations

215 times ranked

14238 citing authors

#	Article	IF	Citations
1	Interpreting Change Scores for Pain and Functional Status in Low Back Pain. Spine, 2008, 33, 90-94.	2.0	1,540
2	Rating the methodological quality in systematic reviews of studies on measurement properties: a scoring system for the COSMIN checklist. Quality of Life Research, 2012, 21, 651-657.	3.1	1,463
3	Clinically important outcomes in low back pain. Best Practice and Research in Clinical Rheumatology, 2005, 19, 593-607.	3.3	596
4	Minimal changes in health status questionnaires: distinction between minimally detectable change and minimally important change. Health and Quality of Life Outcomes, 2006, 4, 54.	2.4	587
5	Clinical Guidelines for the Management of Low Back Pain in Primary Care. Spine, 2001, 26, 2504-2513.	2.0	571
6	A systematic review on the effectiveness of physical and rehabilitation interventions for chronic non-specific low back pain. European Spine Journal, 2011, 20, 19-39.	2.2	562
7	Global Perceived Effect scales provided reliable assessments of health transition in people with musculoskeletal disorders, but ratings are strongly influenced by current status. Journal of Clinical Epidemiology, 2010, 63, 760-766.e1.	5.0	421
8	Exercise therapy for chronic nonspecific low-back pain. Best Practice and Research in Clinical Rheumatology, 2010, 24, 193-204.	3.3	360
9	Behavioural treatment for chronic low-back pain. The Cochrane Library, 2011, 2011, CD002014.	2.8	339
10	Minimal Clinically Important Change of the Neck Disability Index and the Numerical Rating Scale for Patients With Neck Pain. Spine, 2007, 32, 3047-3051.	2.0	318
11	Multidisciplinary biopsychosocial rehabilitation for chronic low back pain. The Cochrane Library, 2014, , CD000963.	2.8	313
12	Measurement Properties of Visual Analogue Scale, Numeric Rating Scale, and Pain Severity Subscale of the Brief Pain Inventory in Patients With Low Back Pain: A Systematic Review. Journal of Pain, 2019, 20, 245-263.	1.4	283
13	Minimally important change determined by a visual method integrating an anchor-based and a distribution-based approach. Quality of Life Research, 2007, 16, 131-142.	3.1	276
14	Minimal Clinically Important Change for Pain Intensity, Functional Status, and General Health Status in Patients With Nonspecific Low Back Pain. Spine, 2006, 31, 578-582.	2.0	274
15	Surgery versus conservative management of sciatica due to a lumbar herniated disc: a systematic review. European Spine Journal, 2011, 20, 513-522.	2.2	272
16	Core outcome measurement instruments for clinical trials in nonspecific low back pain. Pain, 2018, 159, 481-495.	4.2	263
17	Core outcome domains for clinical trials in non-specific low back pain. European Spine Journal, 2015, 24, 1127-1142.	2.2	259
18	Behavioral Treatment for Chronic Low Back Pain. Spine, 2001, 26, 270-281.	2.0	244

#	Article	IF	Citations
19	Effectiveness of exercise therapy: A best-evidence summary of systematic reviews. Australian Journal of Physiotherapy, 2005, 51, 71-85.	0.9	240
20	The back pain beliefs of health care providers: are we fear-avoidant?. Journal of Occupational Rehabilitation, 2002, 12, 223-232.	2.2	221
21	Health care providers' orientations towards common low back pain predict perceived harmfulness of physical activities and recommendations regarding return to normal activity. European Journal of Pain, 2005, 9, 173-183.	2.8	215
22	Behavioral Treatment for Chronic Low Back Pain. Spine, 2000, 25, 2688-2699.	2.0	192
23	Effect of Radiofrequency Denervation on Pain Intensity Among Patients With Chronic Low Back Pain. JAMA - Journal of the American Medical Association, 2017, 318, 68.	7.4	188
24	Effectiveness of conservative treatments for the lumbosacral radicular syndrome: a systematic review. European Spine Journal, 2007, 16, 881-899.	2.2	180
25	Comparison of modern and conventional imaging techniques in establishing multiple myelomaâ€related bone disease: a systematic review. British Journal of Haematology, 2013, 162, 50-61.	2.5	178
26	Total disc replacement surgery for symptomatic degenerative lumbar disc disease: a systematic review of the literature. European Spine Journal, 2010, 19, 1262-1280.	2.2	177
27	What does quality of life mean to older adults? A thematic synthesis. PLoS ONE, 2019, 14, e0213263.	2.5	176
28	Roland-Morris Disability Questionnaire and Oswestry Disability Index: Which Has Better Measurement Properties for Measuring Physical Functioning in Nonspecific Low Back Pain? Systematic Review and Meta-Analysis. Physical Therapy, 2016, 96, 1620-1637.	2.4	170
29	Transforaminal endoscopic surgery for symptomatic lumbar disc herniations: a systematic review of the literature. European Spine Journal, 2010, 19, 181-204.	2.2	166
30	24-item Roland-Morris Disability Questionnaire was preferred out of six functional status questionnaires for post-lumbar disc surgery. Journal of Clinical Epidemiology, 2004, 57, 268-276.	5.0	151
31	Behavioural treatment for chronic low-back pain. , 2005, , CD002014.		141
32	Dutch Physiotherapy Guidelines for Low Back Pain. Physiotherapy, 2003, 89, 82-96.	0.4	137
33	A systematic review on the effectiveness of complementary and alternative medicine for chronic non-specific low-back pain. European Spine Journal, 2010, 19, 1213-1228.	2.2	129
34	Motor Control Exercise for Nonspecific Low Back Pain. Spine, 2016, 41, 1284-1295.	2.0	126
35	Quality of Reporting of Diagnostic Accuracy Studies. Radiology, 2005, 235, 347-353.	7.3	124
36	Unfulfilled Expectations After Total Hip and Knee Arthroplasty Surgery: There Is a Need for Better Preoperative Patient Information and Education. Journal of Arthroplasty, 2016, 31, 2139-2145.	3.1	120

#	Article	IF	CITATIONS
37	Magnetic resonance imaging for diagnosing lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. European Spine Journal, 2012, 21, 220-227.	2.2	117
38	Three ways to quantify uncertainty in individually applied "minimally important change―values. Journal of Clinical Epidemiology, 2010, 63, 37-45.	5.0	113
39	Rehabilitation Following First-Time Lumbar Disc Surgery. Spine, 2003, 28, 209-218.	2.0	107
40	Health Care Providers' Attitudes and Beliefs Towards Common Low Back Pain: Factor Structure and Psychometric Properties of the HC-PAIRS. Clinical Journal of Pain, 2004, 20, 37-44.	1.9	106
41	Systematic review: Do patient expectations influence treatment outcomes in total knee and total hip arthroplasty?. Health and Quality of Life Outcomes, 2012, 10, 152.	2.4	100
42	A critical review of methods used to determine the smallest worthwhile effect of interventions for low back pain. Journal of Clinical Epidemiology, 2012, 65, 253-261.	5.0	92
43	Rehabilitation after lumbar disc surgery. The Cochrane Library, 2014, , CD003007.	2.8	90
44	Smoking cessation for chronic obstructive pulmonary disease. The Cochrane Library, 2003, , CD002999.	2.8	87
45	Minimally invasive surgery for lumbar disc herniation: a systematic review and meta-analysis. European Spine Journal, 2014, 23, 1021-43.	2.2	86
46	Pilates for low back pain. The Cochrane Library, 2015, 2015, CD010265.	2.8	81
47	A systematic review highlights the need to investigate the content validity of patient-reported outcome measures for physical functioning in patients with low back pain. Journal of Clinical Epidemiology, 2018, 95, 73-93.	5.0	81
48	Physical therapy plus general practitioners' care versus general practitioners' care alone for sciatica: a randomised clinical trial with a 12-month follow-up. European Spine Journal, 2008, 17, 509-517.	2.2	79
49	Red flags to screen for malignancy in patients with low-back pain. The Cochrane Library, 2013, 2013, CD008686.	2.8	78
50	Determination of the Oswestry Disability Index score equivalent to a "satisfactory symptom state―in patients undergoing surgery for degenerative disorders of the lumbar spine—a Spine Tango registry-based study. Spine Journal, 2016, 16, 1221-1230.	1.3	77
51	Responsiveness and Minimal Important Change of the Pain Self-Efficacy Questionnaire and Short Forms in Patients With Chronic Low Back Pain. Journal of Pain, 2016, 17, 707-718.	1.4	76
52	Behavioral Graded Activity Following First-Time Lumbar Disc Surgery. Spine, 2003, 28, 1757-1765.	2.0	71
53	Rehabilitation After Lumbar Disc Surgery. Spine, 2009, 34, 1839-1848.	2.0	69
54	A Randomized Controlled Trial on the Effectiveness of a Classification-Based System for Subacute and Chronic Low Back Pain. Spine, 2012, 37, 1347-1356.	2.0	69

#	Article	IF	Citations
55	Radiofrequency denervation for chronic low back pain. The Cochrane Library, 2015, 2015, CD008572.	2.8	69
56	Injection therapy and denervation procedures for chronic low-back pain: a systematic review. European Spine Journal, 2010, 19, 1425-1449.	2.2	68
57	Choosing the right outcome measurement instruments for patients with low back pain. Best Practice and Research in Clinical Rheumatology, 2016, 30, 1003-1020.	3.3	68
58	Evidence and practice in spine registries. Monthly Notices of the Royal Astronomical Society: Letters, 2015, 86, 534-544.	3.3	65
59	Comparing Measurement Properties of the EQ-5D-3L, ICECAP-O, and ASCOT in Frail Older Adults. Value in Health, 2015, 18, 35-43.	0.3	65
60	The smallest worthwhile effect of nonsteroidal anti-inflammatory drugs and physiotherapy for chronic low back pain: a benefit–harm trade-off study. Journal of Clinical Epidemiology, 2013, 66, 1397-1404.	5.0	64
61	Core outcome sets for research and clinical practice. Brazilian Journal of Physical Therapy, 2017, 21, 77-84.	2.5	62
62	Surgical techniques for sciatica due to herniated disc, a systematic review. European Spine Journal, 2012, 21, 2232-2251.	2.2	61
63	Is a Behavioral Graded Activity Program More Effective Than Manual Therapy in Patients With Subacute Neck Pain?. Spine, 2010, 35, 1017-1024.	2.0	57
64	Transforaminal endoscopic surgery for lumbar stenosis: a systematic review. European Spine Journal, 2010, 19, 879-886.	2.2	57
65	Reproducibility of the STARD checklist: an instrument to assess the quality of reporting of diagnostic accuracy studies. BMC Medical Research Methodology, 2006, 6, 12.	3.1	55
66	The Mortality Risk of Conventional Antipsychotics in Elderly Patients: A Systematic Review and Meta-analysis of Randomized Placebo-Controlled Trials. Journal of the American Medical Directors Association, 2015, 16, 817-824.	2.5	50
67	Measurement Tools for Adherence to Non-Pharmacologic Self-Management Treatment for Chronic Musculoskeletal Conditions: A Systematic Review. Archives of Physical Medicine and Rehabilitation, 2015, 96, 552-562.	0.9	50
68	The Pain Selfâ€Efficacy Questionnaire: Crossâ€Cultural Adaptation into Italian and Assessment of Its Measurement Properties. Pain Practice, 2015, 15, 738-747.	1.9	47
69	A core outcome set for clinical trials on non-specific low back pain: study protocol for the development of a core domain set. Trials, 2014, 15, 511.	1.6	46
70	Evidence on the measurement properties of health-related quality of life instruments is largely missing in patients with low back pain: A systematic review. Journal of Clinical Epidemiology, 2018, 102, 23-37.	5.0	43
71	Surgery versus conservative care for neck pain: a systematic review. European Spine Journal, 2013, 22, 87-95.	2.2	41
72	Muscle energy technique for non-specific low-back pain. The Cochrane Library, 2015, , CD009852.	2.8	41

#	Article	IF	CITATIONS
73	Are psychological factors prognostic indicators of outcome in patients with sub-acute neck pain?. Manual Therapy, 2010, 15, 111-116.	1.6	38
74	Computed tomography for the diagnosis of lumbar spinal pathology in adult patients with low back pain or sciatica: a diagnostic systematic review. European Spine Journal, 2012, 21, 228-239.	2.2	38
<b>7</b> 5	Reporting outcomes of back pain trials: A modified Delphi study. European Journal of Pain, 2011, 15, 1068-1074.	2.8	37
76	Pilates for Low Back Pain. Spine, 2016, 41, 1013-1021.	2.0	37
77	Responsiveness to Change of 10 Physical Tests Used for Patients With Back Pain. Physical Therapy, 2011, 91, 404-415.	2.4	36
78	Patients' pre-operative general and specific outcome expectations predict postoperative pain and function after total knee and total hip arthroplasties. Scandinavian Journal of Pain, 2018, 18, 457-466.	1.3	36
79	Economic Evaluation of a Behavioral-Graded Activity Program Compared to Physical Therapy for Patients Following Lumbar Disc Surgery. Spine, 2004, 29, 615-622.	2.0	35
80	Assessing pain and pain-related fear in acute low back pain: what is the smallest detectable change?. International Journal of Behavioral Medicine, 2007, 14, 242-248.	1.7	35
81	Comparison of the effectiveness of a behavioural graded activity program and manual therapy in patients with sub-acute neck pain: Design of a randomized clinical trial. Manual Therapy, 2006, 11, 297-305.	1.6	33
82	Quebec Back Pain Disability Scale was responsive and showed reasonable interpretability after a multidisciplinary treatment. Journal of Clinical Epidemiology, 2010, 63, 1249-1255.	5.0	33
83	Cost-Effectiveness of Physical Therapy and General Practitioner Care for Sciatica. Spine, 2007, 32, 1942-1948.	2.0	31
84	Treatment-related and Patient-related Expectations of Patients With Musculoskeletal Disorders. Clinical Journal of Pain, 2010, 26, 470-488.	1.9	31
85	What factors influence the measurement properties of the Roland–Morris disability questionnaire?. European Journal of Pain, 2010, 14, 200-206.	2.8	31
86	Standardized Measurement of Recovery From Nonspecific Back Pain. Archives of Physical Medicine and Rehabilitation, 2012, 93, 849-855.	0.9	31
87	Early rehabilitation after lumbar disc surgery is not effective or cost-effective compared to no referral: a randomised trial and economic evaluation. Journal of Physiotherapy, 2017, 63, 144-153.	1.7	31
88	The smallest worthwhile effect of primary care physiotherapy did not differ across musculoskeletal pain sites. Journal of Clinical Epidemiology, 2018, 101, 44-52.	5.0	30
89	Identifying generic predictors of outcome in patients presenting to primary care with nonspinal musculoskeletal pain. Arthritis Care and Research, 2012, 64, 1217-1224.	3.4	29
90	Inflammatory biomarkers in patients with sciatica: a systematic review. BMC Musculoskeletal Disorders, 2019, 20, 156.	1.9	29

#	Article	IF	CITATIONS
91	Predictive factors of high societal costs among chronic low back pain patients. European Journal of Pain, 2020, 24, 325-337.	2.8	29
92	Rehabilitation after lumbar disc surgery. , 2008, , CD003007.		28
93	Cost-effectiveness of minimal interventional procedures for chronic mechanical low back pain: design of four randomised controlled trials with an economic evaluation. BMC Musculoskeletal Disorders, 2012, 13, 260.	1.9	28
94	Can Optimism, Pessimism, Hope, Treatment Credibility and Treatment Expectancy Be Distinguished in Patients Undergoing Total Hip and Total Knee Arthroplasty?. PLoS ONE, 2015, 10, e0133730.	2.5	28
95	Validity and Reproducibility of the STarT Back Tool (Dutch Version) in Patients With Low Back Pain in Primary Care Settings. Physical Therapy, 2017, 97, 561-570.	2.4	28
96	Attitudes and beliefs of health care providers: Extending the fear-avoidance model. Pain, 2008, 135, 3-4.	4.2	27
97	Cost-effectiveness of a classification-based system for sub-acute and chronic low back pain. European Spine Journal, 2012, 21, 1290-1300.	2.2	27
98	The cost-effectiveness of a treatment-based classification system for low back pain: design of a randomised controlled trial and economic evaluation. BMC Musculoskeletal Disorders, 2010, 11, 58.	1.9	26
99	The influence of study population and definition of improvement on the smallest detectable change and the minimal important change of the neck disability index. Health and Quality of Life Outcomes, 2014, 12, 53.	2.4	25
100	The Epidural Treatment of Sciatica: Its Origin and Evolution. European Neurology, 2016, 75, 58-64.	1.4	25
101	The Association of Illness Perception and Prognosis for Pain and Physical Function in Patients With Noncancer Musculoskeletal Pain: A Systematic Literature Review. Journal of Orthopaedic and Sports Physical Therapy, 2018, 48, 789-800.	3.5	25
102	Guideline for Reporting Interventions on Spinal Manipulative Therapy: Consensus on Interventions Reporting Criteria List for Spinal Manipulative Therapy (CIRCLe SMT). Journal of Manipulative and Physiological Therapeutics, 2017, 40, 61-70.	0.9	24
103	Identification of Patients With Chronic Low Back Pain Who Might Benefit From Additional Psychological Assessment. Clinical Journal of Pain, 2012, 28, 23-31.	1.9	23
104	Added value of qualitative studies in the development of health related patient reported outcomes such as the pain coping and cognition list in patients with sub-acute neck pain. Manual Therapy, 2010, 15, 43-47.	1.6	22
105	Diagnostic Accuracy of the Clinical Examination in Identifying the Level of Herniation in Patients with Sciatica. Spine, 2011, 36, E712-E719.	2.0	22
106	Dutch translation and cross-cultural validation of the Adult Social Care Outcomes Toolkit (ASCOT). Health and Quality of Life Outcomes, 2015, 13, 56.	2.4	22
107	Muscle energy technique for non-specific low-back pain. A Cochrane systematic review. International Journal of Osteopathic Medicine, 2016, 20, 41-52.	1.0	22
108	Can Primary Care for Back and/or Neck Pain in the Netherlands Benefit From Stratification for Risk Groups According to the STarT Back Tool Classification?. Archives of Physical Medicine and Rehabilitation, 2018, 99, 65-71.	0.9	22

#	Article	IF	CITATIONS
109	The effect of spinal manipulative therapy on pain relief and function in patients with chronic low back pain: an individual participant data meta-analysis. Physiotherapy, 2021, 112, 121-134.	0.4	22
110	Challenges in using evidence to inform your clinical practice in low back pain. Best Practice and Research in Clinical Rheumatology, 2010, 24, 281-289.	3.3	21
111	Is Behavioral Graded Activity Cost-Effective in Comparison With Manual Therapy for Patients With Subacute Neck Pain?. Spine, 2011, 36, E1179-E1186.	2.0	21
112	Transforaminal Epidural Steroid Injections Followed by Mechanical Diagnosis and Therapy to Prevent Surgery for Lumbar Disc Herniation. Pain Medicine, 2014, 15, 1100-1108.	1.9	21
113	Musculoskeletal complaints while growing up from age 11 to age 14: the PIAMA birth cohort study. Pain, 2016, 157, 2826-2833.	4.2	21
114	Treatment success in neck pain: The added predictive value of psychosocial variables in addition to clinical variables. Scandinavian Journal of Pain, 2017, 14, 44-52.	1.3	21
115	Physiotherapy management of sciatica. Journal of Physiotherapy, 2020, 66, 83-88.	1.7	21
116	The Risk of Bias and Sample Size of Trials of Spinal Manipulative Therapy for Low Back and Neck Pain: Analysis and Recommendations. Journal of Manipulative and Physiological Therapeutics, 2014, 37, 523-541.	0.9	20
117	Disc inflammation and Modic changes show an interaction effect on recovery after surgery for lumbar disc herniation. European Spine Journal, 2019, 28, 2579-2587.	2.2	19
118	The statistical approach in trial-based economic evaluations matters: get your statistics together!. BMC Health Services Research, 2021, 21, 475.	2.2	19
119	Residual complaints following lumbar disc surgery: prognostic indicators of outcome. Pain, 2005, 114, 177-185.	4.2	18
120	Physiotherapists' treatment approach towards neck pain and the influence of a behavioural graded activity training: An exploratory study. Manual Therapy, 2009, 14, 131-137.	1.6	18
121	The applicability of the Tampa Scale of Kinesiophobia for patients with sub-acute neck pain: a qualitative study. Quality and Quantity, 2009, 43, 773-780.	3.7	18
122	Effectiveness and cost-effectiveness of stratified blended physiotherapy in patients with non-specific low back pain: study protocol of a cluster randomized controlled trial. BMC Musculoskeletal Disorders, 2020, 21, 265.	1.9	18
123	Does adherence to treatment mediate the relationship between patients' treatment outcome expectancies and the outcomes of pain intensity and recovery from acute low back pain? Pain, 2015, 156, 1530-1536.	4.2	17
124	Manual therapy compared with physical therapy in patients with non-specific neck pain: a randomized controlled trial. Chiropractic & Manual Therapies, 2017, 25, 12.	1.5	17
125	Can patient-reported profiles avoid unnecessary referral to a spine surgeon? An observational study to further develop the Nijmegen Decision Tool for Chronic Low Back Pain. PLoS ONE, 2018, 13, e0203518.	2.5	16
126	Trends over time in the size and quality of randomised controlled trials of interventions for chronic low-back pain. European Spine Journal, 2012, 21, 375-381.	2.2	15

#	Article	IF	CITATIONS
127	Red flags to screen for malignancy and fracture in patients with low back pain:. British Journal of Sports Medicine, 2014, 48, 1518-1518.	6.7	15
128	Roland-Morris Disability Questionnaire, Oswestry Disability Index, and Quebec Back Pain Disability Scale: Which Has Superior Measurement Properties in Older Adults With Low Back Pain?. Journal of Orthopaedic and Sports Physical Therapy, 2022, 52, 457-469.	3.5	15
129	Decision support tools in low back pain. Best Practice and Research in Clinical Rheumatology, 2016, 30, 1084-1097.	3.3	14
130	The Pain Attitudes and Beliefs Scale for Physiotherapists: Dimensionality and Internal Consistency of the Norwegian Version. Physiotherapy Research International, 2017, 22, e1670.	1.5	14
131	Long-term patterns of chronic complaints of the arms, neck, and shoulders and their determinantsâ€"the Doetinchem Cohort Study. Pain, 2016, 157, 1114-1121.	4.2	13
132	Transforaminal epidural steroid injections influence Mechanical Diagnosis and Therapy (MDT) pain response classification in candidates for lumbar herniated disc surgery. Journal of Back and Musculoskeletal Rehabilitation, 2016, 29, 351-359.	1.1	13
133	Validity and reproducibility of the modified STarT Back Tool (Dutch version) for patients with neck pain in primary care. Musculoskeletal Science and Practice, 2017, 31, 22-29.	1.3	13
134	The clinical reasoning process in randomized clinical trials with patients with non-specific neck pain is incomplete: A systematic review. Musculoskeletal Science and Practice, 2018, 35, 8-17.	1.3	13
135	Moderators of the Effect of Spinal Manipulative Therapy on Pain Relief and Function in Patients with Chronic Low Back Pain. Spine, 2021, 46, E505-E517.	2.0	13
136	Assessing the Impact of EQ-5D Country-specific Value Sets on Cost-utility Outcomes. Medical Care, 2021, 59, 82-90.	2.4	13
137	The 3-Month Effectiveness of a Stratified Blended Physiotherapy Intervention in Patients With Nonspecific Low Back Pain: Cluster Randomized Controlled Trial. Journal of Medical Internet Research, 2022, 24, e31675.	4.3	13
138	Conservative treatment in patients with an acute lumbosacral radicular syndrome: design of a randomised clinical trial [ISRCTN68857256]. BMC Musculoskeletal Disorders, 2004, 5, 39.	1.9	12
139	Measurement properties of the Arm Function in Multiple Sclerosis Questionnaire (AMSQ): a study based on Classical Test Theory. Disability and Rehabilitation, 2017, 39, 2097-2104.	1.8	12
140	Completeness of the description of manipulation and mobilisation techniques in randomized controlled trials in neck pain; A review using the TiDieR checklist. Musculoskeletal Science and Practice, 2020, 45, 102098.	1.3	11
141	Clinical Relevance of Epidural Steroid Injections on Lumbosacral Radicular Syndrome-related Synptoms. Clinical Journal of Pain, 2021, 37, 524-537.	1.9	11
142	The Cross-sectional Construct Validity of the Waddell Score. Clinical Journal of Pain, 2012, 28, 309-317.	1.9	10
143	Treatment of acute sciatica with transforaminal epidural corticosteroids and local anesthetic: design of a randomized controlled trial. BMC Musculoskeletal Disorders, 2017, 18, 215.	1.9	10
144	Completeness of Reporting Is Suboptimal in Randomized Controlled Trials Published in Rehabilitation Journals, With Trials With Low Risk of Bias Displaying Better Reporting: A Meta-research Study. Archives of Physical Medicine and Rehabilitation, 2022, 103, 1839-1847.	0.9	10

#	Article	IF	Citations
145	Is the p value really so significant?*. Australian Journal of Physiotherapy, 2004, 50, 261-262.	0.9	9
146	Rigid shoulder taping with physiotherapy in patients with subacromial pain syndrome: A randomized controlled trial. Journal of Rehabilitation Medicine, 2017, 49, 347-353.	1.1	9
147	Discriminative Validity of the Pain Attitudes and Beliefs Scale for Physical Therapists. Physical Therapy, 2019, 99, 339-353.	2.4	9
148	The Transmural Trauma Care Model (TTCM) for the rehabilitation of trauma patients is effective in improving patient related outcome measures: a non-randomized controlled trial. BMC Health Services Research, 2019, 19, 819.	2,2	9
149	Cost-Effectiveness of Radiofrequency Denervation for Patients With Chronic Low Back Pain: The MINT Randomized Clinical Trials. Value in Health, 2020, 23, 585-594.	0.3	9
150	Harmonizing Pain Outcome Measures: Results of the Pre-OMERACT Meeting on Partnerships for Consensus on Patient-important Pain Outcome Domains Between the Cochrane Musculoskeletal Group and OMERACT. Journal of Rheumatology, 2015, 42, 1943-1946.	2.0	8
151	Rasch analysis resulted in an improved Norwegian version of the Pain Attitudes and Beliefs Scale(PABS). Scandinavian Journal of Pain, 2016, 13, 98-108.	1.3	8
152	The Influence of Centralization and Directional Preference on Spinal Control in Patients With Nonspecific Low Back Pain. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 258-269.	3.5	8
153	Which patient-reported factors predict referral to spinal surgery? A cohort study among 4987 chronic low back pain patients. European Spine Journal, 2017, 26, 2782-2788.	2.2	8
154	PROMIS Physical Function Short Forms Display Item- and Scale-Level Characteristics at Least as Good as the Roland Morris Disability Questionnaire in Patients With Chronic Low Back Pain. Archives of Physical Medicine and Rehabilitation, 2020, 101, 297-308.	0.9	8
155	Effectiveness and cost-effectiveness of rehabilitation after lumbar disc surgery (REALISE): design of a randomised controlled trial. BMC Musculoskeletal Disorders, 2013, 14, 124.	1.9	7
156	Current State of Reporting Pain Outcomes in Cochrane Reviews of Chronic Musculoskeletal Pain Conditions and Considerations for an OMERACT Research Agenda. Journal of Rheumatology, 2015, 42, 1934-1942.	2.0	7
157	Stratified exercise therapy compared with usual care by physical therapists in patients with knee osteoarthritis: A randomized controlled trial protocol (OCTOPuS study). Physiotherapy Research International, 2020, 25, e1819.	1.5	7
158	Interrater agreement and reliability of clinical tests for assessment of patients with shoulder pain in primary care. Physiotherapy Theory and Practice, 2021, 37, 177-196.	1.3	7
159	Patient Perspectives on Using a Smartphone App to Support Home-Based Exercise During Physical Therapy Treatment: Qualitative Study. JMIR Human Factors, 2022, 9, e35316.	2.0	7
160	Validation of a Dutch version of the Neurological Fatigue Index (NFI-MS) for patients with multiple sclerosis in the Netherlands. Quality of Life Research, 2013, 22, 2435-2441.	3.1	6
161	Funding is related to the quality, conduct, and reporting of trial reports in musculoskeletal physical therapy: A survey of 210 published trials. Physiotherapy Theory and Practice, 2016, 32, 628-635.	1.3	6
162	Item response theory evaluation of the biomedical scale of the Pain Attitudes and Beliefs Scale. PLoS ONE, 2018, 13, e0202539.	2.5	6

#	Article	IF	CITATIONS
163	Clinical reasoning in unimodal interventions in patients with non-specific neck pain in daily physiotherapy practice, a Delphi study. Musculoskeletal Science and Practice, 2018, 37, 8-16.	1.3	6
164	Psychometric properties of the Dutch-Flemish Patient-Reported Outcomes Measurement Information System Pain Behavior item bank in patients with musculoskeletal complaints. Journal of Pain, 2019, 20, 1328-1337.	1.4	6
165	Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients With Musculoskeletal Complaints. Spine, 2019, 44, 411-419.	2.0	6
166	Treatment based classification systems for patients with non-specific neck pain. A systematic review Musculoskeletal Science and Practice, 2020, 47, 102133.	1.3	6
167	Stratified care integrated with eHealth versus usual primary care physiotherapy in patients with neck and/or shoulder complaints: protocol for a cluster randomized controlled trial. BMC Musculoskeletal Disorders, 2021, 22, 143.	1.9	6
168	Behavioral-graded activity compared with usual care after first-time disk surgery: Considerations of the design of a randomized clinical trial. Journal of Manipulative and Physiological Therapeutics, 2000, 23, 312-319.	0.9	5
169	Diagnostic Accuracy of Lumbosacral Spine Magnetic Resonance Image Reading by Chiropractors, Chiropractic Radiologists, and Medical Radiologists. Spine, 2015, 40, E653-E660.	2.0	5
170	Reproducibility of a battery of commonly used clinical tests to evaluate lumbopelvic motor control. Physical Therapy in Sport, 2015, 16, 331-339.	1.9	5
171	Pilates for low back pain. Sao Paulo Medical Journal, 2016, 134, 366-367.	0.9	5
172	Evaluation of a new Transmural Trauma Care Model (TTCM) for the rehabilitation of trauma patients: a study protocol. BMC Health Services Research, 2017, 17, 99.	2.2	5
173	Combining independent decisions increases diagnostic accuracy of reading lumbosacral radiographs and magnetic resonance imaging. PLoS ONE, 2018, 13, e0194128.	2.5	5
174	Cost-Effectiveness of the Transmural Trauma Care Model (TTCM) for the Rehabilitation of Trauma Patients. International Journal of Technology Assessment in Health Care, 2019, 35, 307-316.	0.5	5
175	Costâ€effectiveness of combination therapy (Mechanical Diagnosis and Treatment and Transforaminal) Tj ETQq1  Protocol of a randomized controlled trial. Physiotherapy Research International, 2020, 25, e1796.	1 0.78432 1.5	14 rgBT /Ove 5
176	Diagnosis and Treatment of Sciatica in the Netherlands: A Survey among Neurologists and Anesthesiologists. European Neurology, 2021, 84, 219-229.	1.4	5
177	The Transmural Trauma Care Model can be implemented well but some barriers and facilitators should be considered during implementation: a mixed methods study. Journal of Physiotherapy, 2021, 67, 298-307.	1.7	5
178	Movement quality evaluation and its correlation with recommended functional measures in hip osteoarthritis. Physiotherapy Research International, 2020, 25, e1848.	1.5	5
179	Can EQ-5D-3L utility values of low back pain patients be validly predicted by the Oswestry Disability Index for use in cost-effectiveness analyses?. Quality of Life Research, 2022, 31, 2153-2165.	3.1	5
180	Physicians using spinal manipulative treatment in The Netherlands: a description of their characteristics and their patients. BMC Musculoskeletal Disorders, 2017, 18, 512.	1.9	4

#	Article	IF	Citations
181	Pain trajectories and possible predictors of a favourable course of low back pain in patients consulting musculoskeletal physicians in The Netherlands. Chiropractic & Manual Therapies, 2021, 29, 38.	1.5	4
182	Content validity and measurement properties of the Lower Extremity Functional Scale in patients with fractures of the lower extremities: a systematic review. Journal of Patient-Reported Outcomes, 2022, 6, 11.	1.9	4
183	The introduction of advanced practice physiotherapy within Dutch primary care is a quest for possibilities, added value, and mutual trust: a qualitative study amongst advanced practice physiotherapists and general practitioners. BMC Health Services Research, 2022, 22, 529.	2.2	4
184	Inter-rater reliability of a modified version of Delitto et al.'s classification-based system for low back pain: a pilot study. Journal of Manual and Manipulative Therapy, 2016, 24, 98-110.	1.2	3
185	Gadolinium Enhancement Is Not Associated With Disc Inflammation in Patients With Sciatica. Spine, 2019, 44, E742-E748.	2.0	3
186	How do physiotherapists understand and interpret the "Pain Attitudes and Beliefs Scale� A cognitive interview study. Physiotherapy Theory and Practice, 2022, 38, 513-527.	1.3	3
187	Randomized controlled trials reflected clinical practice when comparing the course of low back pain symptoms in similar populations. Journal of Clinical Epidemiology, 2019, 116, 122-132.	<b>5.</b> 0	2
188	Effectiveness and costâ€effectiveness of the Transmural Trauma Care Model investigated in a multicenter trial with a controlled beforeâ€andâ€after design: A study protocol. Physiotherapy Research International, 2021, 26, e1894.	1.5	2
189	Construct validity of the OCTOPuS stratification algorithm for allocating patients with knee osteoarthritis into subgroups. BMC Musculoskeletal Disorders, 2021, 22, 633.	1.9	2
190	Answer to the letter to the editor of Carl Hans Fürstenberg et al. (2010) concerning manuscript "transforaminal endoscopic surgery for lumbar stenosis: a systematic review―by Jorm Nellensteijn, Raymond Ostelo, Ronald Bartels, Wilco Peul, Barend Van Royen, Maurits Van Tulder. Eur Spine J 19:879–886. European Spine Journal, 2011, 20, 989-990.	2.2	1
191	Lancet Series. Spine, 2018, 43, 1239-1240.	2.0	1
192	STeroids Against Radiculopathy (STAR) trial: a statistical analysis plan. Trials, 2021, 22, 80.	1.6	1
193	The architecture of scientific research. Australian Journal of Physiotherapy, 2004, 50, 189-192.	0.9	O
194	Effectiveness of exercise therapy for chronic non-specific low back pain., 2013, , 171-183.		O
195	Author's Reply to the Letter of Manchikanti and Hirsch, Entitled â€~Evolution of the Epidural Treatment of Sciatica Provides Excellent Historic Review with Incomplete Modern Evidence'. European Neurology, 2016, 75, 227-228.	1.4	O
196	Reply to Hancock and Kent. Clinical important differences: a step toward a more intervention-specific approach. Journal of Clinical Epidemiology, 2019, 105, 147-148.	5.0	0
197	Clinimetrics: A core outcome measurement set for low back pain. Journal of Physiotherapy, 2020, 66, 58.	1.7	O
198	Author Reply. Value in Health, 2021, 24, 1235-1236.	0.3	0

#	Article	IF	CITATIONS
199	Letters. Spine, 2002, 27, 1590-1591.	2.0	O
200	Postoperative Rehabilitation., 2008,, 967-974.		0
201	Authors' Response to Letter to the Editor of Van Boxem et al Titled "Systematic Review on Epidural Steroid Injections. Clinical Journal of Pain, 2022, Publish Ahead of Print, .	1.9	O