

Mrio Srgio Mantovani

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/128583/mario-sergio-mantovani-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

128 papers	2,835 citations	29 h-index	47 g-index
132 ext. papers	3,118 ext. citations	3 avg, IF	4.7 L-index

#	Paper	IF	Citations
128	Salinomycin induces cell cycle arrest and apoptosis and modulates hepatic cytochrome P450 mRNA expression in HepG2/C3a cells. <i>Toxicology Mechanisms and Methods</i> , 2021 , 1-33	3.6	0
127	Antimicrobial effects of sophorolipid in combination with lactic acid against poultry-relevant isolates. <i>Brazilian Journal of Microbiology</i> , 2021 , 52, 1769-1778	2.2	1
126	Trans-chalcone induces death by autophagy mediated by p53 up-regulation and Ecatenin down-regulation on human hepatocellular carcinoma HuH7.5 cell line. <i>Phytomedicine</i> , 2021 , 80, 153373	6.5	8
125	Glucosinolate-Enriched Fractions from Maca () Exert Myrosinase-Dependent Cytotoxic Effects against HepG2/C3A and HT29 Tumor Cell Lines. <i>Nutrition and Cancer</i> , 2021 , 1-16	2.8	1
124	Transcriptional profiling analysis of susceptible and resistant strains of <i>Anticarsia gemmatilis</i> and their response to <i>Bacillus thuringiensis</i> . <i>Genomics</i> , 2021 , 113, 2264-2275	4.3	3
123	Apoptotic and cell cycle response to homoharringtonine and harringtonine in wild and mutant p53 hepatocarcinoma cells. <i>Human and Experimental Toxicology</i> , 2020 , 39, 1405-1416	3.4	2
122	Risk assessment via genotoxicity, metabolism, apoptosis, and cell growth effects in a HepG2/C3A cell line upon treatment with (Rosaceae) leaves extract. <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2020 , 83, 495-508	3.2	8
121	Cytotoxicity of sodium selenite in HaCaT cells induces cell death and alters the mRNA expression of PUMA, ATR, and mTOR genes. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020 , 62, 126605	4.1	1
120	Up and down-regulation of mRNA in the cytotoxicity and genotoxicity of Plumbagin in HepG2/C3A. <i>Environmental Toxicology and Pharmacology</i> , 2020 , 75, 103328	5.8	6
119	Synthesis of hybrid perillyl-4H-pyrans. Cytotoxicity evaluation against hepatocellular carcinoma HepG2/C3A cell line. <i>Journal of Heterocyclic Chemistry</i> , 2020 , 57, 2597-2614	1.9	2
118	3,3',5,5'-tetramethoxybiphenyl-4,4'-diol induces cell cycle arrest in G2/M phase and apoptosis in human non-small cell lung cancer A549 cells. <i>Chemico-Biological Interactions</i> , 2020 , 326, 109133	5	6
117	Molecular pathways related to the control of proliferation and cell death in 786-O cells treated with plumbagin. <i>Molecular Biology Reports</i> , 2019 , 46, 6071-6078	2.8	5
116	Mitotic spindle defects and DNA damage induced by dimethoxycurcumin lead to an intrinsic apoptosis pathway in HepG2/C3A cells. <i>Toxicology in Vitro</i> , 2019 , 61, 104643	3.6	7
115	In vitro evaluation of the protective effects of plant extracts against amyloid-beta peptide-induced toxicity in human neuroblastoma SH-SY5Y cells. <i>PLoS ONE</i> , 2019 , 14, e0212089	3.7	13
114	Bisphenol A reduces testosterone production in TM3 Leydig cells independently of its effects on cell death and mitochondrial membrane potential. <i>Reproductive Toxicology</i> , 2018 , 76, 26-34	3.4	24
113	Effects of folic acid on the antiproliferative efficiency of doxorubicin, camptothecin and methyl methanesulfonate in MCF-7 cells by mRNA endpoints. <i>Saudi Journal of Biological Sciences</i> , 2018 , 25, 1568-1576	4.1	7
112	Cytotoxicity, mutagenicity, and antimutagenicity of the gentisic acid on HTC cells. <i>Drug and Chemical Toxicology</i> , 2018 , 41, 155-161	2.3	8

111	New Bis copper complex ((Z) -4 - ((4-chlorophenyl) amino) -4-oxobut-2-enoyl) oxy): Cytotoxicity in 4T1 cells and their toxicogenic potential in Swiss mice. <i>Toxicology and Applied Pharmacology</i> , 2018 , 356, 127-138	4.6	4
110	Response of HepG2/C3A cells supplemented with sodium selenite to hydrogen peroxide-induced oxidative stress. <i>Journal of Trace Elements in Medicine and Biology</i> , 2018 , 50, 209-215	4.1	4
109	Role of 1 α ,25-Dihydroxyvitamin D3 in Adipogenesis of SGBS Cells: New Insights into Human Preadipocyte Proliferation. <i>Cellular Physiology and Biochemistry</i> , 2018 , 48, 397-408	3.9	14
108	RNA expression profile of cancer marker genes in HepG2 cells treated with different concentrations of a new indolin-3-one from <i>Pseudomonas aeruginosa</i> . <i>Scientific Reports</i> , 2018 , 8, 12781	4.9	2
107	Cis-Nerolidol Induces Endoplasmic Reticulum Stress and Cell Death in Human Hepatocellular Carcinoma Cells through Extensive CYP2C19 and CYP1A2 Oxidation. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017 , 121, 334-341	3.1	17
106	Vitamin D: Correlation with biochemical and body composition changes in a southern Brazilian population and induction of cytotoxicity in mesenchymal stem cells derived from human adipose tissue. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 91, 861-871	7.5	10
105	Risk Assessment via Metabolism and Cell Growth Inhibition in a HepG2/C3A Cell Line Upon Treatment with Arpadol and its Active Component Harpagoside. <i>Phytotherapy Research</i> , 2017 , 31, 387-394	6.7	6
104	Pericytes Extend Survival of ALS SOD1 Mice and Induce the Expression of Antioxidant Enzymes in the Murine Model and in iPSCs Derived Neuronal Cells from an ALS Patient. <i>Stem Cell Reviews and Reports</i> , 2017 , 13, 686-698	6.4	43
103	Comparison of the Effects of Monastrol and Oxomonastrol on Human Hepatoma Cell Line HepG2/C3A. <i>Anticancer Research</i> , 2017 , 37, 1197-1204	2.3	3
102	Cytotoxicity, genotoxicity and mechanism of action (via gene expression analysis) of the indole alkaloid aspidospermine (antiparasitic) extracted from <i>Aspidosperma polyneuron</i> in HepG2 cells. <i>Cytotechnology</i> , 2016 , 68, 1161-70	2.2	8
101	Evaluation of lignan (-)-cubebin extracted from <i>Piper cubeba</i> on human colon adenocarcinoma cells (HT29). <i>Journal of Toxicology and Environmental Health - Part A: Current Issues</i> , 2016 , 79, 92-100	3.2	10
100	Salinomycin efficiency assessment in non-tumor (HB4a) and tumor (MCF-7) human breast cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016 , 389, 557-71	3.4	8
99	LNO3 AND L3 Are Associated With Antiproliferative And Pro-Apoptotic Action In Hepatoma Cells. <i>Genetics and Molecular Biology</i> , 2016 , 39, 270-8	2	
98	Roles of chlorophyllin in cell proliferation and the expression of apoptotic and cell cycle genes in HB4a non-tumor breast cells. <i>Toxicology Mechanisms and Methods</i> , 2016 , 26, 348-54	3.6	6
97	Antiproliferative activity of monastrol in human adenocarcinoma (MCF-7) and non-tumor (HB4a) breast cells. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2016 , 389, 1279-1288	3.4	4
96	Analysis of the genotoxic potential of low concentrations of Malathion on the <i>Allium cepa</i> cells and rat hepatoma tissue culture. <i>Journal of Environmental Sciences</i> , 2015 , 36, 102-11	6.4	30
95	Effects of sulfated and non-sulfated β -glucan extracted from <i>Agaricus brasiliensis</i> in breast adenocarcinoma cells - MCF-7. <i>Toxicology Mechanisms and Methods</i> , 2015 , 25, 672-9	3.6	3
94	Antiproliferative activity of goniiothalamine enantiomers involves DNA damage, cell cycle arrest and apoptosis induction in MCF-7 and HB4a cells. <i>Toxicology in Vitro</i> , 2015 , 30, 250-63	3.6	13

93	6-Dimethylaminopurine and cyclohexamide are mutagenic and alter reproductive performance and intrauterine development in vivo. <i>Genetics and Molecular Research</i> , 2015 , 14, 834-49	1.2	8
92	Study of levan productivity from <i>Bacillus subtilis</i> Natto by surface response methodology and its antitumor activity against HepG2 cells using metabolomic approach. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2015 , 28, 1917-26	0.4	1
91	(S)-Goniothalamine induces DNA damage, apoptosis, and decrease in BIRC5 messenger RNA levels in NCI-H460 cells. <i>Human and Experimental Toxicology</i> , 2014 , 33, 3-13	3.4	12
90	Genistein at maximal physiologic serum levels induces G0/G1 arrest in MCF-7 and HB4a cells, but not apoptosis. <i>Journal of Medicinal Food</i> , 2014 , 17, 218-25	2.8	13
89	Cytotoxic, biochemical and genotoxic effects of biodiesel produced by different routes on ZFL cell line. <i>Toxicology in Vitro</i> , 2014 , 28, 1117-25	3.6	20
88	Cytotoxicity and mutagenicity of fluoxetine hydrochloride (Prozac), with or without vitamins A and C, in plant and animal model systems. <i>Genetics and Molecular Research</i> , 2014 , 13, 578-89	1.2	4
87	Mutagenic and antimutagenic effects of aqueous extract of rosemary (<i>Rosmarinus officinalis</i> L.) on meristematic cells of <i>Allium cepa</i> . <i>Genetics and Molecular Research</i> , 2014 , 13, 9986-96	1.2	4
86	Compounds used to produce cloned animals are genotoxic and mutagenic in mammalian assays in vitro and in vivo. <i>Brazilian Journal of Medical and Biological Research</i> , 2014 , 47, 287-98	2.8	7
85	Effects of β -glucan polysaccharide revealed by the dominant lethal assay and micronucleus assays, and reproductive performance of male mice exposed to cyclophosphamide. <i>Genetics and Molecular Biology</i> , 2014 , 37, 111-9	2	15
84	Evaluation of the antimutagenic activity and mode of action of the fructooligosaccharide inulin in the meristematic cells of <i>Allium cepa</i> culture. <i>Genetics and Molecular Research</i> , 2014 , 13, 4808-19	1.2	20
83	Effects of genistein and daidzein on cell proliferation kinetics in HT29 colon cancer cells: the expression of CTNNBIP1 (β -catenin), APC (adenomatous polyposis coli) and BIRC5 (survivin). <i>Human Cell</i> , 2014 , 27, 78-84	4.5	17
82	Antigenotoxic and antimutagenic effects of glutamine supplementation on mice treated with cisplatin. <i>Genetics and Molecular Research</i> , 2014 , 13, 4820-30	1.2	4
81	Chemoprotective action of L-(+)-selenomethionine on the modulation of genes involved in oxidative stress and in the UPR pathway. <i>European Food Research and Technology</i> , 2013 , 237, 765-773	3.4	2
80	Evaluation of the cytotoxicity, mutagenicity and antimutagenicity of a natural antidepressant, <i>Hypericum perforatum</i> L. (St. John's wort), on vegetal and animal test systems. <i>BMC Complementary and Alternative Medicine</i> , 2013 , 13, 97	4.7	13
79	Effects of β -cubebine (Piper cubeba) on cytotoxicity, mutagenicity and expression of p38 MAP kinase and GSTa2 in a hepatoma cell line. <i>Journal of Food Composition and Analysis</i> , 2013 , 30, 1-5	4.1	9
78	Evaluation of the effects of nicorandil and its molecular precursor (without radical NO) on proliferation and apoptosis of 786-cell. <i>Cytotechnology</i> , 2013 , 65, 839-50	2.2	2
77	Assessment of the in vitro and in vivo genotoxicity of extracts and indole monoterpene alkaloid from the roots of <i>Galianthe thalictroides</i> (Rubiaceae). <i>Food and Chemical Toxicology</i> , 2013 , 59, 405-11	4.7	3
76	Chlorophyllin in the intra-uterine development of mice exposed or not to cyclophosphamide - doi: 10.4025/actascihealthsci.v35i2.12470. <i>Acta Scientiarum - Health Sciences</i> , 2013 , 35, 201	0.2	2

75	Anticlastogenic effect of β -glucan, extracted from <i>Saccharomyces cerevisiae</i> , on cultured cells exposed to ultraviolet radiation. <i>Cytotechnology</i> , 2013 , 65, 41-8	2.2	3
74	Chemoprotective activity of the isoflavones, genistein and daidzein on mutagenicity induced by direct and indirect mutagens in cultured HTC cells. <i>Cytotechnology</i> , 2013 , 65, 213-22	2.2	19
73	In vivophotothermal tumour ablation using gold nanorods. <i>Laser Physics</i> , 2013 , 23, 066003	1.2	7
72	Effects of β -glucan extracted from <i>Agaricus blazei</i> on the expression of ERCC5, CASP9, and CYP1A1 genes and metabolic profile in HepG2 cells. <i>Human and Experimental Toxicology</i> , 2013 , 32, 647-54	3-4	22
71	Antimutagenic and anticarcinogenic effects of wheat bran in vivo. <i>Genetics and Molecular Research</i> , 2013 , 12, 1646-59	1.2	15
70	Pre-treatment with glutamine reduces genetic damage due to cancer treatment with cisplatin. <i>Genetics and Molecular Research</i> , 2013 , 12, 6040-51	1.2	7
69	Evaluation of the antimutagenic and anticarcinogenic effects of inulin in vivo. <i>Genetics and Molecular Research</i> , 2013 , 12, 2281-93	1.2	17
68	In vivo evaluation of the antimutagenic and antigenotoxic effects of β -glucan extracted from <i>Saccharomyces cerevisiae</i> in acute treatment with multiple doses. <i>Genetics and Molecular Biology</i> , 2013 , 36, 413-24	2	19
67	Genotoxic evaluation of the antimalarial drugs artemisinin and artesunate in human HepG2 cells and effects on CASP3 and SOD1 gene expressions. <i>Genetics and Molecular Research</i> , 2013 , 12, 2517-27	1.2	13
66	Investigation of cytotoxic and mutagenic effects of <i>Malpighia glabra</i> L. (barbados cherry) fruit pulp and vitamin C on plant and animal test systems. <i>Food Science and Technology</i> , 2012 , 32, 405-411	2	5
65	CXCL12 rs1801157 polymorphism and expression in peripheral blood from breast cancer patients. <i>Cytokine</i> , 2011 , 55, 260-5	4	26
64	In vitro genotoxicity assessment of caffeic, cinnamic and ferulic acids. <i>Genetics and Molecular Research</i> , 2011 , 10, 1130-40	1.2	32
63	Activity of selenium on cell proliferation, cytotoxicity, and apoptosis and on the expression of CASP9, BCL-XL and APC in intestinal adenocarcinoma cells. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2011 , 715, 7-12	3-3	31
62	Evaluation of <i>Agaricus blazei</i> in vivo for antigenotoxic, anticarcinogenic, phagocytic and immunomodulatory activities. <i>Regulatory Toxicology and Pharmacology</i> , 2011 , 59, 412-22	3-4	45
61	Investigation of cytotoxic, apoptosis-inducing, genotoxic and protective effects of the flavonoid rutin in HTC hepatic cells. <i>Experimental and Toxicologic Pathology</i> , 2011 , 63, 459-65		57
60	Cyclosporin A treatment and decreased fungal load/antigenemia in experimental murine paracoccidioidomycosis. <i>Mycopathologia</i> , 2011 , 171, 161-9	2.9	6
59	Evaluation of extracts from <i>Coccoloba mollis</i> using the Salmonella/microsome system and in vivo tests. <i>Genetics and Molecular Biology</i> , 2010 , 33, 542-8	2	1
58	Avaliaç� da mutagenicidade e antimutagenicidade de um biopol�mero extra�do do microorganismo <i>Agrobacterium radiobacter</i> em camundongos Swiss. <i>Revista Brasileira De Farmacogn�sia</i> , 2010 , 20, 340-347	2	3

57	Determination of the antimutagenicity of an aqueous extract of <i>Rhizophora mangle</i> L. (Rhizophoraceae), using in vivo and in vitro test systems. <i>Genetics and Molecular Biology</i> , 2010 , 33, 176-81		13
56	Genotoxic evaluation of an industrial effluent from an oil refinery using plant and animal bioassays. <i>Genetics and Molecular Biology</i> , 2010 , 33, 169-75	2	17
55	In vitro evaluation of the genotoxic activity and apoptosis induction of the extracts of roots and leaves from the medicinal plant <i>Coccoloba mollis</i> (Polygonaceae). <i>Journal of Medicinal Food</i> , 2010 , 13, 503-8	2.8	11
54	Evaluation of the genotoxic and anti-genotoxic activities of silybin in human hepatoma cells (HepG2). <i>Mutagenesis</i> , 2010 , 25, 223-9	2.8	26
53	Chlorination treatment of aqueous samples reduces, but does not eliminate, the mutagenic effect of the azo dyes Disperse Red 1, Disperse Red 13 and Disperse Orange 1. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2010 , 703, 200-8	3	64
52	Detection of genotoxicity of water from an urbanized stream, in <i>Corbicula fluminea</i> (Mollusca) (in vivo) and CHO-K1 cells (in vitro) using comet assay. <i>Archives of Environmental Contamination and Toxicology</i> , 2010 , 59, 31-8	3.2	4
51	Effects of the polysaccharide beta-glucan on clastogenicity and teratogenicity caused by acute exposure to cyclophosphamide in mice. <i>Regulatory Toxicology and Pharmacology</i> , 2009 , 53, 164-73	3.4	29
50	Effect of annatto on micronuclei induction by direct and indirect mutagens in HepG2 cells. <i>Environmental and Molecular Mutagenesis</i> , 2009 , 50, 808-14	3.2	11
49	Plasma malondialdehyde levels and CXCR4 expression in peripheral blood cells of breast cancer patients. <i>Journal of Cancer Research and Clinical Oncology</i> , 2009 , 135, 997-1004	4.9	20
48	Beta-glucan extracted from the medicinal mushroom <i>Agaricus blazei</i> prevents the genotoxic effects of benzo[a]pyrene in the human hepatoma cell line HepG2. <i>Archives of Toxicology</i> , 2009 , 83, 81-6	5.8	43
47	Effects of chlorophyllin on replication of poliovirus and bovine herpesvirus in vitro. <i>Letters in Applied Microbiology</i> , 2009 , 49, 791-5	2.9	10
46	Evaluation of the antigenotoxicity of polysaccharides and β -glucans from <i>Agaricus blazei</i> , a model study with the single cell gel electrophoresis/Hep G2 assay. <i>Journal of Food Composition and Analysis</i> , 2009 , 22, 699-703	4.1	12
45	Evaluation of chemopreventive activity of glutamine by the comet and the micronucleus assay in mice peripheral blood. <i>Environmental Toxicology and Pharmacology</i> , 2009 , 28, 120-4	5.8	21
44	The azo dyes Disperse Red 1 and Disperse Orange 1 increase the micronuclei frequencies in human lymphocytes and in HepG2 cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2009 , 676, 83-6	3	83
43	Protective effects of beta-glucan extracted from barley against benzo[a]pyrene-induced DNA damage in hepatic cell HepG2. <i>Experimental and Toxicologic Pathology</i> , 2009 , 61, 83-9		14
42	beta-Glucans in promoting health: prevention against mutation and cancer. <i>Mutation Research - Reviews in Mutation Research</i> , 2008 , 658, 154-61	7	170
41	Cytotoxicity and genotoxicity of <i>Agaricus blazei</i> methanolic extract fractions assessed using gene and chromosomal mutation assays. <i>Genetics and Molecular Biology</i> , 2008 , 31, 122-127	2	7
40	First genotoxicity study of Paran river water from Argentina using cells from the clam <i>Corbicula fluminea</i> (Veneroida Corbiculidae) and Chinese hamster (<i>Cricetulus griseus</i> Rodentia, Cricetidae) K1 cells in the comet assay. <i>Genetics and Molecular Biology</i> , 2008 , 31, 561-565	2	6

39	Antiviral activity of aqueous and ethanol extracts and of an isolated polysaccharide from <i>Agaricus brasiliensis</i> against poliovirus type 1. <i>Letters in Applied Microbiology</i> , 2007 , 45, 24-8	2.9	75
38	Anticlastogenic Activity of Aqueous Extract of <i>Agaricus blazei</i> in Drug-Metabolizing Cells (HTCs) During Cell Cycle. <i>Toxicology Mechanisms and Methods</i> , 2007 , 17, 147-52	3.6	5
37	Protective effect of beta-glucan extracted from <i>Saccharomyces cerevisiae</i> , against DNA damage and cytotoxicity in wild-type (k1) and repair-deficient (xrs5) CHO cells. <i>Toxicology in Vitro</i> , 2007 , 21, 41-52	3.6	65
36	Genotoxic, mutagenic and cytotoxic effects of the commercial dye CI Disperse Blue 291 in the human hepatic cell line HepG2. <i>Toxicology in Vitro</i> , 2007 , 21, 1650-5	3.6	141
35	Clastogenic and Anticlastogenic Effect of the Essential Oil from <i>Casearia sylvestris</i> Swart.. <i>Journal of Essential Oil Research</i> , 2007 , 19, 376-378	2.3	12
34	Anti-clastogenic effect of beta-glucan extracted from barley towards chemically induced DNA damage in rodent cells. <i>Human and Experimental Toxicology</i> , 2006 , 25, 319-24	3.4	10
33	Brazilian natural dietary components (annatto, propolis and mushrooms) protecting against mutation and cancer. <i>Human and Experimental Toxicology</i> , 2006 , 25, 267-72	3.4	12
32	Antigenotoxicity of <i>Agaricus blazei</i> mushroom organic and aqueous extracts in chromosomal aberration and cytokinesis block micronucleus assays in CHO-k1 and HTC cells. <i>Toxicology in Vitro</i> , 2006 , 20, 355-60	3.6	44
31	Evaluation of antimutagenic activity and mechanisms of action of beta-glucan from barley, in CHO-k1 and HTC cell lines using the micronucleus test. <i>Toxicology in Vitro</i> , 2006 , 20, 1225-33	3.6	52
30	Antiviral activity of <i>Agaricus blazei</i> Murrill ss. Heinem extract against human and bovine herpesviruses in cell culture. <i>Brazilian Journal of Microbiology</i> , 2006 , 37, 561-565	2.2	19
29	In Vitro Metabolism Effect on Genotoxicity and Antigenotoxicity of <i>Agaricus blazei</i> Organics and Aqueous Extracts by the Comet Assay. <i>Cytologia</i> , 2006 , 71, 205-211	0.9	
28	Genotoxicity and mutagenicity of water contaminated with tannery effluents, as evaluated by the micronucleus test and comet assay using the fish <i>Oreochromis niloticus</i> and chromosome aberrations in onion root-tips. <i>Genetics and Molecular Biology</i> , 2006 , 29, 148-158	2	187
27	Protective effects of beta-glucan extracted from <i>Agaricus brasiliensis</i> against chemically induced DNA damage in human lymphocytes. <i>Cell Biology and Toxicology</i> , 2006 , 22, 285-91	7.4	60
26	Evaluation of environmental waters using the comet assay in <i>Tilapia rendalli</i> . <i>Environmental Toxicology and Pharmacology</i> , 2005 , 19, 197-201	5.8	34
25	Cytotoxicity, genotoxicity and antimutagenicity of hexane extracts of <i>Agaricus blazei</i> determined in vitro by the comet assay and CHO/HGPRT gene mutation assay. <i>Toxicology in Vitro</i> , 2005 , 19, 533-9	3.6	24
24	Evaluation of the genotoxic potential due to the action of an effluent contaminated with Chromium, by the Comet assay in CHO-K1 cultures. <i>Caryologia</i> , 2005 , 58, 40-46		18
23	Genotoxic and antigenotoxic effects of organic extracts of mushroom <i>Agaricus blazei</i> Murrill on V79 cells. <i>Genetics and Molecular Biology</i> , 2005 , 28, 458-463	2	14
22	Comet assay comparison of different <i>Corbicula fluminea</i> (Mollusca) tissues for the detection of genotoxicity. <i>Genetics and Molecular Biology</i> , 2005 , 28, 464-468	2	32

21	Cytotoxic and genotoxic butanolides and lignans from Aiouea trinervis. <i>Planta Medica</i> , 2005 , 71, 923-7	3.1	21
20	Mutagenic effects of tributyltin and inorganic lead (Pb II) on the fish H. malabaricus as evaluated using the comet assay and the piscine micronucleus and chromosome aberration tests. <i>Genetics and Molecular Biology</i> , 2004 , 27, 103-107	2	140
19	Genetic damage induced by trophic doses of lead in the neotropical fish Hoplias malabaricus (Characiformes, Erythrinidae) as revealed by the comet assay and chromosomal aberrations. <i>Genetics and Molecular Biology</i> , 2004 , 27, 270-274	2	60
18	Chlorophyllin protects HEp-2 cells from nuclear fragmentation induced by poliovirus. <i>Letters in Applied Microbiology</i> , 2004 , 39, 174-7	2.9	11
17	The mutagenic potentiator effect of chlorophyllin by the HGPRT assay. <i>Toxicology in Vitro</i> , 2004 , 18, 147-96	3.6	4
16	Variation of the antimutagenicity effects of water extracts of Agaricus blazei Murrill in vitro. <i>Toxicology in Vitro</i> , 2004 , 18, 301-9	3.6	37
15	Evaluation of the genotoxic potential of the Casearia sylvestris extract on HTC and V79 cells by the comet assay. <i>Toxicology in Vitro</i> , 2004 , 18, 337-42	3.6	29
14	Possible modulating actions of plant extracts on the chromosome breaking activity of MMC and Ara-C in human lymphocytes in vitro. <i>Toxicology in Vitro</i> , 2004 , 18, 617-22	3.6	24
13	Anticlastogenicity of chlorophyllin in the different cell cycle phases in cultured mammalian cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2004 , 557, 177-82	3	9
12	Mechanism of Action of Chlorophyllin against Mitomycin-C Mutagenicity in Allium cepa. <i>Cytologia</i> , 2004 , 69, 459-465	0.9	5
11	Assessment of two medicinal plants, Psidium guajava L. and Achillea millefolium L., in in vitro and in vivo assays. <i>Genetics and Molecular Biology</i> , 2003 , 26, 551-555	2	65
10	Investigation of the Genotoxic Potential of the Waters of a River Receiving Tannery Effluents by Means of the in vitro Comet Assay. <i>Cytologia</i> , 2003 , 68, 395-401	0.9	19
9	Mechanism of anticlastogenicity of Agaricus blazei Murill mushroom organic extracts in wild type CHO (K(1)) and repair deficient (xrs5) cells by chromosome aberration and sister chromatid exchange assays. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2003 , 528, 75-9	3.3	23
8	Anticlastogenic effect of aqueous extracts of Agaricus blazei on CHO-k1 cells, studying different developmental phases of the mushroom. <i>Toxicology in Vitro</i> , 2003 , 17, 465-9	3.6	33
7	Effects of Maytenus ilicifolia Mart. and Bauhinia candicans Benth infusions on onion root-tip and rat bone-marrow cells. <i>Genetics and Molecular Biology</i> , 2002 , 25, 85-89	2	30
6	Anti-genotoxic effect of aqueous extracts of sun mushroom (Agaricus blazei Murill lineage 99/26) in mammalian cells in vitro. <i>Food and Chemical Toxicology</i> , 2002 , 40, 1775-80	4.7	48
5	Antimutagenic effects of the mushroom Agaricus blazei Murrill extracts on V79 cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001 , 496, 5-13	3	89
4	Investigation of genotoxic and antigenotoxic activities of chlorophylls and chlorophyllin in cultured V79 cells. <i>Mutation Research - Genetic Toxicology and Environmental Mutagenesis</i> , 2001 , 497, 139-45	3	18

3	Differential Protection of A and B Chlorophyll in MMC-mediated Induction of Chromatid and Isochromatid Breaks in Human Lymphocytes Culture.. <i>Cytologia</i> , 2001 , 66, 313-318	0.9	9
2	Multiple uterine leiomyomas: cytogenetic analysis. <i>Gynecologic Oncology</i> , 1999 , 72, 71-5	4.9	12
1	Liver response to low-hexachlorobenzene exposure in protein- or energy-restricted rats. <i>Food and Chemical Toxicology</i> , 1991 , 29, 757-64	4.7	13