

Jee-Suk Chang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1285856/jee-suk-chang-publications-by-citations.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

114
papers

984
citations

17
h-index

25
g-index

127
ext. papers

1,367
ext. citations

3.5
avg, IF

4.46
L-index

#	Paper	IF	Citations
114	Long-term survival outcomes following internal mammary node irradiation in stage II-III breast cancer: results of a large retrospective study with 12-year follow-up. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013 , 86, 867-72	4	48
113	Patterns of regional recurrence after curative D2 resection for stage III (N3) gastric cancer: implications for postoperative radiotherapy. <i>Radiotherapy and Oncology</i> , 2012 , 104, 367-73	5.3	46
112	The deep inspiration breath hold technique using Abches reduces cardiac dose in patients undergoing left-sided breast irradiation. <i>Radiation Oncology Journal</i> , 2013 , 31, 239-46	2.5	46
111	Preoperative chemoradiotherapy effects on anastomotic leakage after rectal cancer resection: a propensity score matching analysis. <i>Annals of Surgery</i> , 2014 , 259, 516-21	7.8	38
110	Clinical usefulness of 18 F-fluorodeoxyglucose-positron emission tomography in patients with locally advanced pancreatic cancer planned to undergo concurrent chemoradiation therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2014 , 90, 126-33	4	36
109	Three-dimensional analysis of patterns of locoregional recurrence after treatment in breast cancer patients: Validation of the ESTRO consensus guideline on target volume. <i>Radiotherapy and Oncology</i> , 2017 , 122, 24-29	5.3	36
108	Does Radiotherapy for the Primary Tumor Benefit Prostate Cancer Patients with Distant Metastasis at Initial Diagnosis?. <i>PLoS ONE</i> , 2016 , 11, e0147191	3.7	35
107	Dose escalation in locally advanced pancreatic cancer patients receiving chemoradiotherapy. <i>Radiotherapy and Oncology</i> , 2017 , 123, 438-445	5.3	33
106	Risk of Lymphedema Following Contemporary Treatment for Breast Cancer: An Analysis of 7617 Consecutive Patients From a Multidisciplinary Perspective. <i>Annals of Surgery</i> , 2021 , 274, 170-178	7.8	30
105	The Neutrophil-Lymphocyte Ratio and Platelet-Lymphocyte Ratio Are Prognostic Factors in Patients with Locally Advanced Pancreatic Cancer Treated with Chemoradiotherapy. <i>Gut and Liver</i> , 2018 , 12, 342-352	4.8	28
104	Mapping patterns of locoregional recurrence following contemporary treatment with radiation therapy for breast cancer: A multi-institutional validation study of the ESTRO consensus guideline on clinical target volume. <i>Radiotherapy and Oncology</i> , 2018 , 126, 139-147	5.3	24
103	Therapeutic benefit of radiotherapy in huge (10 cm) unresectable hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 784-94	7.9	22
102	Effect of Radiotherapy Combined With Pembrolizumab on Local Tumor Control in Mucosal Melanoma Patients. <i>Frontiers in Oncology</i> , 2019 , 9, 835	5.3	21
101	Impact of Including Peritumoral Edema in Radiotherapy Target Volume on Patterns of Failure in Glioblastoma following Temozolomide-based Chemoradiotherapy. <i>Scientific Reports</i> , 2017 , 7, 42148	4.9	18
100	Does internal mammary node irradiation affect treatment outcome in clinical stage II-III breast cancer patients receiving neoadjuvant chemotherapy?. <i>Breast Cancer Research and Treatment</i> , 2015 , 152, 589-99	4.4	18
99	Defining the target volume for post-operative radiotherapy after D2 dissection in gastric cancer by CT-based vessel-guided delineation. <i>Radiotherapy and Oncology</i> , 2013 , 108, 72-7	5.3	18
98	Clinical Evaluation of Commercial Atlas-Based Auto-Segmentation in the Head and Neck Region. <i>Frontiers in Oncology</i> , 2019 , 9, 239	5.3	17

97	Bladder filling variations during concurrent chemotherapy and pelvic radiotherapy in rectal cancer patients: early experience of bladder volume assessment using ultrasound scanner. <i>Radiation Oncology Journal</i> , 2013 , 31, 41-7	2.5	17
96	Clinical evaluation of atlas- and deep learning-based automatic segmentation of multiple organs and clinical target volumes for breast cancer. <i>Radiotherapy and Oncology</i> , 2020 , 153, 139-145	5.3	17
95	Hypofractionated Radiotherapy Dose Scheme and Application of New Techniques Are Associated to a Lower Incidence of Radiation Pneumonitis in Breast Cancer Patients. <i>Frontiers in Oncology</i> , 2020 , 10, 124	5.3	16
94	Radiation-related heart disease after breast cancer radiation therapy in Korean women. <i>Breast Cancer Research and Treatment</i> , 2017 , 166, 249-257	4.4	16
93	Radiotherapy is a safe and effective salvage treatment for recurrent cervical cancer. <i>Gynecologic Oncology</i> , 2018 , 151, 208-214	4.9	16
92	Involved-field radiation therapy for recurrent ovarian cancer: Results of a multi-institutional prospective phase II trial. <i>Gynecologic Oncology</i> , 2018 , 151, 39-45	4.9	15
91	Do Recent Advances in Diagnostic and Therapeutic Procedures Negate the Benefit of Postmastectomy Radiotherapy in N1 Patients With a Low Risk of Locoregional Recurrence?. <i>Medicine (United States)</i> , 2015 , 94, e1259	1.8	14
90	The magnetic resonance imaging-based approach for identification of high-risk patients with upper rectal cancer. <i>Annals of Surgery</i> , 2014 , 260, 293-8	7.8	14
89	High-dose helical tomotherapy with concurrent full-dose chemotherapy for locally advanced pancreatic cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2012 , 83, 1448-54	4	12
88	(18)F-FDG/PET May Help to Identify a Subgroup of Patients with T1-T2 Breast Cancer and 1-3 Positive Lymph Nodes Who Are at a High Risk of Recurrence after Mastectomy. <i>Cancer Research and Treatment</i> , 2016 , 48, 508-17	5.2	12
87	Optimal Adjuvant Treatment for Curatively Resected Thoracic Esophageal Squamous Cell Carcinoma: A Radiotherapy Perspective. <i>Cancer Research and Treatment</i> , 2017 , 49, 168-177	5.2	12
86	Incorporation of radiotherapy in the multidisciplinary treatment of isolated retroperitoneal lymph node recurrence from colorectal cancer. <i>Annals of Surgical Oncology</i> , 2015 , 22, 1520-6	3.1	11
85	Evaluating Variations of Bladder Volume Using an Ultrasound Scanner in Rectal Cancer Patients during Chemoradiation: Is Protocol-Based Full Bladder Maintenance Using a Bladder Scanner Useful to Maintain the Bladder Volume?. <i>PLoS ONE</i> , 2015 , 10, e0128791	3.7	11
84	Differential Prognostic Impact of Strong PD-L1 Expression and 18F-FDG Uptake in Triple-negative Breast Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2018 , 41, 1049-1057	2.7	10
83	FDG-PET predicts outcomes of treated bone metastasis following palliative radiotherapy in patients with hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 1118-25	7.9	10
82	Recursive partition analysis of peritoneal and systemic recurrence in patients with gastric cancer who underwent D2 gastrectomy: Implications for neoadjuvant therapy consideration. <i>Journal of Surgical Oncology</i> , 2016 , 114, 859-864	2.8	10
81	Quantification of Risk Factors for Cervical Ossification of the Posterior Longitudinal Ligament in Korean Populations: A Nationwide Population-based Case-control Study. <i>Spine</i> , 2019 , 44, E957-E964	3.3	10
80	Risk of cardiac disease after adjuvant radiation therapy among breast cancer survivors. <i>Breast</i> , 2019 , 43, 48-54	3.6	10

79	Atlas-based auto-segmentation for postoperative radiotherapy planning in endometrial and cervical cancers. <i>Radiation Oncology</i> , 2020 , 15, 106	4.2	9
78	Survival outcomes of breast cancer patients with brain metastases: A multicenter retrospective study in Korea (KROG 16-12). <i>Breast</i> , 2020 , 49, 41-47	3.6	9
77	Influence of Radiation Dose to Reconstructed Breast Following Mastectomy on Complication in Breast Cancer Patients Undergoing Two-Stage Prosthetic Breast Reconstruction. <i>Frontiers in Oncology</i> , 2019 , 9, 243	5.3	8
76	Evaluation of predictive factors of vertebral compression fracture after conventional palliative radiotherapy for spinal metastasis from colorectal cancer. <i>Journal of Neurosurgery: Spine</i> , 2018 , 28, 333-340	3.8	8
75	Radiotherapy for initial clinically positive internal mammary nodes in breast cancer. <i>Radiation Oncology Journal</i> , 2019 , 37, 91-100	2.5	8
74	Outcome of breast-conserving treatment for axillary lymph node metastasis from occult breast cancer with negative breast MRI. <i>Breast</i> , 2020 , 49, 63-69	3.6	8
73	Treatment Outcomes of Re-irradiation in Locoregionally Recurrent Rectal Cancer and Clinical Significance of Proper Patient Selection. <i>Frontiers in Oncology</i> , 2019 , 9, 529	5.3	7
72	Prognostic value of FDG-PET volumetric parameters in patients with p16-positive oropharyngeal squamous cell carcinoma who received curative resection followed by postoperative radiotherapy or chemoradiotherapy. <i>Head and Neck</i> , 2016 , 38, 1515-24	4.2	7
71	Clinical feasibility of deep learning-based auto-segmentation of target volumes and organs-at-risk in breast cancer patients after breast-conserving surgery. <i>Radiation Oncology</i> , 2021 , 16, 44	4.2	7
70	Ruthenium-106 Brachytherapy with or without Additional Local Therapy Shows Favorable Outcome for Variable-Sized Choroidal Melanomas in Korean Patients. <i>Cancer Research and Treatment</i> , 2018 , 50, 138-147	5.2	6
69	Validation and optimization of a web-based nomogram for predicting survival of patients with newly diagnosed glioblastoma. <i>Strahlentherapie Und Onkologie</i> , 2020 , 196, 58-69	4.3	6
68	Risk of Cardiac Disease in Patients With Breast Cancer: Impact of Patient-Specific Factors and Individual Heart Dose From Three-Dimensional Radiation Therapy Planning. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 473-481	4	6
67	Impact of p16 expression in oropharyngeal cancer in the postoperative setting: the necessity of re-evaluating traditional risk stratification. <i>Japanese Journal of Clinical Oncology</i> , 2016 , 46, 911-918	2.8	6
66	First Experience in Korea of Stereotactic Partial Breast Irradiation for Low-Risk Early-Stage Breast Cancer. <i>Frontiers in Oncology</i> , 2020 , 10, 672	5.3	5
65	Diabetic polyneuropathy and the risk of developing carpal tunnel syndrome: A nationwide, population-based study. <i>Muscle and Nerve</i> , 2020 , 62, 208-213	3.4	5
64	Risk stratification of abdominopelvic failure for FIGO stage III epithelial ovarian cancer patients: implications for adjuvant radiotherapy. <i>Journal of Gynecologic Oncology</i> , 2013 , 24, 146-53	4	5
63	Re-irradiation Using Intensity-modulated Radiotherapy for Recurrent and Second Primary Head and Neck Cancer. <i>Anticancer Research</i> , 2018 , 38, 3165-3173	2.3	5
62	Postoperative adjuvant chemoradiotherapy in D2-dissected gastric cancer: is radiotherapy necessary after D2-dissection?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 12900-7	5.6	5

61	Patterns of Care for Radiotherapy in the Neoadjuvant and Adjuvant Treatment of Gastric Cancer: A Twelve-Year Nationwide Cohort Study in Korea. <i>Cancer Research and Treatment</i> , 2018 , 50, 118-128	5.2	5
60	Tumor immune microenvironment in cancer patients with leukocytosis. <i>Cancer Immunology, Immunotherapy</i> , 2020 , 69, 1265-1277	7.4	4
59	Trends in the Application of Postmastectomy Radiotherapy for Breast Cancer With 1 to 3 Positive Axillary Nodes and Tumors \geq 5 cm in the Modern Treatment Era: A Retrospective Korean Breast Cancer Society Report. <i>Medicine (United States)</i> , 2016 , 95, e3592	1.8	4
58	Full-dose gemcitabine is a more effective chemotherapeutic agent than 5-fluorouracil for concurrent chemoradiotherapy as first-line treatment in locally advanced pancreatic cancer. <i>Chemotherapy</i> , 2014 , 60, 191-9	3.2	4
57	Chemoradiotherapy in squamous cell carcinoma of the anal canal: a single institution experience. <i>Radiation Oncology Journal</i> , 2013 , 31, 25-33	2.5	4
56	External validation of IBTR! 2.0 nomogram for prediction of ipsilateral breast tumor recurrence. <i>Radiation Oncology Journal</i> , 2018 , 36, 139-146	2.5	4
55	Clinical Outcomes of Immune Checkpoint Blocker Therapy for Malignant Melanoma in Korean Patients: Potential Clinical Implications for a Combination Strategy Involving Radiotherapy. <i>Cancer Research and Treatment</i> , 2020 , 52, 730-738	5.2	4
54	A Retrospective Dosimetric Analysis of the New ESTRO-ACROP Target Volume Delineation Guidelines for Postmastectomy Volumetric Modulated Arc Therapy After Implant-Based Immediate Breast Reconstruction. <i>Frontiers in Oncology</i> , 2020 , 10, 578921	5.3	4
53	Male sex and Breslow thickness are important risk factors for recurrence of localized melanoma in Korean populations. <i>Journal of the American Academy of Dermatology</i> , 2020 , 83, 1071-1079	4.5	4
52	Upfront radical surgery with total mesorectal excision followed by adjuvant FOLFOX chemotherapy for locally advanced rectal cancer (TME-FOLFOX): an open-label, multicenter, phase II randomized controlled trial. <i>Trials</i> , 2020 , 21, 320	2.8	4
51	Feasibility of Continual Deep Learning-Based Segmentation for Personalized Adaptive Radiation Therapy in Head and Neck Area. <i>Cancers</i> , 2021 , 13,	6.6	4
50	Mapping of lateral pelvic lymph node recurrences in rectal cancer: a radiation oncologist's perspective. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018 , 144, 1119-1128	4.9	3
49	Phase II trial of preoperative sequential chemotherapy followed by chemoradiotherapy for high-risk gastric cancer. <i>Radiotherapy and Oncology</i> , 2019 , 140, 143-149	5.3	3
48	Reduced pelvic field sparing anastomosis for postoperative radiotherapy in selected patients with mid-upper rectal cancer. <i>Journal of Radiation Research</i> , 2017 , 58, 559-566	2.4	3
47	Vertebral compression fractures after spine irradiation using conventional fractionation in patients with metastatic colorectal cancer. <i>Radiation Oncology Journal</i> , 2014 , 32, 221-30	2.5	3
46	The mortality rate of Parkinson's disease and related comorbidities: a nationwide population-based matched cohort study in Korea. <i>Age and Ageing</i> , 2021 , 50, 1182-1188	3	3
45	Hypofractionated volumetric-modulated arc therapy for breast cancer: A propensity-score-weighted comparison of radiation-related toxicity. <i>International Journal of Cancer</i> , 2021 , 149, 149-157	7.5	3
44	Risk of Hypothyroidism in Women After Radiation Therapy for Breast Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2021 , 110, 462-472	4	3

43	Outcome of radiotherapy for clinically overt metastasis to the internal mammary lymph node in patients receiving neoadjuvant chemotherapy and breast cancer surgery. <i>Breast</i> , 2021 , 55, 112-118	3.6	3
42	Effects of socioeconomic status on mortality after Parkinson disease: A nationwide population-based matched cohort study in Korean populations. <i>Parkinsonism and Related Disorders</i> , 2020 , 80, 206-211	3.6	2
41	In Regard to Cahlon et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 100, 1298-1299		2
40	Involved-field radiation therapy for selected cases of recurrent ovarian cancer. <i>Journal of Gynecologic Oncology</i> , 2019 , 30, e67	4	2
39	Kallikrein 5 overexpression is associated with poor prognosis in uterine cervical cancer. <i>Journal of Gynecologic Oncology</i> , 2020 , 31, e78	4	2
38	Post-mastectomy radiation therapy in breast reconstruction: a patterns of care study of the Korean Radiation Oncology Group. <i>Radiation Oncology Journal</i> , 2020 , 38, 236-243	2.5	2
37	Cervical Lymph Node Involvement above the Supraclavicular Fossa in Breast Cancer: Comparison with Stage IIIC (KROG 18-02). <i>Journal of Breast Cancer</i> , 2020 , 23, 194-204	3	2
36	Dosimetric Comparison of Radiation Techniques for Comprehensive Regional Nodal Radiation Therapy for Left-Sided Breast Cancer: A Treatment Planning Study. <i>Frontiers in Oncology</i> , 2021 , 11, 645328	5.3	2
35	Impact of radiation dose on complications among women with breast cancer who underwent breast reconstruction and post-mastectomy radiotherapy: A multi-institutional validation study. <i>Breast</i> , 2021 , 56, 7-13	3.6	2
34	Increased Radiosensitivity of Solid Tumors Harboring ATM and BRCA1/2 Mutations. <i>Cancer Research and Treatment</i> , 2021 ,	5.2	2
33	Irritable bowel syndrome and subsequent risk of Parkinson disease: a nationwide population-based matched-cohort study. <i>Journal of Neurology</i> , 2021 , 1	5.5	2
32	Use of bevacizumab before or after radiotherapy increases the risk of fistula formation in patients with cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 59-65	3.5	2
31	New brain metastases after whole-brain radiotherapy of initial brain metastases in breast cancer patients: the significance of molecular subtypes (KROG 16-12). <i>Breast Cancer Research and Treatment</i> , 2021 , 186, 453-462	4.4	2
30	Internal mammary node irradiation in node-positive breast cancer treated with mastectomy and taxane-based chemotherapy. <i>Breast</i> , 2021 , 59, 37-43	3.6	2
29	Role of Preoperative Chemoradiotherapy in Clinical Stage II/III Rectal Cancer Patients Undergoing Total Mesorectal Excision: A Retrospective Propensity Score Analysis. <i>Frontiers in Oncology</i> , 2020 , 10, 609313	5.3	2
28	Reply to the Letter to the Editor by Vargo et al. <i>Radiotherapy and Oncology</i> , 2017 , 123, 485	5.3	1
27	In Regard to Borm et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2019 , 103, 778-779	4	1
26	A prospective comparative study of radiotherapy effect upon scar quality. <i>Journal of Plastic, Reconstructive and Aesthetic Surgery</i> , 2021 , 74, 1801-1806	1.7	1

25	Hypofractionated Radiotherapy With Volumetric Modulated Arc Therapy Decreases Postoperative Complications in Prosthetic Breast Reconstructions: A Clinicopathologic Study. <i>Frontiers in Oncology</i> , 2020 , 10, 577136	5.3	1
24	Feasibility and outcomes of hypofractionated simultaneous integrated boost-intensity modulated radiotherapy for malignant gliomas: a preliminary report. <i>Yonsei Medical Journal</i> , 2014 , 55, 70-7	3	1
23	Prognostic impact of neutrophilia and lymphopenia on survival in anal cancer treated with definitive concurrent chemoradiotherapy: a retrospective multicenter study. <i>International Journal of Clinical Oncology</i> , 2021 , 27, 553	4.2	1
22	Morphologic change of rectosigmoid colon using belly board and distended bladder protocol. <i>Radiation Oncology Journal</i> , 2015 , 33, 134-41	2.5	1
21	Evaluation of deep learning-based autosegmentation in breast cancer radiotherapy. <i>Radiation Oncology</i> , 2021 , 16, 203	4.2	1
20	Medical student education through flipped learning and virtual rotations in radiation oncology during the COVID-19 pandemic: a cross sectional research. <i>Radiation Oncology</i> , 2021 , 16, 204	4.2	1
19	Need to pay more attention to attendance at follow-up consultation after cancer screening in smokers and drinkers. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015 , 16, 109-17	1.7	1
18	In Regard to Naoum et al. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020 , 107, 223	4	1
17	Abscopal effect after palliative five-fraction radiation therapy on bone and lymph node metastases from luminal B breast cancer: a case report and clinical implications for palliative radiation therapy. <i>Radiation Oncology Journal</i> , 2021 , 39, 139-144	2.5	1
16	Upfront chemotherapy and short-course radiotherapy with delayed surgery for locally advanced rectal cancer with synchronous liver metastases. <i>European Journal of Surgical Oncology</i> , 2021 , 47, 2814-2820	3.6	1
15	Prediction of Immune-Checkpoint Blockade Monotherapy Response in Patients With Melanoma Based on Easily Accessible Clinical Indicators. <i>Frontiers in Oncology</i> , 2021 , 11, 659754	5.3	1
14	Prognosis of patients with axillary lymph node metastases from occult breast cancer: analysis of multicenter data. <i>Radiation Oncology Journal</i> , 2021 , 39, 107-112	2.5	1
13	Hip Fracture in Patients with Parkinson Disease and Related Mortality: A Population-Based Study in Korea. <i>Gerontology</i> , 2021 , 67, 544-553	5.5	1
12	Postmastectomy Radiation Therapy for Node-Negative Breast Cancer of 5cm or Larger Tumors: A Multicenter Retrospective Analysis (KROG 20-03). <i>Cancer Research and Treatment</i> , 2021 ,	5.2	1
11	Effects of diabetes mellitus on the rate of carpal tunnel release in patients with carpal tunnel syndrome. <i>Scientific Reports</i> , 2021 , 11, 15858	4.9	1
10	Validation of a nomogram for predicting the risk of lymphedema following contemporary treatment for breast cancer: a large multi-institutional study (KROG 20-05).. <i>Breast Cancer Research and Treatment</i> , 2022 , 192, 553	4.4	0
9	Comparison of clinical outcomes between carbon ion radiotherapy and X-ray radiotherapy for reirradiation in locoregional recurrence of rectal cancer.. <i>Scientific Reports</i> , 2022 , 12, 1845	4.9	0
8	Simple calculation using anatomical features on pre-treatment verification CT for bladder volume estimation during radiation therapy for rectal cancer. <i>BMC Cancer</i> , 2020 , 20, 942	4.8	0

7	Impact of Oncotype DX Recurrence Score on the Patterns of Locoregional Recurrence in Breast Cancer (Korean Radiation Oncology Group 19-06). <i>Journal of Breast Cancer</i> , 2020 , 23, 314-319	3	0
6	Synthetic contrast-enhanced computed tomography generation using a deep convolutional neural network for cardiac substructure delineation in breast cancer radiation therapy: a feasibility study.. <i>Radiation Oncology</i> , 2022 , 17, 83	4.2	0
5	Novel prognostic classification predicts overall survival of patients receiving salvage whole-brain radiotherapy for recurrent brain metastasis from breast cancer: A recursive partitioning analysis (KROG 16-12). <i>Breast</i> , 2021 , 60, 272-278	3.6	
4	Development of a Margin Determination Framework for Tumor-Tracking Radiation Therapy With Intraoperatively Implanted Fiducial Markers. <i>Frontiers in Oncology</i> , 2021 , 11, 753246	5.3	
3	Multicenter study for brain metastasis from breast cancer in Korea: The significance of molecular subtype (Korean Radiation Oncology Group 1612).. <i>Journal of Clinical Oncology</i> , 2021 , 39, e14008-e14008 ²	3.2	
2	Chondroradionecrosis of the trachea after definitive radiotherapy for cervical esophageal cancer: A case report. <i>Clinical Case Reports (discontinued)</i> , 2021 , 9, e04622	0.7	
1	Abstract P1-21-01: Multicenter study for brain metastasis from breast cancer in Korea: The significance of molecular subtype (KROG 1612). <i>Cancer Research</i> , 2022 , 82, P1-21-01-P1-21-01	10.1	