

Kuibo Yin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/128598/kuibo-yin-publications-by-year.pdf>

Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

107 papers	6,067 citations	34 h-index	77 g-index
119 ext. papers	6,992 ext. citations	10 avg, IF	5.6 L-index

#	Paper	IF	Citations
107	Efficient rejuvenation of heterogeneous $\{[(\text{Fe}_{0.5}\text{Co}_{0.5})_{0.75}\text{B}_{0.2}\text{Si}_{0.05}]\text{96Nb}_4\}\text{99.9Cu}_{0.1}$ bulk metallic glass upon cryogenic cycling treatment. <i>Journal of Materials Science and Technology</i> , 2022 , 97, 20-28	9.1	4
106	Wearable multimode sensor with a seamless integrated structure for recognition of different joint motion states with the assistance of a deep learning algorithm.. <i>Microsystems and Nanoengineering</i> , 2022 , 8, 24	7.7	3
105	Hierarchically Structured Black Gold Film with Ultrahigh Porosity for Solar Steam Generation.. <i>Advanced Materials</i> , 2022 , e2200108	24	12
104	Multifunctional, Light-Weight Wearable Sensor Based on 3D Porous Polyurethane Sponge Coated with MXene and Carbon Nanotubes Composites. <i>Advanced Materials Interfaces</i> , 2022 , 9, 2101592	4.6	2
103	Heterogeneous GdTbDyCoAl high-entropy alloy with distinctive magnetocaloric effect induced by hydrogenation. <i>Journal of Materials Science and Technology</i> , 2021 , 109, 147-147	9.1	3
102	Advanced Multifunctional Aqueous Rechargeable Batteries Design: From Materials and Devices to Systems. <i>Advanced Materials</i> , 2021 , e2104327	24	15
101	Effects of minor Si addition on structural heterogeneity and glass formation of GdDyErCoAl high-entropy bulk metallic glass. <i>Journal of Materials Research and Technology</i> , 2021 , 11, 378-391	5.5	3
100	NaTi ₂ (PO ₄) ₃ hollow nanoparticles encapsulated in carbon nanofibers as novel anodes for flexible aqueous rechargeable sodium-ion batteries. <i>Nano Energy</i> , 2021 , 82, 105764	17.1	20
99	Sub-4 nm Nanodiamonds from Graphene-Oxide and Nitrated Polycyclic Aromatic Hydrocarbons at 423 K. <i>ACS Nano</i> , 2021 ,	16.7	2
98	A plastic FeNi-based bulk metallic glass and its deformation behavior. <i>Journal of Materials Science and Technology</i> , 2021 , 76, 20-32	9.1	7
97	Liquid dynamics and glass formation of Gd ₅₅ Co ₂₀ Al ₂₅ metallic glass with minor Si addition. <i>Journal of Materials Science and Technology</i> , 2021 , 77, 28-37	9.1	7
96	Mechanical Failure Mechanism of Silicon-Based Composite Anodes under Overdischarging Conditions Based on Finite Element Analysis. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 34157-34167	9.5	0
95	Electrochemical reaction in memristor devices in a set state. <i>AIP Advances</i> , 2021 , 11, 015302	1.5	0
94	Atomically dispersed metal sites anchored in N-doped carbon nanosheets with enhanced Li storage performance. <i>Materials Chemistry Frontiers</i> , 2020 , 4, 2157-2167	7.8	8
93	Enhancement of plasticity for FeCoBSiNb bulk metallic glass with superhigh strength through cryogenic thermal cycling. <i>Scripta Materialia</i> , 2020 , 187, 13-18	5.6	17
92	Hierarchically porous nickel-Iridium-Ruthenium-Aluminum alloys with tunable compositions and electrocatalytic activities towards the oxygen/hydrogen evolution reaction in acid electrolyte. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 6245-6255	13	19
91	A novel FeNi-based bulk metallic glass with high notch toughness over 70 MPa m ^{1/2} combined with excellent soft magnetic properties. <i>Materials and Design</i> , 2020 , 191, 108597	8.1	10

90	Constructing fibril-in-tube structures in ultrathin CeO ₂ -based nanofibers as the ideal support for stabilizing Pt nanoparticles. <i>Materials Today Chemistry</i> , 2020 , 17, 100333	6.2	2
89	Ductile Co-based bulk metallic glass with superhigh strength and excellent soft magnetic properties induced by modulation of structural heterogeneity. <i>Materialia</i> , 2020 , 9, 100561	3.2	15
88	Synergistic effects between polyvinylpyrrolidone and oxygen vacancies on improving the oxidase-mimetic activity of flower-like CeO nanozymes. <i>Nanoscale</i> , 2020 , 12, 19104-19111	7.7	17
87	Generality of abnormal viscosity drop on cooling of CuZr alloy melts and its structural origin. <i>Acta Materialia</i> , 2020 , 196, 690-703	8.4	8
86	An in situ constructed topological rich vacancy-defect nitrogen-doped nanocarbon as a highly-effective metal-free oxygen catalyst for LiO ₂ batteries. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 21918-21926	13	14
85	Self-supporting, eutectic-like, nanoporous biphasic bismuth-tin film for high-performance magnesium storage. <i>Nano Research</i> , 2019 , 12, 801-808	10	14
84	Ni-Co Selenide Nanosheet/3D Graphene/Nickel Foam Binder-Free Electrode for High-Performance Supercapacitor. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 7946-7953	9.5	80
83	Nitrogen-doped microporous carbon derived from a biomass waste-metasequoia cone for electrochemical capacitors. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 163-170	5.7	31
82	Precisely monitoring and tailoring 2D nanostructures at the atomic scale. <i>APL Materials</i> , 2019 , 7, 050901	5.7	12
81	Composition- and size-modulated porous bismuth-tin biphasic alloys as anodes for advanced magnesium ion batteries. <i>Nanoscale</i> , 2019 , 11, 15279-15288	7.7	26
80	Nanoporous Iridium-Based Alloy Nanowires as Highly Efficient Electrocatalysts Toward Acidic Oxygen Evolution Reaction. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 39728-39736	9.5	34
79	Electric Strain in Dual Metal Janus Nanosheets Induces Structural Phase Transition for Efficient Hydrogen Evolution. <i>Joule</i> , 2019 , 3, 2955-2967	27.8	39
78	A general and facile method for preparation of large-scale reduced graphene oxide films with controlled structures. <i>Carbon</i> , 2019 , 143, 162-171	10.4	24
77	Cicada slough-derived heteroatom incorporated porous carbon for supercapacitor: Ultra-high gravimetric capacitance. <i>Carbon</i> , 2019 , 143, 309-317	10.4	85
76	In Situ Repair of 2D Chalcogenides under Electron Beam Irradiation. <i>Advanced Materials</i> , 2018 , 30, e170524	27.4	24
75	High-performance Cu nanoparticles/three-dimensional graphene/Ni foam hybrid for catalytic and sensing applications. <i>Nanotechnology</i> , 2018 , 29, 145703	3.4	13
74	In-situ liquid cell transmission electron microscopy investigation on oriented attachment of gold nanoparticles. <i>Nature Communications</i> , 2018 , 9, 421	17.4	117
73	A Highly Skin-Conformal and Biodegradable Graphene-Based Strain Sensor. <i>Small Methods</i> , 2018 , 2, 1700374	17.4	28

72	In situ observation of atomic-scale stability limit of Cu nanoparticles. <i>Materials Today Nano</i> , 2018 , 4, 32-37	3.7	6
71	Alloying boosting superior sodium storage performance in nanoporous tin-antimony alloy anode for sodium ion batteries. <i>Nano Energy</i> , 2018 , 54, 349-359	17.1	57
70	A surface transition of nanoparticle-decorated graphene films from water-adhesive to water-repellent. <i>Nanoscale</i> , 2018 , 10, 17015-17020	7.7	3
69	Dual phase enhanced superior electrochemical performance of nanoporous bismuth-tin alloy anodes for magnesium-ion batteries. <i>Energy Storage Materials</i> , 2018 , 14, 351-360	19.4	48
68	Spring-Like Pseudoelectroelasticity of Monocrystalline CuS Nanowire. <i>Nano Letters</i> , 2018 , 18, 5070-5077	11.5	9
67	New Nanoconfined Galvanic Replacement Synthesis of Hollow Sb@C Yolk-Shell Spheres Constituting a Stable Anode for High-Rate Li/Na-Ion Batteries. <i>Nano Letters</i> , 2017 , 17, 2034-2042	11.5	306
66	Electrically driven cation exchange for in situ fabrication of individual nanostructures. <i>Nature Communications</i> , 2017 , 8, 14889	17.4	25
65	Magnetic properties of Co ₃ O ₄ nanoparticles on graphene substrate. <i>Journal of Alloys and Compounds</i> , 2017 , 720, 345-351	5.7	18
64	Worm-Shape Pt Nanocrystals Grown on Nitrogen-Doped Low-Defect Graphene Sheets: Highly Efficient Electrocatalysts for Methanol Oxidation Reaction. <i>Small</i> , 2017 , 13, 1603013	11	117
63	Graphene oxide as high-performance dielectric materials for capacitive pressure sensors. <i>Carbon</i> , 2017 , 114, 209-216	10.4	142
62	Eutectic-directed self-templating synthesis of PtNi nanoporous nanowires with superior electrocatalytic performance towards the oxygen reduction reaction: experiment and DFT calculation. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 23651-23661	13	28
61	Formation of Single-atom-thick Copper Oxide Monolayers. <i>Microscopy and Microanalysis</i> , 2017 , 23, 1684-1685	15.85	1
60	In situ TEM observation of the electrochemical lithiation of N-doped anatase TiO ₂ nanotubes as anodes for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 20651-20657	13	34
59	Electron Beam Etching of CaO Crystals Observed Atom by Atom. <i>Nano Letters</i> , 2017 , 17, 5119-5125	11.5	13
58	Self-Assembled Framework Formed During Lithiation of SnS Nanoplates Revealed by in Situ Electron Microscopy. <i>Accounts of Chemical Research</i> , 2017 , 50, 1513-1520	24.3	25
57	Unsupported single-atom-thick copper oxide monolayers. <i>2D Materials</i> , 2017 , 4, 011001	5.9	37
56	Creating the Smallest BN Nanotube from Bilayer h-BN. <i>Advanced Functional Materials</i> , 2017 , 27, 1603897	15.6	20
55	<italic>In-situ</italic> study of electron irradiation on two-dimensional layered materials. <i>Chinese Science Bulletin</i> , 2017 , 62, 2919-2930	2.9	5

54	A nanoporous PtCuTi alloy with a low Pt content and greatly enhanced electrocatalytic performance towards methanol oxidation and oxygen reduction. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 14657-14668	13	35
53	A facile strategy for rapid preparation of graphene spongy balls. <i>Scientific Reports</i> , 2016 , 6, 32746	4.9	3
52	Interfacial Stability of Li Metal-Solid Electrolyte Elucidated via in Situ Electron Microscopy. <i>Nano Letters</i> , 2016 , 16, 7030-7036	11.5	239
51	2D Nanovaristors at Grain Boundaries Account for Memristive Switching in Polycrystalline BiFeO ₃ . <i>Advanced Electronic Materials</i> , 2015 , 1, 1500019	6.4	10
50	Spectroscopic Signatures of AAPand AB Stacking of Chemical Vapor Deposited Bilayer MoS ₂ . <i>ACS Nano</i> , 2015 , 9, 12246-54	16.7	90
49	The observation of square ice in graphene questioned. <i>Nature</i> , 2015 , 528, E1-2	50.4	80
48	Highly enhanced performance of spongy graphene as an oil sorbent. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 1652-1656	13	107
47	Controllable atomic-scale sculpting and deposition of carbon nanostructures on graphene. <i>Small</i> , 2014 , 10, 1724-8	11	22
46	Tunable electroluminescence in planar graphene/SiO ₂ memristors. <i>Advanced Materials</i> , 2013 , 25, 5593-4	24	56
45	Microscopic bimetallic actuator based on a bilayer of graphene and graphene oxide. <i>Nanoscale</i> , 2013 , 5, 9123-8	7.7	43
44	Large-range control of the microstructures and properties of three-dimensional porous graphene. <i>Scientific Reports</i> , 2013 , 3, 2117	4.9	138
43	Facile synthesis of N-doped carbon-coated Li ₄ Ti ₅ O ₁₂ microspheres using polydopamine as a carbon source for high rate lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 7270	13	158
42	Ultrahigh humidity sensitivity of graphene oxide. <i>Scientific Reports</i> , 2013 , 3, 2714	4.9	427
41	The chemically driven phase transformation in a memristive abacus capable of calculating decimal fractions. <i>Scientific Reports</i> , 2013 , 3, 1230	4.9	13
40	Response to "comment on real-time observation on dynamic growth/dissolution of conductive filaments in oxide-electrolyte-based ReRAM". <i>Advanced Materials</i> , 2013 , 25, 165-7	24	13
39	Real-time observation on dynamic growth/dissolution of conductive filaments in oxide-electrolyte-based ReRAM. <i>Advanced Materials</i> , 2012 , 24, 1844-9	24	443
38	Low Temperature Casting of Graphene with High Compressive Strength (Adv. Mater. 37/2012). <i>Advanced Materials</i> , 2012 , 24, 5123-5123	24	2
37	Size-dependent evolution of graphene nanopores under thermal excitation. <i>Small</i> , 2012 , 8, 3422-6	11	38

36	Electron-beam induced phase transformation in BiAg ₂ Se thin films. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2012 , 209, 135-138	1.6	6
35	Spongy Graphene as a Highly Efficient and Recyclable Sorbent for Oils and Organic Solvents. <i>Advanced Functional Materials</i> , 2012 , 22, 4421-4425	15.6	833
34	Low temperature casting of graphene with high compressive strength. <i>Advanced Materials</i> , 2012 , 24, 5124-9, 5123	24	179
33	Resistive Switching: Real-Time Observation on Dynamic Growth/Dissolution of Conductive Filaments in Oxide-Electrolyte-Based ReRAM (Adv. Mater. 14/2012). <i>Advanced Materials</i> , 2012 , 24, 1774-1774	1774	14
32	Investment casting of carbon tubular structures. <i>Carbon</i> , 2012 , 50, 2845-2852	10.4	12
31	Thermodynamic and Kinetic Analysis of Lowtemperature Thermal Reduction of Graphene Oxide. <i>Nano-Micro Letters</i> , 2011 , 3, 51-55	19.5	70
30	Microstructure dependence of leakage and resistive switching behaviours in Ce-doped BiFeO ₃ thin films. <i>Journal Physics D: Applied Physics</i> , 2011 , 44, 415104	3	40
29	Thermodynamic and Kinetic Analysis of Lowtemperature Thermal Reduction of Graphene Oxide 2011 , 3, 51		1
28	Resistance switching in polycrystalline BiFeO ₃ thin films. <i>Applied Physics Letters</i> , 2010 , 97, 042101	3.4	129
27	Nonvolatile resistive switching in metal/La-doped BiFeO ₃ /Pt sandwiches. <i>Nanotechnology</i> , 2010 , 21, 425202	3.4	94
26	Interpretation of texture changes during self-annealing of electroplated copper. <i>Microelectronic Engineering</i> , 2010 , 87, 2488-2494	2.5	6
25	Electrical field induced precipitation reaction and percolation in Ag ₃₀ Ge ₁₇ Se ₅₃ amorphous electrolyte films. <i>Applied Physics Letters</i> , 2009 , 94, 162112	3.4	25
24	Effect of NH ₃ and N ₂ annealing on the interfacial and electrical characteristics of La ₂ O ₃ films grown on fully depleted SiGe-on-insulator substrates. <i>Journal Physics D: Applied Physics</i> , 2009 , 42, 015306	3	5
23	The effect of Si surface nitridation on the interfacial structure and electrical properties of (La ₂ O ₃) _{0.5} (SiO ₂) _{0.5} high-k gate dielectric films. <i>Applied Surface Science</i> , 2009 , 256, 90-95	6.7	6
22	The α -oriented growth of Cu ₂ S films and its switching properties. <i>Journal of Electroceramics</i> , 2009 , 22, 87-90	1.5	5
21	Room-temperature ferromagnetism and ferroelectricity in Fe-doped BaTiO ₃ . <i>Physical Review B</i> , 2009 , 79,	3.3	132
20	The kinetics and mechanism of room-temperature microstructural evolution in electroplated copper foils. <i>Scripta Materialia</i> , 2008 , 58, 65-68	5.6	37
19	The thermal stability and electrical properties of LaErO ₃ films as high-k gate dielectrics. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 235105	3	10

18	Characterization of RbAg ₄ I ₅ films prepared by pulsed laser deposition. <i>Journal Physics D: Applied Physics</i> , 2008 , 41, 115304	3	8
17	Electrical hysteresis of the Ti _{0.25} Al _{0.75} O _x dielectric films after high-temperature treatment. <i>Applied Physics Letters</i> , 2008 , 92, 132912	3-4	3
16	Studies of two distinct types of (Ba,Sr)TiO ₃ /Pt interfaces. <i>Applied Physics Letters</i> , 2008 , 92, 102906	3-4	9
15	Resistive switching devices based on nanocrystalline solid electrolyte (AgI) _{0.5} (AgPO ₃) _{0.5} . <i>Applied Physics Letters</i> , 2007 , 91, 243513	3-4	30
14	Visible-Light Photocatalytic Properties of Weak Magnetic BiFeO ₃ Nanoparticles. <i>Advanced Materials</i> , 2007 , 19, 2889-2892	24	745
13	An investigation into ultra-thin pseudobinary oxide (TiO ₂) _x (Al ₂ O ₃) _{1-x} films as high-k gate dielectrics. <i>Applied Physics A: Materials Science and Processing</i> , 2007 , 90, 379-384	2-6	13
12	Conductance switching effect in the Cu/Cu _{0.76} S _{0.14} /Pt structure. <i>Journal Physics D: Applied Physics</i> , 2007 , 40, 3702-3706	3	3
11	Preparation of aligned Ca ₃ Co ₂ O ₆ nanorods and their steplike magnetization. <i>Applied Physics Letters</i> , 2007 , 91, 042505	3-4	21
10	Nonvolatile memory devices with Cu ₂ S and Cu-Pc bilayered films. <i>Applied Physics Letters</i> , 2007 , 91, 073511	3-4	47
9	Effect of the addition of Al-Ti-C master alloy on the microstructure and microhardness of a cast Al-10Mg alloy. <i>International Journal of Minerals, Metallurgy, and Materials</i> , 2006 , 13, 149-153		4
8	Dissociation of super-dislocations and the SISF energy in Al _{0.5} Ti _{0.5} Al based alloy with Nb-doping, as studied by HRTEM. <i>Journal of Materials Science</i> , 2006 , 41, 4695-4697	4-3	3
7	Relations of the characteristic temperatures and fragility parameters in glass-forming metallic system. <i>Physica B: Condensed Matter</i> , 2004 , 349, 327-332	2-8	16
6	Medium-range order and crystallization in amorphous Al _{0.5} Ni _{0.5} Br alloys. <i>Materials Letters</i> , 2004 , 58, 2559-2563	3-3	10
5	Microstructure selection map for rapidly solidified Al-rich Al _{0.5} Br alloys. <i>International Journal of Materials Research</i> , 2003 , 94, 903-907		
4	Tailoring Bi ₂ Te ₃ edge with semiconductor and metal properties under electron beam irradiation. <i>Nano Research</i> , 1	10	1
3	Combining in-situ TEM observations and theoretical calculation for revealing the thermal stability of CeO ₂ nanoflowers. <i>Nano Research</i> , 1	10	1
2	Strain Sensor with Enhanced Sensitivity for Wearable Electronics Using an Over-Balanced Planar Elastomer. <i>Macromolecular Materials and Engineering</i> , 2100576	3-9	0
1	Eutectic-derived high-entropy nanoporous nanowires for efficient and stable water-to-hydrogen conversion. <i>Nano Research</i> , 1	10	1

