# Raquel Trujillano

#### List of Publications by Citations

Source: https://exaly.com/author-pdf/1288807/raquel-trujillano-publications-by-citations.pdf

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105 2,285 31 43 g-index

109 2,552 4.8 4.58 ext. papers ext. citations avg, IF L-index

#	Paper	IF	Citations
105	Synthesis and Characterization of Hydrotalcites Containing Ni(II) and Fe(III) and Their Calcination Products. <i>Chemistry of Materials</i> , <b>1999</b> , 11, 624-633	9.6	106
104	Comparative Study of the Synthesis and Properties of Vanadate-Exchanged Layered Double Hydroxides. <i>Inorganic Chemistry</i> , <b>1994</b> , 33, 2592-2599	5.1	99
103	Effect of chemical modification of palygorskite and sepiolite by 3-aminopropyltriethoxisilane on adsorption of cationic and anionic dyes. <i>Applied Clay Science</i> , <b>2017</b> , 135, 394-404	5.2	79
102	A review on characterization of pillared clays by specific techniques. <i>Applied Clay Science</i> , <b>2011</b> , 53, 97-	1052	77
101	New synthesis strategies for effective functionalization of kaolinite and saponite with silylating agents. <i>Journal of Colloid and Interface Science</i> , <b>2010</b> , 341, 186-93	9.3	72
100	CobaltIron hydroxycarbonates and their evolution to mixed oxides with spinel structure. <i>Journal of Materials Chemistry</i> , <b>1998</b> , 8, 761-767		70
99	Porphyrin-kaolinite as efficient catalyst for oxidation reactions. <i>ACS Applied Materials &amp; Amp; Interfaces</i> , <b>2009</b> , 1, 2667-78	9.5	61
98	New highly luminescent hybrid materials: terbium pyridine-picolinate covalently grafted on kaolinite. ACS Applied Materials & amp; Interfaces, 2011, 3, 1311-8	9.5	57
97	Thermal behaviour of Znttr layered double hydroxides with hydrotalcite-like structures containing carbonate or decavanadate. <i>Journal of Materials Chemistry</i> , <b>1996</b> , 6, 1419-1428		52
96	High temperature CO2 sorption with gallium-substituted and promoted hydrotalcites. <i>Separation and Purification Technology</i> , <b>2014</b> , 127, 202-211	8.3	49
95	New layered double hydroxides with the hydrotalcite structure containing Ni(II) and V(III). <i>Journal of Materials Chemistry</i> , <b>1999</b> , 9, 1033-1039		49
94	Hybrid materials prepared by interlayer functionalization of kaolinite with pyridine-carboxylic acids. Journal of Colloid and Interface Science, <b>2009</b> , 335, 210-5	9.3	48
93	Preparation, physicochemical characterisation and magnetic properties of CuAl layered double hydroxides with CO32Dand anionic surfactants with different alkyl chains in the interlayer. <i>Physica B: Condensed Matter</i> , <b>2006</b> , 373, 267-273	2.8	48
92	Kaolinite-titanium oxide nanocomposites prepared via sol-gel as heterogeneous photocatalysts for dyes degradation. <i>Catalysis Today</i> , <b>2015</b> , 246, 133-142	5.3	47
91	Green and selective oxidation reactions catalyzed by kaolinite covalently grafted with Fe(III) pyridine-carboxylate complexes. <i>Catalysis Today</i> , <b>2012</b> , 187, 135-149	5.3	47
90	Novel reactive amino-compound: Tris(hydroxymethyl)aminomethane covalently grafted on kaolinite. <i>Applied Clay Science</i> , <b>2010</b> , 48, 516-521	5.2	47
89	Organically Modified Saponites: SAXS Study of Swelling and Application in Caffeine Removal. <i>ACS Applied Materials &amp; District Section</i> , 7, 10853-62	9.5	46

## (2014-2006)

88	Characterization of Intercalated Ni/Al Hydrotalcites Prepared by the Partial Decomposition of Urea. <i>Crystal Growth and Design</i> , <b>2006</b> , 6, 1533-1536	3.5	46	
87	Acetylene hydrogenation on NiAltr oxide catalysts: the role of added Zn. <i>Applied Clay Science</i> , <b>1998</b> , 13, 363-379	5.2	44	
86	A FTIR spectroscopic study of surface acidity and basicity of mixed Mg, Al-oxides obtained by thermal decomposition of hydrotalcite. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , <b>1993</b> , 49, 1575-1582		44	
85	Preparation, characterization and application of nanosized copper ferrite photocatalysts for dye degradation under UV irradiation. <i>Materials Chemistry and Physics</i> , <b>2015</b> , 160, 271-278	4.4	43	
84	High temperature CO2 sorption over modified hydrotalcites. <i>Chemical Engineering Journal</i> , <b>2017</b> , 325, 25-34	14.7	42	
83	Preparation and characterisation of Mn- and Co-supported catalysts derived from Al-pillared clays and Mn- and Co-complexes. <i>Applied Catalysis A: General</i> , <b>2004</b> , 267, 47-58	5.1	41	
82	Effect of the intercalation conditions of a montmorillonite with octadecylamine. <i>Journal of Colloid and Interface Science</i> , <b>2005</b> , 284, 239-44	9.3	41	
81	Simulation three-way catalyst ageing: Analysis of two conventional catalyst. <i>Applied Catalysis B: Environmental</i> , <b>2003</b> , 44, 41-52	21.8	40	
80	ChromiumBaponite clay catalysts: Preparation, characterization and catalytic performance in propene oxidation. <i>Applied Catalysis A: General</i> , <b>2007</b> , 327, 1-12	5.1	37	
79	CuAlFe layered double hydroxides with CO32[and anionic surfactants with different alkyl chains in the interlayer. <i>Solid State Sciences</i> , <b>2005</b> , 7, 931-935	3.4	34	
78	Structural, textural and acidic properties of Cu-, Fe- and Cr-doped Ti-pillared montmorillonites. <i>Applied Clay Science</i> , <b>2015</b> , 118, 124-130	5.2	31	
77	Amine-Functionalized Titanosilicates Prepared by the Sol <b>G</b> el Process as Adsorbents of the Azo-Dye Orange II. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2011</b> , 50, 239-246	3.9	31	
76	Microwave radiation and mechanical grinding as new ways for preparation of saponite-like materials. <i>Applied Clay Science</i> , <b>2010</b> , 48, 32-38	5.2	31	
75	Hydrogen adsorption by microporous materials based on alumina-pillared clays. <i>International Journal of Hydrogen Energy</i> , <b>2009</b> , 34, 8611-8615	6.7	31	
74	The role of oxidative debris on graphene oxide films. ChemPhysChem, 2013, 14, 4002-9	3.2	30	
73	Vapor-phase alkylation of toluene by benzyl alcohol on H3PO4-modified MCM-41 mesoporous silicas. <i>Catalysis Communications</i> , <b>2007</b> , 8, 49-56	3.2	29	
72	Preparation and Study of Decavanadate-Pillared Hydrotalcite-like Anionic Clays Containing Cobalt and Chromium. <i>Inorganic Chemistry</i> , <b>1996</b> , 35, 6362-6372	5.1	28	
71	Versatile heterogeneous dipicolinate complexes grafted into kaolinite: Catalytic oxidation of hydrocarbons and degradation of dyes. <i>Catalysis Today</i> , <b>2014</b> , 227, 105-115	5.3	24	

70	Chemistry of Silica-Supported Cobalt Catalysts Prepared by Cation Adsorption. 1. Initial Localized Adsorption of Cobalt Precursors. <i>Journal of Physical Chemistry C</i> , <b>2007</b> , 111, 7152-7164	3.8	24
69	Synthesis of Zeolite A from Metakaolin and Its Application in the Adsorption of Cationic Dyes. <i>Applied Sciences (Switzerland)</i> , <b>2018</b> , 8, 608	2.6	23
68	Preparation and characterization of new Ni-aluminosilicate catalysts and their performance in the epoxidation of (Z)-cyclooctene. <i>Applied Catalysis A: General</i> , <b>2007</b> , 319, 153-162	5.1	23
67	TetracarboxyphenylporphyrinRaolinite Hybrid Materials as Efficient Catalysts and Antibacterial Agents. <i>Journal of Physical Chemistry C</i> , <b>2014</b> , 118, 24562-24574	3.8	21
66	Chemistry of Silica-Supported Cobalt Catalysts Prepared by Cation Adsorption. 2. Neoformation of Cobalt Phyllosilicate. <i>Journal of Physical Chemistry C</i> , <b>2008</b> , 112, 18551-18558	3.8	21
65	Preparation and characterisation of vanadium catalysts supported over alumina-pillared clays. <i>Catalysis Today</i> , <b>2003</b> , 78, 181-190	5.3	21
64	Rapid microwave-assisted synthesis of saponites and their use as oxidation catalysts. <i>Applied Clay Science</i> , <b>2011</b> , 53, 326-330	5.2	20
63	Photocatalytic degradation of trimethoprim on doped Ti-pillared montmorillonite. <i>Applied Clay Science</i> , <b>2019</b> , 167, 43-49	5.2	20
62	Surface and textural properties of hydrotalcite-like materials and their decomposition products. <i>Studies in Surface Science and Catalysis</i> , <b>1994</b> , 87, 507-515	1.8	17
61	Rare earth and zinc layered hydroxide salts intercalated with the 2-aminobenzoate anion as organic luminescent sensitizer. <i>Materials Research Bulletin</i> , <b>2015</b> , 70, 336-342	5.1	16
60	TakoviteAluminosilicate Nanocomposite as Adsorbent for Removal of Cr(III) and Pb(II) from Aqueous Solutions ( <i>Journal of Chemical &amp; Data</i> , 2009, 54, 241-247)	2.8	16
59	Synthesis and characterization of organosaponites. Thermal behavior of their poly(vinyl chloride) nanocomposites. <i>Applied Clay Science</i> , <b>2014</b> , 99, 72-82	5.2	14
58	Preparation, alumina-pillaring and oxidation catalytic performances of synthetic Ni-saponite. <i>Microporous and Mesoporous Materials</i> , <b>2009</b> , 117, 309-316	5.3	14
57	Aminoiron(III)BorphyrinBlumina catalyst obtained by non-hydrolytic sol-gel process for heterogeneous oxidation of hydrocarbons. <i>Molecular Catalysis</i> , <b>2019</b> , 462, 114-125	3.3	14
56	Removal of Orange II by Phosphonium-modified Algerian Bentonites. <i>Chemical Engineering Communications</i> , <b>2015</b> , 202, 520-533	2.2	13
55	Preparation of composites of laponite with alginate and alginic acid polysaccharides. <i>Polymer International</i> , <b>2012</b> , 61, 1170-1176	3.3	13
54	Analysis of the Structure of Alumina-Pillared Clays by Nitrogen and Carbon Dioxide Adsorption. <i>Adsorption Science and Technology</i> , <b>2007</b> , 25, 217-226	3.6	13
53	Laponite functionalized with biuret and melamine [Application to adsorption of antibiotic trimethoprim. <i>Microporous and Mesoporous Materials</i> , <b>2017</b> , 253, 112-122	5.3	12

## (2015-2007)

52	Adsorption of nitrogen, hydrogen and carbon dioxide on alumina-pillared clays. <i>Studies in Surface Science and Catalysis</i> , <b>2007</b> , 160, 327-334	1.8	12
51	Doped Ti-pillared clays as effective adsorbents [Application to methylene blue and trimethoprim removal. <i>Environmental Chemistry</i> , <b>2017</b> , 14, 267	3.2	11
50	Pd supported on Cu-doped Ti-pillared montmorillonite as catalyst for the Ullmann coupling reaction. <i>Applied Clay Science</i> , <b>2018</b> , 160, 126-131	5.2	11
49	Chemistry of the preparation of silica-supported cobalt catalysts from Co(II) and Co(III) complexes: Grafting versus phyllosilicate formation. <i>Studies in Surface Science and Catalysis</i> , <b>2000</b> , 1055-1060	1.8	11
48	Eu3+- and Tb3+-Dipicolinate Complexes Covalently Grafted into Kaolinite as Luminescence-Functionalized Clay Hybrid Materials. <i>Journal of Physical Chemistry C</i> , <b>2017</b> , 121, 5081-50	<b>88</b> 8	10
47	Kaolinite-polymer compounds by grafting of 2-hydroxyethyl methacrylate and 3-(trimethoxysilyl)propyl methacrylate. <i>Applied Clay Science</i> , <b>2017</b> , 146, 526-534	5.2	10
46	Microwave-Assisted Pillaring of a Montmorillonite with Al-Polycations in Concentrated Media. <i>Materials</i> , <b>2017</b> , 10,	3.5	10
45	Dynamic behaviour of a K-doped Ga substituted and microwave aged hydrotalcite-derived mixed oxide during CO2 sorption experiments. <i>Journal of Industrial and Engineering Chemistry</i> , <b>2019</b> , 72, 491-5	<b>63</b> 3	10
44	Two synthesis approaches of Fe-containing intercalated montmorillonites: Differences as acid catalysts for the synthesis of 1,5-benzodeazepine from 1,2-phenylenediamine and acetone. <i>Applied Clay Science</i> , <b>2017</b> , 146, 388-396	5.2	9
43	Takovite-aluminosilicate-Cr materials prepared by adsorption of Cr3+ from industrial effluents as catalysts for hydrocarbon oxidation reactions. <i>ACS Applied Materials &amp; Description of Cr3+ from industrial effluents as Catalysts for hydrocarbon oxidation reactions. ACS Applied Materials &amp; Description of Cr3+ from industrial effluents as Catalysts for hydrocarbon oxidation reactions. ACS Applied Materials &amp; Description of Cr3+ from industrial effluents as Catalysts for hydrocarbon oxidation reactions. ACS Applied Materials &amp; Description of Cr3+ from industrial effluents as Catalysts for hydrocarbon oxidation reactions. ACS Applied Materials &amp; Description of Cr3+ from industrial effluents as Catalysts for hydrocarbon oxidation reactions.</i>	9.5	9
42	(Z)-cyclooctene epoxidation and cyclohexane oxidation on Ni/alumina-pillared clay catalysts. <i>Microporous and Mesoporous Materials</i> , <b>2009</b> , 124, 218-226	5.3	9
41	Ni/Pillared Clays as Catalysts for the Selective Catalytic Reduction of Nitrogen Oxides by Propene. <i>Catalysis Letters</i> , <b>2008</b> , 123, 32-40	2.8	9
40	Effect of Intermediates on the Nature of Polyvan-adate-Intercalated Layered Double Hydroxides. <i>Molecular Crystals and Liquid Crystals</i> , <b>1994</b> , 244, 167-172		9
39	Catalytic activity of porphyrin-catalyts immobilized on kaolinite. <i>Applied Clay Science</i> , <b>2019</b> , 168, 469-47	75.2	9
38	Differently aged gallium-containing layered double hydroxides. <i>Applied Clay Science</i> , <b>2013</b> , 80-81, 326-3	<b>353</b> 2	8
37	Structure Evolution of Co/Alumina-Pillared Clay Catalysts under Thermal Treatment at Increasing Temperatures. <i>Industrial &amp; Engineering Chemistry Research</i> , <b>2008</b> , 47, 7226-7235	3.9	8
36	Alternative synthetic routes for NiAl layered double hydroxides with alkyl and alkylbenzene, sulfonates. <i>Studies in Surface Science and Catalysis</i> , <b>2002</b> , 1387-1394	1.8	8
35	Saponites containing divalent transition metal cations in octahedral positions Exploration of synthesis possibilities using microwave radiation and NMR characterization. <i>Applied Clay Science</i> , <b>2015</b> , 115, 24-29	5.2	7

34	Microwave hydrothermal synthesis of A2Sn2O7 (A=Eu or Y). Ceramics International, 2015, 41, 2266-227	'05.1	6
33	Removal of organic pollutants from industrial wastewater: performance evaluation of inorganic adsorbents based on pillared clays. <i>Desalination and Water Treatment</i> , <b>2012</b> , 39, 316-322		6
32	Obtention of low oxidation states of copper from Cu2+Al3+ layered double hydroxides containing organic sulfonates in the interlayer. <i>Solid State Sciences</i> , <b>2009</b> , 11, 688-693	3.4	6
31	X-ray Rietveld analysis and Fourier transform infrared spectra of the solid solutions $[Eu2MMx][Sn2MMx]O7Bx/2$ (M = Mg or Zn). <i>Materials Research Bulletin</i> , <b>2010</b> , 45, 29-33	5.1	6
30	InorganicBrganic hybrids based on sepiolite as efficient adsorbents of caffeine and glyphosate pollutants. <i>Applied Surface Science Advances</i> , <b>2020</b> , 1, 100025	2.6	6
29	Hydrotalcite catalysis for the synthesis of new chiral building blocks. <i>Natural Product Research</i> , <b>2016</b> , 30, 834-40	2.3	5
28	Hydrothermal synthesis of Sm2Sn2O7 pyrochlore accelerated by microwave irradiation. A comparison with the solid state synthesis method. <i>Ceramics International</i> , <b>2016</b> , 42, 15950-15954	5.1	5
27	Effect of the metal support interactions on the physicochemical and magnetic properties of Ni catalysts. <i>Journal of Magnetism and Magnetic Materials</i> , <b>2007</b> , 316, e783-e786	2.8	5
26	Removal of salts from granite by sepiolite. <i>Applied Clay Science</i> , <b>1995</b> , 9, 459-463	5.2	5
25	White and Red Brazilian SB SimB's Kaolinite-TiO Nanocomposites as Catalysts for Toluene Photodegradation from Aqueous Solutions. <i>Materials</i> , <b>2019</b> , 12,	3.5	5
24	Photodegradation of 1,2,4-Trichlorobenzene on MontmorillonitelliO2 Nanocomposites. <i>ChemEngineering</i> , <b>2018</b> , 2, 22	2.6	4
23	Preparation and characterisation of Ni-Mg-Al hydrotalcites as hydrogenation catalysts. <i>Studies in Surface Science and Catalysis</i> , <b>2000</b> , 2099-2104	1.8	4
22	Controlling the Synthesis Conditions for Tuning the Properties of Hydrotalcite-Like Materials at the Nano Scale. <i>ChemEngineering</i> , <b>2018</b> , 2, 31	2.6	4
21	Adsorption-Based Synthesis of Environmentally Friendly Heterogeneous Chromium(III) Catalysts for Oxidation Reactions into Kaolinite, Saponite, and Their Amine-Modified Derivatives. <i>ACS Applied Nano Materials</i> , <b>2018</b> , 1, 3867-3877	5.6	4
20	Activity in the Photodegradation of 4-Nitrophenol of a Zn,Al Hydrotalcite-Like Solid and the Derived Alumina-Supported ZnO. <i>Catalysts</i> , <b>2020</b> , 10, 702	4	3
19	Kaolinite/TiO2/cobalt(II) Tetracarboxymetallophthalocyanine Nanocomposites as Heterogeneous Photocatalysts for Decomposition of Organic Pollutants Trimethoprim, Caffeine and Prometryn. <i>Journal of the Brazilian Chemical Society</i> , <b>2019</b> ,	1.5	3
18	Structural determination of new solid solutions [Y2-xMx][Sn2-xMx]o7-3x/2 (M = Mg or Zn) by Rietveld method. <i>Processing and Application of Ceramics</i> , <b>2010</b> , 4, 237-243	1.4	3
17	Pillared Clay Catalysts in Green Oxidation Reactions <b>2010</b> , 301-318		2

#### LIST OF PUBLICATIONS

16	Spectroscopic Properties of Co-Fe Hydrotalcites. Spectroscopy Letters, 1998, 31, 859-869	1.1	2
15	SynthBe et Eude radiocristallographique de nouvelles solutions solides de structure pyrochlore (1-x) A2Sn2O7Ik MO (A = Eu, Y ET M = Mg, Zn). <i>Annales De Chimie: Science Des Materiaux</i> , <b>2009</b> , 34, 21-20	6 <sup>2.1</sup>	2
14	Preparation of Al/Fe-PILC clay catalysts from concentrated precursors: enhanced hydrolysis of pillaring metals and intercalation <i>RSC Advances</i> , <b>2020</b> , 10, 40450-40460	3.7	2
13	Layered double hydroxideBorate composites supported on magnetic nanoparticles: preparation, characterization and molecular dynamics simulations. <i>Journal of Porous Materials</i> , <b>2020</b> , 27, 735-743	2.4	2
12	Effect of Chain Length and Functional Group of Organic Anions on the Retention Ability of MgAl-Layered Double Hydroxides for Chlorinated Organic Solvents. <i>ChemEngineering</i> , <b>2019</b> , 3, 89	2.6	2
11	Luminescent properties of biohybrid (kaolinite-proline) materials synthesized by a new boric acid catalyzed route and complexed to Eu3+. <i>Applied Clay Science</i> , <b>2020</b> , 192, 105634	5.2	1
10	Microwave-assisted synthesis of Ni, Zn layered double hydroxysalts. <i>Microporous and Mesoporous Materials</i> , <b>2017</b> , 253, 129-136	5.3	1
9	Comment on [liquid phase oxidation of p-vanillyl alcohol over synthetic Co-saponite catalyst[lby A.C. Garade, N.S. Biradar, S.M. Joshi, V.S. Kshirsagar, R.K. Jha, C.V. Rode [Applied Clay Science (2010), doi:10.1016/j.clay.2010.10.026]. <i>Applied Clay Science</i> , <b>2011</b> , 52, 190-191	5.2	1
8	Titania-triethanolamine-kaolinite nanocomposites as adsorbents and photocatalysts of herbicides. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , <b>2021</b> , 419, 113483	4.7	1
7	Alkali metal (Na, Cs and K) promoted hydrotalcites for high temperature CO2 capture from flue gas in cyclic adsorption processes. <i>Chemical Engineering Journal</i> , <b>2022</b> , 427, 131502	14.7	1
6	Application of birnessite-type solids prepared by sol-gel and oxidation methods in photocatalytic degradation of 4-nitrophenol. <i>Environmental Technology (United Kingdom)</i> , <b>2020</b> , 1-9	2.6	0
5	Phase Change Materials (PCMs) Based in Paraffin/Synthetic Saponite Used as Heat Storage Composites. <i>Energies</i> , <b>2021</b> , 14, 7414	3.1	O
4	Non-hydrolytic sol-gel synthesis of mesoporous iron-aluminum oxide and their properties in the oxidation of hydrocarbons by hydrogen peroxide. <i>Microporous and Mesoporous Materials</i> , <b>2021</b> , 325, 11	1 <b>5</b> ∵7	0
3	Comment on Iron oxide-pillared clay catalyzed the synthesis of acetonides from epoxides Dby P. Trikittiwong, N. Sukpirom, S. Shimazu, W. Chavasiri, Catalysis Communications 54 (2014) 104 I 07 (doi: 10.1016/j.catcom.2014.05.002). <i>Catalysis Communications</i> , <b>2015</b> , 61, 121-122	3.2	
2	Oxide Nanomaterials in Ceramics <b>2006</b> , 683-713		
1	Grafting of L-proline and L-phenylalanine amino acids on kaolinite through synthesis catalyzed by boric acid. <i>Applied Surface Science Advances</i> , <b>2021</b> , 4, 100081	2.6	