

Raquel Trujillano

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1288807/raquel-trujillano-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

2,285
citations

31
h-index

43
g-index

109
ext. papers

2,552
ext. citations

4.8
avg. IF

4.58
L-index

#	Paper	IF	Citations
105	Alkali metal (Na, Cs and K) promoted hydrotalcites for high temperature CO ₂ capture from flue gas in cyclic adsorption processes. <i>Chemical Engineering Journal</i> , 2022 , 427, 131502	14.7	1
104	Phase Change Materials (PCMs) Based in Paraffin/Synthetic Saponite Used as Heat Storage Composites. <i>Energies</i> , 2021 , 14, 7414	3.1	0
103	Grafting of L-proline and L-phenylalanine amino acids on kaolinite through synthesis catalyzed by boric acid. <i>Applied Surface Science Advances</i> , 2021 , 4, 100081	2.6	
102	Titania-triethanolamine-kaolinite nanocomposites as adsorbents and photocatalysts of herbicides. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2021 , 419, 113483	4.7	1
101	Non-hydrolytic sol-gel synthesis of mesoporous iron-aluminum oxide and their properties in the oxidation of hydrocarbons by hydrogen peroxide. <i>Microporous and Mesoporous Materials</i> , 2021 , 325, 111317	5.3	0
100	Activity in the Photodegradation of 4-Nitrophenol of a Zn,Al Hydrotalcite-Like Solid and the Derived Alumina-Supported ZnO. <i>Catalysts</i> , 2020 , 10, 702	4	3
99	Application of birnessite-type solids prepared by sol-gel and oxidation methods in photocatalytic degradation of 4-nitrophenol. <i>Environmental Technology (United Kingdom)</i> , 2020 , 1-9	2.6	0
98	Luminescent properties of biohybrid (kaolinite-proline) materials synthesized by a new boric acid catalyzed route and complexed to Eu ³⁺ . <i>Applied Clay Science</i> , 2020 , 192, 105634	5.2	1
97	Preparation of Al/Fe-PILC clay catalysts from concentrated precursors: enhanced hydrolysis of pillaring metals and intercalation.. <i>RSC Advances</i> , 2020 , 10, 40450-40460	3.7	2
96	Layered double hydroxideBorate composites supported on magnetic nanoparticles: preparation, characterization and molecular dynamics simulations. <i>Journal of Porous Materials</i> , 2020 , 27, 735-743	2.4	2
95	InorganicOrganic hybrids based on sepiolite as efficient adsorbents of caffeine and glyphosate pollutants. <i>Applied Surface Science Advances</i> , 2020 , 1, 100025	2.6	6
94	Kaolinite/TiO ₂ /cobalt(II) Tetracarboxymetallophthalocyanine Nanocomposites as Heterogeneous Photocatalysts for Decomposition of Organic Pollutants Trimethoprim, Caffeine and Prometryn. <i>Journal of the Brazilian Chemical Society</i> , 2019 ,	1.5	3
93	White and Red Brazilian S̃ Sim̃'s Kaolinite-TiO Nanocomposites as Catalysts for Toluene Photodegradation from Aqueous Solutions. <i>Materials</i> , 2019 , 12,	3.5	5
92	Effect of Chain Length and Functional Group of Organic Anions on the Retention Ability of MgAl-Layered Double Hydroxides for Chlorinated Organic Solvents. <i>ChemEngineering</i> , 2019 , 3, 89	2.6	2
91	Catalytic activity of porphyrin-catalyts immobilized on kaolinite. <i>Applied Clay Science</i> , 2019 , 168, 469-477	5.2	9
90	Dynamic behaviour of a K-doped Ga substituted and microwave aged hydrotalcite-derived mixed oxide during CO ₂ sorption experiments. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 72, 491-503	6.3	10
89	Photocatalytic degradation of trimethoprim on doped Ti-pillared montmorillonite. <i>Applied Clay Science</i> , 2019 , 167, 43-49	5.2	20

88	Aminoiron(III)porphyrinalumina catalyst obtained by non-hydrolytic sol-gel process for heterogeneous oxidation of hydrocarbons. <i>Molecular Catalysis</i> , 2019 , 462, 114-125	3.3	14
87	Pd supported on Cu-doped Ti-pillared montmorillonite as catalyst for the Ullmann coupling reaction. <i>Applied Clay Science</i> , 2018 , 160, 126-131	5.2	11
86	Synthesis of Zeolite A from Metakaolin and Its Application in the Adsorption of Cationic Dyes. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 608	2.6	23
85	Photodegradation of 1,2,4-Trichlorobenzene on Montmorillonite/TiO ₂ Nanocomposites. <i>ChemEngineering</i> , 2018 , 2, 22	2.6	4
84	Controlling the Synthesis Conditions for Tuning the Properties of Hydrotalcite-Like Materials at the Nano Scale. <i>ChemEngineering</i> , 2018 , 2, 31	2.6	4
83	Adsorption-Based Synthesis of Environmentally Friendly Heterogeneous Chromium(III) Catalysts for Oxidation Reactions into Kaolinite, Saponite, and Their Amine-Modified Derivatives. <i>ACS Applied Nano Materials</i> , 2018 , 1, 3867-3877	5.6	4
82	Eu ³⁺ - and Tb ³⁺ -Dipicolinate Complexes Covalently Grafted into Kaolinite as Luminescence-Functionalized Clay Hybrid Materials. <i>Journal of Physical Chemistry C</i> , 2017 , 121, 5081-5088	3.8	10
81	Doped Ti-pillared clays as effective adsorbents [Application to methylene blue and trimethoprim removal. <i>Environmental Chemistry</i> , 2017 , 14, 267	3.2	11
80	Kaolinite-polymer compounds by grafting of 2-hydroxyethyl methacrylate and 3-(trimethoxysilyl)propyl methacrylate. <i>Applied Clay Science</i> , 2017 , 146, 526-534	5.2	10
79	Laponite functionalized with biuret and melamine [Application to adsorption of antibiotic trimethoprim. <i>Microporous and Mesoporous Materials</i> , 2017 , 253, 112-122	5.3	12
78	Two synthesis approaches of Fe-containing intercalated montmorillonites: Differences as acid catalysts for the synthesis of 1,5-benzodiazepine from 1,2-phenylenediamine and acetone. <i>Applied Clay Science</i> , 2017 , 146, 388-396	5.2	9
77	Microwave-assisted synthesis of Ni, Zn layered double hydroxysalts. <i>Microporous and Mesoporous Materials</i> , 2017 , 253, 129-136	5.3	1
76	Effect of chemical modification of palygorskite and sepiolite by 3-aminopropyltriethoxysilane on adsorption of cationic and anionic dyes. <i>Applied Clay Science</i> , 2017 , 135, 394-404	5.2	79
75	Microwave-Assisted Pillaring of a Montmorillonite with Al-Polycations in Concentrated Media. <i>Materials</i> , 2017 , 10,	3.5	10
74	High temperature CO ₂ sorption over modified hydrotalcites. <i>Chemical Engineering Journal</i> , 2017 , 325, 25-34	14.7	42
73	Hydrotalcite catalysis for the synthesis of new chiral building blocks. <i>Natural Product Research</i> , 2016 , 30, 834-40	2.3	5
72	Hydrothermal synthesis of Sm ₂ Sn ₂ O ₇ pyrochlore accelerated by microwave irradiation. A comparison with the solid state synthesis method. <i>Ceramics International</i> , 2016 , 42, 15950-15954	5.1	5
71	Saponites containing divalent transition metal cations in octahedral positions [Exploration of synthesis possibilities using microwave radiation and NMR characterization. <i>Applied Clay Science</i> , 2015 , 115, 24-29	5.2	7

70	Organically Modified Saponites: SAXS Study of Swelling and Application in Caffeine Removal. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 10853-62	9.5	46
69	Preparation, characterization and application of nanosized copper ferrite photocatalysts for dye degradation under UV irradiation. <i>Materials Chemistry and Physics</i> , 2015 , 160, 271-278	4.4	43
68	Structural, textural and acidic properties of Cu-, Fe- and Cr-doped Ti-pillared montmorillonites. <i>Applied Clay Science</i> , 2015 , 118, 124-130	5.2	31
67	Kaolinite-titanium oxide nanocomposites prepared via sol-gel as heterogeneous photocatalysts for dyes degradation. <i>Catalysis Today</i> , 2015 , 246, 133-142	5.3	47
66	Microwave hydrothermal synthesis of A ₂ Sn ₂ O ₇ (A=Eu or Y). <i>Ceramics International</i> , 2015 , 41, 2266-2270	5.1	6
65	Comment on Iron oxide-pillared clay catalyzed the synthesis of acetanilides from epoxides by P. Trikitiwong, N. Sukpirom, S. Shimazu, W. Chavasiri, <i>Catalysis Communications</i> 54 (2014) 104-107 (doi: 10.1016/j.catcom.2014.05.002). <i>Catalysis Communications</i> , 2015 , 61, 121-122	3.2	
64	Rare earth and zinc layered hydroxide salts intercalated with the 2-aminobenzoate anion as organic luminescent sensitizer. <i>Materials Research Bulletin</i> , 2015 , 70, 336-342	5.1	16
63	Removal of Orange II by Phosphonium-modified Algerian Bentonites. <i>Chemical Engineering Communications</i> , 2015 , 202, 520-533	2.2	13
62	Versatile heterogeneous dipicolinate complexes grafted into kaolinite: Catalytic oxidation of hydrocarbons and degradation of dyes. <i>Catalysis Today</i> , 2014 , 227, 105-115	5.3	24
61	Tetracarboxyphenylporphyrin/Kaolinite Hybrid Materials as Efficient Catalysts and Antibacterial Agents. <i>Journal of Physical Chemistry C</i> , 2014 , 118, 24562-24574	3.8	21
60	Synthesis and characterization of organosaponites. Thermal behavior of their poly(vinyl chloride) nanocomposites. <i>Applied Clay Science</i> , 2014 , 99, 72-82	5.2	14
59	High temperature CO ₂ sorption with gallium-substituted and promoted hydrotalcites. <i>Separation and Purification Technology</i> , 2014 , 127, 202-211	8.3	49
58	Differently aged gallium-containing layered double hydroxides. <i>Applied Clay Science</i> , 2013 , 80-81, 326-332	5.2	8
57	The role of oxidative debris on graphene oxide films. <i>ChemPhysChem</i> , 2013 , 14, 4002-9	3.2	30
56	Removal of organic pollutants from industrial wastewater: performance evaluation of inorganic adsorbents based on pillared clays. <i>Desalination and Water Treatment</i> , 2012 , 39, 316-322		6
55	Takovite-aluminosilicate-Cr materials prepared by adsorption of Cr ³⁺ from industrial effluents as catalysts for hydrocarbon oxidation reactions. <i>ACS Applied Materials & Interfaces</i> , 2012 , 4, 2525-33	9.5	9
54	Preparation of composites of laponite with alginate and alginic acid polysaccharides. <i>Polymer International</i> , 2012 , 61, 1170-1176	3.3	13
53	Green and selective oxidation reactions catalyzed by kaolinite covalently grafted with Fe(III) pyridine-carboxylate complexes. <i>Catalysis Today</i> , 2012 , 187, 135-149	5.3	47

52	Amine-Functionalized Titanosilicates Prepared by the Sol-Gel Process as Adsorbents of the Azo-Dye Orange II. <i>Industrial & Engineering Chemistry Research</i> , 2011 , 50, 239-246	3.9	31
51	A review on characterization of pillared clays by specific techniques. <i>Applied Clay Science</i> , 2011 , 53, 97-105	5.2	77
50	Rapid microwave-assisted synthesis of saponites and their use as oxidation catalysts. <i>Applied Clay Science</i> , 2011 , 53, 326-330	5.2	20
49	Comment on "Liquid phase oxidation of p-vanillyl alcohol over synthetic Co-saponite catalyst" by A.C. Garade, N.S. Biradar, S.M. Joshi, V.S. Kshirsagar, R.K. Jha, C.V. Rode [Applied Clay Science (2010), doi:10.1016/j.clay.2010.10.026]. <i>Applied Clay Science</i> , 2011 , 52, 190-191	5.2	1
48	New highly luminescent hybrid materials: terbium pyridine-picolinate covalently grafted on kaolinite. <i>ACS Applied Materials & Interfaces</i> , 2011 , 3, 1311-8	9.5	57
47	Pillared Clay Catalysts in Green Oxidation Reactions 2010 , 301-318		2
46	Microwave radiation and mechanical grinding as new ways for preparation of saponite-like materials. <i>Applied Clay Science</i> , 2010 , 48, 32-38	5.2	31
45	Novel reactive amino-compound: Tris(hydroxymethyl)aminomethane covalently grafted on kaolinite. <i>Applied Clay Science</i> , 2010 , 48, 516-521	5.2	47
44	X-ray Rietveld analysis and Fourier transform infrared spectra of the solid solutions [Eu _{2-x} Mx][Sn _{2-x} Mx]O _{7-3x/2} (M = Mg or Zn). <i>Materials Research Bulletin</i> , 2010 , 45, 29-33	5.1	6
43	New synthesis strategies for effective functionalization of kaolinite and saponite with silylating agents. <i>Journal of Colloid and Interface Science</i> , 2010 , 341, 186-93	9.3	72
42	Structural determination of new solid solutions [Y _{2-x} Mx][Sn _{2-x} Mx]O _{7-3x/2} (M = Mg or Zn) by Rietveld method. <i>Processing and Application of Ceramics</i> , 2010 , 4, 237-243	1.4	3
41	Obtention of low oxidation states of copper from Cu ₂ +Al ₃ layered double hydroxides containing organic sulfonates in the interlayer. <i>Solid State Sciences</i> , 2009 , 11, 688-693	3.4	6
40	Preparation, alumina-pillaring and oxidation catalytic performances of synthetic Ni-saponite. <i>Microporous and Mesoporous Materials</i> , 2009 , 117, 309-316	5.3	14
39	(Z)-cyclooctene epoxidation and cyclohexane oxidation on Ni/alumina-pillared clay catalysts. <i>Microporous and Mesoporous Materials</i> , 2009 , 124, 218-226	5.3	9
38	Hydrogen adsorption by microporous materials based on alumina-pillared clays. <i>International Journal of Hydrogen Energy</i> , 2009 , 34, 8611-8615	6.7	31
37	Hybrid materials prepared by interlayer functionalization of kaolinite with pyridine-carboxylic acids. <i>Journal of Colloid and Interface Science</i> , 2009 , 335, 210-5	9.3	48
36	Porphyrin-kaolinite as efficient catalyst for oxidation reactions. <i>ACS Applied Materials & Interfaces</i> , 2009 , 1, 2667-78	9.5	61
35	Takovite-Aluminosilicate Nanocomposite as Adsorbent for Removal of Cr(III) and Pb(II) from Aqueous Solutions <i>Journal of Chemical & Engineering Data</i> , 2009 , 54, 241-247	2.8	16

34	Synthèse et Étude radiocristallographique de nouvelles solutions solides de structure pyrochlore (1-x) A ₂ Sn ₂ O ₇ ·k MO (A = Eu, Y ET M = Mg, Zn). <i>Annales De Chimie: Science Des Materiaux</i> , 2009 , 34, 21-26	2.1	2
33	Structure Evolution of Co/Alumina-Pillared Clay Catalysts under Thermal Treatment at Increasing Temperatures. <i>Industrial & Engineering Chemistry Research</i> , 2008 , 47, 7226-7235	3.9	8
32	Chemistry of Silica-Supported Cobalt Catalysts Prepared by Cation Adsorption. 2. Neofomation of Cobalt Phyllosilicate. <i>Journal of Physical Chemistry C</i> , 2008 , 112, 18551-18558	3.8	21
31	Ni/Pillared Clays as Catalysts for the Selective Catalytic Reduction of Nitrogen Oxides by Propene. <i>Catalysis Letters</i> , 2008 , 123, 32-40	2.8	9
30	Chemistry of Silica-Supported Cobalt Catalysts Prepared by Cation Adsorption. 1. Initial Localized Adsorption of Cobalt Precursors. <i>Journal of Physical Chemistry C</i> , 2007 , 111, 7152-7164	3.8	24
29	Vapor-phase alkylation of toluene by benzyl alcohol on H ₃ PO ₄ -modified MCM-41 mesoporous silicas. <i>Catalysis Communications</i> , 2007 , 8, 49-56	3.2	29
28	Preparation and characterization of new Ni-aluminosilicate catalysts and their performance in the epoxidation of (Z)-cyclooctene. <i>Applied Catalysis A: General</i> , 2007 , 319, 153-162	5.1	23
27	Chromiumβaponite clay catalysts: Preparation, characterization and catalytic performance in propene oxidation. <i>Applied Catalysis A: General</i> , 2007 , 327, 1-12	5.1	37
26	Effect of the metal support interactions on the physicochemical and magnetic properties of Ni catalysts. <i>Journal of Magnetism and Magnetic Materials</i> , 2007 , 316, e783-e786	2.8	5
25	Adsorption of nitrogen, hydrogen and carbon dioxide on alumina-pillared clays. <i>Studies in Surface Science and Catalysis</i> , 2007 , 160, 327-334	1.8	12
24	Analysis of the Structure of Alumina-Pillared Clays by Nitrogen and Carbon Dioxide Adsorption. <i>Adsorption Science and Technology</i> , 2007 , 25, 217-226	3.6	13
23	Preparation, physicochemical characterisation and magnetic properties of Cu/Al layered double hydroxides with CO ₃ ²⁻ and anionic surfactants with different alkyl chains in the interlayer. <i>Physica B: Condensed Matter</i> , 2006 , 373, 267-273	2.8	48
22	Oxide Nanomaterials in Ceramics 2006 , 683-713		
21	Characterization of Intercalated Ni/Al Hydrotalcites Prepared by the Partial Decomposition of Urea. <i>Crystal Growth and Design</i> , 2006 , 6, 1533-1536	3.5	46
20	Effect of the intercalation conditions of a montmorillonite with octadecylamine. <i>Journal of Colloid and Interface Science</i> , 2005 , 284, 239-44	9.3	41
19	Cu/Al/Fe layered double hydroxides with CO ₃ ²⁻ and anionic surfactants with different alkyl chains in the interlayer. <i>Solid State Sciences</i> , 2005 , 7, 931-935	3.4	34
18	Preparation and characterisation of Mn- and Co-supported catalysts derived from Al-pillared clays and Mn- and Co-complexes. <i>Applied Catalysis A: General</i> , 2004 , 267, 47-58	5.1	41
17	Simulation three-way catalyst ageing: Analysis of two conventional catalyst. <i>Applied Catalysis B: Environmental</i> , 2003 , 44, 41-52	21.8	40

16	Preparation and characterisation of vanadium catalysts supported over alumina-pillared clays. <i>Catalysis Today</i> , 2003 , 78, 181-190	5.3	21
15	Alternative synthetic routes for NiAl layered double hydroxides with alkyl and alkylbenzene, sulfonates. <i>Studies in Surface Science and Catalysis</i> , 2002 , 1387-1394	1.8	8
14	Preparation and characterisation of Ni-Mg-Al hydrotalcites as hydrogenation catalysts. <i>Studies in Surface Science and Catalysis</i> , 2000 , 2099-2104	1.8	4
13	Chemistry of the preparation of silica-supported cobalt catalysts from Co(II) and Co(III) complexes: Grafting versus phyllosilicate formation. <i>Studies in Surface Science and Catalysis</i> , 2000 , 1055-1060	1.8	11
12	New layered double hydroxides with the hydrotalcite structure containing Ni(II) and V(III). <i>Journal of Materials Chemistry</i> , 1999 , 9, 1033-1039		49
11	Synthesis and Characterization of Hydrotalcites Containing Ni(II) and Fe(III) and Their Calcination Products. <i>Chemistry of Materials</i> , 1999 , 11, 624-633	9.6	106
10	Acetylene hydrogenation on NiAlCr oxide catalysts: the role of added Zn. <i>Applied Clay Science</i> , 1998 , 13, 363-379	5.2	44
9	Spectroscopic Properties of Co-Fe Hydrotalcites. <i>Spectroscopy Letters</i> , 1998 , 31, 859-869	1.1	2
8	Cobalt-Iron hydroxycarbonates and their evolution to mixed oxides with spinel structure. <i>Journal of Materials Chemistry</i> , 1998 , 8, 761-767		70
7	Thermal behaviour of ZnCr layered double hydroxides with hydrotalcite-like structures containing carbonate or decavanadate. <i>Journal of Materials Chemistry</i> , 1996 , 6, 1419-1428		52
6	Preparation and Study of Decavanadate-Pillared Hydrotalcite-like Anionic Clays Containing Cobalt and Chromium. <i>Inorganic Chemistry</i> , 1996 , 35, 6362-6372	5.1	28
5	Removal of salts from granite by sepiolite. <i>Applied Clay Science</i> , 1995 , 9, 459-463	5.2	5
4	Effect of Intermediates on the Nature of Polyvanadate-Intercalated Layered Double Hydroxides. <i>Molecular Crystals and Liquid Crystals</i> , 1994 , 244, 167-172		9
3	Surface and textural properties of hydrotalcite-like materials and their decomposition products. <i>Studies in Surface Science and Catalysis</i> , 1994 , 87, 507-515	1.8	17
2	Comparative Study of the Synthesis and Properties of Vanadate-Exchanged Layered Double Hydroxides. <i>Inorganic Chemistry</i> , 1994 , 33, 2592-2599	5.1	99
1	A FTIR spectroscopic study of surface acidity and basicity of mixed Mg, Al-oxides obtained by thermal decomposition of hydrotalcite. <i>Spectrochimica Acta Part A: Molecular Spectroscopy</i> , 1993 , 49, 1575-1582		44