

Ichiei Narita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1289224/publications.pdf>

Version: 2024-02-01

513
papers

12,067
citations

41258

49
h-index

49773

87
g-index

530
all docs

530
docs citations

530
times ranked

13963
citing authors

#	ARTICLE	IF	CITATIONS
1	Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens. <i>Nature Genetics</i> , 2014, 46, 1187-1196.	9.4	505
2	Estimation of glomerular filtration rate by the MDRD study equation modified for Japanese patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 41-50.	0.7	488
3	Clinicopathological characteristics of patients with IgG4-related tubulointerstitial nephritis. <i>Kidney International</i> , 2010, 78, 1016-1023.	2.6	349
4	Geographic Differences in Genetic Susceptibility to IgA Nephropathy: GWAS Replication Study and Geospatial Risk Analysis. <i>PLoS Genetics</i> , 2012, 8, e1002765.	1.5	301
5	Expression, roles, receptors, and regulation of osteopontin in the kidney. <i>Kidney International</i> , 2001, 60, 1645-1657.	2.6	297
6	Etiology and prognostic significance of severe uremic pruritus in chronic hemodialysis patients. <i>Kidney International</i> , 2006, 69, 1626-1632.	2.6	277
7	Prevalence of chronic kidney disease (CKD) in the Japanese general population predicted by the MDRD equation modified by a Japanese coefficient. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 156-163.	0.7	267
8	Oral pharmacological chaperone migalastat compared with enzyme replacement therapy in Fabry disease: 18-month results from the randomised phase III ATTRACT study. <i>Journal of Medical Genetics</i> , 2017, 54, 288-296.	1.5	262
9	Clinical responses to EGFR-tyrosine kinase inhibitor retreatment in non-small cell lung cancer patients who benefited from prior effective gefitinib therapy: a retrospective analysis. <i>BMC Cancer</i> , 2011, 11, 1.	1.1	260
10	The efficacy of tonsillectomy on long-term renal survival in patients with IgA nephropathy. <i>Kidney International</i> , 2003, 63, 1861-1867.	2.6	187
11	Toll-Like Receptor 9 Affects Severity of IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 2384-2395.	3.0	160
12	The clinical course of patients with IgG4-related kidney disease. <i>Kidney International</i> , 2013, 84, 826-833.	2.6	144
13	Two Susceptibility Loci to Takayasu Arteritis Reveal a Synergistic Role of the IL12B and HLA-B Regions in a Japanese Population. <i>American Journal of Human Genetics</i> , 2013, 93, 289-297.	2.6	136
14	Pretreatment serum FGF-23 levels predict the efficacy of calcitriol therapy in dialysis patients. <i>Kidney International</i> , 2005, 67, 1120-1125.	2.6	117
15	Short-term use of continuous positive airway pressure ameliorates glomerular hyperfiltration in patients with obstructive sleep apnoea syndrome. <i>Clinical Science</i> , 2004, 107, 317-322.	1.8	114
16	Increased risk of hip fracture among Japanese hemodialysis patients. <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 315-321.	1.3	106
17	Effect of Reduced-Dose vs High-Dose Glucocorticoids Added to Rituximab on Remission Induction in ANCA-Associated Vasculitis. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 2178.	3.8	103
18	Brief Report: Takayasu Arteritis and Ulcerative Colitis: High Rate of Co-Occurrence and Genetic Overlap. <i>Arthritis and Rheumatology</i> , 2015, 67, 2226-2232.	2.9	102

#	ARTICLE	IF	CITATIONS
19	Megalin Blockade with Cilastatin Suppresses Drug-Induced Nephrotoxicity. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1783-1791.	3.0	101
20	Relationship between tonsils and IgA nephropathy as well as indications of tonsillectomy. <i>Kidney International</i> , 2004, 65, 1135-1144.	2.6	98
21	Megalin-Mediated Tubuloglomerular Alterations in High-Fat Diet-Induced Kidney Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 1996-2008.	3.0	90
22	Association between Single-Nucleotide Polymorphisms in Selectin Genes and Immunoglobulin A Nephropathy. <i>American Journal of Human Genetics</i> , 2002, 70, 781-786.	2.6	78
23	Uremic pruritus in chronic hemodialysis patients. <i>Journal of Nephrology</i> , 2008, 21, 161-5.	0.9	76
24	LCAT-Dependent Conversion of Pre β ² 1-HDL into β ¹ -Migrating HDL is Severely Delayed in Hemodialysis Patients. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 732-738.	3.0	73
25	The Interleukin-1 and Fc γ ³ Receptor Gene Polymorphisms in Japanese Patients With Rheumatoid Arthritis and Periodontitis. <i>Journal of Periodontology</i> , 2007, 78, 2311-2318.	1.7	70
26	Impact of the Triglycerides to High-Density Lipoprotein Cholesterol Ratio on the Incidence and Progression of CKD: A Longitudinal Study in a Large Japanese Population. <i>American Journal of Kidney Diseases</i> , 2015, 66, 972-983.	2.1	70
27	Identification of alternatively activated macrophages in new-onset paediatric and adult immunoglobulin A nephropathy: potential role in mesangial matrix expansion. <i>Histopathology</i> , 2011, 58, 198-210.	1.6	68
28	Anemia and iron deficiency among chronic kidney disease Stages 3-5ND patients in the Chronic Kidney Disease Outcomes and Practice Patterns Study: often unmeasured, variably treated. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 613-624.	1.4	68
29	Immune checkpoint inhibitor (nivolumab)-associated β ¹ kidney injury and the importance of recognizing concomitant medications known to cause acute tubulointerstitial nephritis: a case report. <i>BMC Nephrology</i> , 2018, 19, 48.	0.8	66
30	Light-microscopic characteristics of IgG4-related tubulointerstitial nephritis: distinction from non-IgG4-related tubulointerstitial nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2755-2761.	0.4	65
31	L-arginine may mediate the therapeutic effects of low protein diets.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 4552-4556.	3.3	63
32	A combination of healthy lifestyle factors is associated with a decreased incidence of chronic kidney disease: a population-based cohort study. <i>Hypertension Research</i> , 2013, 36, 328-333.	1.5	63
33	The Combined Genotypes of Stimulatory and Inhibitory Fc γ ³ Receptors Associated With Systemic Lupus Erythematosus and Periodontitis in Japanese Adults. <i>Journal of Periodontology</i> , 2007, 78, 467-474.	1.7	62
34	Assessment of Interleukin-6 Receptor Inhibition Therapy on Periodontal Condition in Patients With Rheumatoid Arthritis and Chronic Periodontitis. <i>Journal of Periodontology</i> , 2014, 85, 57-67.	1.7	62
35	Depletion of radio-resistant regulatory T cells enhances antitumor immunity during recovery from lymphopenia. <i>Blood</i> , 2012, 120, 2417-2427.	0.6	61
36	Effective Anti-TNF- β Therapy Can Induce Rapid Resolution and Sustained Decrease of Gastroduodenal Mucosal Amyloid Deposits in Reactive Amyloidosis Associated with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 2409-2415.	1.0	60

#	ARTICLE	IF	CITATIONS
37	High Mortality Rate of Infectious Diseases in Dialysis Patients: A Comparison With the General Population in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 226-231.	0.4	60
38	Association of single-nucleotide polymorphisms in the polymeric immunoglobulin receptor gene with immunoglobulinA nephropathy (IgAN) in Japanese patients. <i>Journal of Human Genetics</i> , 2003, 48, 293-299.	1.1	59
39	Decreased Levels of Circulating .ALPHA.2-Heremans-Schmid Glycoprotein/Fetuin-A (AHSG) in Patients with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2007, 46, 1685-1692.	0.3	59
40	Continuous Reduction of Protein-Bound Uraemic Toxins with Improved Oxidative Stress by Using the Oral Charcoal Adsorbent AST-120 in Haemodialysis Patients. <i>Scientific Reports</i> , 2015, 5, 14381.	1.6	59
41	Association between Hypouricemia and Reduced Kidney Function: A Cross-Sectional Population-Based Study in Japan. <i>American Journal of Nephrology</i> , 2015, 41, 138-146.	1.4	59
42	Periodontal and Serum Protein Profiles in Patients With Rheumatoid Arthritis Treated With Tumor Necrosis Factor Inhibitor Adalimumab. <i>Journal of Periodontology</i> , 2014, 85, 1480-1488.	1.7	58
43	Exocytosis-Mediated Urinary Full-Length Megalin Excretion Is Linked With the Pathogenesis of Diabetic Nephropathy. <i>Diabetes</i> , 2017, 66, 1391-1404.	0.3	58
44	Long-Term Blood Pressure Variability, New-Onset Diabetes Mellitus, and New-Onset Chronic Kidney Disease in the Japanese General Population. <i>Hypertension</i> , 2015, 66, 30-36.	1.3	55
45	Cause-Specific Excess Mortality Among Dialysis Patients: Comparison With the General Population in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2013, 17, 298-304.	0.4	54
46	The effect of tolvaptan on autosomal dominant polycystic kidney disease patients: a subgroup analysis of the Japanese patient subset from TEMPO 3:4 trial. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 867-877.	0.7	54
47	Effect of Behavior Modification on Outcome in Early- to Moderate-Stage Chronic Kidney Disease: A Cluster-Randomized Trial. <i>PLoS ONE</i> , 2016, 11, e0151422.	1.1	54
48	Risk of Periodontitis in Systemic Lupus Erythematosus Is Associated with Fcγ3 Receptor Polymorphisms. <i>Journal of Periodontology</i> , 2003, 74, 378-384.	1.7	53
49	Association between warfarin use and incidence of ischemic stroke in Japanese hemodialysis patients with chronic sustained atrial fibrillation: a prospective cohort study. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 662-669.	0.7	53
50	Association between Combined Lifestyle Factors and Non-Restorative Sleep in Japan: A Cross-Sectional Study Based on a Japanese Health Database. <i>PLoS ONE</i> , 2014, 9, e108718.	1.1	52
51	Significance of Urinary Full-Length and Ectodomain Forms of Megalin in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1112-1118.	4.3	49
52	Serum cytokine profiles of patients with interstitial lung disease associated with anti-CADM-140/MDA5 antibody positive amyopathic dermatomyositis. <i>Respiratory Medicine</i> , 2015, 109, 1174-1180.	1.3	49
53	Nephrotoxicity of cisplatin combination chemotherapy in thoracic malignancy patients with CKD risk factors. <i>BMC Cancer</i> , 2016, 16, 222.	1.1	49
54	Osteopontin expression in acute renal allograft rejection. <i>Kidney International</i> , 2005, 67, 886-896.	2.6	48

#	ARTICLE	IF	CITATIONS
55	Histological differences in new-onset IgA nephropathy between children and adults. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3466-3474.	0.4	48
56	Collagenofibrotic Glomerulopathy: Clinicopathologic Overview of a Rare Glomerular Disease. <i>American Journal of Kidney Diseases</i> , 2007, 49, 499-506.	2.1	48
57	Elevated C-Reactive Protein Is Associated with Cognitive Decline in Outpatients of a General Hospital: The Project in Sado for Total Health (PROST). <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 10-19.	0.6	48
58	Prevalence of anemia in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0236132.	1.1	46
59	Blood Pressure, Proteinuria, and Renal Function Decline: Associations in a Large Community-Based Population. <i>American Journal of Hypertension</i> , 2015, 28, 1150-1156.	1.0	45
60	Removal of uremic toxins by renal replacement therapies: a review of current progress and future perspectives. <i>Renal Replacement Therapy</i> , 2016, 2, .	0.3	45
61	Macrophage Metalloelastase as a Major Factor for Glomerular Injury in Anti-Glomerular Basement Membrane Nephritis. <i>Journal of Immunology</i> , 2003, 170, 3377-3385.	0.4	44
62	Mortality trends among Japanese dialysis patients, 1988â€“2013: a joinpoint regression analysis. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1501-1507.	0.4	44
63	Atherosclerosis is accelerated in patients with long-term well-controlled Systemic Lupus Erythematosus (SLE). <i>Clinica Chimica Acta</i> , 2007, 385, 35-42.	0.5	43
64	A slight increase within the normal range of serum uric acid and the decline in renal function: associations in a community-based population. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2286-2292.	0.4	43
65	Associations between serum uric acid levels and the incidence of nonfatal stroke: a nationwide community-based cohort study. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 497-503.	0.7	43
66	Indoxyl Sulfate Promotes Macrophage IL-1 β Production by Activating Aryl Hydrocarbon Receptor/NF- κ B/MAPK Cascades, but the NLRP3 inflammasome Was Not Activated. <i>Toxins</i> , 2018, 10, 124.	1.5	42
67	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. <i>Diabetes Care</i> , 2021, 44, 2542-2551.	4.3	42
68	An observational study of giant cell interstitial pneumonia and lung fibrosis in hard metal lung disease. <i>BMJ Open</i> , 2014, 4, e004407.	0.8	40
69	Administration of Ferric Citrate Hydrate Decreases Circulating FGF23 Levels Independently of Serum Phosphate Levels in Hemodialysis Patients with Iron Deficiency. <i>Nephron</i> , 2015, 131, 161-166.	0.9	40
70	Comprehensive microbiome analysis of tonsillar crypts in IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw343.	0.4	40
71	Association between serum uric acid levels and mortality: a nationwide community-based cohort study. <i>Scientific Reports</i> , 2020, 10, 6066.	1.6	40
72	Use of Renin-Angiotensin System Inhibitors Is Associated with Reduction of Fracture Risk in Hemodialysis Patients. <i>PLoS ONE</i> , 2015, 10, e0122691.	1.1	39

#	ARTICLE	IF	CITATIONS
73	Pathogenetic significance of aberrant glycosylation of IgA1 in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 332-338.	0.7	38
74	Novel assay to detect increased level of neutralizing anti-interferon gamma autoantibodies in non-tuberculous mycobacterial patients. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 52-56.	0.8	38
75	Association between Overall Lifestyle Changes and the Incidence of Proteinuria: A Population-based, Cohort Study. <i>Internal Medicine</i> , 2017, 56, 1475-1484.	0.3	38
76	Evidence-based clinical practice guidelines for polycystic kidney disease 2014. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 493-509.	0.7	37
77	J-CKD-DB: a nationwide multicentre electronic health record-based chronic kidney disease database in Japan. <i>Scientific Reports</i> , 2020, 10, 7351.	1.6	37
78	Effect of Treating Hyperphosphatemia With Lanthanum Carbonate vs Calcium Carbonate on Cardiovascular Events in Patients With Chronic Kidney Disease Undergoing Hemodialysis. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1946.	3.8	37
79	High triglyceride is a risk factor for silent osteonecrosis of the femoral head in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2015, 34, 2071-2077.	1.0	36
80	Fast eating is a strong risk factor for new-onset diabetes among the Japanese general population. <i>Scientific Reports</i> , 2019, 9, 8210.	1.6	36
81	SAA1 gene polymorphisms and the risk of AA amyloidosis in Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2006, 16, 294-299.	0.9	35
82	Prescription of renin-angiotensin-aldosterone system inhibitors (RAASi) and its determinants in patients with advanced CKD under nephrologist care. <i>Journal of Clinical Hypertension</i> , 2019, 21, 991-1001.	1.0	35
83	Possible mechanisms of polyphosphate-induced amyloid fibril formation of β_2 -microglobulin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 12833-12838.	3.3	35
84	Single-nucleotide polymorphisms in the class II region of the major histocompatibility complex in Japanese patients with immunoglobulin A nephropathy. <i>Journal of Human Genetics</i> , 2002, 47, 0532-0538.	1.1	34
85	Novel expression of claudin-5 in glomerular podocytes. <i>Cell and Tissue Research</i> , 2011, 343, 637-648.	1.5	34
86	Associations of Hemoglobin Levels With Health-Related Quality of Life, Physical Activity, and Clinical Outcomes in Persons With Stage 3-5 Nondialysis CKD. , 2020, 30, 404-414.		34
87	Intense correlation between protein-conjugated acrolein and primary Sjögren's syndrome. <i>Clinica Chimica Acta</i> , 2010, 411, 359-363.	0.5	33
88	Serum Fibroblast Growth Factor 23 (FGF23) in Patients with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2016, 55, 121-126.	0.3	33
89	Mortality risk among screened subjects of the specific health check and guidance program in Japan 2008-2012. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 978-985.	0.7	33
90	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 526-540.	0.7	33

#	ARTICLE	IF	CITATIONS
91	Brain-derived neurotrophic factor is associated with sarcopenia and frailty in Japanese hemodialysis patients. <i>Geriatrics and Gerontology International</i> , 2021, 21, 27-33.	0.7	33
92	Recovery of renal function after glucocorticoid therapy for IgG4-related kidney disease with renal dysfunction. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 87-93.	0.7	32
93	Interaction Between ACE and ADD1 Gene Polymorphisms in the Progression of IgA Nephropathy in Japanese Patients. <i>Hypertension</i> , 2003, 42, 304-309.	1.3	31
94	IgG4-related Chronic Tubulointerstitial Nephritis without Autoimmune Pancreatitis and the Time Course of Renal Function. <i>Internal Medicine</i> , 2010, 49, 1593-1598.	0.3	31
95	Screening of Male Dialysis Patients for Fabry Disease by Plasma Globotriaosylsphingosine. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 629-636.	2.2	31
96	Interleukin-6 receptor inhibitor tocilizumab ameliorates periodontal inflammation in patients with rheumatoid arthritis and periodontitis as well as tumor necrosis factor inhibitors. <i>Clinical and Experimental Dental Research</i> , 2015, 1, 63-73.	0.8	31
97	Conditions, pathogenesis, and progression of diabetic kidney disease and early decliner in Japan. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000902.	1.2	31
98	Human Glomerulonephritis Accompanied by Active Cellular Infiltrates Shows Effector T Cells in Urine. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2636-2644.	3.0	31
99	Role of uteroglobin G38A polymorphism in the progression of IgA nephropathy in Japanese patients. <i>Kidney International</i> , 2002, 61, 1853-1858.	2.6	30
100	Monocyte chemoattractant protein-1 A-2518G gene polymorphism and renal survival of Japanese patients with immunoglobulin A nephropathy. <i>Clinical and Experimental Nephrology</i> , 2005, 9, 297-303.	0.7	30
101	Increased Proinflammatory Cytokine Production and Decreased Cholesterol Efflux Due to Downregulation of ABCG1 in Macrophages Exposed to Indoxyl Sulfate. <i>Toxins</i> , 2015, 7, 3155-3166.	1.5	30
102	Atherosclerosis following renal injury is ameliorated by pioglitazone and losartan via macrophage phenotype. <i>Atherosclerosis</i> , 2015, 242, 56-64.	0.4	30
103	Procalcitonin Is a Specific Marker for Detecting Bacterial Infection in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2012, 39, 1517-1523.	1.0	29
104	Cluster analysis identifies characteristic phenotypes of asthma with accelerated lung function decline. <i>Journal of Asthma</i> , 2014, 51, 113-118.	0.9	29
105	Electrocardiographic abnormalities and risk of developing cardiac events in extracardiac sarcoidosis. <i>International Journal of Cardiology</i> , 2015, 189, 1-5.	0.8	29
106	Role of calcineurin (CN) in kidney glomerular podocyte: CN inhibitor ameliorated proteinuria by inhibiting the redistribution of CN at the slit diaphragm. <i>Physiological Reports</i> , 2016, 4, e12679.	0.7	29
107	Modifiable Factors Associated with Cognitive Impairment in 1,143 Japanese Outpatients: The Project in Sado for Total Health (PROST). <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 341-349.	0.6	29
108	Adult-onset Chronic Recurrent Multifocal Osteomyelitis with High Intensity of Muscles Detected by Magnetic Resonance Imaging, Successfully Controlled with Tocilizumab. <i>Internal Medicine</i> , 2017, 56, 2353-2360.	0.3	29

#	ARTICLE	IF	CITATIONS
109	Transforming growth factor-beta1 gene polymorphism modifies the histological and clinical manifestations in Japanese patients with IgA nephropathy. <i>Tissue Antigens</i> , 2004, 64, 35-42.	1.0	27
110	Association of a single-nucleotide polymorphism in the immunoglobulin A-binding protein 2 gene with immunoglobulin A nephropathy. <i>Journal of Human Genetics</i> , 2005, 50, 30-35.	1.1	27
111	Integrin $\alpha 1 \beta 2$ and $\alpha 2 \beta 2$ as a receptor for IgA1 in human glomerular mesangial cells in IgA nephropathy. <i>International Immunology</i> , 2012, 24, 219-232.	1.8	27
112	DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3, X-linked is an immunogenic target of cancer stem cells. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 1619-1628.	2.0	27
113	Preventive effect of irbesartan on bleomycin-induced lung injury in mice. <i>Respiratory Investigation</i> , 2013, 51, 76-83.	0.9	27
114	Anticipated Increase in the Number of Patients Who Require Dialysis Treatment Among the Aging Population of Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 201-206.	0.4	27
115	Severe hypermagnesemia induced by magnesium oxide ingestion: a case series. <i>CEN Case Reports</i> , 2019, 8, 31-37.	0.5	27
116	Body shape index: Sex-specific differences in predictive power for all-cause mortality in the Japanese population. <i>PLoS ONE</i> , 2017, 12, e0177779.	1.1	27
117	$\alpha 2$ -M-amyloidosis and related bone diseases. <i>Journal of Bone and Mineral Metabolism</i> , 2006, 24, 182-184.	1.3	26
118	Treatment with Biologic Agents Improves the Prognosis of Patients with Rheumatoid Arthritis and Amyloidosis. <i>Journal of Rheumatology</i> , 2012, 39, 1348-1354.	1.0	26
119	Adsorption of Protein-Bound Uremic Toxins Through Direct Hemoperfusion With Hexadecyl-immobilized Cellulose Beads in Patients Undergoing Hemodialysis. <i>Artificial Organs</i> , 2018, 42, 88-93.	1.0	26
120	Anemia as a risk factor for all-cause mortality: obscure synergic effect of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 388-394.	0.7	26
121	Angiotensinogen gene variation and renoprotective efficacy of renin-angiotensin system blockade in IgA nephropathy. <i>Kidney International</i> , 2003, 64, 1050-1058.	2.6	25
122	20-Year Analysis of Kidney Transplantation: A Single Center in Japan. <i>Transplantation Proceedings</i> , 2014, 46, 437-441.	0.3	25
123	Effect of ferric citrate hydrate on FGF23 and PTH levels in patients with non-dialysis-dependent chronic kidney disease with normophosphatemia and iron deficiency. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 789-796.	0.7	25
124	Atypical phenotype of type I Bartter syndrome accompanied by focal segmental glomerulosclerosis. <i>Pediatric Nephrology</i> , 2009, 24, 415-418.	0.9	24
125	A Novel Prostacyclin Agonist Protects against Airway Hyperresponsiveness and Remodeling in Mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012, 47, 170-177.	1.4	24
126	Japanese guidelines of the management of hematuria 2013. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 679-689.	0.7	24

#	ARTICLE	IF	CITATIONS
127	Critical Roles of Chemoresistant Effector and Regulatory T Cells in Antitumor Immunity after Lymphodepleting Chemotherapy. <i>Journal of Immunology</i> , 2015, 195, 726-735.	0.4	24
128	Intact PTH assay overestimates true 1-84 PTH levels after maxacalcitol therapy in dialysis patients with secondary hyperparathyroidism. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 892-897.	0.4	23
129	Effects of Direct Hemoperfusion with Polymyxin B-immobilized Fiber on Rapidly Progressive Interstitial Lung Diseases. <i>Internal Medicine</i> , 2014, 53, 1921-1926.	0.3	23
130	Outcomes of primary nephrotic syndrome in elderly Japanese: retrospective analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2015, 19, 496-505.	0.7	23
131	Genome-wide Association Study of Idiopathic Osteonecrosis of the Femoral Head. <i>Scientific Reports</i> , 2017, 7, 15035.	1.6	23
132	An Analysis of the Neuropathic Pain Components in Rheumatoid Arthritis Patients. <i>Internal Medicine</i> , 2018, 57, 479-485.	0.3	23
133	A(-20)C polymorphism of the angiotensinogen gene and progression of IgA nephropathy. <i>Kidney International</i> , 2002, 62, 980-985.	2.6	22
134	Circulating 1-84 PTH and large C-terminal PTH fragment levels in uremia. <i>Clinical and Experimental Nephrology</i> , 2003, 7, 144-149.	0.7	22
135	SM22 α : The Novel Phenotype Marker of Injured Glomerular Epithelial Cells in Anti-Glomerular Basement Membrane Nephritis. <i>Nephron Experimental Nephrology</i> , 2007, 106, e77-e87.	2.4	22
136	Design and methods of a strategic outcome study for chronic kidney disease: Frontier of Renal Outcome Modifications in Japan. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 144-151.	0.7	22
137	Hip Fracture Trends in Japanese Dialysis Patients, 2008-2013. <i>American Journal of Kidney Diseases</i> , 2018, 71, 173-181.	2.1	22
138	Distinct characteristics and outcomes in elderly-onset IgA vasculitis (Henoch-Schönlein purpura) with nephritis: Nationwide cohort study of data from the Japan Renal Biopsy Registry (J-RBR). <i>PLoS ONE</i> , 2018, 13, e0196955.	1.1	22
139	Serum hepcidin level, iron metabolism and osteoporosis in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2020, 10, 9882.	1.6	22
140	Significant association between renal function and area of amyloid deposition in kidney biopsy specimens in reactive amyloidosis associated with rheumatoid arthritis. <i>Rheumatology International</i> , 2012, 32, 3155-3162.	1.5	21
141	Higher Mortality Due to Intracerebral Hemorrhage in Dialysis Patients: A Comparison with the General Population in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2015, 19, 45-49.	0.4	21
142	The macrophage and its related cholesterol efflux as a HDL function index in atherosclerosis. <i>Clinica Chimica Acta</i> , 2016, 457, 117-122.	0.5	21
143	The cumulative incidence of and risk factors for latent beaking in patients with autoimmune diseases taking long-term glucocorticoids and bisphosphonates. <i>Osteoporosis International</i> , 2016, 27, 1217-1225.	1.3	21
144	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1266-1280.	0.7	21

#	ARTICLE	IF	CITATIONS
145	Adsorption of Protein-Bound Uremic Toxins Using Activated Carbon through Direct Hemoperfusion in vitro. <i>Blood Purification</i> , 2019, 48, 215-222.	0.9	21
146	A digest of the Evidence-Based Clinical Practice Guideline for Nephrotic Syndrome 2020. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1277-1285.	0.7	21
147	DDX3X Induces Primary EGFR-TKI Resistance Based on Intratumor Heterogeneity in Lung Cancer Cells Harboring EGFR-Activating Mutations. <i>PLoS ONE</i> , 2014, 9, e111019.	1.1	21
148	The Circadian Blood Pressure Rhythm in Non-Diabetic Hemodialysis Patients.. <i>Hypertension Research</i> , 2001, 24, 111-117.	1.5	20
149	Cancellous Bone Volume Is an Indicator for Trabecular Bone Connectivity in Dialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 292-298.	2.2	20
150	Weight gain after 20 years of age is associated with prevalence of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 259-268.	0.7	20
151	Clinical practice guideline for drug-induced kidney injury in Japan 2016: digest version. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 827-831.	0.7	20
152	Clinico-pathological features of kidney disease in diabetic cases. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1046-1051.	0.7	20
153	Dipstick proteinuria and all-cause mortality among the general population. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1331-1340.	0.7	20
154	SAA1 gene polymorphisms and the risk of AA amyloidosis in Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2006, 16, 294-299.	0.9	20
155	Natural Saline-Flush Is Sufficient to Maintain Patency of Immobilized-Urokinase Double-Lumen Catheter Used to Provide Temporary Blood Access for Hemodialysis. <i>Blood Purification</i> , 2004, 22, 473-479.	0.9	19
156	A novel type of encephalopathy associated with mushroom Sugihiratake ingestion in patients with chronic kidney diseases. <i>Kidney International</i> , 2005, 68, 188-192.	2.6	19
157	Influence of Obesity on Control in Asthmatic Japanese Patients Defined by the Japanese Definition of Obesity. <i>Internal Medicine</i> , 2011, 50, 1911-1916.	0.3	19
158	New-onset hypertension and risk for chronic kidney disease in the Japanese general population. <i>Journal of Hypertension</i> , 2014, 32, 2371-2377.	0.3	19
159	Associations between the Intake of Miso Soup and Japanese Pickles and the Estimated 24-hour Urinary Sodium Excretion: A Population-based Cross-sectional Study. <i>Internal Medicine</i> , 2015, 54, 903-910.	0.3	19
160	Serum Immunoglobulin G Levels to <i>Porphyromonas gingivalis</i> Peptidylarginine Deiminase Affect Clinical Response to Biological Disease-Modifying Antirheumatic Drug in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0154182.	1.1	19
161	Tubulointerstitial Nephritis with IgM-Positive Plasma Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3688-3698.	3.0	19
162	Association between renal function and cardiovascular and all-cause mortality in the community-based elderly population: results from the Specific Health Check and Guidance Program in Japan. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 346-352.	0.7	19

#	ARTICLE	IF	CITATIONS
163	Clinical features and pathogenesis of membranoproliferative glomerulonephritis: a nationwide analysis of the Japan renal biopsy registry from 2007 to 2015. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 797-807.	0.7	19
164	Analysis of the prevalence of systemic de novo thrombotic microangiopathy after <scp>ABO</scp>-incompatible kidney transplantation and the associated risk factors. <i>International Journal of Urology</i> , 2019, 26, 1128-1137.	0.5	19
165	Higher estimated net endogenous acid production with lower intake of fruits and vegetables based on a dietary survey is associated with the progression of chronic kidney disease. <i>BMC Nephrology</i> , 2019, 20, 421.	0.8	19
166	Rice Endosperm Protein Administration to Juvenile Mice Regulates Gut Microbiota and Suppresses the Development of High-Fat Diet-Induced Obesity and Related Disorders in Adulthood. <i>Nutrients</i> , 2019, 11, 2919.	1.7	19
167	Adherence to the Kidney Disease: Improving Global Outcomes CKD Guideline in Nephrology Practice Across Countries. <i>Kidney International Reports</i> , 2021, 6, 437-448.	0.4	19
168	Mortality Predictors after 10 Years of Dialysis: A Prospective Study of Japanese Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 653-660.	2.2	18
169	The efficacy of triplet antiemetic therapy with 0.75 mg of palonosetron for chemotherapy-induced nausea and vomiting in lung cancer patients receiving highly emetogenic chemotherapy. <i>Supportive Care in Cancer</i> , 2013, 21, 2575-2581.	1.0	18
170	Drug-induced kidney disease: a study of the Japan Renal Biopsy Registry from 2007 to 2015. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 720-730.	0.7	18
171	Association of Hypertriglyceridemia With the Incidence and Progression of Chronic Kidney Disease and Modification of the Association by Daily Alcohol Consumption. , 2017, 27, 381-394.		18
172	Kidney biopsy guidebook 2020 in Japan. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 325-364.	0.7	18
173	Possible burden of hyperuricaemia on mortality in a community-based population: a large-scale cohort study. <i>Scientific Reports</i> , 2021, 11, 8999.	1.6	18
174	Gross hematuria after SARS-CoV-2 vaccination: questionnaire survey in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 316-322.	0.7	18
175	Adrenocorticotrophic Hormone-Independent Bilateral Adrenocortical Macronodular Hyperplasia Treated with Mitotane.. <i>Internal Medicine</i> , 1999, 38, 969-973.	0.3	17
176	Crowned Dens Syndrome as an Initial Manifestation of Crystalline Deposition Disease. <i>Internal Medicine</i> , 2015, 54, 2405-2408.	0.3	17
177	The Effects of All-Trans Retinoic Acid on the Induction of Oral Tolerance in a Murine Model of Bronchial Asthma. <i>International Archives of Allergy and Immunology</i> , 2015, 167, 167-176.	0.9	17
178	Characteristics of eosinophilic and non-eosinophilic asthma during treatment with inhaled corticosteroids. <i>Journal of Asthma</i> , 2015, 52, 417-422.	0.9	17
179	Age-related Hearing Loss Is Strongly Associated With Cognitive Decline Regardless of the APOE4 Polymorphism. <i>Otology and Neurotology</i> , 2019, 40, 1263-1267.	0.7	17
180	Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0240402.	1.1	17

#	ARTICLE	IF	CITATIONS
181	Education, household income, and depressive symptoms in middle-aged and older Japanese adults. BMC Public Health, 2021, 21, 2120.	1.2	17
182	Peroxisome proliferator-activated receptor β C161T polymorphisms and survival of Japanese patients with immunoglobulin A nephropathy. Clinical Genetics, 2003, 64, 398-403.	1.0	16
183	Renovascular Hypertension: A Unique Cause of Unilateral Focal Segmental Glomerulosclerosis. Hypertension Research, 2006, 29, 203-207.	1.5	16
184	Megalyn is downregulated via LPS-TNF- α -ERK1/2 signaling pathway in proximal tubule cells. Biochemical and Biophysical Research Communications, 2011, 407, 108-112.	1.0	16
185	Clinical and microbiological evaluation of hemodialysis-associated pneumonia (HDAP): should HDAP be included in healthcare-associated pneumonia?. Journal of Infection and Chemotherapy, 2011, 17, 640-645.	0.8	16
186	Significant association between renal function and amyloid-positive area in renal biopsy specimens in AL amyloidosis. BMC Nephrology, 2012, 13, 118.	0.8	16
187	A case of MPO- and PR3-ANCA-positive hypertrophic cranial pachymeningitis with elevated serum IgG4. Modern Rheumatology, 2013, 23, 151-155.	0.9	16
188	Annual decline in estimated glomerular filtration rate is a risk factor for cardiovascular events independent of proteinuria. Nephrology, 2014, 19, 574-580.	0.7	16
189	Extracapillary proliferation and arteriolar hyalinosis are associated with long-term kidney survival in IgA nephropathy. Clinical and Experimental Nephrology, 2016, 20, 569-577.	0.7	16
190	Association of dipstick hematuria with all-cause mortality in the general population: results from the specific health check and guidance program in Japan. Nephrology Dialysis Transplantation, 2018, 33, 825-832.	0.4	16
191	New risk prediction model of coronary heart disease in participants with and without diabetes: Assessments of the Framingham risk and Suita scores in 3-year longitudinal database in a Japanese population. Scientific Reports, 2019, 9, 2813.	1.6	16
192	Inhibition of the renin-angiotensin system causes concentric hypertrophy of renal arterioles in mice and humans. JCI Insight, 2021, 6, .	2.3	16
193	Genetic Polymorphism of NPHS1 Modifies the Clinical Manifestations of Ig A Nephropathy. Laboratory Investigation, 2003, 83, 1193-1200.	1.7	15
194	Renal function at the time of renal biopsy as a predictor of prognosis in patients with primary AL-type amyloidosis. Clinical and Experimental Nephrology, 2004, 8, 127-33.	0.7	15
195	Bezafibrate suppresses rat antiglomerular basement membrane crescentic glomerulonephritis. Kidney International, 2005, 67, 1821-1829.	2.6	15
196	Hypogammaglobulinemic Patient with Polyarthritis Mimicking Rheumatoid Arthritis Finally Diagnosed as Septic Arthritis Caused by Mycoplasma hominis. Internal Medicine, 2012, 51, 425-429.	0.3	15
197	Asthma Control and Management Changes in Japan: Questionnaire Survey. Internal Medicine, 2012, 51, 567-574.	0.3	15
198	Regional Variation in Hip Fracture Incidence Among Japanese Hemodialysis Patients. Therapeutic Apheresis and Dialysis, 2014, 18, 162-166.	0.4	15

#	ARTICLE	IF	CITATIONS
199	Acquired Downregulation of Donor-Specific Antibody Production After ABO-Incompatible Kidney Transplantation. <i>American Journal of Transplantation</i> , 2017, 17, 115-128.	2.6	15
200	Effect of Hypertension on Aortic Artery Disease-Related Mortality—3.8-Year Nationwide Community-Based Prospective Cohort Study. <i>Circulation Journal</i> , 2018, 82, 2776-2782.	0.7	15
201	Utility of estimated glomerular filtration rate using cystatin C and its interpretation in patients with rheumatoid arthritis under glucocorticoid therapy. <i>Clinica Chimica Acta</i> , 2018, 487, 299-305.	0.5	15
202	Low serum 25-hydroxyvitamin D is associated with low grip strength in an older Japanese population. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 198-204.	1.3	15
203	Impact of calculated plasma volume status on all-cause and cardiovascular mortality: 4-year nationwide community-based prospective cohort study. <i>PLoS ONE</i> , 2020, 15, e0237601.	1.1	15
204	Efficacy and Safety of Difelikefalin in Japanese Patients With Moderate to Severe Pruritus Receiving Hemodialysis. <i>JAMA Network Open</i> , 2022, 5, e2210339.	2.8	15
205	Genetic polymorphisms in the promoter and 5' UTR region of the Fc γ receptor (CD89) are not associated with a risk of IgA nephropathy. <i>Journal of Human Genetics</i> , 2001, 46, 694-698.	1.1	14
206	Serum magnesium concentration is inversely associated with fibroblast growth factor 23 in haemodialysis patients. <i>Nephrology</i> , 2014, 19, 667-671.	0.7	14
207	Specific overexpression of tumour necrosis factor- α -induced protein (TNFAIP)9 in CD14+CD16 ⁺ monocytes in patients with rheumatoid arthritis: comparative analysis with TNFAIP3. <i>Clinical and Experimental Immunology</i> , 2015, 180, 458-466.	1.1	14
208	Medullary thick ascending limb impairment in the <i>Gla</i> tm Tg(CAG ⁺ A4GALT) Fabry model mice. <i>FASEB Journal</i> , 2018, 32, 4544-4559.	0.2	14
209	Functional impairment attenuates the association between high serum phosphate and mortality in dialysis patients: a nationwide cohort study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1207-1216.	0.4	14
210	Impact of hyperuricemia on mortality related to aortic diseases: a 3.8-year nationwide community-based cohort study. <i>Scientific Reports</i> , 2020, 10, 14281.	1.6	14
211	A case of MPO- and PR3-ANCA-positive hypertrophic cranial pachymeningitis with elevated serum IgG4. <i>Modern Rheumatology</i> , 2013, 23, 151-155.	0.9	14
212	Association of the MCP-1 gene polymorphism A-2518G with carpal-tunnel syndrome in hemodialysis patients. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2002, 9, 175-182.	1.4	13
213	Identification of genes regulating colorectal carcinogenesis by using the algorithm for diagnosing malignant state method. <i>Biochemical and Biophysical Research Communications</i> , 2002, 296, 497-506.	1.0	13
214	Vaccination with CD133+ melanoma induces specific Th17 and Th1 cell-mediated antitumor reactivity against parental tumor. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1597-1608.	2.0	13
215	Thrombotic thrombocytopenic purpura in IgG4-related disease with severe deficiency of ADAMTS α 13 activity and IgG4 autoantibody against ADAMTS α 13. <i>Arthritis Care and Research</i> , 2011, 63, 1209-1212.	1.5	13
216	Development of IgG4-related disease in a patient diagnosed with idiopathic membranous nephropathy. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 486-490.	1.4	13

#	ARTICLE	IF	CITATIONS
217	A Case of Podocytic Infolding Glomerulopathy with Focal Segmental Glomerulosclerosis. Case Reports in Nephrology and Urology, 2013, 3, 110-116.	1.5	13
218	Budget impact analysis of chronic kidney disease mass screening test in Japan. Clinical and Experimental Nephrology, 2014, 18, 885-891.	0.7	13
219	Genome-wide association study of IgA nephropathy using 23,465 microsatellite markers in a Japanese population. Journal of Human Genetics, 2015, 60, 573-580.	1.1	13
220	Effect of inhaled corticosteroids on bronchial asthma in Japanese athletes. Allergology International, 2015, 64, 145-149.	1.4	13
221	A case of xanthinuria type I with a novel mutation in xanthine dehydrogenase. CEN Case Reports, 2016, 5, 158-162.	0.5	13
222	Leptin deficiency down-regulates IL-23 production in glomerular podocytes resulting in an attenuated immune response in nephrotoxic serum nephritis. International Immunology, 2016, 28, 197-208.	1.8	13
223	Tubulointerstitial nephritis and Fanconi syndrome in a patient with primary Sjögren's syndrome accompanied by antimitochondrial antibodies: A case report and review of the literature. Modern Rheumatology, 2018, 28, 897-900.	0.9	13
224	Low serum 25-hydroxyvitamin D increases cognitive impairment in elderly people. Journal of Bone and Mineral Metabolism, 2019, 37, 368-375.	1.3	13
225	A nationwide survey on clinical practice patterns and bleeding complications of percutaneous native kidney biopsy in Japan. Clinical and Experimental Nephrology, 2020, 24, 389-401.	0.7	13
226	Effect of etanercept and entecavil in a patient with rheumatoid arthritis who is a hepatitis B carrier: a review of the literature. Rheumatology International, 2012, 32, 1059-1063.	1.5	12
227	Expression of Tight Junction Protein Claudin-1 in Human Crescentic Glomerulonephritis. International Journal of Nephrology, 2014, 2014, 1-9.	0.7	12
228	Effect of donor-recipient age difference on long-term graft survival in living kidney transplantation. International Urology and Nephrology, 2014, 46, 1441-1446.	0.6	12
229	Comparison of predictive value for first cardiovascular event between Japanese GFR equation and coefficient-modified CKD-EPI equation. Clinical and Experimental Nephrology, 2015, 19, 387-394.	0.7	12
230	A case of endocapillary proliferative glomerulonephritis with macrophages phagocytosing monoclonal immunoglobulin lambda light chain. Pathology International, 2015, 65, 38-42.	0.6	12
231	Diverse Renal Phenotypes Observed in a Single Family with a Genetic Mutation in Paired Box Protein 2. Case Reports in Nephrology and Dialysis, 2016, 6, 61-69.	0.3	12
232	Significant association between renal function and area of amyloid deposition in kidney biopsy specimens in both AA amyloidosis associated with rheumatoid arthritis and AL amyloidosis. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2017, 24, 123-130.	1.4	12
233	Low fasting plasma glucose level as a predictor of new-onset diabetes mellitus on a large cohort from a Japanese general population. Scientific Reports, 2018, 8, 13927.	1.6	12
234	A consensus statement on health-care transition of patients with childhood-onset chronic kidney diseases: providing adequate medical care in adolescence and young adulthood. Clinical and Experimental Nephrology, 2018, 22, 743-751.	0.7	12

#	ARTICLE	IF	CITATIONS
235	Partitioning-Defective-6“Ephrin-B1 Interaction Is Regulated by Nephrin-Mediated Signal and Is Crucial in Maintaining Slit Diaphragm of Podocyte. <i>American Journal of Pathology</i> , 2020, 190, 333-346.	1.9	12
236	Effect of sucroferric oxyhydroxide on gastrointestinal microbiome and uremic toxins in patients with chronic kidney disease undergoing hemodialysis. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 725-733.	0.7	12
237	Efficacy of Using the Japanese Version of the Asthma Control Test for Determining the Level of Asthma Control in Clinical Settings. <i>Allergology International</i> , 2012, 61, 609-617.	1.4	11
238	Underestimating chronic kidney disease by urine dipstick without serum creatinine as a screening tool in the general Japanese population. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 474-480.	0.7	11
239	High and pointed type of femoral localized reaction frequently extends to complete and incomplete atypical femoral fracture in patients with autoimmune diseases on long-term glucocorticoids and bisphosphonates. <i>Osteoporosis International</i> , 2017, 28, 2367-2376.	1.3	11
240	The Assessment of the Efficacy of Dipeptidyl Peptidase-4 Inhibitors in Patients with Glucocorticoid-induced Diabetes by Continuous Glucose Monitoring. <i>Internal Medicine</i> , 2017, 56, 2555-2562.	0.3	11
241	Characterization of patients with systemic lupus erythematosus who meet the diagnostic criteria for TAFRO syndrome. <i>Lupus</i> , 2018, 27, 417-427.	0.8	11
242	Cause-specific mortality in the general population with transient dipstick-proteinuria. <i>PLoS ONE</i> , 2019, 14, e0223005.	1.1	11
243	Study Design and Baseline Profiles of Participants in the Uonuma CKD Cohort Study in Niigata, Japan. <i>Journal of Epidemiology</i> , 2020, 30, 170-176.	1.1	11
244	Inorganic polyphosphate potentiates lipopolysaccharide-induced macrophage inflammatory response. <i>Journal of Biological Chemistry</i> , 2020, 295, 4014-4023.	1.6	11
245	Type I Angiotensin II Receptor Blockade Reduces Uremia-Induced Deterioration of Bone Material Properties. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 67-79.	3.1	11
246	Fast walking is a preventive factor against new-onset diabetes mellitus in a large cohort from a Japanese general population. <i>Scientific Reports</i> , 2021, 11, 716.	1.6	11
247	Can Daily Walking Alone Reduce Pneumonia-Related Mortality among Older People?. <i>Scientific Reports</i> , 2020, 10, 8556.	1.6	11
248	Down-regulation of interferon-gamma signaling by gene transfer of Stat1 mutant in mesangial cells. <i>Kidney International</i> , 2000, 57, 455-463.	2.6	11
249	Polypharmacy, chronic kidney disease, and incident fragility fracture: a prospective cohort study. <i>Journal of Bone and Mineral Metabolism</i> , 2022, 40, 157-166.	1.3	11
250	Recurrent light and heavy chain deposition disease after renal transplantation. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1487-1491.	0.4	10
251	Fatal Acute Pancreatitis Associated with Reactive AA Amyloidosis in Rheumatoid Arthritis with End-stage Renal Disease: A Report of Three Cases. <i>Internal Medicine</i> , 2011, 50, 739-744.	0.3	10
252	The Rate of Decrease in the Disease Activity of Rheumatoid Arthritis during Treatment with Adalimumab Depends on the Dose of Methotrexate. <i>Internal Medicine</i> , 2015, 54, 1035-1041.	0.3	10

#	ARTICLE	IF	CITATIONS
253	Two Cases of Adult-onset Still's Disease Treated with Tocilizumab that Achieved Tocilizumab-free Remission. <i>Internal Medicine</i> , 2015, 54, 2675-2679.	0.3	10
254	Intact parathyroid hormone and whole parathyroid hormone assay results disagree in hemodialysis patients under cinacalcet hydrochloride therapy. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 710-717.	0.7	10
255	Benefits of a 12-week lifestyle modification program including diet and combined aerobic and resistance exercise on albuminuria in diabetic and non-diabetic Japanese populations. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1079-1089.	0.7	10
256	Immune-mediated acquired lecithin-cholesterol acyltransferase deficiency: A case report and literature review. <i>Journal of Clinical Lipidology</i> , 2018, 12, 888-897.e2.	0.6	10
257	Secular trends in end-stage kidney disease requiring renal replacement therapy in Japan: Japanese Society of Dialysis Therapy Registry data from 1983 to 2016. <i>Nephrology</i> , 2020, 25, 172-178.	0.7	10
258	Expression of <i>Acs2</i> , a kidney-specific gene, parallels the function and maturation of proximal tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F603-F611.	1.3	10
259	Darbepoetin Alfa in Patients with Advanced CKD without Diabetes: Randomized, Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 608-615.	2.2	10
260	Demographic, clinical characteristics and treatment outcomes of immune-complex membranoproliferative glomerulonephritis and C3 glomerulonephritis in Japan: A retrospective analysis of data from the Japan Renal Biopsy Registry. <i>PLoS ONE</i> , 2021, 16, e0257397.	1.1	10
261	Association between chronic kidney disease and new-onset dyslipidemia: The Japan Specific Health Checkups (J-SHC) study. <i>Atherosclerosis</i> , 2021, 332, 24-32.	0.4	10
262	Impact of Metabolic Syndrome on the Mortality Rate among Participants in a Specific Health Check and Guidance Program in Japan. <i>Internal Medicine</i> , 2020, 59, 2671-2678.	0.3	10
263	Determination of Optimal Blood Pressure for Patients with IgA Nephropathy Based on Renal Histology. <i>Hypertension Research</i> , 2001, 24, 89-92.	1.5	9
264	HELLP Syndrome, Multiple Liver Infarctions, and Intrauterine Fetal Death in a Patient with Systemic Lupus Erythematosus and Antiphospholipid Syndrome. <i>Internal Medicine</i> , 2009, 48, 1555-1558.	0.3	9
265	Earthquake in Japan. <i>Lancet, The</i> , 2011, 377, 1652-1653.	6.3	9
266	Influence of Underweight on Asthma Control. <i>Allergology International</i> , 2012, 61, 489-496.	1.4	9
267	Analysis of Depression in Asthmatic Patients Using the Japanese Version of Patient Health Questionnaire-9. <i>Allergology International</i> , 2012, 61, 475-487.	1.4	9
268	Association between clinical parameters and amyloid-positive area in gastroduodenal biopsy in reactive amyloidosis associated with rheumatoid arthritis. <i>Rheumatology International</i> , 2012, 32, 933-939.	1.5	9
269	The Asthma Control Test, Japanese Version (ACT-J) as a Predictor of Global Initiative for Asthma (GINA) Guideline-Defined Asthma Control: Analysis of a Questionnaire-Based Survey. <i>Allergology International</i> , 2013, 62, 323-330.	1.4	9
270	Depression's Influence on the Asthma Control Test, Japanese Version. <i>Allergology International</i> , 2014, 63, 587-594.	1.4	9

#	ARTICLE	IF	CITATIONS
271	Sqstm1-GFP knock-in mice reveal dynamic actions of Sqstm1 during autophagy and under stress conditions in living cells. <i>Journal of Cell Science</i> , 2015, 128, 4453-61.	1.2	9
272	Association between dialysis treatment and cognitive decline: A study from the Project in Sado for Total Health (PROST), Japan. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1584-1587.	0.7	9
273	Long-term prognosis and factors associated with damage accrual in Japanese patients with systemic lupus erythematosus. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 597-602.	0.7	9
274	Nutritional status as the risk factor of serious infection in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020, 30, 982-989.	0.9	9
275	Long-term excess mortality after hip fracture in hemodialysis patients: a nationwide cohort study in Japan. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 718-729.	1.3	9
276	Higher cardiovascular mortality in men with persistent dipstick hematuria. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 150-156.	0.7	9
277	Aberrant mucosal immunoreaction to tonsillar microbiota in immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 75-86.	0.4	9
278	Determination of specific life changes on psychological distress during the COVID-19 pandemic. <i>PLoS ONE</i> , 2021, 16, e0256481.	1.1	9
279	Control Status of Atherosclerotic Cardiovascular Risk Factors Among Japanese High-Risk Subjects:Analyses of a Japanese Health Check Database from 2008 to 2011. <i>Journal of Atherosclerosis and Thrombosis</i> , 2016, 23, 991-1003.	0.9	9
280	Comparison of muscle strength between hemodialysis patients and non-dialysis patients with chronic kidney disease. <i>Journal of Physical Therapy Science</i> , 2021, 33, 742-747.	0.2	9
281	Direct Comparison between Two 1-84PTH Assays in Dialysis Patients. <i>Nephron Clinical Practice</i> , 2005, 99, c8-c12.	2.3	8
282	A Severe Form of Churg-Strauss Syndrome Complicated with Acute Cardiac Failure and Rapidly Progressive Peripheral Neuropathy -A Possible Effect of Intravenous Immunoglobulin Therapy. <i>Internal Medicine</i> , 2011, 50, 925-929.	0.3	8
283	Programmed initiation of hemodialysis for systemic amyloidosis patients associated with rheumatoid arthritis. <i>Rheumatology International</i> , 2011, 31, 1177-1182.	1.5	8
284	Acute Tubulointerstitial Nephritis with Multiple Organ Involvement Including Fatal Adrenalitis: A Case Report with Autopsy Findings. <i>Internal Medicine</i> , 2012, 51, 2917-2922.	0.3	8
285	A single injection of a sustained-release prostacyclin analog (ONO-1301MS) suppresses airway inflammation and remodeling in a chronic house dust mite-induced asthma model. <i>European Journal of Pharmacology</i> , 2013, 721, 80-85.	1.7	8
286	Superiority of respiratory failure risk index in prediction of postoperative pulmonary complications after digestive surgery in Japanese patients. <i>Respiratory Investigation</i> , 2015, 53, 104-110.	0.9	8
287	Hypotension and Bradycardia Caused by the Inadvertent Ingestion of <i>Rhododendron japonicum</i> . <i>Internal Medicine</i> , 2016, 55, 839-842.	0.3	8
288	Age- and gender-specific incidence rates of renal replacement therapy in Japan: an international comparison. <i>Renal Replacement Therapy</i> , 2016, 2, .	0.3	8

#	ARTICLE	IF	CITATIONS
289	Bone Formation Parameters of the Biopsied Ilium Differ between Subtrochanteric and Diaphyseal Atypical Femoral Fractures in Bisphosphonate-Treated Patients. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 243, 247-254.	0.5	8
290	Kidney morphological parameters measured using noncontrast-enhanced steady-state free precession MRI with spatially selective inversion recovery pulse correlate with eGFR in patients with advanced CKD. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 45-54.	0.7	8
291	Premature mortality due to nephrotic syndrome and the trend in nephrotic syndrome mortality in Japan, 1995–2014. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 55-60.	0.7	8
292	Association of estimated dietary acid load with albuminuria in Japanese adults: a cross-sectional study. <i>BMC Nephrology</i> , 2019, 20, 194.	0.8	8
293	Antihypertensive treatment and risk of cardiovascular mortality in patients with chronic kidney disease diagnosed based on the presence of proteinuria and renal function: A large longitudinal study in Japan. <i>PLoS ONE</i> , 2019, 14, e0225812.	1.1	8
294	Association Between Estimated Glomerular Filtration Rate Based on Cystatin C and Grip Strength in Community-Dwelling Japanese Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1653-1660.	1.7	8
295	A digest from evidence-based Clinical Practice Guideline for Polycystic Kidney Disease 2020. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1292-1302.	0.7	8
296	A digest from evidence-based clinical practice guideline for IgA nephropathy 2020. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1269-1276.	0.7	8
297	A nationwide prospective cohort study of patients with advanced chronic kidney disease in Japan: The Reach-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 309-317.	0.7	8
298	Leiomyosarcoma of the Abdominal Aorta: A Rare Cause of Renovascular Hypertension. <i>Hypertension Research</i> , 2007, 30, 279-283.	1.5	7
299	Effect of Ciclesonide on Bronchial Asthma in Athletes. <i>Journal of Asthma</i> , 2009, 46, 1032-1036.	0.9	7
300	Assessment of Bone Status in Inhaled Corticosteroid User Asthmatic Patients with an Ultrasound Measurement Method. <i>Allergology International</i> , 2011, 60, 459-465.	1.4	7
301	Use of Japanese Society for Dialysis Therapy Dialysis Tables to Compare the Local and National Incidence of Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 63-67.	0.4	7
302	A Fulminant Case of Granulomatosis with Polyangiitis with Meningeal and Parenchymal Involvement. <i>Case Reports in Neurology</i> , 2015, 7, 101-104.	0.3	7
303	Characterization of anti-P monoclonal antibodies directed against the ribosomal protein-RNA complex antigen and produced using Murphy Roths large autoimmune-prone mice. <i>Clinical and Experimental Immunology</i> , 2015, 179, 236-244.	1.1	7
304	Posterior Reversible Encephalopathy Syndrome in a Patient with Severe Uremia without Hypertension. <i>Internal Medicine</i> , 2016, 55, 63-68.	0.3	7
305	Rationale and study design of a randomized controlled trial to assess the effects of maintaining hemoglobin levels using darbepoetin alfa on prevention of development of end-stage kidney disease in non-diabetic CKD patients (PREDICT Trial). <i>Clinical and Experimental Nephrology</i> , 2016, 20, 71-76.	0.7	7
306	Comparison of methods of steroid administration combined with tonsillectomy for IgA nephropathy patients. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 257-265.	0.7	7

#	ARTICLE	IF	CITATIONS
307	Prolactin Upregulates Female-Predominant P450 Gene Expressions and Downregulates Male-Predominant Gene Expressions in Mouse Liver. <i>Drug Metabolism and Disposition</i> , 2017, 45, 586-592.	1.7	7
308	Enzyme replacement therapy in a patient of heterozygous Fabry disease: clinical and pathological evaluations by repeat kidney biopsy and a successful pregnancy. <i>CEN Case Reports</i> , 2017, 6, 210-214.	0.5	7
309	<i>Legionella&/i> Pneumonia Complicated with Acquired Fanconi Syndrome. <i>Internal Medicine</i> , 2018, 57, 2975-2980.	0.3	7
310	Variations in actual practice patterns and their deviations from the clinical practice guidelines for nephrotic syndrome in Japan: certified nephrologists's questionnaire survey. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1288-1297.	0.7	7
311	High bisphosphonate treatment rates and the prevalence of atypical femoral fractures in patients with systematic lupus erythematosus: a single-center retrospective study performed in Japan. <i>Rheumatology International</i> , 2019, 39, 1803-1810.	1.5	7
312	Efficacy and safety of migalastat in a Japanese population: a subgroup analysis of the ATTRACT study. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 157-166.	0.7	7
313	pH-Dependent Protein Binding Properties of Uremic Toxins In Vitro. <i>Toxins</i> , 2021, 13, 116.	1.5	7
314	Role of Genetic Polymorphism in the SA Gene on the Blood Pressure and Prognosis of Renal Function in Patients with Immunoglobulin A Nephropathy.. <i>Hypertension Research</i> , 2002, 25, 831-836.	1.5	7
315	Association of Gene Polymorphism of Polymeric Immunoglobulin Receptor and IgA Nephropathy.. <i>Internal Medicine</i> , 2001, 40, 867-872.	0.3	6
316	Serum cystatin C measured by a sol particle homogeneous immunoassay can accurately detect early impairment of renal function. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 270-276.	0.7	6
317	Expression of SM22 ⁺ (Transgelin) in Glomerular and Interstitial Renal Injury. <i>Nephron Experimental Nephrology</i> , 2011, 117, e104-e113.	2.4	6
318	Chronic Portal-Systemic Shunt Encephalopathy in a Hemodialysis Patient Treated with Balloon-Occluded Retrograde Transvenous Obliteration. <i>Case Reports in Nephrology and Urology</i> , 2013, 3, 28-33.	1.5	6
319	A Case of Membranous Glomerulonephropathy Associated with Takayasu's Arteritis. <i>Case Reports in Nephrology and Dialysis</i> , 2014, 4, 60-69.	0.3	6
320	<i>Mycobacterium abscessus&/i> Pulmonary Infection under Treatment with Tocilizumab. <i>Internal Medicine</i> , 2015, 54, 1309-1313.	0.3	6
321	Efficacy and Safety of Osimertinib in a Hemodialysis Patient With Advanced Non-Small Cell Lung Cancer. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 416-417.	0.4	6
322	Prevalence of Earlobe Creases and Their Association With History of Cardiovascular Disease in Patients Undergoing Hemodialysis: A Cross-Sectional Study. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 478-484.	0.4	6
323	Glucosuria and all-cause mortality among general screening participants. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 850-859.	0.7	6
324	Rationale and design of observational clinical Research In chronic kidney disease patients with renal anemia: renal prognosis in patients with Hyporesponsive anemia To Erythropoiesis-stimulating agents, darbepoetin alfa (BRIGHTEN Trial). <i>Clinical and Experimental Nephrology</i> , 2018, 22, 78-84.	0.7	6

#	ARTICLE	IF	CITATIONS
325	Acute kidney injury in an adult patient with IgA nephropathy and chronic replicative Epstein-Barr virus infection. <i>CEN Case Reports</i> , 2019, 8, 285-291.	0.5	6
326	Acute Kidney Injury Associated with Minimal Change Nephrotic Syndrome in an Elderly Patient Successfully Treated with both Fluid Management and Specific Therapy Based on Kidney Biopsy Findings. <i>Case Reports in Nephrology and Dialysis</i> , 2020, 10, 42-50.	0.3	6
327	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 893-909.	0.7	6
328	The Population-Attributable Fraction for Premature Mortality Due to Cardiovascular Disease Associated With Stage 1 and 2 Hypertension Among Japanese. <i>American Journal of Hypertension</i> , 2021, 34, 56-63.	1.0	6
329	Associations of physical activity in rural life with happiness and ikigai: a cross-sectional study. <i>Humanities and Social Sciences Communications</i> , 2021, 8, .	1.3	6
330	The Effect of CKD on Associations between Lifestyle Factors and All-cause, Cancer, and Cardiovascular Mortality: A Population-based Cohort Study. <i>Internal Medicine</i> , 2021, 60, 2189-2200.	0.3	6
331	Histopathological features of kidney and renal prognosis in patients with preeclampsia. <i>Pregnancy Hypertension</i> , 2021, 25, 75-80.	0.6	6
332	Anti-neutrophil cytoplasmic autoantibodies against bactericidal/permeability-increasing protein in patients with rheumatoid arthritis and their correlation with bronchial involvement. <i>Modern Rheumatology</i> , 2010, 20, 252-256.	0.9	6
333	Healthy Lifestyle and Incident Hypertension and Diabetes in Participants with and without Chronic Kidney Disease: The Japan Specific Health Checkups (J-SHC) Study. <i>Internal Medicine</i> , 2022, 61, 2841-2851.	0.3	6
334	Long-term effectiveness of a primary care practice facilitation program for chronic kidney disease management: an extended follow-up of a cluster-randomized FROM-J study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 158-166.	0.4	6
335	New-onset and relapse of nephrotic syndrome following COVID-19 vaccination: a questionnaire survey in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 909-916.	0.7	6
336	Pretreatment plasma intact parathyroid hormone and serum calcium levels, but not serum phosphate levels, predict the response to maxacalcitol therapy in dialysis patients with secondary hyperparathyroidism. <i>Clinical and Experimental Nephrology</i> , 2005, 9, 142-147.	0.7	5
337	Analysis of the Effect of Surgical Lung Biopsy on Serum KL-6 Levels in Patients with Interstitial Pneumonia: Surgical Lung Biopsy Does not Elevate Serum KL-6 Levels. <i>Internal Medicine</i> , 2006, 45, 615-619.	0.3	5
338	Comparison of Quantitative Cancellous Bone Connectivity Analyses at Two- and Three-Dimensional Levels in Dialysis Patients. <i>Calcified Tissue International</i> , 2009, 84, 38-44.	1.5	5
339	Membranoproliferative pattern of glomerular injury associated with complement component 9 deficiency due to Arg95Stop mutation. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 86-91.	0.7	5
340	High rates of death and hospitalization follow bone fracture among hemodialysis patients. <i>Kidney International</i> , 2014, 86, 649.	2.6	5
341	Nephrotic Syndrome and End-stage Kidney Disease Accompanied by Bicytopenia due to Copper Deficiency. <i>Internal Medicine</i> , 2014, 53, 2101-2106.	0.3	5
342	Advanced Thymic Cancer Treated with Carboplatin and Paclitaxel in a Patient Undergoing Hemodialysis. <i>Internal Medicine</i> , 2015, 54, 55-58.	0.3	5

#	ARTICLE	IF	CITATIONS
343	Distribution of nephrologists and regional variation in the clinical severity of IgA nephropathy at biopsy diagnosis in Japan: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e024317.	0.8	5
344	The number of remaining teeth as a risk indicator of cognitive impairment: A cross-sectional clinical study in Sado Island. <i>Clinical and Experimental Dental Research</i> , 2018, 4, 291-296.	0.8	5
345	The Efficacy of Minodronate in the Treatment of Glucocorticoid-induced Osteoporosis. <i>Internal Medicine</i> , 2018, 57, 2169-2178.	0.3	5
346	A Prediction Model with Lifestyle in Addition to Previously Known Risk Factors Improves Its Predictive Ability for Cardiovascular Death. <i>Scientific Reports</i> , 2019, 9, 12953.	1.6	5
347	Cryofibrinogen-associated glomerulonephritis diagnosed by mass spectrometry and immunoelectron microscopy. <i>Human Pathology: Case Reports</i> , 2019, 15, 83-87.	0.2	5
348	Cumulative incidence of femoral localized periosteal thickening (beaking) preceding atypical femoral fractures in patients with rheumatoid arthritis. <i>Osteoporosis International</i> , 2021, 32, 363-375.	1.3	5
349	Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1-8.	0.7	5
350	Mood Disorder in Systemic Lupus Erythematosus Induced by Antiribosomal P Protein Antibodies Associated with Decreased Serum and Brain Tryptophan. <i>Journal of Immunology</i> , 2021, 206, 1729-1739.	0.4	5
351	Factors predicting decline in renal function and kidney volume growth in autosomal dominant polycystic kidney disease: a prospective cohort study (Japanese Polycystic Kidney Disease registry). <i>Tj ETQq1 1 0.784314 rgB5 /Overl</i>		
352	Comparison of annual eGFR decline among primary kidney diseases in patients with CKD G3b-5: results from a REACH-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 902-910.	0.7	5
353	The distribution of eGFR by age in a community-based healthy population: the Japan specific health checkups study (J-SHC study). <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1303-1310.	0.7	5
354	Association of blood pressure and renal outcome in patients with chronic kidney disease; a post hoc analysis of FROM-J study. <i>Scientific Reports</i> , 2021, 11, 14990.	1.6	5
355	Weight loss reduces the incidence of dipstick proteinuria: a cohort study from the Japanese general population. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1329-1335.	0.7	5
356	A case of Epstein-Barr virus-related lymphadenopathy mimicking the clinical features of IgG4-related disease. <i>Modern Rheumatology</i> , 2013, 23, 597-603.	0.9	5
357	Association of liver enzyme levels and alveolar bone loss: A cross-sectional clinical study in Sado Island. <i>Journal of Clinical and Experimental Dentistry</i> , 2018, 10, 0-0.	0.5	5
358	Cost-effectiveness of mass screening for dipstick hematuria in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 398-412.	0.7	5
359	Monocytes secrete factors regulating glycosaminoglycan synthesis in mesangial cells in vitro. <i>Clinical and Experimental Immunology</i> , 2008, 83, 497-504.	1.1	4
360	Effects of IS-741, a Synthetic Anti-Inflammatory Agent, on Bleomycin-Induced Lung Injury in Mice. <i>Lung</i> , 2009, 187, 331-339.	1.4	4

#	ARTICLE	IF	CITATIONS
361	A patient with severe hypercalcemia in multiple organ dysfunction syndrome: Role of elevated circulating $1\alpha,25(\text{OH})_2$ vitamin D levels. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1455-1459.	3.1	4
362	Quantitative Histological Analysis of SM22 α (Transgelin) in an Adriamycin-Induced Focal Segmental Glomerulosclerosis Model. <i>Nephron Experimental Nephrology</i> , 2012, 120, e1-e11.	2.4	4
363	A novel mutation in the uromodulin gene in a Japanese family with a mild phenotype of familial juvenile hyperuricemic nephropathy. <i>CEN Case Reports</i> , 2013, 2, 228-233.	0.5	4
364	Dialysis disequilibrium syndrome induced by neoplastic meningitis in a patient receiving maintenance hemodialysis. <i>BMC Nephrology</i> , 2013, 14, 255.	0.8	4
365	Persistent Metabolic Acidosis in a Hemodialyzed Patient with Short Bowel Syndrome. <i>Internal Medicine</i> , 2013, 52, 1379-1382.	0.3	4
366	Immunoglobulin G4-Related Disease with Several Inflammatory Foci. <i>Internal Medicine</i> , 2013, 52, 457-462.	0.3	4
367	A hip fracture in a dialysis patient with $\text{A}\beta$ 2M amyloidosis. <i>Kidney International</i> , 2014, 85, 214-215.	2.6	4
368	Upregulation of prolactin receptor in proximal tubular cells was induced in cardiac dysfunction model mice. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 65-74.	0.7	4
369	Significance of estimated glomerular filtration rate in predicting brain or heart attacks in obese and non-obese populations. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 790-796.	0.7	4
370	Role of the p.E66Q variant of GLA in the progression of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 225-230.	0.7	4
371	Effects of Biologic Agents in Patients with Rheumatoid Arthritis and Amyloidosis Treated with Hemodialysis. <i>Internal Medicine</i> , 2016, 55, 2777-2783.	0.3	4
372	A Case of Transforming Growth Factor- β 2-Induced Gene-Related Oculorenal Syndrome: Granular Corneal Dystrophy Type II with a Unique Nephropathy. <i>Case Reports in Nephrology and Dialysis</i> , 2016, 6, 106-113.	0.3	4
373	Type-E hepatitis in rheumatoid arthritis patients. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 30-34.	0.3	4
374	Posterior reversible encephalopathy syndrome and microangiopathic haemolytic anaemia developing in a regularly haemodialysed patient with scleroderma renal crisis: a case report. <i>Modern Rheumatology Case Reports</i> , 2019, 3, 124-129.	0.3	4
375	Hemodialysis Product and Hip Fracture in Hemodialysis Patients: A Nationwide Cohort Study in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2019, 23, 507-517.	0.4	4
376	Hypophosphatemic Osteomalacia Associated with Adefovir-induced Fanconi Syndrome Initially Diagnosed as Diabetic Kidney Disease and Vitamin D Deficiency. <i>Internal Medicine</i> , 2019, 58, 821-825.	0.3	4
377	False-positive semiquantitative immunochromatography assays for procalcitonin in three patients with rheumatoid arthritis—A case series. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 1704-1707.	0.2	4
378	Initial responsiveness to darbepoetin alfa and its contributing factors in non-dialysis chronic kidney disease patients in Japan. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 110-119.	0.7	4

#	ARTICLE	IF	CITATIONS
379	Incidence and factors associated with prescribing renin-angiotensin-system inhibitors in adult idiopathic nephrotic syndrome: A nationwide cohort study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 999-1007.	1.0	4
380	Vitamin D Deficiency-induced Osteomalacia in a Patient with Anorexia Nervosa. <i>Internal Medicine</i> , 2021, 60, 1731-1736.	0.3	4
381	Cost-Effectiveness of Behavior Modification Intervention for Patients With Chronic Kidney Disease in the FROM-J Study. , 2021, 31, 484-493.		4
382	Risk factors for uremic pruritus in long-term hemodialysis patients.. <i>Nihon Toseki Igakkai Zasshi</i> , 2001, 34, 1469-1477.	0.2	4
383	Development of hungry bone syndrome after rapid lowering of PTH with intravenous maxacalcitol therapy in a patient with non-uremic secondary hyperparathyroidism. <i>Clinical Nephrology</i> , 2003, 60, 369-371.	0.4	4
384	Fear of falling and physical activity in hemodialysis patients: a pilot study. <i>Renal Replacement Therapy</i> , 2021, 7, .	0.3	4
385	Sex Differences in Cause-specific Mortality in Japanese Dialysis Patients. <i>Internal Medicine</i> , 2022, 61, 2831-2839.	0.3	4
386	Different Type and Localization of CD44 on Surface Membrane of Regenerative Renal Tubular Epithelial Cells in vivo. <i>American Journal of Nephrology</i> , 2004, 24, 188-197.	1.4	3
387	Analysis of the Influenza A (H1N1) 2009 Pandemic Infection in Japanese Asthmatic Patients: Using a Questionnaire-Based Survey. <i>Allergology International</i> , 2014, 63, 67-74.	1.4	3
388	A case of severe thrombocytopaenia associated with acute HIV-1 infection. <i>International Journal of STD and AIDS</i> , 2015, 26, 209-211.	0.5	3
389	Significant association between renal function and area of amyloid deposition evident in kidney biopsy specimens in both AA and AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 151-152.	1.4	3
390	Attenuated Macrophage Infiltration in Glomeruli of Aged Mice Resulting in Ameliorated Kidney Injury in Nephrotoxic Serum Nephritis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1178-1186.	1.7	3
391	Emotional disturbance assessed by the Self-Rating Depression Scale test is associated with mortality among Japanese Hemodialysis patients. <i>Fukushima Journal of Medical Sciences</i> , 2018, 64, 23-29.	0.1	3
392	Efficacy and safety of infliximab: A comparison with other biological disease-modifying anti-rheumatic drugs. <i>Modern Rheumatology</i> , 2018, 28, 599-605.	0.9	3
393	Tubulointerstitial nephritis with monotypic lympho-plasmacytic infiltrates in a patient with primary Sjögren's syndrome accompanied by IgA-type monoclonal gammopathy. <i>BMC Nephrology</i> , 2019, 20, 464.	0.8	3
394	Correlation of prechemotherapy urinary megalin ectodomain (A-megalin) levels with the development of cisplatin-induced nephrotoxicity: a prospective observational study. <i>BMC Cancer</i> , 2019, 19, 1170.	1.1	3
395	An Analysis of the Biological Disease-modifying Antirheumatic Drug-free Condition of Adalimumab-treated Rheumatoid Arthritis Patients. <i>Internal Medicine</i> , 2019, 58, 511-519.	0.3	3
396	Temporal change in life and renal prognosis of rapidly progressive glomerulonephritis in Japan via nationwide questionnaire survey. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 573-575.	0.7	3

#	ARTICLE	IF	CITATIONS
397	Association between serum IgG antibody titers against Porphyromonas gingivalis and liver enzyme levels: A cross-sectional study in Sado Island. <i>Heliyon</i> , 2020, 6, e05531.	1.4	3
398	Lifetime and age-conditional risk estimates of end-stage kidney disease requiring maintenance dialysis in Japan. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 518-525.	0.7	3
399	Impact of Chronic Kidney Disease on Aortic Disease-related Mortality: A Four-year Community-Based Cohort Study. <i>Internal Medicine</i> , 2021, 60, 689-697.	0.3	3
400	Impact of self-reported walking habit on slower decline in renal function among the general population in a longitudinal study: the Japan Specific Health Checkups (J-SHC) Study. <i>Journal of Nephrology</i> , 2021, 34, 1845-1853.	0.9	3
401	Long-term Use of Golimumab in Daily Practice for Patients with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2021, 60, 1359-1367.	0.3	3
402	A case of hypercalcemia because of adrenal insufficiency induced by glucocorticoid withdrawal in a patient undergoing hemodialysis. <i>CEN Case Reports</i> , 2021, , 1.	0.5	3
403	Measurement of Plasma Glucagon Levels Using Mass Spectrometry in Patients with Type 2 Diabetes on Maintenance Hemodialysis. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 652-656.	0.9	3
404	Trace proteinuria as a risk factor for cancer death in a general population. <i>Scientific Reports</i> , 2021, 11, 16890.	1.6	3
405	Association of coexisting anti-ribosomal P and anti-dsDNA antibodies with histology and renal prognosis in lupus nephritis patients. <i>Lupus</i> , 2021, 30, 448-458.	0.8	3
406	Mizoribine therapy in a patient with lupus nephritis: the association between mizoribine concentration and peritoneal dialysis. <i>Modern Rheumatology</i> , 2010, 20, 296-300.	0.9	3
407	Atypical severe central serous chorioretinopathy in a patient with systemic lupus erythematosus improved with a rapid reduction in glucocorticoid. <i>Modern Rheumatology</i> , 2013, 23, 172-174.	0.9	3
408	A case of smoldering antineutrophil cytoplasmic antibody-associated vasculitis development during the course of primary Sjögren's syndrome. <i>CEN Case Reports</i> , 2021, , 1.	0.5	3
409	Association of metabolic syndrome traits with urinary biomarkers in Japanese adults. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, 9.	1.2	3
410	Time to remission of proteinuria and incidence of relapse in patients with steroid-sensitive minimal change disease and focal segmental glomerulosclerosis: the Japan Nephrotic Syndrome Cohort Study. <i>Journal of Nephrology</i> , 2022, 35, 1135-1144.	0.9	3
411	Stroke incidence and chronic kidney disease: A hospital-based prospective cohort study. <i>Nephrology</i> , 2022, 27, 577-587.	0.7	3
412	Adult Onset Anaphylactoid Purpura with Severe Gastrointestinal Involvement. <i>Internal Medicine</i> , 2003, 42, 436-442.	0.3	2
413	Para-capillary electron-dense deposits reduce glomerular filtration in patients with primary glomerular diseases. <i>Clinical and Experimental Nephrology</i> , 2006, 10, 33-39.	0.7	2
414	The genetic susceptibility to IgA nephropathy: A novel functional candidate gene for incomplete O-glycosylation of IgA1. <i>Kidney International</i> , 2007, 71, 379-381.	2.6	2

#	ARTICLE	IF	CITATIONS
415	Alterations in serum phosphate levels predict the long-term response to intravenous calcitriol therapy in dialysis patients with secondary hyperparathyroidism. <i>Journal of Bone and Mineral Metabolism</i> , 2008, 26, 185-190.	1.3	2
416	Mizoribine therapy in a patient with lupus nephritis: the association between mizoribine concentration and peritoneal dialysis. <i>Modern Rheumatology</i> , 2010, 20, 296-300.	0.9	2
417	Effects of fasting on hypoxic ventilatory responses and the contribution of histamine H1 receptors in mice. <i>Journal of Physiological Sciences</i> , 2011, 61, 73-82.	0.9	2
418	Distribution of amyloid deposits in the kidneys of a patient with reactive amyloidosis associated with rheumatoid arthritis. <i>BMC Research Notes</i> , 2013, 6, 231.	0.6	2
419	Mizoribine as a safe and effective combined maintenance therapy with prednisolone for anti-neutrophil cytoplasmic antibody-associated vasculitis in a hemodialysis patient. <i>CEN Case Reports</i> , 2013, 2, 139-143.	0.5	2
420	Possible role for glomerular-derived angiotensinogen in nephrotic syndrome. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016, 17, 147032031668122.	1.0	2
421	Renal histopathological findings of retinal vasculopathy with cerebral leukodystrophy. <i>CEN Case Reports</i> , 2018, 7, 83-89.	0.5	2
422	Usefulness of a pleuroperitoneal shunt for treatment of refractory pleural effusion in a patient receiving maintenance hemodialysis. <i>CEN Case Reports</i> , 2018, 7, 189-194.	0.5	2
423	Significant association between renal function and area of amyloid deposition in kidney biopsy specimens from patients with AA amyloidosis associated with rheumatoid arthritis and AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 125-126.	1.4	2
424	Lower Diastolic Blood Pressure was Associated with Higher Incidence of Chronic Kidney Disease in the General Population Only in those Using Antihypertensive Medications. <i>Kidney and Blood Pressure Research</i> , 2019, 44, 973-983.	0.9	2
425	The relationship between liver cyst volume and QOL in Japanese ADPKD patients. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 314-322.	0.7	2
426	Higher baseline uric acid concentration is associated with non-attainment of optimal blood pressure. <i>PLoS ONE</i> , 2020, 15, e0236602.	1.1	2
427	Effects of DPP-4 Inhibitors on Blood Glucose Variability in Japanese Patients with Type 2 Diabetes on Maintenance Hemodialysis: A Prospective Observational Exploratory Study. <i>Diabetes Therapy</i> , 2020, 11, 2845-2861.	1.2	2
428	Effects of the Once-Weekly DPP4 Inhibitor Omarigliptin on Glycemic Control in Patients with Type 2 Diabetes Mellitus on Maintenance Hemodialysis: A 24-Week Open-Label, Multicenter Randomized Controlled Study. <i>Diabetes Therapy</i> , 2021, 12, 655-667.	1.2	2
429	Ceftriaxone-associated pseudolithiasis in hemodialysis patients: a case series study. <i>Renal Replacement Therapy</i> , 2021, 7, .	0.3	2
430	One-Year Change in Diastolic Blood Pressure and Aortic Disease-Related Mortality in a Japanese General Population Aged 50-75 Years. <i>Circulation Journal</i> , 2021, 85, 2222-2231.	0.7	2
431	A digest of the evidence-based Clinical Practice Guideline for Rapidly Progressive Glomerulonephritis 2020. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1286-1291.	0.7	2
432	Case of severe alcoholic hepatitis treated with granulocytapheresis. <i>World Journal of Clinical Cases</i> , 2016, 4, 369.	0.3	2

#	ARTICLE	IF	CITATIONS
433	Successful perioperative blood purification therapy in patients with maintenance hemodialysis therapy who underwent living donor liver transplantation. <i>Clinical Nephrology</i> , 2003, 59, 229-233.	0.4	2
434	Epidemiology and temporal changes in the prognosis of rapidly progressive glomerulonephritis in Japan: a nationwide 1989-2015 survey. <i>Clinical and Experimental Nephrology</i> , 2021, , 1.	0.7	2
435	The Association between Earlobe Creases and Cardiovascular Events in Japanese Hemodialysis Patients: A Prospective Cohort Study. <i>Internal Medicine</i> , 2020, 59, 927-932.	0.3	2
436	Association Between the Use of Sodium-Glucose Cotransporter-2 Inhibitors and Drug-Induced Acute Kidney Injury: Analysis of 2 Databases. <i>Journal of Clinical Pharmacology</i> , 2022, 62, 631-635.	1.0	2
437	Magnesium intake by enteral formulation affects serum magnesium concentration in patients undergoing hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2021, , .	0.4	2
438	Acute renal failure as a complication of acquired hemophilia due to autoantibody to factor VIII. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 85-89.	0.7	1
439	Differences in the local and national prevalences of chronic kidney disease based on annual health check program data. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 749-754.	0.7	1
440	The effect of renal administration of a selective cyclooxygenase-2 inhibitor or stable prostaglandin I2 analog on the progression of sclerotic glomerulonephritis in rats. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 221-230.	0.7	1
441	A case of membranoproliferative glomerulonephritis developed over twenty years with three different findings of renal pathology. <i>CEN Case Reports</i> , 2013, 2, 76-83.	0.5	1
442	The importance of medical interview with CKD patient in diagnoses of a family with Fabry disease. <i>CEN Case Reports</i> , 2014, 3, 152-157.	0.5	1
443	FP032/INDOXYL SULFATE INDUCES PROINFLAMMATORY CYTOKINE PRODUCTION AND INHIBITS CHOLESTEROL EFFLUX DUE TO DOWNREGULATION OF ABCG1 IN MACROPHAGES. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii75-iii75.	0.4	1
444	Heterozygous Fabry disease complicated by acute onset paralysis. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 941-942.	0.7	1
445	Uremic Tumoral Calcinosis Resolved by Improvements in Hyperphosphatemia. <i>Internal Medicine</i> , 2017, 56, 1605-1606.	0.3	1
446	Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 591-596.	0.7	1
447	Self-reported Slower Eating Is Associated with a Lower Salt Intake: A Population-based Cross-sectional Study. <i>Internal Medicine</i> , 2018, 57, 1561-1567.	0.3	1
448	An adult case of atypical familial Mediterranean fever (pyrin-associated autoinflammatory disease) similar to adult-onset Still's disease. <i>Clinical Case Reports (discontinued)</i> , 2019, 7, 801-805.	0.2	1
449	Association between Prescription and Control Status of Dyslipidemia and Hypertension among Japanese Patients with Diabetes. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019, 26, 805-820.	0.9	1
450	AB0328...SECONDARY SARCOPENIA IN RHEUMATOID ARTHRITIS PATIENTS TREATED BY BIOLOGIC DISEASE MODIFYING ANTI-RHEUMATIC DRUGS. , 2019, , .		1

#	ARTICLE	IF	CITATIONS
451	Amantadine and Fatal Events in Patients With Chronic Kidney Disease: Analysis of the Japanese Adverse Event Report Database. <i>Annals of Pharmacotherapy</i> , 2022, 56, 227-228.	0.9	1
452	Locomotive syndrome in hemodialysis patients and its association with quality of life—a cross-sectional study. <i>Renal Replacement Therapy</i> , 2021, 7, .	0.3	1
453	One-year change in plasma volume and mortality in the Japanese general population: An observational cohort study. <i>PLoS ONE</i> , 2021, 16, e0254665.	1.1	1
454	Lower trabecular bone score is associated with an increased incidence of localized femoral periosteal thickening. <i>Journal of Bone and Mineral Metabolism</i> , 2021, 39, 952-961.	1.3	1
455	Smoking and risk of fractures requiring hospitalization in hemodialysis patients: a nationwide cohort study in Japan. <i>Nephrology Dialysis Transplantation</i> , 2021, . .	0.4	1
456	Up-regulation in the kidney and its genetic polymorphism of MUC20, a regulator of Met signaling cascade, in patients with IgA nephropathy. <i>Kidney International</i> , 2005, 68, 1970-1971.	2.6	1
457	Pathological interstitial vascular proliferation adjacent to glomeruli in immunoglobulin a nephropathy. <i>Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia</i> , 2016, 27, 885.	0.4	1
458	Spontaneous Peripelvic Urinary Extravasation and Internal Iliac Aneurysm. <i>Internal Medicine</i> , 2020, 59, 2087-2088.	0.3	1
459	Risks of femoral localized periosteal thickening in patients with autoimmune inflammatory rheumatic diseases. <i>Modern Rheumatology</i> , 2023, 33, 803-810.	0.9	1
460	De novo acute hepatitis B in myeloperoxidase-specific anti-neutrophil cytoplasmic autoantibody-related microscopic polyangiitis treated with corticosteroids. <i>CEN Case Reports</i> , 2013, 2, 28-33.	0.5	0
461	Combined membranous nephropathy and crescentic glomerulonephritis with concurrent anti-glomerular basement membrane antibody and myeloperoxidase-specific anti-neutrophil cytoplasmic antibody. <i>CEN Case Reports</i> , 2013, 2, 107-111.	0.5	0
462	Nephrotoxicity of Cisplatin Combination Chemotherapy for Thoracic Malignancy Patients with Comorbidities. <i>Annals of Oncology</i> , 2013, 24, ix30.	0.6	0
463	The Addition of Bevacizumab to Erlotinib for Malignant Pleural Effusion: a Case Report with Pharmacokinetic Analysis. <i>Annals of Oncology</i> , 2014, 25, v90.	0.6	0
464	A case of anti-glomerular basement membrane glomerulonephritis complicated by membranous nephropathy. <i>CEN Case Reports</i> , 2014, 3, 94-99.	0.5	0
465	Intracerebral hemorrhage was the highest cause of mortality among stroke subtypes in Japanese dialysis patients. <i>Hemodialysis International</i> , 2014, 18, 848-849.	0.4	0
466	Prognostic Significance of Procalcitonin in Small Cell Lung Cancer. <i>Annals of Oncology</i> , 2014, 25, v72.	0.6	0
467	3. The Pathophysiology of IgA Nephropathy: Recent Advancement and Perspectives. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2015, 104, 1930-1936.	0.0	0
468	Atypical skin involvement in Erdheim-Chester disease: Fig. 1. <i>Rheumatology</i> , 2015, 54, kev317.	0.9	0

#	ARTICLE	IF	CITATIONS
469	Pelvic Abscess Induced by a Dormant Peritoneal Dialysis Catheter Without Obvious Intestinal Perforation. Therapeutic Apheresis and Dialysis, 2015, 19, 191-192.	0.4	0
470	FP235ABDOMINAL ULTRASOUND IS NOT A SUITABLE SECONDARY SCREENING TOOL FOR ASYMPTOMATIC PATIENTS WITH A POSITIVE URINARY OCCULT BLOOD REACTION. Nephrology Dialysis Transplantation, 2015, 30, iii145-iii146.	0.4	0
471	MP354NO CLEAR ASSOCIATION WAS FOUND BETWEEN HIGH FRACTURE RISK AND MINERAL METABOLIC MARKERS AMONG JAPANESE DIALYSIS PATIENTS. Nephrology Dialysis Transplantation, 2016, 31, i457-i457.	0.4	0
472	Nephrotic Syndrome without Hematuria due to Infection-Related Glomerulonephritis Mimicking Minimal-Change Disease in a Child. Case Reports in Nephrology and Dialysis, 2016, 6, 14-20.	0.3	0
473	Hemodiafiltration for hepatic encephalopathy induced by Budd-Chiari syndrome in a patient with end-stage kidney disease. CEN Case Reports, 2016, 5, 125-130.	0.5	0
474	Extensively re-organized systemic lymph nodes provide a feasible environment for self-reactivity in lupus-prone NZB × NZW F1 mice. International Immunology, 2017, 29, 567-579.	1.8	0
475	Emphysematous cystitis complicated by unilateral hydronephrosis. Clinical and Experimental Nephrology, 2018, 22, 975-976.	0.7	0
476	Successful treatment of gamma 1 heavy chain deposition disease with bortezomib and dexamethasone. Human Pathology: Case Reports, 2019, 15, 99-104.	0.2	0
477	Is the population of Sado Island genetically close to the population of western Japan?. Human Genome Variation, 2019, 6, 26.	0.4	0
478	Huge internal iliac artery aneurysm and post-renal AKI. Clinical and Experimental Nephrology, 2019, 23, 1087-1088.	0.7	0
479	IgG4-related Periarteritis Successfully Diagnosed by an Alternative Prostate Biopsy. Internal Medicine, 2019, 58, 2401-2406.	0.3	0
480	FRI0054...CHARACTERISTICS OF PATIENTS WITH ELDERLY-ONSET RHEUMATOID ARTHRITIS AND INVESTIGATION OF DRUG THERAPY. , 2019, , .		0
481	Apparent lost renal cortex due to focal pyelonephritis. Clinical and Experimental Nephrology, 2020, 24, 284-285.	0.7	0
482	Glomerular involvement in disseminated nontuberculous mycobacterium infection. Kidney International, 2020, 98, 1055.	2.6	0
483	Estimating Growth Rate by a Single Measurement of Kidney Volume in ADPKD. Kidney International Reports, 2020, 5, 1383-1384.	0.4	0
484	The long-term observation of patients with rheumatoid arthritis who achieved a biological disease-modifying antirheumatic drug-free condition with adalimumab. Modern Rheumatology, 2021, 31, 919-923.	0.9	0
485	P0822ESTIMATED GFR DECLINE OF PKD PATIENTS IN CKD G3B-5 WAS AS FAST AS THAT OF DKD PATIENTS: A RESULT FROM A JAPANESE COHORT STUDY FOR PATIENTS WITH ADVANCED CKD, THE REACH-J STUDY. Nephrology Dialysis Transplantation, 2020, 35, .	0.4	0
486	IN RESPONSE TO THE LETTER TO THE EDITOR: AGE-RELATED HEARING LOSS IS STRONGLY ASSOCIATED WITH COGNITIVE DECLINE REGARDLESS OF THE APOE4 POLYMORPHISM. Otology and Neurotology, 2020, 41, 718-719.	0.7	0

#	ARTICLE	IF	CITATIONS
487	Rice Endosperm Protein Improves the Anti-Inflammatory Effects of High-Density Lipoprotein and Produces Lower Atherosclerotic Lesion Accelerated by the Renal Mass Reduction than Casein in a Mouse Model. <i>Journal of the American College of Nutrition</i> , 2021, , 1-11.	1.1	0
488	Physical functioning in patients with chronic kidney disease stage G3b in Japan: The reach CKD cohort study. <i>Nephrology</i> , 2021, 26, 981-987.	0.7	0
489	Association between steroid use and nephropathy in patients who were administered a proton pump inhibitor: Analysis of the Japanese Adverse Event Report database. <i>Journal of Clinical Pharmacology</i> , 2021, , .	1.0	0
490	Abstract MP07: Long-term Suppression Of The Renin-angiotensin System Leads To Concentric Arteriolar Hypertrophy By Activation Of Renin Cells.. <i>Hypertension</i> , 2021, 78, .	1.3	0
491	Abstract 3716: DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3, X-linked plays oncogenic roles to induce cancer stem cell-like properties and resistance to EGFR-TKI.. , 2013, , .		0
492	Abstract 3963: Chemo-resistant regulatory T cells suppress the development of antitumor immunity after cytotoxic regimens.. , 2013, , .		0
493	Treatment of Interstitial Lung Disease Associated with Polymyositis- Dermatomyositis: An Update. <i>Current Respiratory Medicine Reviews</i> , 2013, 9, 130-136.	0.1	0
494	A case report of chronic renal failure with cholesterol embolism treated with hemodialysis and peritoneal dialysis.. <i>Nihon Toseki Igakkai Zasshi</i> , 1994, 27, 975-979.	0.2	0
495	Phase I study of dose-dense chemotherapy (DDC) alternating cisplatin (CDDP), topotecan (TPT), and paclitaxel (PTX) with CDDP, amrubicin (AMR), and PTX under granulocyte colony-stimulating factor support for extensive-stage small-cell lung cancer (ES-SCLC).. <i>Journal of Clinical Oncology</i> , 2014, 32, e18553-e18553.	0.8	0
496	Abstract 2818: Dendritic cell vaccination and regulatory T-cell depletion augment antitumor immunity after cytotoxic therapy. , 2014, , .		0
497	Abstract 200: DDX3X induces signal switching to stem cell-specific Wnt/ β -catenin signaling, resulting in EGFR-TKI resistance in lung cancer cells harboring EGFR activating mutation. , 2014, , .		0
498	Abstract 2554: DDX3X-specific effector T cells in small cell lung cancer patients reflect disease stage. , 2014, , .		0
499	Oligomeganephronia in an Adult Presenting With Features of Chronic Kidney Disease. <i>Journal of Medical Cases</i> , 2015, 6, 362-366.	0.4	0
500	Abstract 3153: Critical roles of chemo-resistant effector and regulatory T cells in cancer immunotherapy during hemostatic proliferation. , 2015, , .		0
501	Is IgA Nephropathy (IgAN) a Familial or Sporadic Disease?. , 2016, , 43-51.		0
502	A Case of Concurrent IgG4-Related Kidney Disease and Lupus Nephritis. , 2016, , 303-311.		0
503	A Strong Diagnosis of Weakness. <i>Journal of Hospital Medicine</i> , 2017, 12, 989-993.	0.7	0
504	Series: Diagnosis at a Glance. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018, 107, 315-317.	0.0	0

#	ARTICLE	IF	CITATIONS
505	2275-PUB: Relationship between the Effect of SGLT2 Inhibitors and Dietary Intake in Japanese Patients with Type 2 Diabetes. Diabetes, 2019, 68, .	0.3	0
506	29-LB: A Multicenter, Randomized Controlled Study of the Efficacy of Once-Weekly DPP-4 Inhibitor Omarigliptin in Patients with Type 2 Diabetes Undergoing Maintenance Hemodialysis. Diabetes, 2019, 68, .	0.3	0
507	2038-P: Rice Endosperm Protein Intake in Childhood Suppresses the Development of High-Fat Diet-Induced Metabolic Disorders and Kidney Disease during Adulthood in Mice. Diabetes, 2019, 68, .	0.3	0
508	è...žç—¼æ,æ,æ,æ...ã@ã Šã"i¼šè"ç™,ã,-ã,ãf%ãf ©ã,ãf³2017. The Journal of the Japanese Society of Internal Medicine, 2019, 108, 1.		
509	Behaviour modification intervention for patients with chronic kidney disease could provide a mid- to long-term reduction in public health care expenditure: budget impact analysis. Clinical and Experimental Nephrology, 2022, , 1.	0.7	0
510	Authorsâ€™™ reply. Journal of Bone and Mineral Metabolism, 2022, , 1.	1.3	0
511	IV. Acute Kidney Injury due to Drugs. The Journal of the Japanese Society of Internal Medicine, 2021, 110, 922-927.	0.0	0
512	Impact of adherence to CKD-MBD guidelines on mortality among Japanese dialysis patients: an ecological study. Journal of Bone and Mineral Metabolism, 0, , .	1.3	0
513	Effectiveness and Safety of Golimumab for Patients â‰¥75 Years Old with Rheumatoid Arthritis. Internal Medicine, 2022, 61, 2117-2125.	0.3	0