

Ichiei Narita

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1289224/publications.pdf>

Version: 2024-02-01

513
papers

12,067
citations

41258

49
h-index

49773

87
g-index

530
all docs

530
docs citations

530
times ranked

13963
citing authors

#	ARTICLE	IF	CITATIONS
1	Long-term effectiveness of a primary care practice facilitation program for chronic kidney disease management: an extended follow-up of a cluster-randomized FROM-J study. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 158-166.	0.4	6
2	Risks of femoral localized periosteal thickening in patients with autoimmune inflammatory rheumatic diseases. <i>Modern Rheumatology</i> , 2023, 33, 803-810.	0.9	1
3	Amantadine and Fatal Events in Patients With Chronic Kidney Disease: Analysis of the Japanese Adverse Event Report Database. <i>Annals of Pharmacotherapy</i> , 2022, 56, 227-228.	0.9	1
4	Polypharmacy, chronic kidney disease, and incident fragility fracture: a prospective cohort study. <i>Journal of Bone and Mineral Metabolism</i> , 2022, 40, 157-166.	1.3	11
5	Association Between the Use of Sodium-Glucose Cotransporter Inhibitors and Drug-Induced Acute Kidney Injury: Analysis of 2 Databases. <i>Journal of Clinical Pharmacology</i> , 2022, 62, 631-635.	1.0	2
6	Gross hematuria after SARS-CoV-2 vaccination: questionnaire survey in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 316-322.	0.7	18
7	Behaviour modification intervention for patients with chronic kidney disease could provide a mid- to long-term reduction in public health care expenditure: budget impact analysis. <i>Clinical and Experimental Nephrology</i> , 2022, , 1.	0.7	0
8	Association of metabolic syndrome traits with urinary biomarkers in Japanese adults. <i>Diabetology and Metabolic Syndrome</i> , 2022, 14, 9.	1.2	3
9	Cost-effectiveness of mass screening for dipstick hematuria in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 398-412.	0.7	5
10	Sex Differences in Cause-specific Mortality in Japanese Dialysis Patients. <i>Internal Medicine</i> , 2022, 61, 2831-2839.	0.3	4
11	Healthy Lifestyle and Incident Hypertension and Diabetes in Participants with and without Chronic Kidney Disease: The Japan Specific Health Checkups (J-SHC) Study. <i>Internal Medicine</i> , 2022, 61, 2841-2851.	0.3	6
12	Authors' reply. <i>Journal of Bone and Mineral Metabolism</i> , 2022, , 1.	1.3	0
13	Time to remission of proteinuria and incidence of relapse in patients with steroid-sensitive minimal change disease and focal segmental glomerulosclerosis: the Japan Nephrotic Syndrome Cohort Study. <i>Journal of Nephrology</i> , 2022, 35, 1135-1144.	0.9	3
14	Efficacy and Safety of Difelikefalin in Japanese Patients With Moderate to Severe Pruritus Receiving Hemodialysis. <i>JAMA Network Open</i> , 2022, 5, e2210339.	2.8	15
15	Stroke incidence and chronic kidney disease: A hospital-based prospective cohort study. <i>Nephrology</i> , 2022, 27, 577-587.	0.7	3
16	New-onset and relapse of nephrotic syndrome following COVID-19 vaccination: a questionnaire survey in Japan. <i>Clinical and Experimental Nephrology</i> , 2022, 26, 909-916.	0.7	6
17	Effectiveness and Safety of Golimumab for Patients ≥75 Years Old with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2022, 61, 2117-2125.	0.3	0
18	Association Between Estimated Glomerular Filtration Rate Based on Cystatin C and Grip Strength in Community-Dwelling Japanese Older Adults. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2021, 76, 1653-1660.	1.7	8

#	ARTICLE	IF	CITATIONS
19	The long-term observation of patients with rheumatoid arthritis who achieved a biological disease-modifying antirheumatic drug-free condition with adalimumab. <i>Modern Rheumatology</i> , 2021, 31, 919-923.	0.9	0
20	The Population-Attributable Fraction for Premature Mortality Due to Cardiovascular Disease Associated With Stage 1 and 2 Hypertension Among Japanese. <i>American Journal of Hypertension</i> , 2021, 34, 56-63.	1.0	6
21	Higher cardiovascular mortality in men with persistent dipstick hematuria. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 150-156.	0.7	9
22	Brain-derived neurotrophic factor is associated with sarcopenia and frailty in Japanese hemodialysis patients. <i>Geriatrics and Gerontology International</i> , 2021, 21, 27-33.	0.7	33
23	Aberrant mucosal immunoreaction to tonsillar microbiota in immunoglobulin A nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2021, 36, 75-86.	0.4	9
24	Initial responsiveness to darbepoetin alfa and its contributing factors in non-dialysis chronic kidney disease patients in Japan. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 110-119.	0.7	4
25	Cumulative incidence of femoral localized periosteal thickening (beaking) preceding atypical femoral fractures in patients with rheumatoid arthritis. <i>Osteoporosis International</i> , 2021, 32, 363-375.	1.3	5
26	Effects of LDL apheresis on proteinuria in patients with diabetes mellitus, severe proteinuria, and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1-8.	0.7	5
27	Effects of the Once-Weekly DPP4 Inhibitor Omarigliptin on Glycemic Control in Patients with Type 2 Diabetes Mellitus on Maintenance Hemodialysis: A 24-Week Open-Label, Multicenter Randomized Controlled Study. <i>Diabetes Therapy</i> , 2021, 12, 655-667.	1.2	2
28	Adherence to the Kidney Disease: Improving Global Outcomes CKD Guideline in Nephrology Practice Across Countries. <i>Kidney International Reports</i> , 2021, 6, 437-448.	0.4	19
29	pH-Dependent Protein Binding Properties of Uremic Toxins In Vitro. <i>Toxins</i> , 2021, 13, 116.	1.5	7
30	Ceftriaxone-associated pseudolithiasis in hemodialysis patients: a case series study. <i>Renal Replacement Therapy</i> , 2021, 7, .	0.3	2
31	Associations of physical activity in rural life with happiness and ikigai: a cross-sectional study. <i>Humanities and Social Sciences Communications</i> , 2021, 8, .	1.3	6
32	Kidney biopsy guidebook 2020 in Japan. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 325-364.	0.7	18
33	Mood Disorder in Systemic Lupus Erythematosus Induced by Antiribosomal P Protein Antibodies Associated with Decreased Serum and Brain Tryptophan. <i>Journal of Immunology</i> , 2021, 206, 1729-1739.	0.4	5
34	Incidence and factors associated with prescribing renin-angiotensin system inhibitors in adult idiopathic nephrotic syndrome: A nationwide cohort study. <i>Journal of Clinical Hypertension</i> , 2021, 23, 999-1007.	1.0	4
35	Impact of Chronic Kidney Disease on Aortic Disease-related Mortality: A Four-year Community-Based Cohort Study. <i>Internal Medicine</i> , 2021, 60, 689-697.	0.3	3
36	Impact of self-reported walking habit on slower decline in renal function among the general population in a longitudinal study: the Japan Specific Health Checkups (J-SHC) Study. <i>Journal of Nephrology</i> , 2021, 34, 1845-1853.	0.9	3

#	ARTICLE	IF	CITATIONS
37	Factors predicting decline in renal function and kidney volume growth in autosomal dominant polycystic kidney disease: a prospective cohort study (Japanese Polycystic Kidney Disease registry). <i>Tj ETQq1 1 0.784314 rgB5 /Overlock</i>	0.7	5
38	Comparison of annual eGFR decline among primary kidney diseases in patients with CKD G3b-5: results from a REACH-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 902-910.	0.7	5
39	Possible burden of hyperuricaemia on mortality in a community-based population: a large-scale cohort study. <i>Scientific Reports</i> , 2021, 11, 8999.	1.6	18
40	Long-term Use of Golimumab in Daily Practice for Patients with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2021, 60, 1359-1367.	0.3	3
41	Effect of Treating Hyperphosphatemia With Lanthanum Carbonate vs Calcium Carbonate on Cardiovascular Events in Patients With Chronic Kidney Disease Undergoing Hemodialysis. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 1946.	3.8	37
42	Vitamin D Deficiency-induced Osteomalacia in a Patient with Anorexia Nervosa. <i>Internal Medicine</i> , 2021, 60, 1731-1736.	0.3	4
43	Locomotive syndrome in hemodialysis patients and its association with quality of life—a cross-sectional study. <i>Renal Replacement Therapy</i> , 2021, 7, .	0.3	1
44	Effect of Reduced-Dose vs High-Dose Glucocorticoids Added to Rituximab on Remission Induction in ANCA-Associated Vasculitis. <i>JAMA - Journal of the American Medical Association</i> , 2021, 325, 2178.	3.8	103
45	The distribution of eGFR by age in a community-based healthy population: the Japan specific health checkups study (J-SHC study). <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1303-1310.	0.7	5
46	The Effect of CKD on Associations between Lifestyle Factors and All-cause, Cancer, and Cardiovascular Mortality: A Population-based Cohort Study. <i>Internal Medicine</i> , 2021, 60, 2189-2200.	0.3	6
47	A case of hypercalcemia because of adrenal insufficiency induced by glucocorticoid withdrawal in a patient undergoing hemodialysis. <i>CEN Case Reports</i> , 2021, , 1.	0.5	3
48	One-year change in plasma volume and mortality in the Japanese general population: An observational cohort study. <i>PLoS ONE</i> , 2021, 16, e0254665.	1.1	1
49	Association of blood pressure and renal outcome in patients with chronic kidney disease; a post hoc analysis of FROM-J study. <i>Scientific Reports</i> , 2021, 11, 14990.	1.6	5
50	Lower trabecular bone score is associated with an increased incidence of localized femoral periosteal thickening. <i>Journal of Bone and Mineral Metabolism</i> , 2021, 39, 952-961.	1.3	1
51	Weight loss reduces the incidence of dipstick proteinuria: a cohort study from the Japanese general population. <i>Clinical and Experimental Nephrology</i> , 2021, 25, 1329-1335.	0.7	5
52	Histopathological features of kidney and renal prognosis in patients with preeclampsia. <i>Pregnancy Hypertension</i> , 2021, 25, 75-80.	0.6	6
53	Measurement of Plasma Glucagon Levels Using Mass Spectrometry in Patients with Type 2 Diabetes on Maintenance Hemodialysis. <i>Kidney and Blood Pressure Research</i> , 2021, 46, 652-656.	0.9	3
54	Trace proteinuria as a risk factor for cancer death in a general population. <i>Scientific Reports</i> , 2021, 11, 16890.	1.6	3

#	ARTICLE	IF	CITATIONS
55	Determination of specific life changes on psychological distress during the COVID-19 pandemic. PLoS ONE, 2021, 16, e0256481.	1.1	9
56	Rice Endosperm Protein Improves the Anti-Inflammatory Effects of High-Density Lipoprotein and Produces Lower Atherosclerotic Lesion Accelerated by the Renal Mass Reduction than Casein in a Mouse Model. Journal of the American College of Nutrition, 2021, , 1-11.	1.1	0
57	Physical functioning in patients with chronic kidney disease stage G3bâ€5 in Japan: The reachâ€CKD cohort study. Nephrology, 2021, 26, 981-987.	0.7	0
58	A digest from evidence-based Clinical Practice Guideline for Polycystic Kidney Disease 2020. Clinical and Experimental Nephrology, 2021, 25, 1292-1302.	0.7	8
59	Cost-Effectiveness of Behavior Modification Intervention for Patients With Chronic Kidney Disease in the FROM-J Study. , 2021, 31, 484-493.		4
60	Association between steroid use and nephropathy in patients who were administered a proton pump inhibitor: Analysis of the Japanese Adverse Event Report database. Journal of Clinical Pharmacology, 2021, , .	1.0	0
61	Kidney Outcomes Associated With SGLT2 Inhibitors Versus Other Glucose-Lowering Drugs in Real-world Clinical Practice: The Japan Chronic Kidney Disease Database. Diabetes Care, 2021, 44, 2542-2551.	4.3	42
62	One-Year Change in Diastolic Blood Pressure and Aortic Disease-Related Mortality in a Japanese General Population Aged 50â€75 Years. Circulation Journal, 2021, 85, 2222-2231.	0.7	2
63	Abstract MP07: Long-term Suppression Of The Renin-angiotensin System Leads To Concentric Arteriolar Hypertrophy By Activation Of Renin Cells.. Hypertension, 2021, 78, .	1.3	0
64	Demographic, clinical characteristics and treatment outcomes of immune-complex membranoproliferative glomerulonephritis and C3 glomerulonephritis in Japan: A retrospective analysis of data from the Japan Renal Biopsy Registry. PLoS ONE, 2021, 16, e0257397.	1.1	10
65	A digest of the evidence-based Clinical Practice Guideline for Rapidly Progressive Glomerulonephritis 2020. Clinical and Experimental Nephrology, 2021, 25, 1286-1291.	0.7	2
66	A digest from evidence-based clinical practice guideline for IgA nephropathy 2020. Clinical and Experimental Nephrology, 2021, 25, 1269-1276.	0.7	8
67	Association between chronic kidney disease and new-onset dyslipidemia: The Japan Specific Health Checkups (J-SHC) study. Atherosclerosis, 2021, 332, 24-32.	0.4	10
68	A digest of the Evidence-Based Clinical Practice Guideline for Nephrotic Syndrome 2020. Clinical and Experimental Nephrology, 2021, 25, 1277-1285.	0.7	21
69	Association of coexisting anti-ribosomal P and anti-dsDNA antibodies with histology and renal prognosis in lupus nephritis patients. Lupus, 2021, 30, 448-458.	0.8	3
70	Fast walking is a preventive factor against new-onset diabetes mellitus in a large cohort from a Japanese general population. Scientific Reports, 2021, 11, 716.	1.6	11
71	Comparison of muscle strength between hemodialysis patients and non-dialysis patients with chronic kidney disease. Journal of Physical Therapy Science, 2021, 33, 742-747.	0.2	9
72	Smoking and risk of fractures requiring hospitalization in hemodialysis patients: a nationwide cohort study in Japan. Nephrology Dialysis Transplantation, 2021, , .	0.4	1

#	ARTICLE	IF	CITATIONS
73	Epidemiology and temporal changes in the prognosis of rapidly progressive glomerulonephritis in Japan: a nationwide 1989â€“2015 survey. <i>Clinical and Experimental Nephrology</i> , 2021, , 1.	0.7	2
74	A case of smoldering antineutrophil cytoplasmic antibody-associated vasculitis development during the course of primary Sjögren's syndrome. <i>CEN Case Reports</i> , 2021, , 1.	0.5	3
75	Inhibition of the renin-angiotensin system causes concentric hypertrophy of renal arterioles in mice and humans. <i>JCI Insight</i> , 2021, 6, .	2.3	16
76	Fear of falling and physical activity in hemodialysis patients: a pilot study. <i>Renal Replacement Therapy</i> , 2021, 7, .	0.3	4
77	Education, household income, and depressive symptoms in middle-aged and older Japanese adults. <i>BMC Public Health</i> , 2021, 21, 2120.	1.2	17
78	Magnesium intake by enteral formulation affects serum magnesium concentration in patients undergoing hemodialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2021, , .	0.4	2
79	IV. Acute Kidney Injury due to Drugs. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2021, 110, 922-927.	0.0	0
80	Study Design and Baseline Profiles of Participants in the Uonuma CKD Cohort Study in Niigata, Japan. <i>Journal of Epidemiology</i> , 2020, 30, 170-176.	1.1	11
81	Secular trends in end-stage kidney disease requiring renal replacement therapy in Japan: Japanese Society of Dialysis Therapy Registry data from 1983 to 2016. <i>Nephrology</i> , 2020, 25, 172-178.	0.7	10
82	Nutritional status as the risk factor of serious infection in patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2020, 30, 982-989.	0.9	9
83	Low serum 25-hydroxyvitamin D is associated with low grip strength in an older Japanese population. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 198-204.	1.3	15
84	Anemia and iron deficiency among chronic kidney disease Stages 3â€“5ND patients in the Chronic Kidney Disease Outcomes and Practice Patterns Study: often unmeasured, variably treated. <i>CKJ: Clinical Kidney Journal</i> , 2020, 13, 613-624.	1.4	68
85	Efficacy and safety of migalastat in a Japanese population: a subgroup analysis of the ATTRACT study. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 157-166.	0.7	7
86	The relationship between liver cyst volume and QOL in Japanese ADPKD patients. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 314-322.	0.7	2
87	Apparent lost renal cortex due to focal pyelonephritis. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 284-285.	0.7	0
88	Partitioning-Defective-6â€“Ephrin-B1 Interaction Is Regulated by Nephrin-Mediated Signal and Is Crucial in Maintaining Slit Diaphragm of Podocyte. <i>American Journal of Pathology</i> , 2020, 190, 333-346.	1.9	12
89	Glomerular involvement in disseminated nontuberculous mycobacterium infection. <i>Kidney International</i> , 2020, 98, 1055.	2.6	0
90	False-positive semiquantitative immunochromatography assays for procalcitonin in three patients with rheumatoid arthritisâ€“A case series. <i>Clinical Case Reports (discontinued)</i> , 2020, 8, 1704-1707.	0.2	4

#	ARTICLE	IF	CITATIONS
91	Estimating Growth Rate by a Single Measurement of Kidney Volume in ADPKD. <i>Kidney International Reports</i> , 2020, 5, 1383-1384.	0.4	0
92	Prevalence of anemia in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0236132.	1.1	46
93	Higher baseline uric acid concentration is associated with non-attainment of optimal blood pressure. <i>PLoS ONE</i> , 2020, 15, e0236602.	1.1	2
94	Effects of DPP-4 Inhibitors on Blood Glucose Variability in Japanese Patients with Type 2 Diabetes on Maintenance Hemodialysis: A Prospective Observational Exploratory Study. <i>Diabetes Therapy</i> , 2020, 11, 2845-2861.	1.2	2
95	Impact of hyperuricemia on mortality related to aortic diseases: a 3.8-year nationwide community-based cohort study. <i>Scientific Reports</i> , 2020, 10, 14281.	1.6	14
96	Expression of <i>Acs2</i> , a kidney-specific gene, parallels the function and maturation of proximal tubular cells. <i>American Journal of Physiology - Renal Physiology</i> , 2020, 319, F603-F611.	1.3	10
97	P0822 ESTIMATED GFR DECLINE OF PKD PATIENTS IN CKD G3B-5 WAS AS FAST AS THAT OF DKD PATIENTS: A RESULT FROM A JAPANESE COHORT STUDY FOR PATIENTS WITH ADVANCED CKD, THE REACH-J STUDY. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, .	0.4	0
98	Impact of calculated plasma volume status on all-cause and cardiovascular mortality: 4-year nationwide community-based prospective cohort study. <i>PLoS ONE</i> , 2020, 15, e0237601.	1.1	15
99	Association between serum IgG antibody titers against <i>Porphyromonas gingivalis</i> and liver enzyme levels: A cross-sectional study in Sado Island. <i>Heliyon</i> , 2020, 6, e05531.	1.4	3
100	IN RESPONSE TO THE LETTER TO THE EDITOR: AGE-RELATED HEARING LOSS IS STRONGLY ASSOCIATED WITH COGNITIVE DECLINE REGARDLESS OF THE APOE4 POLYMORPHISM. <i>Otology and Neurotology</i> , 2020, 41, 718-719.	0.7	0
101	Acute Kidney Injury Associated with Minimal Change Nephrotic Syndrome in an Elderly Patient Successfully Treated with both Fluid Management and Specific Therapy Based on Kidney Biopsy Findings. <i>Case Reports in Nephrology and Dialysis</i> , 2020, 10, 42-50.	0.3	6
102	Long-term excess mortality after hip fracture in hemodialysis patients: a nationwide cohort study in Japan. <i>Journal of Bone and Mineral Metabolism</i> , 2020, 38, 718-729.	1.3	9
103	Serum hepcidin level, iron metabolism and osteoporosis in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2020, 10, 9882.	1.6	22
104	A nationwide survey on clinical practice patterns and bleeding complications of percutaneous native kidney biopsy in Japan. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 389-401.	0.7	13
105	Incidence of remission and relapse of proteinuria, end-stage kidney disease, mortality, and major outcomes in primary nephrotic syndrome: the Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 526-540.	0.7	33
106	Lifetime and age-conditional risk estimates of end-stage kidney disease requiring maintenance dialysis in Japan. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 518-525.	0.7	3
107	Inorganic polyphosphate potentiates lipopolysaccharide-induced macrophage inflammatory response. <i>Journal of Biological Chemistry</i> , 2020, 295, 4014-4023.	1.6	11
108	Better remission rates in elderly Japanese patients with primary membranous nephropathy in nationwide real-world practice: The Japan Nephrotic Syndrome Cohort Study (JNSCS). <i>Clinical and Experimental Nephrology</i> , 2020, 24, 893-909.	0.7	6

#	ARTICLE	IF	CITATIONS
109	Conditions, pathogenesis, and progression of diabetic kidney disease and early decliner in Japan. <i>BMJ Open Diabetes Research and Care</i> , 2020, 8, e000902.	1.2	31
110	J-CKD-DB: a nationwide multicentre electronic health record-based chronic kidney disease database in Japan. <i>Scientific Reports</i> , 2020, 10, 7351.	1.6	37
111	Effect of sucroferric oxyhydroxide on gastrointestinal microbiome and uremic toxins in patients with chronic kidney disease undergoing hemodialysis. <i>Clinical and Experimental Nephrology</i> , 2020, 24, 725-733.	0.7	12
112	Association between serum uric acid levels and mortality: a nationwide community-based cohort study. <i>Scientific Reports</i> , 2020, 10, 6066.	1.6	40
113	Darbepoetin Alfa in Patients with Advanced CKD without Diabetes: Randomized, Controlled Trial. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 608-615.	2.2	10
114	Type I Angiotensin II Receptor Blockade Reduces Uremia-Induced Deterioration of Bone Material Properties. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 67-79.	3.1	11
115	Can Daily Walking Alone Reduce Pneumonia-Related Mortality among Older People?. <i>Scientific Reports</i> , 2020, 10, 8556.	1.6	11
116	Associations of Hemoglobin Levels With Health-Related Quality of Life, Physical Activity, and Clinical Outcomes in Persons With Stage 3-5 Nondialysis CKD. , 2020, 30, 404-414.		34
117	Prevalences of hyperuricemia and electrolyte abnormalities in patients with chronic kidney disease in Japan: A nationwide, cross-sectional cohort study using data from the Japan Chronic Kidney Disease Database (J-CKD-DB). <i>PLoS ONE</i> , 2020, 15, e0240402.	1.1	17
118	Impact of Metabolic Syndrome on the Mortality Rate among Participants in a Specific Health Check and Guidance Program in Japan. <i>Internal Medicine</i> , 2020, 59, 2671-2678.	0.3	10
119	The Association between Earlobe Creases and Cardiovascular Events in Japanese Hemodialysis Patients: A Prospective Cohort Study. <i>Internal Medicine</i> , 2020, 59, 927-932.	0.3	2
120	Spontaneous Peripelvic Urinary Extravasation and Internal Iliac Aneurysm. <i>Internal Medicine</i> , 2020, 59, 2087-2088.	0.3	1
121	Low serum 25-hydroxyvitamin D increases cognitive impairment in elderly people. <i>Journal of Bone and Mineral Metabolism</i> , 2019, 37, 368-375.	1.3	13
122	Severe hypermagnesemia induced by magnesium oxide ingestion: a case series. <i>CEN Case Reports</i> , 2019, 8, 31-37.	0.5	27
123	Functional impairment attenuates the association between high serum phosphate and mortality in dialysis patients: a nationwide cohort study. <i>Nephrology Dialysis Transplantation</i> , 2019, 34, 1207-1216.	0.4	14
124	Variations in actual practice patterns and their deviations from the clinical practice guidelines for nephrotic syndrome in Japan: certified nephrologistsâ€™ questionnaire survey. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 1288-1297.	0.7	7
125	High bisphosphonate treatment rates and the prevalence of atypical femoral fractures in patients with systemic lupus erythematosus: a single-center retrospective study performed in Japan. <i>Rheumatology International</i> , 2019, 39, 1803-1810.	1.5	7
126	Significant association between renal function and area of amyloid deposition in kidney biopsy specimens from patients with AA amyloidosis associated with rheumatoid arthritis and AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2019, 26, 125-126.	1.4	2

#	ARTICLE	IF	CITATIONS
127	Analysis of the prevalence of systemic de novo thrombotic microangiopathy after <scp>ABO</scp>-incompatible kidney transplantation and the associated risk factors. International Journal of Urology, 2019, 26, 1128-1137.	0.5	19
128	Lower Diastolic Blood Pressure was Associated with Higher Incidence of Chronic Kidney Disease in the General Population Only in those Using Antihypertensive Medications. Kidney and Blood Pressure Research, 2019, 44, 973-983.	0.9	2
129	A Prediction Model with Lifestyle in Addition to Previously Known Risk Factors Improves Its Predictive Ability for Cardiovascular Death. Scientific Reports, 2019, 9, 12953.	1.6	5
130	Cause-specific mortality in the general population with transient dipstick-proteinuria. PLoS ONE, 2019, 14, e0223005.	1.1	11
131	Posterior reversible encephalopathy syndrome and microangiopathic haemolytic anaemia developing in a regularly haemodialysed patient with scleroderma renal crisis: a case report. Modern Rheumatology Case Reports, 2019, 3, 124-129.	0.3	4
132	Successful treatment of gamma 1 heavy chain deposition disease with bortezomib and dexamethasone. Human Pathology: Case Reports, 2019, 15, 99-104.	0.2	0
133	Is the population of Sado Island genetically close to the population of western Japan?. Human Genome Variation, 2019, 6, 26.	0.4	0
134	Acute kidney injury in an adult patient with IgA nephropathy and chronic replicative Epstein-Barr virus infection. CEN Case Reports, 2019, 8, 285-291.	0.5	6
135	Association of estimated dietary acid load with albuminuria in Japanese adults: a cross-sectional study. BMC Nephrology, 2019, 20, 194.	0.8	8
136	Prescription of renin-angiotensin-aldosterone system inhibitors (RAASi) and its determinants in patients with advanced CKD under nephrologist care. Journal of Clinical Hypertension, 2019, 21, 991-1001.	1.0	35
137	Fast eating is a strong risk factor for new-onset diabetes among the Japanese general population. Scientific Reports, 2019, 9, 8210.	1.6	36
138	Possible mechanisms of polyphosphate-induced amyloid fibril formation of β_2 -microglobulin. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 12833-12838.	3.3	35
139	Huge internal iliac artery aneurysm and post-renal AKI. Clinical and Experimental Nephrology, 2019, 23, 1087-1088.	0.7	0
140	Adsorption of Protein-Bound Uremic Toxins Using Activated Carbon through Direct Hemoperfusion in vitro. Blood Purification, 2019, 48, 215-222.	0.9	21
141	An adult case of atypical familial Mediterranean fever (pyrin-associated autoinflammatory disease) similar to adult-onset Still's disease. Clinical Case Reports (discontinued), 2019, 7, 801-805.	0.2	1
142	Hemodialysis Product and Hip Fracture in Hemodialysis Patients: A Nationwide Cohort Study in Japan. Therapeutic Apheresis and Dialysis, 2019, 23, 507-517.	0.4	4
143	IgG4-related Periarteritis Successfully Diagnosed by an Alternative Prostate Biopsy. Internal Medicine, 2019, 58, 2401-2406.	0.3	0
144	Association between Prescription and Control Status of Dyslipidemia and Hypertension among Japanese Patients with Diabetes. Journal of Atherosclerosis and Thrombosis, 2019, 26, 805-820.	0.9	1

#	ARTICLE	IF	CITATIONS
145	New risk prediction model of coronary heart disease in participants with and without diabetes: Assessments of the Framingham risk and Suita scores in 3-year longitudinal database in a Japanese population. <i>Scientific Reports</i> , 2019, 9, 2813.	1.6	16
146	AB0328â€¦SECONDARY SARCOPENIA IN RHEUMATOID ARTHRITIS PATIENTS TREATED BY BIOLOGIC DISEASE MODIFYING ANTI-RHEUMATIC DRUGS. , 2019, , .		1
147	FR10054â€¦CHARACTERISTICS OF PATIENTS WITH ELDERLY-ONSET RHEUMATOID ARTHRITIS AND INVESTIGATION OF DRUG THERAPY. , 2019, , .		0
148	Higher estimated net endogenous acid production with lower intake of fruits and vegetables based on a dietary survey is associated with the progression of chronic kidney disease. <i>BMC Nephrology</i> , 2019, 20, 421.	0.8	19
149	Antihypertensive treatment and risk of cardiovascular mortality in patients with chronic kidney disease diagnosed based on the presence of proteinuria and renal function: A large longitudinal study in Japan. <i>PLoS ONE</i> , 2019, 14, e0225812.	1.1	8
150	Age-related Hearing Loss Is Strongly Associated With Cognitive Decline Regardless of the APOE4 Polymorphism. <i>Otology and Neurotology</i> , 2019, 40, 1263-1267.	0.7	17
151	Tubulointerstitial nephritis with monotypic lympho-plasmacytic infiltrates in a patient with primary Sjögren's syndrome accompanied by IgA-type monoclonal gammopathy. <i>BMC Nephrology</i> , 2019, 20, 464.	0.8	3
152	Correlation of prechemotherapy urinary megalin ectodomain (A-megalin) levels with the development of cisplatin-induced nephrotoxicity: a prospective observational study. <i>BMC Cancer</i> , 2019, 19, 1170.	1.1	3
153	Rice Endosperm Protein Administration to Juvenile Mice Regulates Gut Microbiota and Suppresses the Development of High-Fat Diet-Induced Obesity and Related Disorders in Adulthood. <i>Nutrients</i> , 2019, 11, 2919.	1.7	19
154	An Analysis of the Biological Disease-modifying Antirheumatic Drug-free Condition of Adalimumab-treated Rheumatoid Arthritis Patients. <i>Internal Medicine</i> , 2019, 58, 511-519.	0.3	3
155	Hypophosphatemic Osteomalacia Associated with Adefovir-induced Fanconi Syndrome Initially Diagnosed as Diabetic Kidney Disease and Vitamin D Deficiency. <i>Internal Medicine</i> , 2019, 58, 821-825.	0.3	4
156	Cryofibrinogen-associated glomerulonephritis diagnosed by mass spectrometry and immunoelectron microscopy. <i>Human Pathology: Case Reports</i> , 2019, 15, 83-87.	0.2	5
157	Temporal change in life and renal prognosis of rapidly progressive glomerulonephritis in Japan via nationwide questionnaire survey. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 573-575.	0.7	3
158	2275-PUB: Relationship between the Effect of SGLT2 Inhibitors and Dietary Intake in Japanese Patients with Type 2 Diabetes. <i>Diabetes</i> , 2019, 68, .	0.3	0
159	29-LB: A Multicenter, Randomized Controlled Study of the Efficacy of Once-Weekly DPP-4 Inhibitor Omarigliptin in Patients with Type 2 Diabetes Undergoing Maintenance Hemodialysis. <i>Diabetes</i> , 2019, 68, .	0.3	0
160	2038-P: Rice Endosperm Protein Intake in Childhood Suppresses the Development of High-Fat Diet-Induced Metabolic Disorders and Kidney Disease during Adulthood in Mice. <i>Diabetes</i> , 2019, 68, .	0.3	0
161	è...Žç-3/4æ,£æ,£è€...ã@ã!Šã"1/4šè"ç™,ã,-ã,ãf%ãf ©ã,ãf³2017. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2019, 108, 1		
162	Regional variations in immunosuppressive therapy in patients with primary nephrotic syndrome: the Japan nephrotic syndrome cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1266-1280.	0.7	21

#	ARTICLE	IF	CITATIONS
163	Attenuated Macrophage Infiltration in Glomeruli of Aged Mice Resulting in Ameliorated Kidney Injury in Nephrotoxic Serum Nephritis. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018, 73, 1178-1186.	1.7	3
164	Emphysematous cystitis complicated by unilateral hydronephrosis. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 975-976.	0.7	0
165	Renal histopathological findings of retinal vasculopathy with cerebral leukodystrophy. <i>CEN Case Reports</i> , 2018, 7, 83-89.	0.5	2
166	Glucosuria and all-cause mortality among general screening participants. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 850-859.	0.7	6
167	Immune checkpoint inhibitor (nivolumab)-associated kidney injury and the importance of recognizing concomitant medications known to cause acute tubulointerstitial nephritis: a case report. <i>BMC Nephrology</i> , 2018, 19, 48.	0.8	66
168	Emotional disturbance assessed by the Self-Rating Depression Scale test is associated with mortality among Japanese Hemodialysis patients. <i>Fukushima Journal of Medical Sciences</i> , 2018, 64, 23-29.	0.1	3
169	Clinico-pathological features of kidney disease in diabetic cases. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1046-1051.	0.7	20
170	Usefulness of a pleuroperitoneal shunt for treatment of refractory pleural effusion in a patient receiving maintenance hemodialysis. <i>CEN Case Reports</i> , 2018, 7, 189-194.	0.5	2
171	Association of dipstick hematuria with all-cause mortality in the general population: results from the specific health check and guidance program in Japan. <i>Nephrology Dialysis Transplantation</i> , 2018, 33, 825-832.	0.4	16
172	Tubulointerstitial nephritis and Fanconi syndrome in a patient with primary Sjögren's syndrome accompanied by antimitochondrial antibodies: A case report and review of the literature. <i>Modern Rheumatology</i> , 2018, 28, 897-900.	0.9	13
173	Kidney morphological parameters measured using noncontrast-enhanced steady-state free precession MRI with spatially selective inversion recovery pulse correlate with eGFR in patients with advanced CKD. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 45-54.	0.7	8
174	Premature mortality due to nephrotic syndrome and the trend in nephrotic syndrome mortality in Japan, 1995-2014. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 55-60.	0.7	8
175	Rationale and design of observational clinical Research In chronic kidney disease patients with renal anemia: renal prognosis in patients with Hyporesponsive anemia To Erythropoiesis-stimulating agents, darbepoetin alfa (BRIGHTEN Trial). <i>Clinical and Experimental Nephrology</i> , 2018, 22, 78-84.	0.7	6
176	Association between renal function and cardiovascular and all-cause mortality in the community-based elderly population: results from the Specific Health Check and Guidance Program in Japan. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 346-352.	0.7	19
177	Adsorption of Protein-Bound Uremic Toxins Through Direct Hemoperfusion With Hexadecyl-immobilized Cellulose Beads in Patients Undergoing Hemodialysis. <i>Artificial Organs</i> , 2018, 42, 88-93.	1.0	26
178	Rationale and study design of a clinical trial to assess the effects of LDL apheresis on proteinuria in diabetic patients with severe proteinuria and dyslipidemia. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 591-596.	0.7	1
179	Efficacy and safety of infliximab: A comparison with other biological disease-modifying anti-rheumatic drugs. <i>Modern Rheumatology</i> , 2018, 28, 599-605.	0.9	3
180	Effect of ferric citrate hydrate on FGF23 and PTH levels in patients with non-dialysis-dependent chronic kidney disease with normophosphatemia and iron deficiency. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 789-796.	0.7	25

#	ARTICLE	IF	CITATIONS
181	Clinical features and pathogenesis of membranoproliferative glomerulonephritis: a nationwide analysis of the Japan renal biopsy registry from 2007 to 2015. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 797-807.	0.7	19
182	Hip Fracture Trends in Japanese Dialysis Patients, 2008-2013. <i>American Journal of Kidney Diseases</i> , 2018, 71, 173-181.	2.1	22
183	Long-term prognosis and factors associated with damage accrual in Japanese patients with systemic lupus erythematosus. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 597-602.	0.7	9
184	Anemia as a risk factor for all-cause mortality: obscure synergic effect of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 388-394.	0.7	26
185	Characterization of patients with systemic lupus erythematosus who meet the diagnostic criteria for TAFRO syndrome. <i>Lupus</i> , 2018, 27, 417-427.	0.8	11
186	An Analysis of the Neuropathic Pain Components in Rheumatoid Arthritis Patients. <i>Internal Medicine</i> , 2018, 57, 479-485.	0.3	23
187	Distribution of nephrologists and regional variation in the clinical severity of IgA nephropathy at biopsy diagnosis in Japan: a cross-sectional study. <i>BMJ Open</i> , 2018, 8, e024317.	0.8	5
188	The number of remaining teeth as a risk indicator of cognitive impairment: A cross-sectional clinical study in Sado Island. <i>Clinical and Experimental Dental Research</i> , 2018, 4, 291-296.	0.8	5
189	Medullary thick ascending limb impairment in the <i>Glatm Tg(CAG⁴GALT)</i> Fabry model mice. <i>FASEB Journal</i> , 2018, 32, 4544-4559.	0.2	14
190	Effect of Hypertension on Aortic Artery Disease-Related Mortality: 3.8-Year Nationwide Community-Based Prospective Cohort Study. <i>Circulation Journal</i> , 2018, 82, 2776-2782.	0.7	15
191	Utility of estimated glomerular filtration rate using cystatin C and its interpretation in patients with rheumatoid arthritis under glucocorticoid therapy. <i>Clinica Chimica Acta</i> , 2018, 487, 299-305.	0.5	15
192	Low fasting plasma glucose level as a predictor of new-onset diabetes mellitus on a large cohort from a Japanese general population. <i>Scientific Reports</i> , 2018, 8, 13927.	1.6	12
193	Immune-mediated acquired lecithin-cholesterol acyltransferase deficiency: A case report and literature review. <i>Journal of Clinical Lipidology</i> , 2018, 12, 888-897.e2.	0.6	10
194	Distinct characteristics and outcomes in elderly-onset IgA vasculitis (Henoch-Schönlein purpura) with nephritis: Nationwide cohort study of data from the Japan Renal Biopsy Registry (J-RBR). <i>PLoS ONE</i> , 2018, 13, e0196955.	1.1	22
195	Indoxyl Sulfate Promotes Macrophage IL-1 β Production by Activating Aryl Hydrocarbon Receptor/NF- κ B/MAPK Cascades, but the NLRP3 inflammasome Was Not Activated. <i>Toxins</i> , 2018, 10, 124.	1.5	42
196	The Efficacy of Minodronate in the Treatment of Glucocorticoid-induced Osteoporosis. <i>Internal Medicine</i> , 2018, 57, 2169-2178.	0.3	5
197	Dipstick proteinuria and all-cause mortality among the general population. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 1331-1340.	0.7	20
198	<i>Legionella</i> Pneumonia Complicated with Acquired Fanconi Syndrome. <i>Internal Medicine</i> , 2018, 57, 2975-2980.	0.3	7

#	ARTICLE	IF	CITATIONS
199	Self-reported Slower Eating Is Associated with a Lower Salt Intake: A Population-based Cross-sectional Study. <i>Internal Medicine</i> , 2018, 57, 1561-1567.	0.3	1
200	A consensus statement on health-care transition of patients with childhood-onset chronic kidney diseases: providing adequate medical care in adolescence and young adulthood. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 743-751.	0.7	12
201	A nationwide prospective cohort study of patients with advanced chronic kidney disease in Japan: The Reach-J CKD cohort study. <i>Clinical and Experimental Nephrology</i> , 2018, 22, 309-317.	0.7	8
202	Association of liver enzyme levels and alveolar bone loss: A cross-sectional clinical study in Sado Island. <i>Journal of Clinical and Experimental Dentistry</i> , 2018, 10, 0-0.	0.5	5
203	Series: Diagnosis at a Glance. <i>The Journal of the Japanese Society of Internal Medicine</i> , 2018, 107, 315-317.	0.0	0
204	Comprehensive microbiome analysis of tonsillar crypts in IgA nephropathy. <i>Nephrology Dialysis Transplantation</i> , 2017, 32, gfw343.	0.4	40
205	Association between dialysis treatment and cognitive decline: A study from the Project in Sado for Total Health (PROST), Japan. <i>Geriatrics and Gerontology International</i> , 2017, 17, 1584-1587.	0.7	9
206	Comparison of methods of steroid administration combined with tonsillectomy for IgA nephropathy patients. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 257-265.	0.7	7
207	Megalyn Blockade with Cilastatin Suppresses Drug-Induced Nephrotoxicity. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 1783-1791.	3.0	101
208	Oral pharmacological chaperone migalastat compared with enzyme replacement therapy in Fabry disease: 18-month results from the randomised phase III ATTRACT study. <i>Journal of Medical Genetics</i> , 2017, 54, 288-296.	1.5	262
209	Mortality risk among screened subjects of the specific health check and guidance program in Japan 2008-2012. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 978-985.	0.7	33
210	High and pointed type of femoral localized reaction frequently extends to complete and incomplete atypical femoral fracture in patients with autoimmune diseases on long-term glucocorticoids and bisphosphonates. <i>Osteoporosis International</i> , 2017, 28, 2367-2376.	1.3	11
211	Significant association between renal function and area of amyloid deposition evident in kidney biopsy specimens in both AA and AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 151-152.	1.4	3
212	Significant association between renal function and area of amyloid deposition in kidney biopsy specimens in both AA amyloidosis associated with rheumatoid arthritis and AL amyloidosis. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2017, 24, 123-130.	1.4	12
213	Efficacy and Safety of Osimertinib in a Hemodialysis Patient With Advanced Non-Small Cell Lung Cancer. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 416-417.	0.4	6
214	Prolactin Upregulates Female-Predominant P450 Gene Expressions and Downregulates Male-Predominant Gene Expressions in Mouse Liver. <i>Drug Metabolism and Disposition</i> , 2017, 45, 586-592.	1.7	7
215	Exocytosis-Mediated Urinary Full-Length Megalyn Excretion Is Linked With the Pathogenesis of Diabetic Nephropathy. <i>Diabetes</i> , 2017, 66, 1391-1404.	0.3	58
216	Enzyme replacement therapy in a patient of heterozygous Fabry disease: clinical and pathological evaluations by repeat kidney biopsy and a successful pregnancy. <i>CEN Case Reports</i> , 2017, 6, 210-214.	0.5	7

#	ARTICLE	IF	CITATIONS
217	Prevalence of Earlobe Creases and Their Association With History of Cardiovascular Disease in Patients Undergoing Hemodialysis: A Cross-sectional Study. <i>Therapeutic Apheresis and Dialysis</i> , 2017, 21, 478-484.	0.4	6
218	Tubulointerstitial Nephritis with IgM-Positive Plasma Cells. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3688-3698.	3.0	19
219	Type-E hepatitis in rheumatoid arthritis patients. <i>Modern Rheumatology Case Reports</i> , 2017, 1, 30-34.	0.3	4
220	Genome-wide Association Study of Idiopathic Osteonecrosis of the Femoral Head. <i>Scientific Reports</i> , 2017, 7, 15035.	1.6	23
221	Association of Hypertriglyceridemia With the Incidence and Progression of Chronic Kidney Disease and Modification of the Association by Daily Alcohol Consumption. , 2017, 27, 381-394.		18
222	Heterozygous Fabry disease complicated by acute onset paralysis. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 941-942.	0.7	1
223	Acquired Downregulation of Donor-Specific Antibody Production After ABO-Incompatible Kidney Transplantation. <i>American Journal of Transplantation</i> , 2017, 17, 115-128.	2.6	15
224	Associations between serum uric acid levels and the incidence of nonfatal stroke: a nationwide community-based cohort study. <i>Clinical and Experimental Nephrology</i> , 2017, 21, 497-503.	0.7	43
225	Extensively re-organized systemic lymph nodes provide a feasible environment for self-reactivity in lupus-prone NZB Å— NZW F1 mice. <i>International Immunology</i> , 2017, 29, 567-579.	1.8	0
226	The Assessment of the Efficacy of Dipeptidyl Peptidase-4 Inhibitors in Patients with Glucocorticoid-induced Diabetes by Continuous Glucose Monitoring. <i>Internal Medicine</i> , 2017, 56, 2555-2562.	0.3	11
227	Uremic Tumoral Calcinosis Resolved by Improvements in Hyperphosphatemia. <i>Internal Medicine</i> , 2017, 56, 1605-1606.	0.3	1
228	Bone Formation Parameters of the Biopsied Ilium Differ between Subtrochanteric and Diaphyseal Atypical Femoral Fractures in Bisphosphonate-Treated Patients. <i>Tohoku Journal of Experimental Medicine</i> , 2017, 243, 247-254.	0.5	8
229	Association between Overall Lifestyle Changes and the Incidence of Proteinuria: A Population-based, Cohort Study. <i>Internal Medicine</i> , 2017, 56, 1475-1484.	0.3	38
230	Adult-onset Chronic Recurrent Multifocal Osteomyelitis with High Intensity of Muscles Detected by Magnetic Resonance Imaging, Successfully Controlled with Tocilizumab. <i>Internal Medicine</i> , 2017, 56, 2353-2360.	0.3	29
231	Body shape index: Sex-specific differences in predictive power for all-cause mortality in the Japanese population. <i>PLoS ONE</i> , 2017, 12, e0177779.	1.1	27
232	A Strong Diagnosis of Weakness. <i>Journal of Hospital Medicine</i> , 2017, 12, 989-993.	0.7	0
233	Serum Immunoglobulin G Levels to <i>Porphyromonas gingivalis</i> Peptidylarginine Deiminase Affect Clinical Response to Biological Disease-Modifying Antirheumatic Drug in Rheumatoid Arthritis. <i>PLoS ONE</i> , 2016, 11, e0154182.	1.1	19
234	MP354NO CLEAR ASSOCIATION WAS FOUND BETWEEN HIGH FRACTURE RISK AND MINERAL METABOLIC MARKERS AMONG JAPANESE DIALYSIS PATIENTS. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, i457-i457.	0.4	0

#	ARTICLE	IF	CITATIONS
235	Role of calcineurin (CN) in kidney glomerular podocyte: CN inhibitor ameliorated proteinuria by inhibiting the redistribution of CN at the slit diaphragm. <i>Physiological Reports</i> , 2016, 4, e12679.	0.7	29
236	Elevated C-Reactive Protein Is Associated with Cognitive Decline in Outpatients of a General Hospital: The Project in Sado for Total Health (PROST). <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 10-19.	0.6	48
237	Posterior Reversible Encephalopathy Syndrome in a Patient with Severe Uremia without Hypertension. <i>Internal Medicine</i> , 2016, 55, 63-68.	0.3	7
238	Hypotension and Bradycardia Caused by the Inadvertent Ingestion of <i>Rhododendron japonicum</i> . <i>Internal Medicine</i> , 2016, 55, 839-842.	0.3	8
239	Serum Fibroblast Growth Factor 23 (FGF23) in Patients with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2016, 55, 121-126.	0.3	33
240	Effects of Biologic Agents in Patients with Rheumatoid Arthritis and Amyloidosis Treated with Hemodialysis. <i>Internal Medicine</i> , 2016, 55, 2777-2783.	0.3	4
241	Diverse Renal Phenotypes Observed in a Single Family with a Genetic Mutation in Paired Box Protein 2. <i>Case Reports in Nephrology and Dialysis</i> , 2016, 6, 61-69.	0.3	12
242	Possible role for glomerular-derived angiotensinogen in nephrotic syndrome. <i>JRAAS - Journal of the Renin-Angiotensin-Aldosterone System</i> , 2016, 17, 147032031668122.	1.0	2
243	A case of xanthinuria type I with a novel mutation in xanthine dehydrogenase. <i>CEN Case Reports</i> , 2016, 5, 158-162.	0.5	13
244	The macrophage and its related cholesterol efflux as a HDL function index in atherosclerosis. <i>Clinica Chimica Acta</i> , 2016, 457, 117-122.	0.5	21
245	Removal of uremic toxins by renal replacement therapies: a review of current progress and future perspectives. <i>Renal Replacement Therapy</i> , 2016, 2, .	0.3	45
246	Clinical practice guideline for drug-induced kidney injury in Japan 2016: digest version. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 827-831.	0.7	20
247	Mortality trends among Japanese dialysis patients, 1988–2013: a joinpoint regression analysis. <i>Nephrology Dialysis Transplantation</i> , 2016, 31, 1501-1507.	0.4	44
248	Nephrotic Syndrome without Hematuria due to Infection-Related Glomerulonephritis Mimicking Minimal-Change Disease in a Child. <i>Case Reports in Nephrology and Dialysis</i> , 2016, 6, 14-20.	0.3	0
249	A Case of Transforming Growth Factor- β -Induced Gene-Related Oculorenal Syndrome: Granular Corneal Dystrophy Type II with a Unique Nephropathy. <i>Case Reports in Nephrology and Dialysis</i> , 2016, 6, 106-113.	0.3	4
250	Modifiable Factors Associated with Cognitive Impairment in 1,143 Japanese Outpatients: The Project in Sado for Total Health (PROST). <i>Dementia and Geriatric Cognitive Disorders Extra</i> , 2016, 6, 341-349.	0.6	29
251	Evidence-based clinical practice guidelines for polycystic kidney disease 2014. <i>Clinical and Experimental Nephrology</i> , 2016, 20, 493-509.	0.7	37
252	Hemodiafiltration for hepatic encephalopathy induced by Budd-Chiari syndrome in a patient with end-stage kidney disease. <i>CEN Case Reports</i> , 2016, 5, 125-130.	0.5	0

#	ARTICLE	IF	CITATIONS
253	Nephrotoxicity of cisplatin combination chemotherapy in thoracic malignancy patients with CKD risk factors. BMC Cancer, 2016, 16, 222.	1.1	49
254	Age- and gender-specific incidence rates of renal replacement therapy in Japan: an international comparison. Renal Replacement Therapy, 2016, 2, .	0.3	8
255	The cumulative incidence of and risk factors for latent beaking in patients with autoimmune diseases taking long-term glucocorticoids and bisphosphonates. Osteoporosis International, 2016, 27, 1217-1225.	1.3	21
256	Megalyn-Mediated Tubuloglomerular Alterations in High-Fat Dietâ€“Induced Kidney Disease. Journal of the American Society of Nephrology: JASN, 2016, 27, 1996-2008.	3.0	90
257	Drug-induced kidney disease: a study of the Japan Renal Biopsy Registry from 2007 to 2015. Clinical and Experimental Nephrology, 2016, 20, 720-730.	0.7	18
258	Leptin deficiency down-regulates IL-23 production in glomerular podocytes resulting in an attenuated immune response in nephrotoxic serum nephritis. International Immunology, 2016, 28, 197-208.	1.8	13
259	Extracapillary proliferation and arteriolar hyalinosis are associated with long-term kidney survival in IgA nephropathy. Clinical and Experimental Nephrology, 2016, 20, 569-577.	0.7	16
260	Recovery of renal function after glucocorticoid therapy for IgG4-related kidney disease with renal dysfunction. Clinical and Experimental Nephrology, 2016, 20, 87-93.	0.7	32
261	Rationale and study design of a randomized controlled trial to assess the effects of maintaining hemoglobin levels using darbepoetin alfa on prevention of development of end-stage kidney disease in non-diabetic CKD patients (PREDICT Trial). Clinical and Experimental Nephrology, 2016, 20, 71-76.	0.7	7
262	Case of severe alcoholic hepatitis treated with granulocytapheresis. World Journal of Clinical Cases, 2016, 4, 369.	0.3	2
263	Effect of Behavior Modification on Outcome in Early- to Moderate-Stage Chronic Kidney Disease: A Cluster-Randomized Trial. PLoS ONE, 2016, 11, e0151422.	1.1	54
264	Control Status of Atherosclerotic Cardiovascular Risk Factors Among Japanese High-Risk Subjects:Analyses of a Japanese Health Check Database from 2008 to 2011. Journal of Atherosclerosis and Thrombosis, 2016, 23, 991-1003.	0.9	9
265	Is IgA Nephropathy (IgAN) a Familial or Sporadic Disease?. , 2016, , 43-51.		0
266	A Case of Concurrent IgG4-Related Kidney Disease and Lupus Nephritis. , 2016, , 303-311.		0
267	Pathological interstitial vascular proliferation adjacent to glomeruli in immunoglobulin a nephropathy. Saudi Journal of Kidney Diseases and Transplantation: an Official Publication of the Saudi Center for Organ Transplantation, Saudi Arabia, 2016, 27, 885.	0.4	1
268	Administration of Ferric Citrate Hydrate Decreases Circulating FGF23 Levels Independently of Serum Phosphate Levels in Hemodialysis Patients with Iron Deficiency. Nephron, 2015, 131, 161-166.	0.9	40
269	Interleukinâ€“6 receptor inhibitor tocilizumab ameliorates periodontal inflammation in patients with rheumatoid arthritis and periodontitis as well as tumor necrosis factor inhibitors. Clinical and Experimental Dental Research, 2015, 1, 63-73.	0.8	31
270	Advanced Thymic Cancer Treated with Carboplatin and Paclitaxel in a Patient Undergoing Hemodialysis. Internal Medicine, 2015, 54, 55-58.	0.3	5

#	ARTICLE	IF	CITATIONS
271	<i>Mycobacterium abscessus</i> Pulmonary Infection under Treatment with Tocilizumab. Internal Medicine, 2015, 54, 1309-1313.	0.3	6
272	Crowned Dens Syndrome as an Initial Manifestation of Crystalline Deposition Disease. Internal Medicine, 2015, 54, 2405-2408.	0.3	17
273	3. The Pathophysiology of IgA Nephropathy: Recent Advancement and Perspectives. The Journal of the Japanese Society of Internal Medicine, 2015, 104, 1930-1936.	0.0	0
274	The Rate of Decrease in the Disease Activity of Rheumatoid Arthritis during Treatment with Adalimumab Depends on the Dose of Methotrexate. Internal Medicine, 2015, 54, 1035-1041.	0.3	10
275	Associations between the Intake of Miso Soup and Japanese Pickles and the Estimated 24-hour Urinary Sodium Excretion: A Population-based Cross-sectional Study. Internal Medicine, 2015, 54, 903-910.	0.3	19
276	Two Cases of Adult-onset Still's Disease Treated with Tocilizumab that Achieved Tocilizumab-free Remission. Internal Medicine, 2015, 54, 2675-2679.	0.3	10
277	Continuous Reduction of Protein-Bound Uraemic Toxins with Improved Oxidative Stress by Using the Oral Charcoal Adsorbent AST-120 in Haemodialysis Patients. Scientific Reports, 2015, 5, 14381.	1.6	59
278	A Fulminant Case of Granulomatosis with Polyangiitis with Meningeal and Parenchymal Involvement. Case Reports in Neurology, 2015, 7, 101-104.	0.3	7
279	Atypical skin involvement in Erdheim-Chester disease: Fig. 1. Rheumatology, 2015, 54, kev317.	0.9	0
280	Pelvic Abscess Induced by a Dormant Peritoneal Dialysis Catheter Without Obvious Intestinal Perforation. Therapeutic Apheresis and Dialysis, 2015, 19, 191-192.	0.4	0
281	Higher Mortality Due to Intracerebral Hemorrhage in Dialysis Patients: A Comparison with the General Population in Japan. Therapeutic Apheresis and Dialysis, 2015, 19, 45-49.	0.4	21
282	Anticipated Increase in the Number of Patients Who Require Dialysis Treatment Among the Aging Population of Japan. Therapeutic Apheresis and Dialysis, 2015, 19, 201-206.	0.4	27
283	Increased Proinflammatory Cytokine Production and Decreased Cholesterol Efflux Due to Downregulation of ABCG1 in Macrophages Exposed to Indoxyl Sulfate. Toxins, 2015, 7, 3155-3166.	1.5	30
284	FP032INDOXYL SULFATE INDUCES PROINFLAMMATORY CYTOKINE PRODUCTION AND INHIBITS CHOLESTEROL EFFLUX DUE TO DOWNREGULATION OF ABCG1 IN MACROPHAGES. Nephrology Dialysis Transplantation, 2015, 30, iii75-iii75.	0.4	1
285	FP235ABDOMINAL ULTRASOUND IS NOT A SUITABLE SECONDARY SCREENING TOOL FOR ASYMPTOMATIC PATIENTS WITH A POSITIVE URINARY OCCULT BLOOD REACTION. Nephrology Dialysis Transplantation, 2015, 30, iii145-iii146.	0.4	0
286	Long-Term Blood Pressure Variability, New-Onset Diabetes Mellitus, and New-Onset Chronic Kidney Disease in the Japanese General Population. Hypertension, 2015, 66, 30-36.	1.3	55
287	Comparison of predictive value for first cardiovascular event between Japanese GFR equation and coefficient-modified CKD-EPI equation. Clinical and Experimental Nephrology, 2015, 19, 387-394.	0.7	12
288	A case of severe thrombocytopenia associated with acute HIV-1 infection. International Journal of STD and AIDS, 2015, 26, 209-211.	0.5	3

#	ARTICLE	IF	CITATIONS
289	Characterization of anti-P monoclonal antibodies directed against the ribosomal protein-RNA complex antigen and produced using Murphy Roths large autoimmune-prone mice. <i>Clinical and Experimental Immunology</i> , 2015, 179, 236-244.	1.1	7
290	Outcomes of primary nephrotic syndrome in elderly Japanese: retrospective analysis of the Japan Renal Biopsy Registry (J-RBR). <i>Clinical and Experimental Nephrology</i> , 2015, 19, 496-505.	0.7	23
291	Significance of estimated glomerular filtration rate in predicting brain or heart attacks in obese and non-obese populations. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 790-796.	0.7	4
292	Specific overexpression of tumour necrosis factor- α -induced protein (TNFAIP)9 in CD14+CD16 α^+ monocytes in patients with rheumatoid arthritis: comparative analysis with TNFAIP3. <i>Clinical and Experimental Immunology</i> , 2015, 180, 458-466.	1.1	14
293	Underestimating chronic kidney disease by urine dipstick without serum creatinine as a screening tool in the general Japanese population. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 474-480.	0.7	11
294	Serum cytokine profiles of patients with interstitial lung disease associated with anti-CADM-140/MDA5 antibody positive amyopathic dermatomyositis. <i>Respiratory Medicine</i> , 2015, 109, 1174-1180.	1.3	49
295	Superiority of respiratory failure risk index in prediction of postoperative pulmonary complications after digestive surgery in Japanese patients. <i>Respiratory Investigation</i> , 2015, 53, 104-110.	0.9	8
296	Impact of the Triglycerides to High-Density Lipoprotein Cholesterol Ratio on the Incidence and Progression of CKD: A Longitudinal Study in a Large Japanese Population. <i>American Journal of Kidney Diseases</i> , 2015, 66, 972-983.	2.1	70
297	Genome-wide association study of IgA nephropathy using 23 \times 10 ⁶ microsatellite markers in a Japanese population. <i>Journal of Human Genetics</i> , 2015, 60, 573-580.	1.1	13
298	Critical Roles of Chemoresistant Effector and Regulatory T Cells in Antitumor Immunity after Lymphodepleting Chemotherapy. <i>Journal of Immunology</i> , 2015, 195, 726-735.	0.4	24
299	Atherosclerosis following renal injury is ameliorated by pioglitazone and losartan via macrophage phenotype. <i>Atherosclerosis</i> , 2015, 242, 56-64.	0.4	30
300	Blood Pressure, Proteinuria, and Renal Function Decline: Associations in a Large Community-Based Population. <i>American Journal of Hypertension</i> , 2015, 28, 1150-1156.	1.0	45
301	Brief Report: Takayasu Arteritis and Ulcerative Colitis: High Rate of Co-Occurrence and Genetic Overlap. <i>Arthritis and Rheumatology</i> , 2015, 67, 2226-2232.	2.9	102
302	Association between Hypouricemia and Reduced Kidney Function: A Cross-Sectional Population-Based Study in Japan. <i>American Journal of Nephrology</i> , 2015, 41, 138-146.	1.4	59
303	Effect of inhaled corticosteroids on bronchial asthma in Japanese athletes. <i>Allergology International</i> , 2015, 64, 145-149.	1.4	13
304	Electrocardiographic abnormalities and risk of developing cardiac events in extracardiac sarcoidosis. <i>International Journal of Cardiology</i> , 2015, 189, 1-5.	0.8	29
305	Intact parathyroid hormone and whole parathyroid hormone assay results disagree in hemodialysis patients under cinacalcet hydrochloride therapy. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 710-717.	0.7	10
306	The effect of tolvaptan on autosomal dominant polycystic kidney disease patients: a subgroup analysis of the Japanese patient subset from TEMPO 3:4 trial. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 867-877.	0.7	54

#	ARTICLE	IF	CITATIONS
307	Benefits of a 12-week lifestyle modification program including diet and combined aerobic and resistance exercise on albuminuria in diabetic and non-diabetic Japanese populations. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 1079-1089.	0.7	10
308	High triglyceride is a risk factor for silent osteonecrosis of the femoral head in systemic lupus erythematosus. <i>Clinical Rheumatology</i> , 2015, 34, 2071-2077.	1.0	36
309	Sqstm1-GFP knock-in mice reveal dynamic actions of Sqstm1 during autophagy and under stress conditions in living cells. <i>Journal of Cell Science</i> , 2015, 128, 4453-61.	1.2	9
310	A case of endocapillary proliferative glomerulonephritis with macrophages phagocytosing monoclonal immunoglobulin lambda light chain. <i>Pathology International</i> , 2015, 65, 38-42.	0.6	12
311	The Effects of All-Trans Retinoic Acid on the Induction of Oral Tolerance in a Murine Model of Bronchial Asthma. <i>International Archives of Allergy and Immunology</i> , 2015, 167, 167-176.	0.9	17
312	Characteristics of eosinophilic and non-eosinophilic asthma during treatment with inhaled corticosteroids. <i>Journal of Asthma</i> , 2015, 52, 417-422.	0.9	17
313	Role of the p.E66Q variant of GLA in the progression of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2015, 19, 225-230.	0.7	4
314	Use of Renin-Angiotensin System Inhibitors Is Associated with Reduction of Fracture Risk in Hemodialysis Patients. <i>PLoS ONE</i> , 2015, 10, e0122691.	1.1	39
315	Oligomeganephronia in an Adult Presenting With Features of Chronic Kidney Disease. <i>Journal of Medical Cases</i> , 2015, 6, 362-366.	0.4	0
316	Abstract 3153: Critical roles of chemo-resistant effector and regulatory T cells in cancer immunotherapy during hemostatic proliferation. , 2015, , .		0
317	Association between Combined Lifestyle Factors and Non-Restorative Sleep in Japan: A Cross-Sectional Study Based on a Japanese Health Database. <i>PLoS ONE</i> , 2014, 9, e108718.	1.1	52
318	The Addition of Bevacizumab to Erlotinib for Malignant Pleural Effusion: a Case Report with Pharmacokinetic Analysis. <i>Annals of Oncology</i> , 2014, 25, v90.	0.6	0
319	High rates of death and hospitalization follow bone fracture among hemodialysis patients. <i>Kidney International</i> , 2014, 86, 649.	2.6	5
320	A hip fracture in a dialysis patient with A β 2M amyloidosis. <i>Kidney International</i> , 2014, 85, 214-215.	2.6	4
321	Expression of Tight Junction Protein Claudin-1 in Human Crescentic Glomerulonephritis. <i>International Journal of Nephrology</i> , 2014, 2014, 1-9.	0.7	12
322	Analysis of the Influenza A (H1N1) 2009 Pandemic Infection in Japanese Asthmatic Patients: Using a Questionnaire-Based Survey. <i>Allergology International</i> , 2014, 63, 67-74.	1.4	3
323	Regional Variation in Hip Fracture Incidence Among Japanese Hemodialysis Patients. <i>Therapeutic Apheresis and Dialysis</i> , 2014, 18, 162-166.	0.4	15
324	Annual decline in estimated glomerular filtration rate is a risk factor for cardiovascular events independent of proteinuria. <i>Nephrology</i> , 2014, 19, 574-580.	0.7	16

#	ARTICLE	IF	CITATIONS
325	A slight increase within the normal range of serum uric acid and the decline in renal function: associations in a community-based population. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 2286-2292.	0.4	43
326	New-onset hypertension and risk for chronic kidney disease in the Japanese general population. <i>Journal of Hypertension</i> , 2014, 32, 2371-2377.	0.3	19
327	An observational study of giant cell interstitial pneumonia and lung fibrosis in hard metal lung disease. <i>BMJ Open</i> , 2014, 4, e004407.	0.8	40
328	20-Year Analysis of Kidney Transplantation: A Single Center in Japan. <i>Transplantation Proceedings</i> , 2014, 46, 437-441.	0.3	25
329	Effect of donor-recipient age difference on long-term graft survival in living kidney transplantation. <i>International Urology and Nephrology</i> , 2014, 46, 1441-1446.	0.6	12
330	Budget impact analysis of chronic kidney disease mass screening test in Japan. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 885-891.	0.7	13
331	The importance of medical interview with CKD patient in diagnoses of a family with Fabry disease. <i>CEN Case Reports</i> , 2014, 3, 152-157.	0.5	1
332	A case of antiglomerular basement membrane glomerulonephritis complicated by membranous nephropathy. <i>CEN Case Reports</i> , 2014, 3, 94-99.	0.5	0
333	Upregulation of prolactin receptor in proximal tubular cells was induced in cardiac dysfunction model mice. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 65-74.	0.7	4
334	Association between warfarin use and incidence of ischemic stroke in Japanese hemodialysis patients with chronic sustained atrial fibrillation: a prospective cohort study. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 662-669.	0.7	53
335	Cluster analysis identifies characteristic phenotypes of asthma with accelerated lung function decline. <i>Journal of Asthma</i> , 2014, 51, 113-118.	0.9	29
336	Intracerebral hemorrhage was the highest cause of mortality among stroke subtypes in Japanese dialysis patients. <i>Hemodialysis International</i> , 2014, 18, 848-849.	0.4	0
337	Discovery of new risk loci for IgA nephropathy implicates genes involved in immunity against intestinal pathogens. <i>Nature Genetics</i> , 2014, 46, 1187-1196.	9.4	505
338	Japanese guidelines of the management of hematuria 2013. <i>Clinical and Experimental Nephrology</i> , 2014, 18, 679-689.	0.7	24
339	Serum magnesium concentration is inversely associated with fibroblast growth factor 23 in haemodialysis patients. <i>Nephrology</i> , 2014, 19, 667-671.	0.7	14
340	Periodontal and Serum Protein Profiles in Patients With Rheumatoid Arthritis Treated With Tumor Necrosis Factor Inhibitor Adalimumab. <i>Journal of Periodontology</i> , 2014, 85, 1480-1488.	1.7	58
341	Novel assay to detect increased level of neutralizing anti-interferon gamma autoantibodies in non-tuberculous mycobacterial patients. <i>Journal of Infection and Chemotherapy</i> , 2014, 20, 52-56.	0.8	38
342	Assessment of Interleukin-6 Receptor Inhibition Therapy on Periodontal Condition in Patients With Rheumatoid Arthritis and Chronic Periodontitis. <i>Journal of Periodontology</i> , 2014, 85, 57-67.	1.7	62

#	ARTICLE	IF	CITATIONS
343	Effects of Direct Hemoperfusion with Polymyxin B-immobilized Fiber on Rapidly Progressive Interstitial Lung Diseases. <i>Internal Medicine</i> , 2014, 53, 1921-1926.	0.3	23
344	Nephrotic Syndrome and End-stage Kidney Disease Accompanied by Bicytopenia due to Copper Deficiency. <i>Internal Medicine</i> , 2014, 53, 2101-2106.	0.3	5
345	Prognostic Significance of Procalcitonin in Small Cell Lung Cancer. <i>Annals of Oncology</i> , 2014, 25, v72.	0.6	0
346	A Case of Membranous Glomerulonephropathy Associated with Takayasu's Arteritis. <i>Case Reports in Nephrology and Dialysis</i> , 2014, 4, 60-69.	0.3	6
347	Depression's Influence on the Asthma Control Test, Japanese Version. <i>Allergology International</i> , 2014, 63, 587-594.	1.4	9
348	DDX3X Induces Primary EGFR-TKI Resistance Based on Intratumor Heterogeneity in Lung Cancer Cells Harboring EGFR-Activating Mutations. <i>PLoS ONE</i> , 2014, 9, e111019.	1.1	21
349	Phase I study of dose-dense chemotherapy (DDC) alternating cisplatin (CDDP), topotecan (TPT), and paclitaxel (PTX) with CDDP, amrubicin (AMR), and PTX under granulocyte colony-stimulating factor support for extensive-stage small-cell lung cancer (ES-SCLC).. <i>Journal of Clinical Oncology</i> , 2014, 32, e18553-e18553.	0.8	0
350	Abstract 2818: Dendritic cell vaccination and regulatory T-cell depletion augment antitumor immunity after cytotoxic therapy. , 2014, , .		0
351	Abstract 200: DDX3X induces signal switching to stem cell-specific Wnt/ β -catenin signaling, resulting in EGFR-TKI resistance in lung cancer cells harboring EGFR activating mutation. , 2014, , .		0
352	Abstract 2554: DDX3X-specific effector T cells in small cell lung cancer patients reflect disease stage. , 2014, , .		0
353	Distribution of amyloid deposits in the kidneys of a patient with reactive amyloidosis associated with rheumatoid arthritis. <i>BMC Research Notes</i> , 2013, 6, 231.	0.6	2
354	A novel mutation in the uromodulin gene in a Japanese family with a mild phenotype of familial juvenile hyperuricemic nephropathy. <i>CEN Case Reports</i> , 2013, 2, 228-233.	0.5	4
355	Mizoribine as a safe and effective combined maintenance therapy with prednisolone for anti-neutrophil cytoplasmic antibody-associated vasculitis in a hemodialysis patient. <i>CEN Case Reports</i> , 2013, 2, 139-143.	0.5	2
356	De novo acute hepatitis B in myeloperoxidase-specific anti-neutrophil cytoplasmic autoantibody-related microscopic polyangiitis treated with corticosteroids. <i>CEN Case Reports</i> , 2013, 2, 28-33.	0.5	0
357	Combined membranous nephropathy and crescentic glomerulonephritis with concurrent anti-glomerular basement membrane antibody and myeloperoxidase-specific anti-neutrophil cytoplasmic antibody. <i>CEN Case Reports</i> , 2013, 2, 107-111.	0.5	0
358	Increased risk of hip fracture among Japanese hemodialysis patients. <i>Journal of Bone and Mineral Metabolism</i> , 2013, 31, 315-321.	1.3	106
359	A single injection of a sustained-release prostacyclin analog (ONO-1301MS) suppresses airway inflammation and remodeling in a chronic house dust mite-induced asthma model. <i>European Journal of Pharmacology</i> , 2013, 721, 80-85.	1.7	8
360	DEAD/H (Asp ⁶⁴ -Glu ⁶⁵ -Ala ⁶⁶ -Asp/His) box polypeptide 3, X-linked is an immunogenic target of cancer stem cells. <i>Cancer Immunology, Immunotherapy</i> , 2013, 62, 1619-1628.	2.0	27

#	ARTICLE	IF	CITATIONS
361	The efficacy of triplet antiemetic therapy with 0.75 mg of palonosetron for chemotherapy-induced nausea and vomiting in lung cancer patients receiving highly emetogenic chemotherapy. <i>Supportive Care in Cancer</i> , 2013, 21, 2575-2581.	1.0	18
362	A case of membranoproliferative glomerulonephritis developed over twenty years with three different findings of renal pathology. <i>CEN Case Reports</i> , 2013, 2, 76-83.	0.5	1
363	Dialysis disequilibrium syndrome induced by neoplastic meningitis in a patient receiving maintenance hemodialysis. <i>BMC Nephrology</i> , 2013, 14, 255.	0.8	4
364	A case of MPO- and PR3-ANCA-positive hypertrophic cranial pachymeningitis with elevated serum IgG4. <i>Modern Rheumatology</i> , 2013, 23, 151-155.	0.9	16
365	Two Susceptibility Loci to Takayasu Arteritis Reveal a Synergistic Role of the IL12B and HLA-B Regions in a Japanese Population. <i>American Journal of Human Genetics</i> , 2013, 93, 289-297.	2.6	136
366	Preventive effect of irbesartan on bleomycin-induced lung injury in mice. <i>Respiratory Investigation</i> , 2013, 51, 76-83.	0.9	27
367	Screening of Male Dialysis Patients for Fabry Disease by Plasma Globotriaosylsphingosine. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2013, 8, 629-636.	2.2	31
368	Chronic Portal-Systemic Shunt Encephalopathy in a Hemodialysis Patient Treated with Balloon-Occluded Retrograde Transvenous Obliteration. <i>Case Reports in Nephrology and Urology</i> , 2013, 3, 28-33.	1.5	6
369	Development of IgG4-related disease in a patient diagnosed with idiopathic membranous nephropathy. <i>CKJ: Clinical Kidney Journal</i> , 2013, 6, 486-490.	1.4	13
370	The Asthma Control Test, Japanese Version (ACT-J) as a Predictor of Global Initiative for Asthma (GINA) Guideline-Defined Asthma Control: Analysis of a Questionnaire-Based Survey. <i>Allergology International</i> , 2013, 62, 323-330.	1.4	9
371	The clinical course of patients with IgG4-related kidney disease. <i>Kidney International</i> , 2013, 84, 826-833.	2.6	144
372	Cause-Specific Excess Mortality Among Dialysis Patients: Comparison With the General Population in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2013, 17, 298-304.	0.4	54
373	A combination of healthy lifestyle factors is associated with a decreased incidence of chronic kidney disease: a population-based cohort study. <i>Hypertension Research</i> , 2013, 36, 328-333.	1.5	63
374	Persistent Metabolic Acidosis in a Hemodialyzed Patient with Short Bowel Syndrome. <i>Internal Medicine</i> , 2013, 52, 1379-1382.	0.3	4
375	Immunoglobulin G4-Related Disease with Several Inflammatory Foci. <i>Internal Medicine</i> , 2013, 52, 457-462.	0.3	4
376	A Case of Podocytic Infolding Glomerulopathy with Focal Segmental Glomerulosclerosis. <i>Case Reports in Nephrology and Urology</i> , 2013, 3, 110-116.	1.5	13
377	Nephrotoxicity of Cisplatin Combination Chemotherapy for Thoracic Malignancy Patients with Comorbidities. <i>Annals of Oncology</i> , 2013, 24, ix30.	0.6	0
378	A case of MPO- and PR3-ANCA-positive hypertrophic cranial pachymeningitis with elevated serum IgG4. <i>Modern Rheumatology</i> , 2013, 23, 151-155.	0.9	14

#	ARTICLE	IF	CITATIONS
379	Atypical severe central serous chorioretinopathy in a patient with systemic lupus erythematosus improved with a rapid reduction in glucocorticoid. <i>Modern Rheumatology</i> , 2013, 23, 172-174.	0.9	3
380	A case of Epstein-Barr virus-related lymphadenopathy mimicking the clinical features of IgG4-related disease. <i>Modern Rheumatology</i> , 2013, 23, 597-603.	0.9	5
381	Abstract 3716: DEAD/H (Asp-Glu-Ala-Asp/His) box polypeptide 3, X-linked plays oncogenic roles to induce cancer stem cell-like properties and resistance to EGFR-TKI. , 2013, , .		0
382	Abstract 3963: Chemo-resistant regulatory T cells suppress the development of antitumor immunity after cytotoxic regimens. , 2013, , .		0
383	Treatment of Interstitial Lung Disease Associated with Polymyositis- Dermatomyositis: An Update. <i>Current Respiratory Medicine Reviews</i> , 2013, 9, 130-136.	0.1	0
384	Geographic Differences in Genetic Susceptibility to IgA Nephropathy: GWAS Replication Study and Geospatial Risk Analysis. <i>PLoS Genetics</i> , 2012, 8, e1002765.	1.5	301
385	Influence of Underweight on Asthma Control. <i>Allergy International</i> , 2012, 61, 489-496.	1.4	9
386	Integrin $\alpha 1/\beta 1$ and $\alpha 2/\beta 1$ as a receptor for IgA1 in human glomerular mesangial cells in IgA nephropathy. <i>International Immunology</i> , 2012, 24, 219-232.	1.8	27
387	A Novel Prostacyclin Agonist Protects against Airway Hyperresponsiveness and Remodeling in Mice. <i>American Journal of Respiratory Cell and Molecular Biology</i> , 2012, 47, 170-177.	1.4	24
388	Procalcitonin Is a Specific Marker for Detecting Bacterial Infection in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2012, 39, 1517-1523.	1.0	29
389	Significance of Urinary Full-Length and Ectodomain Forms of Megalin in Patients With Type 2 Diabetes. <i>Diabetes Care</i> , 2012, 35, 1112-1118.	4.3	49
390	Light-microscopic characteristics of IgG4-related tubulointerstitial nephritis: distinction from non-IgG4-related tubulointerstitial nephritis. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 2755-2761.	0.4	65
391	Analysis of Depression in Asthmatic Patients Using the Japanese Version of Patient Health Questionnaire-9. <i>Allergy International</i> , 2012, 61, 475-487.	1.4	9
392	Efficacy of Using the Japanese Version of the Asthma Control Test for Determining the Level of Asthma Control in Clinical Settings. <i>Allergy International</i> , 2012, 61, 609-617.	1.4	11
393	Acute Tubulointerstitial Nephritis with Multiple Organ Involvement Including Fatal Adrenalitis: A Case Report with Autopsy Findings. <i>Internal Medicine</i> , 2012, 51, 2917-2922.	0.3	8
394	Depletion of radio-resistant regulatory T cells enhances antitumor immunity during recovery from lymphopenia. <i>Blood</i> , 2012, 120, 2417-2427.	0.6	61
395	Hypogammaglobulinemic Patient with Polyarthritis Mimicking Rheumatoid Arthritis Finally Diagnosed as Septic Arthritis Caused by <i>Mycoplasma hominis</i> . <i>Internal Medicine</i> , 2012, 51, 425-429.	0.3	15
396	Asthma Control and Management Changes in Japan: Questionnaire Survey. <i>Internal Medicine</i> , 2012, 51, 567-574.	0.3	15

#	ARTICLE	IF	CITATIONS
397	Differences in the local and national prevalences of chronic kidney disease based on annual health check program data. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 749-754.	0.7	1
398	Significant association between renal function and amyloid-positive area in renal biopsy specimens in AL amyloidosis. <i>BMC Nephrology</i> , 2012, 13, 118.	0.8	16
399	Quantitative Histological Analysis of SM22 α (Transgelin) in an Adriamycin-Induced Focal Segmental Glomerulosclerosis Model. <i>Nephron Experimental Nephrology</i> , 2012, 120, e1-e11.	2.4	4
400	Significant association between renal function and area of amyloid deposition in kidney biopsy specimens in reactive amyloidosis associated with rheumatoid arthritis. <i>Rheumatology International</i> , 2012, 32, 3155-3162.	1.5	21
401	Treatment with Biologic Agents Improves the Prognosis of Patients with Rheumatoid Arthritis and Amyloidosis. <i>Journal of Rheumatology</i> , 2012, 39, 1348-1354.	1.0	26
402	Effect of etanercept and entecavir in a patient with rheumatoid arthritis who is a hepatitis B carrier: a review of the literature. <i>Rheumatology International</i> , 2012, 32, 1059-1063.	1.5	12
403	Association between clinical parameters and amyloid-positive area in gastroduodenal biopsy in reactive amyloidosis associated with rheumatoid arthritis. <i>Rheumatology International</i> , 2012, 32, 933-939.	1.5	9
404	The effect of renal administration of a selective cyclooxygenase-2 inhibitor or stable prostaglandin I ₂ analog on the progression of sclerotic glomerulonephritis in rats. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 221-230.	0.7	1
405	Weight gain after 20 years of age is associated with prevalence of chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2012, 16, 259-268.	0.7	20
406	Use of Japanese Society for Dialysis Therapy Dialysis Tables to Compare the Local and National Incidence of Dialysis. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 63-67.	0.4	7
407	High Mortality Rate of Infectious Diseases in Dialysis Patients: A Comparison With the General Population in Japan. <i>Therapeutic Apheresis and Dialysis</i> , 2012, 16, 226-231.	0.4	60
408	Megalin is downregulated via LPS-TNF α -ERK1/2 signaling pathway in proximal tubule cells. <i>Biochemical and Biophysical Research Communications</i> , 2011, 407, 108-112.	1.0	16
409	Earthquake in Japan. <i>Lancet, The</i> , 2011, 377, 1652-1653.	6.3	9
410	Assessment of Bone Status in Inhaled Corticosteroid User Asthmatic Patients with an Ultrasound Measurement Method. <i>Allergology International</i> , 2011, 60, 459-465.	1.4	7
411	Fatal Acute Pancreatitis Associated with Reactive AA Amyloidosis in Rheumatoid Arthritis with End-stage Renal Disease: A Report of Three Cases. <i>Internal Medicine</i> , 2011, 50, 739-744.	0.3	10
412	Influence of Obesity on Control in Asthmatic Japanese Patients Defined by the Japanese Definition of Obesity. <i>Internal Medicine</i> , 2011, 50, 1911-1916.	0.3	19
413	A Severe Form of Churg-Strauss Syndrome Complicated with Acute Cardiac Failure and Rapidly Progressive Peripheral Neuropathy -A Possible Effect of Intravenous Immunoglobulin Therapy. <i>Internal Medicine</i> , 2011, 50, 925-929.	0.3	8
414	Identification of alternatively activated macrophages in new-onset paediatric and adult immunoglobulin A nephropathy: potential role in mesangial matrix expansion. <i>Histopathology</i> , 2011, 58, 198-210.	1.6	68

#	ARTICLE	IF	CITATIONS
415	Novel expression of claudin-5 in glomerular podocytes. <i>Cell and Tissue Research</i> , 2011, 343, 637-648.	1.5	34
416	Clinical and microbiological evaluation of hemodialysis-associated pneumonia (HDAP): should HDAP be included in healthcare-associated pneumonia?. <i>Journal of Infection and Chemotherapy</i> , 2011, 17, 640-645.	0.8	16
417	Membranoproliferative pattern of glomerular injury associated with complement component 9 deficiency due to Arg95Stop mutation. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 86-91.	0.7	5
418	Programmed initiation of hemodialysis for systemic amyloidosis patients associated with rheumatoid arthritis. <i>Rheumatology International</i> , 2011, 31, 1177-1182.	1.5	8
419	Vaccination with CD133+ melanoma induces specific Th17 and Th1 cell-mediated antitumor reactivity against parental tumor. <i>Cancer Immunology, Immunotherapy</i> , 2011, 60, 1597-1608.	2.0	13
420	Effects of fasting on hypoxic ventilatory responses and the contribution of histamine H1 receptors in mice. <i>Journal of Physiological Sciences</i> , 2011, 61, 73-82.	0.9	2
421	Clinical responses to EGFR-tyrosine kinase inhibitor retreatment in non-small cell lung cancer patients who benefited from prior effective gefitinib therapy: a retrospective analysis. <i>BMC Cancer</i> , 2011, 11, 1.	1.1	260
422	Thrombotic thrombocytopenic purpura in IgG4-related disease with severe deficiency of ADAMTS-13 activity and IgG4 autoantibody against ADAMTS-13. <i>Arthritis Care and Research</i> , 2011, 63, 1209-1212.	1.5	13
423	Expression of SM22 α (Transgelin) in Glomerular and Interstitial Renal Injury. <i>Nephron Experimental Nephrology</i> , 2011, 117, e104-e113.	2.4	6
424	IgG4-related Chronic Tubulointerstitial Nephritis without Autoimmune Pancreatitis and the Time Course of Renal Function. <i>Internal Medicine</i> , 2010, 49, 1593-1598.	0.3	31
425	Acute renal failure as a complication of acquired hemophilia due to autoantibody to factor VIII. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 85-89.	0.7	1
426	Design and methods of a strategic outcome study for chronic kidney disease: Frontier of Renal Outcome Modifications in Japan. <i>Clinical and Experimental Nephrology</i> , 2010, 14, 144-151.	0.7	22
427	A patient with severe hypercalcemia in multiple organ dysfunction syndrome: Role of elevated circulating 1,25(OH) $_2$ vitamin D levels. <i>Journal of Bone and Mineral Research</i> , 2010, 25, 1455-1459.	3.1	4
428	Cancellous Bone Volume Is an Indicator for Trabecular Bone Connectivity in Dialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 292-298.	2.2	20
429	Clinicopathological characteristics of patients with IgG4-related tubulointerstitial nephritis. <i>Kidney International</i> , 2010, 78, 1016-1023.	2.6	349
430	Intense correlation between protein-conjugated acrolein and primary Sjögren's syndrome. <i>Clinica Chimica Acta</i> , 2010, 411, 359-363.	0.5	33
431	Mizoribine therapy in a patient with lupus nephritis: the association between mizoribine concentration and peritoneal dialysis. <i>Modern Rheumatology</i> , 2010, 20, 296-300.	0.9	2
432	Mizoribine therapy in a patient with lupus nephritis: the association between mizoribine concentration and peritoneal dialysis. <i>Modern Rheumatology</i> , 2010, 20, 296-300.	0.9	3

#	ARTICLE	IF	CITATIONS
433	Anti-neutrophil cytoplasmic autoantibodies against bactericidal/permeability-increasing protein in patients with rheumatoid arthritis and their correlation with bronchial involvement. <i>Modern Rheumatology</i> , 2010, 20, 252-256.	0.9	6
434	Effective Anti-TNF- α Therapy Can Induce Rapid Resolution and Sustained Decrease of Gastroduodenal Mucosal Amyloid Deposits in Reactive Amyloidosis Associated with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2009, 36, 2409-2415.	1.0	60
435	Atypical phenotype of type I Bartter syndrome accompanied by focal segmental glomerulosclerosis. <i>Pediatric Nephrology</i> , 2009, 24, 415-418.	0.9	24
436	Effects of IS-741, a Synthetic Anti-Inflammatory Agent, on Bleomycin-Induced Lung Injury in Mice. <i>Lung</i> , 2009, 187, 331-339.	1.4	4
437	Comparison of Quantitative Cancellous Bone Connectivity Analyses at Two- and Three-Dimensional Levels in Dialysis Patients. <i>Calcified Tissue International</i> , 2009, 84, 38-44.	1.5	5
438	Effect of Ciclesonide on Bronchial Asthma in Athletes. <i>Journal of Asthma</i> , 2009, 46, 1032-1036.	0.9	7
439	HELLP Syndrome, Multiple Liver Infarctions, and Intrauterine Fetal Death in a Patient with Systemic Lupus Erythematosus and Antiphospholipid Syndrome. <i>Internal Medicine</i> , 2009, 48, 1555-1558.	0.3	9
440	Alterations in serum phosphate levels predict the long-term response to intravenous calcitriol therapy in dialysis patients with secondary hyperparathyroidism. <i>Journal of Bone and Mineral Metabolism</i> , 2008, 26, 185-190.	1.3	2
441	Serum cystatin C measured by a sol particle homogeneous immunoassay can accurately detect early impairment of renal function. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 270-276.	0.7	6
442	Pathogenetic significance of aberrant glycosylation of IgA1 in IgA nephropathy. <i>Clinical and Experimental Nephrology</i> , 2008, 12, 332-338.	0.7	38
443	Monocytes secrete factors regulating glycosaminoglycan synthesis in mesangial cells in vitro. <i>Clinical and Experimental Immunology</i> , 2008, 83, 497-504.	1.1	4
444	Toll-Like Receptor 9 Affects Severity of IgA Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 2384-2395.	3.0	160
445	Uremic pruritus in chronic hemodialysis patients. <i>Journal of Nephrology</i> , 2008, 21, 161-5.	0.9	76
446	The genetic susceptibility to IgA nephropathy: A novel functional candidate gene for incomplete O-glycosylation of IgA1. <i>Kidney International</i> , 2007, 71, 379-381.	2.6	2
447	Leiomyosarcoma of the Abdominal Aorta: A Rare Cause of Renovascular Hypertension. <i>Hypertension Research</i> , 2007, 30, 279-283.	1.5	7
448	Mortality Predictors after 10 Years of Dialysis: A Prospective Study of Japanese Hemodialysis Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2007, 2, 653-660.	2.2	18
449	SM22 α : The Novel Phenotype Marker of Injured Glomerular Epithelial Cells in Anti-Glomerular Basement Membrane Nephritis. <i>Nephron Experimental Nephrology</i> , 2007, 106, e77-e87.	2.4	22
450	Decreased Levels of Circulating α 2-Heremans-Schmid Glycoprotein/Fetuin-A (AHSG) in Patients with Rheumatoid Arthritis. <i>Internal Medicine</i> , 2007, 46, 1685-1692.	0.3	59

#	ARTICLE	IF	CITATIONS
451	Atherosclerosis is accelerated in patients with long-term well-controlled Systemic Lupus Erythematosus (SLE). <i>Clinica Chimica Acta</i> , 2007, 385, 35-42.	0.5	43
452	The Combined Genotypes of Stimulatory and Inhibitory Fcγ ₃ Receptors Associated With Systemic Lupus Erythematosus and Periodontitis in Japanese Adults. <i>Journal of Periodontology</i> , 2007, 78, 467-474.	1.7	62
453	The Interleukin-1 and Fcγ ₃ Receptor Gene Polymorphisms in Japanese Patients With Rheumatoid Arthritis and Periodontitis. <i>Journal of Periodontology</i> , 2007, 78, 2311-2318.	1.7	70
454	Collagenofibrotic Glomerulopathy: Clinicopathologic Overview of a Rare Glomerular Disease. <i>American Journal of Kidney Diseases</i> , 2007, 49, 499-506.	2.1	48
455	Estimation of glomerular filtration rate by the MDRD study equation modified for Japanese patients with chronic kidney disease. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 41-50.	0.7	488
456	Prevalence of chronic kidney disease (CKD) in the Japanese general population predicted by the MDRD equation modified by a Japanese coefficient. <i>Clinical and Experimental Nephrology</i> , 2007, 11, 156-163.	0.7	267
457	SAA1 gene polymorphisms and the risk of AA amyloidosis in Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2006, 16, 294-299.	0.9	35
458	Analysis of the Effect of Surgical Lung Biopsy on Serum KL-6 Levels in Patients with Interstitial Pneumonia: Surgical Lung Biopsy Does not Elevate Serum KL-6 Levels. <i>Internal Medicine</i> , 2006, 45, 615-619.	0.3	5
459	Etiology and prognostic significance of severe uremic pruritus in chronic hemodialysis patients. <i>Kidney International</i> , 2006, 69, 1626-1632.	2.6	277
460	Renovascular Hypertension: A Unique Cause of Unilateral Focal Segmental Glomerulosclerosis. <i>Hypertension Research</i> , 2006, 29, 203-207.	1.5	16
461	Aβ ₂ -M-amyloidosis and related bone diseases. <i>Journal of Bone and Mineral Metabolism</i> , 2006, 24, 182-184.	1.3	26
462	Para-capillary electron-dense deposits reduce glomerular filtration in patients with primary glomerular diseases. <i>Clinical and Experimental Nephrology</i> , 2006, 10, 33-39.	0.7	2
463	Histological differences in new-onset IgA nephropathy between children and adults. <i>Nephrology Dialysis Transplantation</i> , 2006, 21, 3466-3474.	0.4	48
464	SAA1 gene polymorphisms and the risk of AA amyloidosis in Japanese patients with rheumatoid arthritis. <i>Modern Rheumatology</i> , 2006, 16, 294-299.	0.9	20
465	Osteopontin expression in acute renal allograft rejection. <i>Kidney International</i> , 2005, 67, 886-896.	2.6	48
466	Pretreatment serum FGF-23 levels predict the efficacy of calcitriol therapy in dialysis patients. <i>Kidney International</i> , 2005, 67, 1120-1125.	2.6	117
467	Bezafibrate suppresses rat antiglomerular basement membrane crescentic glomerulonephritis. <i>Kidney International</i> , 2005, 67, 1821-1829.	2.6	15
468	A novel type of encephalopathy associated with mushroom Sugihiratake ingestion in patients with chronic kidney diseases. <i>Kidney International</i> , 2005, 68, 188-192.	2.6	19

#	ARTICLE	IF	CITATIONS
469	Pretreatment plasma intact parathyroid hormone and serum calcium levels, but not serum phosphate levels, predict the response to maxacalcitol therapy in dialysis patients with secondary hyperparathyroidism. <i>Clinical and Experimental Nephrology</i> , 2005, 9, 142-147.	0.7	5
470	Monocyte chemoattractant protein-1 A-2518G gene polymorphism and renal survival of Japanese patients with immunoglobulin A nephropathy. <i>Clinical and Experimental Nephrology</i> , 2005, 9, 297-303.	0.7	30
471	Association of a single-nucleotide polymorphism in the immunoglobulin γ 4-binding protein 2 gene with immunoglobulin A nephropathy. <i>Journal of Human Genetics</i> , 2005, 50, 30-35.	1.1	27
472	Direct Comparison between Two 1-84PTH Assays in Dialysis Patients. <i>Nephron Clinical Practice</i> , 2005, 99, c8-c12.	2.3	8
473	Recurrent light and heavy chain deposition disease after renal transplantation. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 1487-1491.	0.4	10
474	Up-regulation in the kidney and its genetic polymorphism of MUC20, a regulator of Met signaling cascade, in patients with IgA nephropathy. <i>Kidney International</i> , 2005, 68, 1970-1971.	2.6	1
475	Different Type and Localization of CD44 on Surface Membrane of Regenerative Renal Tubular Epithelial Cells in vivo. <i>American Journal of Nephrology</i> , 2004, 24, 188-197.	1.4	3
476	Natural Saline-Flush Is Sufficient to Maintain Patency of Immobilized-Urokinase Double-Lumen Catheter Used to Provide Temporary Blood Access for Hemodialysis. <i>Blood Purification</i> , 2004, 22, 473-479.	0.9	19
477	Intact PTH assay overestimates true 1-84 PTH levels after maxacalcitol therapy in dialysis patients with secondary hyperparathyroidism. <i>Nephrology Dialysis Transplantation</i> , 2004, 19, 892-897.	0.4	23
478	Transforming growth factor-beta1 gene polymorphism modifies the histological and clinical manifestations in Japanese patients with IgA nephropathy. <i>Tissue Antigens</i> , 2004, 64, 35-42.	1.0	27
479	Relationship between tonsils and IgA nephropathy as well as indications of tonsillectomy. <i>Kidney International</i> , 2004, 65, 1135-1144.	2.6	98
480	Renal function at the time of renal biopsy as a predictor of prognosis in patients with primary AL-type amyloidosis. <i>Clinical and Experimental Nephrology</i> , 2004, 8, 127-33.	0.7	15
481	Short-term use of continuous positive airway pressure ameliorates glomerular hyperfiltration in patients with obstructive sleep apnoea syndrome. <i>Clinical Science</i> , 2004, 107, 317-322.	1.8	114
482	Association of single-nucleotide polymorphisms in the polymeric immunoglobulin receptor gene with immunoglobulin A nephropathy (IgAN) in Japanese patients. <i>Journal of Human Genetics</i> , 2003, 48, 293-299.	1.1	59
483	Circulating 1-84 PTH and large C-terminal PTH fragment levels in uremia. <i>Clinical and Experimental Nephrology</i> , 2003, 7, 144-149.	0.7	22
484	Peroxisome proliferator-activated receptor γ 3 C161T polymorphisms and survival of Japanese patients with immunoglobulin A nephropathy. <i>Clinical Genetics</i> , 2003, 64, 398-403.	1.0	16
485	Angiotensinogen gene variation and renoprotective efficacy of renin-angiotensin system blockade in IgA nephropathy. <i>Kidney International</i> , 2003, 64, 1050-1058.	2.6	25
486	The efficacy of tonsillectomy on long-term renal survival in patients with IgA nephropathy. <i>Kidney International</i> , 2003, 63, 1861-1867.	2.6	187

#	ARTICLE	IF	CITATIONS
487	Genetic Polymorphism of NPHS1 Modifies the Clinical Manifestations of Ig A Nephropathy. Laboratory Investigation, 2003, 83, 1193-1200.	1.7	15
488	Risk of Periodontitis in Systemic Lupus Erythematosus Is Associated with Fcγ3 Receptor Polymorphisms. Journal of Periodontology, 2003, 74, 378-384.	1.7	53
489	Interaction Between ACE and ADD1 Gene Polymorphisms in the Progression of IgA Nephropathy in Japanese Patients. Hypertension, 2003, 42, 304-309.	1.3	31
490	LCAT-Dependent Conversion of Preβ21-HDL into β-Migrating HDL is Severely Delayed in Hemodialysis Patients. Journal of the American Society of Nephrology: JASN, 2003, 14, 732-738.	3.0	73
491	Macrophage Metalloelastase as a Major Factor for Glomerular Injury in Anti-Glomerular Basement Membrane Nephritis. Journal of Immunology, 2003, 170, 3377-3385.	0.4	44
492	Adult Onset Anaphylactoid Purpura with Severe Gastrointestinal Involvement. Internal Medicine, 2003, 42, 436-442.	0.3	2
493	Successful perioperative blood purification therapy in patients with maintenance hemodialysis therapy who underwent living donor liver transplantation. Clinical Nephrology, 2003, 59, 229-233.	0.4	2
494	Development of hungry bone syndrome after rapid lowering of PTH with intravenous maxacalcitol therapy in a patient with non-uremic secondary hyperparathyroidism. Clinical Nephrology, 2003, 60, 369-371.	0.4	4
495	Association of the MCP-1 gene polymorphism A-2518G with carpal-tunnel syndrome in hemodialysis patients. Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis, 2002, 9, 175-182.	1.4	13
496	Identification of genes regulating colorectal carcinogenesis by using the algorithm for diagnosing malignant state method. Biochemical and Biophysical Research Communications, 2002, 296, 497-506.	1.0	13
497	Association between Single-Nucleotide Polymorphisms in Selectin Genes and Immunoglobulin A Nephropathy. American Journal of Human Genetics, 2002, 70, 781-786.	2.6	78
498	Single-nucleotide polymorphisms in the class II region of the major histocompatibility complex in Japanese patients with immunoglobulin A nephropathy. Journal of Human Genetics, 2002, 47, 0532-0538.	1.1	34
499	Role of uteroglobin G38A polymorphism in the progression of IgA nephropathy in Japanese patients. Kidney International, 2002, 61, 1853-1858.	2.6	30
500	A(-20)C polymorphism of the angiotensinogen gene and progression of IgA nephropathy. Kidney International, 2002, 62, 980-985.	2.6	22
501	Role of Genetic Polymorphism in the SA Gene on the Blood Pressure and Prognosis of Renal Function in Patients with Immunoglobulin A Nephropathy.. Hypertension Research, 2002, 25, 831-836.	1.5	7
502	Determination of Optimal Blood Pressure for Patients with IgA Nephropathy Based on Renal Histology.. Hypertension Research, 2001, 24, 89-92.	1.5	9
503	The Circadian Blood Pressure Rhythm in Non-Diabetic Hemodialysis Patients.. Hypertension Research, 2001, 24, 111-117.	1.5	20
504	Association of Gene Polymorphism of Polymeric Immunoglobulin Receptor and IgA Nephropathy.. Internal Medicine, 2001, 40, 867-872.	0.3	6

#	ARTICLE	IF	CITATIONS
505	Genetic polymorphisms in the promoter and 5' UTR region of the Fc γ receptor (CD89) are not associated with a risk of IgA nephropathy. <i>Journal of Human Genetics</i> , 2001, 46, 694-698.	1.1	14
506	Expression, roles, receptors, and regulation of osteopontin in the kidney. <i>Kidney International</i> , 2001, 60, 1645-1657.	2.6	297
507	Human Glomerulonephritis Accompanied by Active Cellular Infiltrates Shows Effector T Cells in Urine. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 2636-2644.	3.0	31
508	Risk factors for uremic pruritus in long-term hemodialysis patients.. <i>Nihon Toseki Igakkai Zasshi</i> , 2001, 34, 1469-1477.	0.2	4
509	Down-regulation of interferon-gamma signaling by gene transfer of Stat1 mutant in mesangial cells. <i>Kidney International</i> , 2000, 57, 455-463.	2.6	11
510	Adrenocorticotrophic Hormone-Independent Bilateral Adrenocortical Macronodular Hyperplasia Treated with Mitotane.. <i>Internal Medicine</i> , 1999, 38, 969-973.	0.3	17
511	L-arginine may mediate the therapeutic effects of low protein diets.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1995, 92, 4552-4556.	3.3	63
512	A case report of chronic renal failure with cholesterol embolism treated with hemodialysis and peritoneal dialysis.. <i>Nihon Toseki Igakkai Zasshi</i> , 1994, 27, 975-979.	0.2	0
513	Impact of adherence to CKD-MBD guidelines on mortality among Japanese dialysis patients: an ecological study. <i>Journal of Bone and Mineral Metabolism</i> , 0, , .	1.3	0