

Beicheng Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1291267/beicheng-sun-publications-by-citations.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

33 papers	2,042 citations	22 h-index	34 g-index
34 ext. papers	2,453 ext. citations	7.2 avg, IF	5.19 L-index

#	Paper	IF	Citations
33	Obesity, inflammation, and liver cancer. <i>Journal of Hepatology</i> , 2012 , 56, 704-13	13.4	328
32	Obesity and Cancer: The Oil that Feeds the Flame. <i>Cell Metabolism</i> , 2016 , 23, 48-62	24.6	232
31	The long noncoding RNA lnc-EGFR stimulates T-regulatory cells differentiation thus promoting hepatocellular carcinoma immune evasion. <i>Nature Communications</i> , 2017 , 8, 15129	17.4	182
30	Plasma miRNAs as early biomarkers for detecting hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2015 , 137, 1679-90	7.5	152
29	Circulation long non-coding RNAs act as biomarkers for predicting tumorigenesis and metastasis in hepatocellular carcinoma. <i>Oncotarget</i> , 2015 , 6, 4505-15	3.3	120
28	LINC00152 promotes proliferation in hepatocellular carcinoma by targeting EpCAM via the mTOR signaling pathway. <i>Oncotarget</i> , 2015 , 6, 42813-24	3.3	117
27	TOX promotes the exhaustion of antitumor CD8 T cells by preventing PD1 degradation in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2019 , 71, 731-741	13.4	113
26	The aberrant expression of MEG3 regulated by UHRF1 predicts the prognosis of hepatocellular carcinoma. <i>Molecular Carcinogenesis</i> , 2016 , 55, 209-19	5	104
25	Long non-coding RNA lnc-Tim3 exacerbates CD8 T cell exhaustion via binding to Tim-3 and inducing nuclear translocation of Bat3 in HCC. <i>Cell Death and Disease</i> , 2018 , 9, 478	9.8	80
24	Chimeric-antigen receptor T (CAR-T) cell therapy for solid tumors: challenges and opportunities. <i>Oncotarget</i> , 2017 , 8, 90521-90531	3.3	62
23	14-3-3 η delivered by hepatocellular carcinoma-derived exosomes impaired anti-tumor function of tumor-infiltrating T lymphocytes. <i>Cell Death and Disease</i> , 2018 , 9, 159	9.8	59
22	Inflammation and liver tumorigenesis. <i>Frontiers of Medicine</i> , 2013 , 7, 242-54	12	59
21	CUG-binding protein 1 regulates HSC activation and liver fibrogenesis. <i>Nature Communications</i> , 2016 , 7, 13498	17.4	46
20	Serum Uric Acid Increases Risk of Cancer Incidence and Mortality: A Systematic Review and Meta-Analysis. <i>Mediators of Inflammation</i> , 2015 , 2015, 764250	4.3	35
19	Inhibition of MTA1 by ER α contributes to protection hepatocellular carcinoma from tumor proliferation and metastasis. <i>Journal of Experimental and Clinical Cancer Research</i> , 2015 , 34, 128	12.8	30
18	Impact of age on the survival of patients with liver cancer: an analysis of 27,255 patients in the SEER database. <i>Oncotarget</i> , 2015 , 6, 633-41	3.3	30
17	Bidirectional transcription of linc00441 and RB1 via H3K27 modification-dependent way promotes hepatocellular carcinoma. <i>Cell Death and Disease</i> , 2017 , 8, e2675	9.8	27

16	The therapeutic value of targeting inflammation in gastrointestinal cancers. <i>Trends in Pharmacological Sciences</i> , 2014 , 35, 349-57	13.2	27
15	PTPRO plays a dual role in hepatic ischemia reperfusion injury through feedback activation of NF- κ B. <i>Journal of Hepatology</i> , 2014 , 60, 306-12	13.4	27
14	Increased Risk of Cancer in relation to Gout: A Review of Three Prospective Cohort Studies with 50,358 Subjects. <i>Mediators of Inflammation</i> , 2015 , 2015, 680853	4.3	25
13	Dysregulated bile acid signaling contributes to the neurological impairment in murine models of acute and chronic liver failure. <i>EBioMedicine</i> , 2018 , 37, 294-306	8.8	25
12	VersicanV1 promotes proliferation and metastasis of hepatocellular carcinoma through the activation of EGFR-PI3K-AKT pathway. <i>Oncogene</i> , 2020 , 39, 1213-1230	9.2	23
11	Prognostic value of marital status on stage at diagnosis in hepatocellular carcinoma. <i>Scientific Reports</i> , 2017 , 7, 41695	4.9	22
10	Long non-coding RNA Myd88 promotes growth and metastasis in hepatocellular carcinoma via regulating Myd88 expression through H3K27 modification. <i>Cell Death and Disease</i> , 2017 , 8, e3124	9.8	22
9	Effect of Tumor Size on Cancer-Specific Survival in Small Hepatocellular Carcinoma. <i>Mayo Clinic Proceedings</i> , 2015 , 90, 1187-95	6.4	21
8	PTPRO-mediated autophagy prevents hepatosteatosis and tumorigenesis. <i>Oncotarget</i> , 2015 , 6, 9420-33	3.3	20
7	Prognostic Value of Phosphotyrosine Phosphatases in Hepatocellular Carcinoma. <i>Cellular Physiology and Biochemistry</i> , 2018 , 46, 2335-2346	3.9	15
6	PTPROt maintains T cell immunity in the microenvironment of hepatocellular carcinoma. <i>Journal of Molecular Cell Biology</i> , 2015 , 7, 338-50	6.3	10
5	Survival and inflammation promotion effect of PTPRO in fulminant hepatitis is associated with NF- κ B activation. <i>Journal of Immunology</i> , 2014 , 193, 5161-70	5.3	10
4	High preoperative serum globulin in hepatocellular carcinoma is a risk factor for poor survival. <i>Journal of Cancer</i> , 2019 , 10, 3494-3500	4.5	9
3	The level of oncogene H-Ras correlates with tumorigenicity and malignancy. <i>Cell Cycle</i> , 2008 , 7, 934-9	4.7	5
2	Glutathione S-transferase M1 null genotype related to poor prognosis of colorectal cancer. <i>Tumor Biology</i> , 2016 , 37, 10229-34	2.9	2
1	Pitfalls in the non-invasive assessment of liver fibrosis with eLIFT-FM algorithm. <i>Journal of Hepatology</i> , 2018 , 68, 602-603	13.4	