Damiano Gianelle

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1291673/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Detection of grassland mowing frequency using time series of vegetation indices from Sentinel-2 imagery. GIScience and Remote Sensing, 2022, 59, 481-500.	2.4	12
2	Mapping a European Spruce Bark Beetle Outbreak Using Sentinel-2 Remote Sensing Data. Remote Sensing, 2022, 14, 3135.	1.8	14
3	Towards Continuous Stem Water Content and Sap Flux Density Monitoring: IoT-Based Solution for Detecting Changes in Stem Water Dynamics. Forests, 2022, 13, 1040.	0.9	7
4	Estimating grassland vegetation cover with remote sensing: A comparison between Landsat-8, Sentinel-2 and PlanetScope imagery. Ecological Indicators, 2022, 141, 109102.	2.6	20
5	Potential and Limitations of Grasslands α-Diversity Prediction Using Fine-Scale Hyperspectral Imagery. Remote Sensing, 2021, 13, 2649.	1.8	18
6	Refining the role of phenology in regulating gross ecosystem productivity across European peatlands. Global Change Biology, 2020, 26, 876-887.	4.2	25
7	Ecosystem transpiration and evaporation: Insights from three water flux partitioning methods across FLUXNET sites. Global Change Biology, 2020, 26, 6916-6930.	4.2	97
8	VIS-NIR, Red-Edge and NIR-Shoulder Based Normalized Vegetation Indices Response to Co-Varying Leaf and Canopy Structural Traits in Heterogeneous Grasslands. Remote Sensing, 2020, 12, 2254.	1.8	20
9	The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. Scientific Data, 2020, 7, 225.	2.4	646
10	Effect of Feeding Adaptation of Italian Simmental Cows before Summer Grazing on Animal Behavior and Milk Characteristics. Animals, 2020, 10, 829.	1.0	3
11	Tourists and Local Stakeholders' Perception of Ecosystem Services Provided by Summer Farms in the Eastern Italian Alps. Sustainability, 2020, 12, 1095.	1.6	19
12	Covariations between plant functional traits emerge from constraining parameterization of a terrestrial biosphere model. Global Ecology and Biogeography, 2019, 28, 1351-1365.	2.7	22
13	Optimizing Field Data Collection for Individual Tree Attribute Predictions Using Active Learning Methods. Remote Sensing, 2019, 11, 949.	1.8	2
14	Assessing Across-Scale Optical Diversity and Productivity Relationships in Grasslands of the Italian Alps. Remote Sensing, 2019, 11, 614.	1.8	11
15	Characterizing forest carbon dynamics using multi-temporal lidar data. Remote Sensing of Environment, 2019, 224, 412-420.	4.6	35
16	Prediction of Competition Indices in a Norway Spruce and Silver Fir-Dominated Forest Using Lidar Data. Remote Sensing, 2019, 11, 2734.	1.8	16
17	Individual tree crown delineation and tree species classification with hyperspectral and LiDAR data. PeerJ, 2019, 6, e6227.	0.9	51
18	Feeding management of dairy cattle affect grassland dynamics in an alpine pasture. International Journal of Agricultural Sustainability, 2018, 16, 64-73.	1.3	6

#	Article	IF	CITATIONS
19	Bayesian calibration of simple forest models with multiplicative mathematical structure: A case study with two Light Use Efficiency models in an alpine forest. Ecological Modelling, 2018, 371, 90-100.	1.2	3
20	Soil nitrogen explanatory factors across a range of forest ecosystems and climatic conditions in Italy. Forest Ecology and Management, 2018, 408, 25-35.	1.4	10
21	Predicting stem diameters and aboveground biomass of individual trees using remote sensing data. Ecological Indicators, 2018, 85, 367-376.	2.6	49
22	Identifying treetops from aerial laser scanning data with particle swarming optimization. European Journal of Remote Sensing, 2018, 51, 945-964.	1.7	4
23	Impacts of droughts and extreme-temperature events on gross primary production and ecosystem respiration: a systematic assessment across ecosystems and climate zones. Biogeosciences, 2018, 15, 1293-1318.	1.3	137
24	Predicting Selected Forest Stand Characteristics with Multispectral ALS Data. Remote Sensing, 2018, 10, 586.	1.8	25
25	Stand age and species richness dampen interannual variation of ecosystem-level photosynthetic capacity. Nature Ecology and Evolution, 2017, 1, 48.	3.4	85
26	Remote Sensing of Grassland Biophysical Parameters in the Context of the Sentinel-2 Satellite Mission. Journal of Sensors, 2016, 2016, 1-16.	0.6	34
27	Maximum Growth Potential and Periods of Resource Limitation in Apple Tree. Frontiers in Plant Science, 2016, 7, 233.	1.7	18
28	Montane ecosystem productivity responds more to global circulation patterns than climatic trends. Environmental Research Letters, 2016, 11, 024013.	2.2	19
29	Hail defoliation assessment in corn (Zea mays L.) using airborne LiDAR. Field Crops Research, 2016, 196, 426-437.	2.3	13
30	Potential and limitations of inferring ecosystem photosynthetic capacity from leaf functional traits. Ecology and Evolution, 2016, 6, 7352-7366.	0.8	29
31	Positive biodiversity-productivity relationship predominant in global forests. Science, 2016, 354, .	6.0	864
32	Canopy-scale flux measurements and bottom-up emission estimates of volatile organic compounds from a mixed oak and hornbeam forest in northern Italy. Atmospheric Chemistry and Physics, 2016, 16, 7149-7170.	1.9	27
33	Negative elevation-dependent warming trend in the Eastern Alps. Environmental Research Letters, 2016, 11, 044021.	2.2	37
34	Carbon fluxes of an alpine peatland in Northern Italy. Agricultural and Forest Meteorology, 2016, 220, 69-82.	1.9	27
35	Belowground carbon allocation patterns as determined by the in-growth soil core 13C technique across different ecosystem types. Geoderma, 2016, 263, 140-150.	2.3	21
36	Delineation of Individual Tree Crowns from ALS and Hyperspectral data: a comparison among four methods. European Journal of Remote Sensing, 2015, 48, 365-382.	1.7	60

#	Article	IF	CITATIONS
37	On the relationship between ecosystem-scale hyperspectral reflectance and CO ₂ exchange in European mountain grasslands. Biogeosciences, 2015, 12, 3089-3108.	1.3	21
38	Land Cover Classification and Monitoring: the STEM Open Source Solution. European Journal of Remote Sensing, 2015, 48, 811-831.	1.7	5
39	Bayesian optimization of a light use efficiency model for the estimation of daily gross primary productivity in a range of Italian forest ecosystems. Ecological Modelling, 2015, 306, 57-66.	1.2	14
40	WhiteRef: A New Tower-Based Hyperspectral System for Continuous Reflectance Measurements. Sensors, 2015, 15, 1088-1105.	2.1	19
41	Carbohydrates and thermal properties indicate a decrease in stable aggregate carbon following forest colonization of mountain grassland. Soil Biology and Biochemistry, 2015, 86, 135-145.	4.2	8
42	The match and mismatch between photosynthesis and land surface phenology of deciduous forests. Agricultural and Forest Meteorology, 2015, 214-215, 25-38.	1.9	80
43	Carbon, Water and Energy Fluxes of Terrestrial Ecosystems in Italy. Environmental Science and Engineering, 2015, , 11-45.	0.1	8
44	Remote sensing of annual terrestrial gross primary productivity from MODIS: an assessment using the FLUXNET La Thuile data set. Biogeosciences, 2014, 11, 2185-2200.	1.3	62
45	Fusion of hyperspectral and LiDAR data for forest attributes estimation. , 2014, , .		1
46	Effects of forest expansion on mountain grassland: changes within soil organic carbon fractions. Plant and Soil, 2014, 385, 373-387.	1.8	41
47	A new procedure for identifying single trees in understory layer using discrete LiDAR data. , 2014, , .		6
48	Monitoring of carbon dioxide fluxes in a subalpine grassland ecosystem of the Italian Alps using a multispectral sensor. Biogeosciences, 2014, 11, 4695-4712.	1.3	28
49	Reply to Magnani et al.: Linking large-scale chlorophyll fluorescence observations with cropland gross primary production. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E2511.	3.3	11
50	Global and time-resolved monitoring of crop photosynthesis with chlorophyll fluorescence. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E1327-33.	3.3	741
51	Vegetation-specific model parameters are not required for estimating gross primary production. Ecological Modelling, 2014, 292, 1-10.	1.2	37
52	Global comparison of light use efficiency models for simulating terrestrial vegetation gross primary production based on the LaThuile database. Agricultural and Forest Meteorology, 2014, 192-193, 108-120.	1.9	220
53	Changes in soil organic carbon and nitrogen following forest expansion on grassland in the Southern Alps. Forest Ecology and Management, 2014, 328, 103-116.	1.4	43
54	Components of forest soil CO2 efflux estimated from Δ14C values of soil organic matter. Plant and Soil, 2013, 364, 55-68.	1.8	10

#	Article	IF	CITATIONS
55	Airborne laser scanning of forest resources: An overview of research in Italy as a commentary case study. International Journal of Applied Earth Observation and Geoinformation, 2013, 23, 288-300.	1.4	53
56	A data-driven analysis of energy balance closure across FLUXNET research sites: The role of landscape scale heterogeneity. Agricultural and Forest Meteorology, 2013, 171-172, 137-152.	1.9	424
57	Convergence of potential net ecosystem production among contrasting C ₃ grasslands. Ecology Letters, 2013, 16, 502-512.	3.0	19
58	Tree Species Classification in Boreal Forests With Hyperspectral Data. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 2632-2645.	2.7	278
59	The contribution of nitrogen deposition to the photosynthetic capacity of forests. Global Biogeochemical Cycles, 2013, 27, 187-199.	1.9	127
60	Forest species and biomass estimation using airborne laser scanning and hyperspectral images. , 2013, , .		0
61	Tradeâ€offs between global warming and day length on the start of the carbon uptake period in seasonally cold ecosystems. Geophysical Research Letters, 2013, 40, 6136-6142.	1.5	14
62	New spectral vegetation indices based on the near-infrared shoulder wavelengths for remote detection of grassland phytomass. International Journal of Remote Sensing, 2012, 33, 2178-2195.	1.3	65
63	Tree species classification in the Southern Alps based on the fusion of very high geometrical resolution multispectral/hyperspectral images and LiDAR data. Remote Sensing of Environment, 2012, 123, 258-270.	4.6	365
64	Thermal optimality of net ecosystem exchange of carbon dioxide and underlying mechanisms. New Phytologist, 2012, 194, 775-783.	3.5	111
65	Correction to "Clobal patterns of landâ€atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observationsâ€: Journal of Geophysical Research, 2012, 117, .	3.3	5
66	Composition and stratification of a tachinid (Diptera: Tachinidae) parasitoid community in a European temperate plain forest. Insect Conservation and Diversity, 2012, 5, 346-357.	1.4	16
67	Tree species classification in the Southern Alps with very high geometrical resolution multispectral and hyperspectral data. , 2011, , .		8
68	Global patterns of land-atmosphere fluxes of carbon dioxide, latent heat, and sensible heat derived from eddy covariance, satellite, and meteorological observations. Journal of Geophysical Research, 2011, 116, .	3.3	933
69	Redefinition and global estimation of basal ecosystem respiration rate. Global Biogeochemical Cycles, 2011, 25, n/a-n/a.	1.9	43
70	Seasonal variation of photosynthetic model parameters and leaf area index from global Fluxnet eddy covariance data. Journal of Geophysical Research, 2011, 116, .	3.3	35
71	Climatic controls and ecosystem responses drive the inter-annual variability of the net ecosystem exchange of an alpine meadow. Agricultural and Forest Meteorology, 2011, 151, 1233-1243.	1.9	113
72	Controls on winter ecosystem respiration in temperate and boreal ecosystems. Biogeosciences, 2011, 8, 2009-2025.	1.3	42

#	Article	IF	CITATIONS
73	Semiempirical modeling of abiotic and biotic factors controlling ecosystem respiration across eddy covariance sites. Global Change Biology, 2011, 17, 390-409.	4.2	128
74	A System for the Estimation of Single-Tree Stem Diameter and Volume Using Multireturn LIDAR Data. IEEE Transactions on Geoscience and Remote Sensing, 2011, 49, 2479-2490.	2.7	56
75	The role of ground reference data collection in the prediction of stem volume with LiDAR data in mountain areas. ISPRS Journal of Photogrammetry and Remote Sensing, 2011, 66, 787-797.	4.9	28
76	Mapping and modeling forest tree volume using forest inventory and airborne laser scanning. European Journal of Forest Research, 2011, 130, 569-577.	1.1	36
77	Fusion of airborne LiDAR and satellite multispectral data for the estimation of timber volume in the Southern Alps. Remote Sensing of Environment, 2011, 115, 2486-2498.	4.6	72
78	Global estimates of evapotranspiration and gross primary production based on MODIS and global meteorology data. Remote Sensing of Environment, 2010, 114, 1416-1431.	4.6	475
79	Recent decline in the global land evapotranspiration trend due to limited moisture supply. Nature, 2010, 467, 951-954.	13.7	1,771
80	Contrasting response of European forest and grassland energy exchange to heatwaves. Nature Geoscience, 2010, 3, 722-727.	5.4	491
81	Climate control of terrestrial carbon exchange across biomes and continents. Environmental Research Letters, 2010, 5, 034007.	2.2	137
82	Cataloguing Soil Carbon Stocks. Science, 2010, 330, 1476-1476.	6.0	8
83	INFOCARB: A regional scale forest carbon inventory (Provincia Autonoma di Trento, Southern Italian) Tj ETQq1 1	0.784314 1.4	∙rgBT /Overlo 26
84	Productivity, Respiration, and Light-Response Parameters of World Grassland and Agroecosystems Derived From Flux-Tower Measurements. Rangeland Ecology and Management, 2010, 63, 16-39.	1.1	133
85	Ecosystem carbon fluxes and canopy spectral reflectance of a mountain meadow. International Journal of Remote Sensing, 2009, 30, 435-449.	1.3	41
86	Fusion of hyperspectral and lidar remote sensing data for the estimation of tree stem diameters. , 2009, , .		5
87	Fusion of multiâ€spectral SPOTâ€5 images and very high resolution texture information extracted from digital orthophotos for automatic classification of complex Alpine areas. International Journal of Remote Sensing, 2009, 30, 2859-2873.	1.3	4
88	Analysis on the Use of Multiple Returns LiDAR Data for the Estimation of Tree Stems Volume. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2009, 2, 310-318.	2.3	33
89	The role of spectral resolution and classifier complexity in the analysis of hyperspectral images of forest areas. Remote Sensing of Environment, 2009, 113, 2345-2355.	4.6	171
90	Temporal and amongâ€ s ite variability of inherent water use efficiency at the ecosystem level. Global Biogeochemical Cycles, 2009, 23, .	1.9	422

#	Article	lF	CITATIONS
91	Estimation of grassland biophysical parameters using hyperspectral reflectance for fire risk map prediction. International Journal of Wildland Fire, 2009, 18, 815.	1.0	7
92	Biotic, Abiotic, and Management Controls on the Net Ecosystem CO2 Exchange of European Mountain Grassland Ecosystems. Ecosystems, 2008, 11, 1338-1351.	1.6	122
93	Using the MIR bands in vegetation indices for the estimation of grassland biophysical parameters from satellite remote sensing in the Alps region of Trentino (Italy). Advances in Space Research, 2008, 41, 1764-1772.	1.2	66
94	Fusion of Hyperspectral and LIDAR Remote Sensing Data for Classification of Complex Forest Areas. IEEE Transactions on Geoscience and Remote Sensing, 2008, 46, 1416-1427.	2.7	435
95	Nadir and offâ€nadir hyperspectral field data: strengths and limitations in estimating grassland biophysical characteristics. International Journal of Remote Sensing, 2007, 28, 1547-1560.	1.3	22
96	On the role of spectral resolution and classifier complexity in the analysis of hyperspectral images of forest areas. , 2007, , .		0
97	Determination of green herbage ratio in grasslands using spectral reflectance. Methods and ground measurements. International Journal of Remote Sensing, 2007, 28, 931-942.	1.3	35
98	Distribution patterns of four Orthoptera species in relation to microhabitat heterogeneity in an ecotonal area. Acta Oecologica, 2001, 22, 175-185.	0.5	61