
Manickam Jayakannan

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1292450/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Optical and Redox Properties of a Series of 3,4-Ethylenedioxythiophene Oligomers. Chemistry - A European Journal, 2002, 8, 2384. | 3.3 | 172 |
| 2 | Solventâ€free and nonisocyanate melt transurethane reaction for aliphatic polyurethanes and mechanistic aspects. Journal of Polymer Science Part A, 2008, 46, 2445-2458. | 2.3 | 90 |
| 3 | Core–shell polymer nanoparticles for prevention of GSH drug detoxification and cisplatin delivery to breast cancer cells. Nanoscale, 2015, 7, 17964-17979. | 5.6 | 81 |
| 4 | Dual stimuli polysaccharide nanovesicles for conjugated and physically loaded doxorubicin delivery in breast cancer cells. Nanoscale, 2015, 7, 6636-6652. | 5.6 | 78 |
| 5 | Enzyme and Thermal Dual Responsive Amphiphilic Polymer Core–Shell Nanoparticle for Doxorubicin Delivery to Cancer Cells. Biomacromolecules, 2016, 17, 384-398. | 5.4 | 52 |
| 6 | Polysaccharide nano-vesicular multidrug carriers for synergistic killing of cancer cells. Nanoscale, 2014, 6, 11841-11855. | 5.6 | 51 |
| 7 | Recent Developments in Polyether Synthesis. Macromolecular Rapid Communications, 2001, 22, 1463. | 3.9 | 47 |
| 8 | Development of <scp>l</scp> -Tyrosine-Based Enzyme-Responsive Amphiphilic Poly(ester-urethane) Nanocarriers for Multiple Drug Delivery to Cancer Cells. Biomacromolecules, 2017, 18, 189-200. | 5.4 | 47 |
| 9 | Cisplatin-Stitched Polysaccharide Vesicles for Synergistic Cancer Therapy of Triple Antagonistic Drugs. Biomacromolecules, 2017, 18, 113-126. | 5.4 | 46 |
| 10 | Biotin-Tagged Polysaccharide Vesicular Nanocarriers for Receptor-Mediated Anticancer Drug Delivery in Cancer Cells. Biomacromolecules, 2018, 19, 3572-3585. | 5.4 | 43 |
| 11 | Dual Functional Nanocarrier for Cellular Imaging and Drug Delivery in Cancer Cells Based on ï€-Conjugated Core and Biodegradable Polymer Arms. Biomacromolecules, 2016, 17, 1004-1016. | 5.4 | 39 |
| 12 | Carboxylicâ€functionalized water soluble Ï€â€conjugated polymer: Highly selective and efficient chemosensor for mercury(II) ions. Journal of Polymer Science Part A, 2009, 47, 5144-5157. | 2.3 | 38 |
| 13 | Structural Engineering of Biodegradable PCL Block Copolymer Nanoassemblies for Enzyme-Controlled Drug Delivery in Cancer Cells. ACS Biomaterials Science and Engineering, 2016, 2, 1926-1941. | 5.2 | 34 |
| 14 | Selfâ€assembled anionic micellar template for polypyrrole, polyaniline, and their random copolymer nanomaterials. Journal of Polymer Science, Part B: Polymer Physics, 2009, 47, 830-846. | 2.1 | 33 |
| 15 | Triple Block Nanocarrier Platform for Synergistic Cancer Therapy of Antagonistic Drugs. Biomacromolecules, 2016, 17, 4075-4085. | 5.4 | 32 |
| 16 | Development of <scp>l</scp> -Lysine Based Biodegradable Polyurethanes and Their Dual-Responsive Amphiphilic Nanocarriers for Drug Delivery to Cancer Cells. ACS Applied Polymer Materials, 2019, 1, 1866-1880. | 4.4 | 32 |
| 17 | Multistimuli-Responsive Amphiphilic Poly(ester-urethane) Nanoassemblies Based on <scp>l</scp> -Tyrosine for Intracellular Drug Delivery to Cancer Cells. Biomacromolecules, 2018, 19, 2166-2181. | 5.4 | 31 |
| 18 | Polymer Topology Driven Enzymatic Biodegradation in Polycaprolactone Block and Random Copolymer Architectures for Drug Delivery to Cancer Cells. Macromolecules, 2016, 49, 8098-8112. | 4.8 | 30 |

| # | Article | IF | CITATIONS |
|----|--|-------------|-----------|
| 19 | Color-Tunable Amphiphilic Segmented π-Conjugated Polymer Nano-Assemblies and Their Bioimaging in Cancer Cells. Macromolecules, 2016, 49, 4102-4114. | 4.8 | 28 |
| 20 | Enzyme and pH dual responsive <scp>l</scp> -amino acid based biodegradable polymer nanocarrier for multidrug delivery to cancer cells. Journal of Polymer Science Part A, 2016, 54, 3279-3293. | 2.3 | 28 |
| 21 | Ï€-Conjugate Fluorophore-Tagged and Enzyme-Responsive <scp>l</scp> -Amino Acid Polymer Nanocarrier and Their Color-Tunable Intracellular FRET Probe in Cancer Cells. Biomacromolecules, 2017, 18, 2594-2609. | 5.4 | 26 |
| 22 | Amyloid-Like Hierarchical Helical Fibrils and Conformational Reversibility in Functional Polyesters Based on <scp>l</scp> -Amino Acids. Biomacromolecules, 2015, 16, 1009-1020. | 5.4 | 23 |
| 23 | Real-Time Drug Release Analysis of Enzyme and pH Responsive Polysaccharide Nanovesicles. Journal of Physical Chemistry B, 2015, 119, 10511-10523. | 2.6 | 23 |
| 24 | Melt polycondensation approach for reduction degradable helical polyester based on <scp>l</scp> â€cystine. Journal of Polymer Science Part A, 2016, 54, 2864-2875. | 2.3 | 22 |
| 25 | An AIE-driven fluorescent polysaccharide polymersome as an enzyme-responsive FRET nanoprobe to study the real-time delivery aspects in live cells. Polymer Chemistry, 2021, 12, 1549-1561. | 3.9 | 22 |
| 26 | Polyurethane–oligo(phenylenevinylene) random copolymers: Ï€â€Conjugated pores, vesicles, and nanospheres via solventâ€induced selfâ€organization. Journal of Polymer Science Part A, 2008, 46, 5897-5915. | 2.3 | 21 |
| 27 | Largeâ€scale synthesis of polyaniline nanofibers based on renewable resource molecular template. Journal of Applied Polymer Science, 2009, 114, 3531-3541. | 2.6 | 21 |
| 28 | Thermo-responsive and shape transformable amphiphilic scaffolds for loading and delivering anticancer drugs. Journal of Materials Chemistry B, 2014, 2, 4142. | 5.8 | 21 |
| 29 | Control of molecular aggregation in symmetrically substituted Ï€â€conjugated bulky poly(<i>p</i> â€phenylenevinylene)s and their copolymers. Journal of Polymer Science Part A, 2009, 47, 2631-2646. | 2.3 | 20 |
| 30 | Fluorescent-Tagged Biodegradable Polycaprolactone Block Copolymer FRET Probe for Intracellular Bioimaging in Cancer Cells. ACS Biomaterials Science and Engineering, 2017, 3, 2185-2197. | 5.2 | 19 |
| 31 | Biodegradable Block Copolymer Scaffolds for Loading and Delivering Cisplatin Anticancer Drug. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2014, 640, 1119-1126. | 1.2 | 18 |
| 32 | Development of <scp>l</scp> -Amino-Acid-Based Hydroxyl Functionalized Biodegradable Amphiphilic Polyesters and Their Drug Delivery Capabilities to Cancer Cells. Biomacromolecules, 2020, 21, 171-187. | 5.4 | 18 |
| 33 | One-pot two polymers: ABB′ melt polycondensation for linear polyesters and hyperbranched poly(ester-urethane)s based on natural <scp>I</scp> -amino acids. Polymer Chemistry, 2015, 6, 4641-4649. | 3.9 | 17 |
| 34 | Herringbone and Helical Selfâ€Assembly of Ï€â€Conjugated Molecules in the Solid State through CH/Ï€ Hydrogen Bonds. Chemistry - A European Journal, 2012, 18, 11987-11993. | 3.3 | 16 |
| 35 | CH/ï€â€Interactionâ€Guided Selfâ€Assembly in ï€â€Conjugated Oligomers. Chemistry - A European Journal, 20 18, 2867-2874. |)12, 3.3 | 16 |
| 36 | Helical Self-Assemblies of Segmented Poly(phenylenevinylene)s and Their Hierarchical Donor–Acceptor Complexes. Macromolecules, 2014, 47, 2592-2603. | 4.8 | 16 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Catalysts and temperature driven melt polycondensation reaction for helical poly(ester-urethane)s based on natural L-amino acids. Journal of Polymer Science Part A, 2016, 54, 1065-1077. | 2.3 | 16 |
| 38 | Enzyme-Responsive Theranostic FRET Probe Based on <scp>l</scp> -Aspartic Amphiphilic Polyester Nanoassemblies for Intracellular Bioimaging in Cancer Cells. ACS Applied Bio Materials, 2019, 2, 5245-5262. | 4.6 | 16 |
| 39 | Renewable resourceâ€based poly (<i>m</i> â€phenylenevinylene)s and their statistical copolymers: Synthesis, characterization, and probing of molecular aggregation and Forster energy transfer processes. Journal of Polymer Science Part A, 2008, 46, 3241-3256. | 2.3 | 15 |
| 40 | Heavy Atom Effect Driven Organic Phosphors and Their Luminescent Lanthanide Metal–Organic Frameworks. ChemPlusChem, 2013, 78, 737-745. | 2.8 | 15 |
| 41 | Ï€-Conjugated Polymer Anisotropic Organogel Nanofibrous Assemblies for Thermoresponsive Photonic Switches. ACS Applied Materials & Interfaces, 2014, 6, 19385-19396. | 8.0 | 15 |
| 42 | Perylene-Tagged Polycaprolactone Block Copolymers and Their Enzyme-Biodegradable Fluorescent Nanoassemblies for Intracellular Bio-imaging in Cancer Cells. ACS Applied Polymer Materials, 2019, 1, 3375-3388. | 4.4 | 15 |
| 43 | Biodegradable Polymer Theranostic Fluorescent Nanoprobe for Direct Visualization and Quantitative Determination of Antimicrobial Activity. Biomacromolecules, 2020, 21, 2896-2912. | 5.4 | 15 |
| 44 | Polymer Nanovesicle-Mediated Delivery of MLN8237 Preferentially Inhibits Aurora Kinase A To Target RalA and Anchorage-Independent Growth in Breast Cancer Cells. Molecular Pharmaceutics, 2018, 15, 3046-3059. | 4.6 | 11 |
| 45 | New amphiphilic sulfonic acid dopantâ€cumâ€templates for diverse conducting polyaniline nanomaterials. Journal of Applied Polymer Science, 2013, 127, 1781-1793. | 2.6 | 10 |
| 46 | Direct Evidence for Secondary Interactions in Planar and Nonplanar Aromatic π-Conjugates and Their Photophysical Characteristics in Solid-State Assemblies. Journal of Physical Chemistry B, 2015, 119, 5102-5112. | 2.6 | 8 |
| 47 | Tertiary-Butylbenzene Functionalization as a Strategy for β-Sheet Polypeptides. Biomacromolecules, 2022, 23, 2667-2684. | 5.4 | 7 |
| 48 | Super LCST thermo-responsive nanoparticle assembly for ATP binding through the Hofmeister effect. Journal of Materials Chemistry B, 2015, 3, 1957-1967. | 5.8 | 6 |
| 49 | Fluorescent ABCâ€Triblock Polymer Nanocarrier for Cisplatin Delivery to Cancer Cells. Chemistry - an Asian Journal, 2022, 17, . | 3.3 | 6 |
| 50 | Self-Reporting Polysaccharide Polymersome for Doxorubicin and Cisplatin Delivery to Live Cancer Cells. ACS Polymers Au, 2022, 2, 181-193. | 4.1 | 5 |