Yong Jiang

List of Publications by Citations

Source: https://exaly.com/author-pdf/1293122/yong-jiang-publications-by-citations.pdf

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

171
papers5,902
citations34
h-index71
g-index185
ext. papers7,666
ext. citations5.1
avg, IF5.7
L-index

#	Paper	IF	Citations
171	Artificial intelligence in healthcare: past, present and future. <i>Stroke and Vascular Neurology</i> , 2017 , 2, 230-243	9.1	1041
170	Prevalence, Incidence, and Mortality of Stroke in China: Results from a Nationwide Population-Based Survey of 480 687 Adults. <i>Circulation</i> , 2017 , 135, 759-771	16.7	885
169	Recent analytical approaches in quality control of traditional Chinese medicinesa review. <i>Analytica Chimica Acta</i> , 2010 , 657, 9-18	6.6	347
168	Analysis of chemical constituents in Cistanche species. <i>Journal of Chromatography A</i> , 2009 , 1216, 1970	-9 _{4.5}	123
167	China Stroke Statistics 2019: A Report From the National Center for Healthcare Quality Management in Neurological Diseases, China National Clinical Research Center for Neurological Diseases, the Chinese Stroke Association, National Center for Chronic and Non-communicable	9.1	108
166	Serum 25-hydroxyvitamin D and the risk of cardiovascular disease: dose-response meta-analysis of prospective studies. <i>American Journal of Clinical Nutrition</i> , 2017 , 105, 810-819	7	101
165	One single standard substance for the determination of multiple anthraquinone derivatives in rhubarb using high-performance liquid chromatography-diode array detection. <i>Journal of Chromatography A</i> , 2009 , 1216, 2118-23	4.5	86
164	Tenuigenin treatment decreases secretion of the Alzheimerß disease amyloid beta-protein in cultured cells. <i>Neuroscience Letters</i> , 2004 , 367, 123-8	3.3	79
163	8-C N-ethyl-2-pyrrolidinone substituted flavan-3-ols as the marker compounds of Chinese dark teas formed in the post-fermentation process provide significant antioxidative activity. <i>Food Chemistry</i> , 2014 , 152, 539-45	8.5	76
162	Echinacoside rescues the SHSY5Y neuronal cells from TNFalpha-induced apoptosis. <i>European Journal of Pharmacology</i> , 2004 , 505, 11-8	5.3	67
161	The Third China National Stroke Registry (CNSR-III) for patients with acute ischaemic stroke or transient ischaemic attack: design, rationale and baseline patient characteristics. <i>Stroke and Vascular Neurology</i> , 2019 , 4, 158-164	9.1	63
160	Substantial Progress Yet Significant Opportunity for Improvement in Stroke Care in China. <i>Stroke</i> , 2016 , 47, 2843-2849	6.7	62
159	Evaluation of the anti-myocardial ischemia effect of individual and combined extracts of Panax notoginseng and Carthamus tinctorius in rats. <i>Journal of Ethnopharmacology</i> , 2013 , 145, 722-7	5	62
158	Sesquiterpene dimer (DSF-52) from Artemisia argyi inhibits microglia-mediated neuroinflammation via suppression of NF- B , JNK/p38 MAPKs and Jak2/Stat3 signaling pathways. <i>Phytomedicine</i> , 2014 , 21, 298-306	6.5	61
157	Resokaempferol-mediated anti-inflammatory effects on activated macrophages via the inhibition of JAK2/STAT3, NF-B and JNK/p38 MAPK signaling pathways. <i>International Immunopharmacology</i> , 2016 , 38, 104-14	5.8	60
156	Characterization of seventy polymethoxylated flavonoids (PMFs) in the leaves of Murraya paniculata by on-line high-performance liquid chromatography coupled to photodiode array detection and electrospray tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical</i>	3.5	60
155	An approach to identifying sequential metabolites of a typical phenylethanoid glycoside, echinacoside, based on liquid chromatography-ion trap-time of flight mass spectrometry analysis. <i>Talanta</i> , 2009 , 80, 572-80	6.2	58

154	NO inhibitory guaianolide-derived terpenoids from Artemisia argyi. Floterap[1 2013 , 85, 169-75	3.2	57
153	Triterpene saponins from Clematis chinensis and their potential anti-inflammatory activity. <i>Journal of Natural Products</i> , 2010 , 73, 1234-9	4.9	54
152	Effect of a Multifaceted Quality Improvement Intervention on Hospital Personnel Adherence to Performance Measures in Patients With Acute Ischemic Stroke in China: A Randomized Clinical Trial. JAMA - Journal of the American Medical Association, 2018, 320, 245-254	27.4	51
151	China ß response to the rising stroke burden. <i>BMJ, The</i> , 2019 , 364, l879	5.9	49
150	Triterpene saponins from the leaves of Ilex kudingcha. <i>Journal of Natural Products</i> , 2005 , 68, 1169-74	4.9	48
149	Phenylethanoid glycosides with anti-inflammatory activities from the stems of Cistanche deserticola cultured in Tarim desert. <i>Floterap</i> [1 2013 , 89, 167-74	3.2	47
148	Large-scale qualitative and quantitative characterization of components in Shenfu injection by integrating hydrophilic interaction chromatography, reversed phase liquid chromatography, and tandem mass spectrometry. <i>Journal of Chromatography A</i> , 2015 , 1407, 106-18	4.5	46
147	An integrated strategy to quantitatively differentiate chemome between Cistanche deserticola and C. tubulosa using high performance liquid chromatography-hybrid triple quadrupole-linear ion trap mass spectrometry. <i>Journal of Chromatography A</i> , 2016 , 1429, 238-47	4.5	44
146	Dimeric guaianolides and sesquiterpenoids from Artemisia anomala. <i>Journal of Natural Products</i> , 2010 , 73, 67-70	4.9	43
145	A novel chalcone from Coreopsis tinctoria Nutt Biochemical Systematics and Ecology, 2006 , 34, 766-76	9 1.4	41
145	A novel chalcone from Coreopsis tinctoria Nutt <i>Biochemical Systematics and Ecology</i> , 2006 , 34, 766-76 Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa. <i>Filioterap</i> [1 2013 , 89, 1-7	9 1.4	40
	Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa.		
144	Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa. Floterap[1 2013 , 89, 1-7		40
144	Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa. Floterap 2013, 89, 1-7 Xanthone O-glycosides from Polygala tenuifolia. Phytochemistry, 2002, 60, 813-6 Xanthone glycosides from Polygala tenuifolia and their conformational analyses. Journal of Natural	3.2	40
144 143 142	Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa. Floterap [12013, 89, 1-7] Xanthone O-glycosides from Polygala tenuifolia. Phytochemistry, 2002, 60, 813-6 Xanthone glycosides from Polygala tenuifolia and their conformational analyses. Journal of Natural Products, 2005, 68, 875-9 An Integrated Strategy for Global Qualitative and Quantitative Profiling of Traditional Chinese	3.2 4 4.9	40 38 37
144 143 142	Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa. Floterap [12013, 89, 1-7] Xanthone O-glycosides from Polygala tenuifolia. Phytochemistry, 2002, 60, 813-6 Xanthone glycosides from Polygala tenuifolia and their conformational analyses. Journal of Natural Products, 2005, 68, 875-9 An Integrated Strategy for Global Qualitative and Quantitative Profiling of Traditional Chinese Medicine Formulas: Baoyuan Decoction as a Case. Scientific Reports, 2016, 6, 38379 Body-mass index and obesity in urban and rural China: findings from consecutive nationally	3.2 4 4.9	40 38 37 37
144 143 142 141	Quinolone alkaloids with antibacterial and cytotoxic activities from the fruits of Evodia rutaecarpa. <i>Floterap</i> (12013, 89, 1-7 Xanthone O-glycosides from Polygala tenuifolia. <i>Phytochemistry</i> , 2002, 60, 813-6 Xanthone glycosides from Polygala tenuifolia and their conformational analyses. <i>Journal of Natural Products</i> , 2005, 68, 875-9 An Integrated Strategy for Global Qualitative and Quantitative Profiling of Traditional Chinese Medicine Formulas: Baoyuan Decoction as a Case. <i>Scientific Reports</i> , 2016, 6, 38379 Body-mass index and obesity in urban and rural China: findings from consecutive nationally representative surveys during 2004-18. <i>Lancet</i> , <i>The</i> , 2021, 398, 53-63 High-performance liquid chromatography method for determination of carnosic acid in rat plasma	3.2 4 4.9 4.9	40 38 37 37 37

136	Integrated work-flow for quantitative metabolome profiling of plants, Peucedani Radix as a case. <i>Analytica Chimica Acta</i> , 2017 , 953, 40-47	6.6	33
135	Exotines A and B, Two Heterodimers of Isopentenyl-Substituted Indole and Coumarin Derivatives from Murraya exotica. <i>Organic Letters</i> , 2015 , 17, 4380-3	6.2	33
134	Tenuifolin, a saponin derived from Radix Polygalae, exhibits sleep-enhancing effects in mice. <i>Phytomedicine</i> , 2016 , 23, 1797-1805	6.5	33
133	Prevalence, knowledge, and treatment of transient ischemic attacks in China. <i>Neurology</i> , 2015 , 84, 23	54 -6 .ţ	32
132	A series of strategies for solving the shortage of reference standards for multi-components determination of traditional Chinese medicine, Mahoniae Caulis as a case. <i>Journal of Chromatography A</i> , 2015 , 1412, 100-11	4.5	32
131	Anti-neuroinflammatory efficacy of the aldose reductase inhibitor FMHM via phospholipase C/protein kinase C-dependent NF-B and MAPK pathways. <i>Toxicology and Applied Pharmacology</i> , 2013 , 273, 159-71	4.6	32
130	Anti-neuroinflammatory constituents from Polygala tricornis Gagnep. Floterap[1 2012 , 83, 896-900	3.2	32
129	Characterization of the herb-derived components in rats following oral administration of Carthamus tinctorius extract by extracting diagnostic fragment ions (DFIs) in the MS(n) chromatograms. <i>Analyst, The</i> , 2014 , 139, 6474-85	5	31
128	Amelioration of dextran sulphate sodium-induced colitis in mice by echinacoside-enriched extract of Cistanche tubulosa. <i>Phytotherapy Research</i> , 2014 , 28, 110-9	6.7	31
127	Nitric Oxide Inhibitory Dimeric Sesquiterpenoids from Artemisia rupestris. <i>Journal of Natural Products</i> , 2016 , 79, 213-23	4.9	30
126	Sesquiterpenes from Artemisia argyi: Absolute Configurations and Biological Activities. <i>European Journal of Organic Chemistry</i> , 2014 , 2014, 973-983	3.2	30
125	Homolog-focused profiling of ginsenosides based on the integration of step-wise formate anion-to-deprotonated ion transition screening and scheduled multiple reaction monitoring. <i>Journal of Chromatography A</i> , 2015 , 1406, 136-44	4.5	30
124	Quality assessment of commercial Magnoliae officinalis Cortex by <code>IH-NMR-based</code> metabolomics and HPLC methods. <i>Phytochemical Analysis</i> , 2012 , 23, 387-95	3.4	30
123	Four new phenones from the cortexes of Polygala tenuifolia. <i>Chemical and Pharmaceutical Bulletin</i> , 2005 , 53, 1164-6	1.9	28
122	Prevalence of Smoking and Knowledge About the Hazards of Smoking Among 170 000 Chinese Adults, 2013-2014. <i>Nicotine and Tobacco Research</i> , 2019 , 21, 1644-1651	4.9	28
121	Characterization of in vitro and in vivo metabolites of carnosic acid, a natural antioxidant, by high performance liquid chromatography coupled with tandem mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2014 , 89, 183-96	3.5	27
120	Anti-Neuroinflammatory Effect of MC13, a Novel Coumarin Compound From Condiment Murraya, Through Inhibiting Lipopolysaccharide-Induced TRAF6-TAK1-NF-B, P38/ERK MAPKS and Jak2-Stat1/Stat3 Pathways. <i>Journal of Cellular Biochemistry</i> , 2015 , 116, 1286-99	4.7	27
119	Deoxysappanone B, a homoisoflavone from the Chinese medicinal plant Caesalpinia sappan L., protects neurons from microglia-mediated inflammatory injuries via inhibition of IB kinase (IKK)-NF-B and p38/ERK MAPK pathways. European Journal of Pharmacology, 2015, 748, 18-29	5.3	27

118	Sensitive Determination of Saponins in Radix et Rhizoma Notoginseng by Charged Aerosol Detector Coupled with HPLC. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2008 , 32, 247	2- 2 60	26	
117	Dimeric guaianolides from Artemisia absinthium. <i>Phytochemistry</i> , 2014 , 105, 109-14	4	25	
116	TDB protects vascular endothelial cells against oxygen-glucose deprivation/reperfusion-induced injury by targeting miR-34a to increase Bcl-2 expression. <i>Scientific Reports</i> , 2016 , 6, 37959	4.9	24	
115	An integrated platform for directly widely-targeted quantitative analysis of feces part II: An application for steroids, eicosanoids, and porphyrins profiling. <i>Journal of Chromatography A</i> , 2016 , 1460, 74-83	4.5	24	
114	Anti-Inflammatory Prenylated Phenylpropenols and Coumarin Derivatives from Murraya exotica. Journal of Natural Products, 2018 , 81, 22-33	4.9	23	
113	Acute Effects of Particulate Air Pollution on Ischemic Stroke and Hemorrhagic Stroke Mortality. <i>Frontiers in Neurology</i> , 2018 , 9, 827	4.1	23	
112	Simultaneous determination of aconite alkaloids and ginsenosides using online solid phase extraction hyphenated with polarity switching ultra-high performance liquid chromatography coupled with tandem mass spectrometry. <i>RSC Advances</i> , 2015 , 5, 6419-6428	3.7	22	
111	Ilexpublesnins C-M, eleven new triterpene saponins from the roots of Ilex pubescens. <i>Planta Medica</i> , 2013 , 79, 70-7	3.1	22	
110	Nitrogen Oxide Inhibitory Trimeric and Dimeric Carbazole Alkaloids from Murraya tetramera. Journal of Natural Products, 2015 , 78, 2432-9	4.9	21	
109	Anti-neuroinflammatory constituents from Asparagus cochinchinensis. Floterap [12013, 84, 80-4	3.2	21	
108	Inhibitory effect of triterpenoid saponins from the leaves of Ilex kudingcha on aggregated LDL-induced lipid deposition in macrophages. <i>Planta Medica</i> , 2009 , 75, 1410-4	3.1	21	
107	Arylethyl (= Phenylethanoid) Glycosides and Oligosaccharide from the Stem of Cistanche tubulosa. <i>Helvetica Chimica Acta</i> , 2006 , 89, 927-935	2	21	
106	Five New Biphenanthrenes from Cremastra appendiculata. <i>Molecules</i> , 2016 , 21,	4.8	21	
105	Nitrogen-containing bibenzyls from Pleione bulbocodioides: absolute configurations and biological activities. <i>Floterap</i> [12015 , 102, 120-6	3.2	20	
104	Home-made online hyphenation of pressurized liquid extraction, turbulent flow chromatography, and high performance liquid chromatography, Cistanche deserticola as a case study. <i>Journal of Chromatography A</i> , 2016 , 1438, 189-97	4.5	20	
103	Simultaneous determination of phenols in Radix Polygalae by high performance liquid chromatography: quality assurance of herbs from different regions and seasons. <i>Journal of Separation Science</i> , 2007 , 30, 2583-9	3.4	20	
102	Sesquiterpene dimmer (DSF-27) inhibits the release of neuroinflammatory mediators from microglia by targeting spleen tyrosine kinase (Syk) and Janus kinase 2 (Jak2): Two major non-receptor tyrosine signaling proteins involved in inflammatory events. <i>Toxicology and Applied</i>	4.6	19	
101	Pharmacology, 2014 , 275, 244-56 Triterpene saponins from the roots of Ilex pubescens. <i>Flioterap</i> [1 2014 , 97, 98-104	3.2	19	

100	Protosappanin B protects PC12 cells against oxygen-glucose deprivation-induced neuronal death by maintaining mitochondrial homeostasis via induction of ubiquitin-dependent p53 protein degradation. <i>European Journal of Pharmacology</i> , 2015 , 751, 13-23	5.3	19
99	Source attribution and structure classification-assisted strategy for comprehensively profiling Chinese herbal formula: Ganmaoling granule as a case. <i>Journal of Chromatography A</i> , 2016 , 1464, 102-14	4 ^{4·5}	19
98	The burden of stroke in China: Results from a nationwide population-based epidemiological survey. <i>PLoS ONE</i> , 2018 , 13, e0208398	3.7	19
97	Nitric oxide inhibitory constituents from the barks of Cinnamomum cassia. Floterap [12016, 112, 153-60]	3.2	18
96	Induction of hepatoma carcinoma cell apoptosis through activation of the JNK-nicotinamide adenine dinucleotide phosphate (NADPH) oxidase-ROS self-driven death signal circuit. <i>Cancer Letters</i> , 2014 , 353, 220-31	9.9	18
95	Two new homoisoflavonoids from the fibrous roots of Ophiopogon japonicus (Thunb.) Ker-Gawl. Journal of Asian Natural Products Research, 2009 , 11, 876-9	1.5	18
94	Five new benzylphenanthrenes from Cremastra appendiculata. Floterap (12015, 103, 27-32	3.2	17
93	Selective Activation of Nociceptor TRPV1 Channel and Reversal of Inflammatory Pain in Mice by a Novel Coumarin Derivative Muralatin L from Murraya alata. <i>Journal of Biological Chemistry</i> , 2016 , 291, 640-51	5.4	17
92	Three new compounds from Cinnamomum cassia. <i>Journal of Asian Natural Products Research</i> , 2016 , 18, 134-40	1.5	17
91	Rupestonic acids B-G, NO inhibitory sesquiterpenoids from Artemisia rupestris. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 4318-22	2.9	17
90	How to Address Small- and Medium-Sized Acoustic Neuromas with Hearing: A Systematic Review and Decision Analysis. <i>World Neurosurgery</i> , 2015 , 84, 283-291.e1	2.1	16
89	Differentiation of two types of pu-erh teas by using an electronic nose and ultrasound-assisted extraction-dispersive liquid I quid microextraction-gas chromatography-mass spectrometry. Analytical Methods, 2016, 8, 593-604	3.2	16
88	Simultaneous qualitative and quantitative determination of major polymethoxylated flavonoids in the leaves of Murraya paniculata by RRLC-DAD-ESI-MSn. <i>Analytical Methods</i> , 2012 , 4, 3399	3.2	16
87	Triterpene saponins from the leaves of Ilex kudingcha. <i>Journal of Asian Natural Products Research</i> , 2009 , 11, 554-61	1.5	16
86	Tricornoses A-L, oligosaccharide multi-esters from the roots of Polygala tricornis. <i>Journal of Natural Products</i> , 2005 , 68, 739-44	4.9	16
85	Atrial fibrillation is not uncommon among patients with ischemic stroke and transient ischemic stroke in China. <i>BMC Neurology</i> , 2017 , 17, 207	3.1	15
84	Nitric Oxide Inhibitory Sesquiterpenoids and Its Dimers from Artemisia freyniana. <i>Journal of Natural Products</i> , 2018 , 81, 866-878	4.9	15
83	Chemical constituents from Cistanche sinensis (Orobanchaceae). <i>Biochemical Systematics and Ecology</i> , 2013 , 47, 21-24	1.4	15

(2018-2009)

82	Performance Evaluation of Charged Aerosol and Evaporative Light Scattering Detection for the Determination of Ginsenosides by LC. <i>Chromatographia</i> , 2009 , 70, 603-608	2.1	15
81	Natural small molecule FMHM inhibits lipopolysaccharide-induced inflammatory response by promoting TRAF6 degradation via K48-linked polyubiquitination. <i>Scientific Reports</i> , 2015 , 5, 14715	4.9	14
80	Pharmacokinetics study of 16 representative components from Baoyuan Decoction in rat plasma by LC-MS/MS with a large-volume direct injection method. <i>Phytomedicine</i> , 2019 , 57, 148-157	6.5	14
79	Cucurbitacin E Inhibits Huh7 Hepatoma Carcinoma Cell Proliferation and Metastasis via Suppressing MAPKs and JAK/STAT3 Pathways. <i>Molecules</i> , 2020 , 25,	4.8	13
78	Characteristics of Wall Shear Stress and Pressure of Intracranial Atherosclerosis Analyzed by a Computational Fluid Dynamics Model: A Pilot Study. <i>Frontiers in Neurology</i> , 2019 , 10, 1372	4.1	13
77	Constituents of Vigna angularis and their in vitro anti-inflammatory activity. <i>Phytochemistry</i> , 2014 , 107, 111-8	4	13
76	Artesin A, a new cage-shaped dimeric guaianolide from Artemisia sieversiana. <i>Tetrahedron Letters</i> , 2015 , 56, 1141-1143	2	13
75	Two new phenolic compounds from the heartwood of Caesalpinia sappan L. <i>Molecules</i> , 2013 , 19, 1-8	4.8	13
74	Identification and quantification of 5,6,7,8-tetrahydro-2-(2-phenylethyl)chromones in Chinese eaglewood by HPLC with diode array detection and MS. <i>Journal of Separation Science</i> , 2013 , 36, 3733-4	0 ^{3.4}	13
73	Anti-inflammatory iridoids from the stems of Cistanche deserticola cultured in Tarim Desert. <i>Chinese Journal of Natural Medicines</i> , 2016 , 14, 61-5	2.8	13
72	Ticagrelor versus Clopidogrel in Loss-of-Function Carriers with Stroke or TIA. <i>New England Journal of Medicine</i> , 2021 ,	59.2	13
71	Nitric oxide inhibitory flavonoids from traditional Chinese medicine formula Baoyuan Decoction. $Floterap$ [12015, 103, 252-9	3.2	12
70	Three new triterpene saponins from Clematis chinensis. <i>Journal of Asian Natural Products Research</i> , 2013 , 15, 610-8	1.5	12
69	Inhibitory constituents from the aerial parts of Polygala tenuifolia on LPS-induced NO production in BV2 microglia cells. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 5904-8	2.9	12
68	Tenuifoliose Q, a new oligosaccharide ester from the root of Polygala tenuifolia Willd. <i>Journal of Asian Natural Products Research</i> , 2003 , 5, 279-83	1.5	12
67	An integrated platform for directly widely-targeted quantitative analysis of feces part I: Platform configuration and method validation. <i>Journal of Chromatography A</i> , 2016 , 1454, 58-66	4.5	12
66	Caruifolin D from artemisia absinthium L. inhibits neuroinflammation via reactive oxygen species-dependent c-jun N-terminal kinase and protein kinase c/NF- B signaling pathways. <i>European Journal of Pharmacology</i> , 2015 , 767, 82-93	5.3	11
65	Anti-inflammatory isoflavones and isoflavanones from the roots of Pongamia pinnata (L.) Pierre. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2018 , 28, 1050-1055	2.9	11

64	A simple and specific quantitative method for determination of dictamnine in Dictamni Cortex by 1H NMR spectroscopy. <i>Analytical Methods</i> , 2013 , 5, 1062	3.2	11
63	A sensitive and specific liquid chromatography/tandem mass spectrometry method for determination of echinacoside and its pharmacokinetic application in rats. <i>Biomedical Chromatography</i> , 2009 , 23, 630-7	1.7	11
62	New Glycosides from Cistanche salsa. <i>Helvetica Chimica Acta</i> , 2007 , 90, 79-85	2	11
61	Flavonoids and anthraquinones from Murraya tetramera C. C. Huang (Rutaceae). <i>Biochemical Systematics and Ecology</i> , 2014 , 57, 78-80	1.4	10
60	A rapid and sensitive HPLC-MS/MS analysis and preliminary pharmacokinetic characterization of sibiricaxanthone F in rats. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2011 , 879, 2513-8	3.2	10
59	Two new furostanol glycosides from the fibrous root of Ophiopogon japonicus (Thunb.) Ker-Gawl. <i>Journal of Asian Natural Products Research</i> , 2010 , 12, 745-51	1.5	10
58	MRM-based strategy for the homolog-focused detection of minor ginsenosides from notoginseng total saponins by ultra-performance liquid chromatography coupled with hybrid triple quadrupole-linear ion trap mass spectrometry. <i>RSC Advances</i> , 2016 , 6, 96376-96388	3.7	10
57	Arvestolides AII, new rare sesquiterpenes from the aerial parts of Artemisia vestita. <i>Tetrahedron Letters</i> , 2013 , 54, 5035-5038	2	9
56	ASC, a bioactive steroidal saponin from Ophitopogin japonicas, inhibits angiogenesis through interruption of Src tyrosine kinase-dependent matrix metalloproteinase pathway. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2015 , 116, 115-23	3.1	9
55	Extracts of Cistanche deserticola Can Antagonize Immunosenescence and Extend Life Span in Senescence-Accelerated Mouse Prone 8 (SAM-P8) Mice. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 601383	2.3	9
54	Characterization of the metabolism of sibiricaxanthone F and its aglycone in vitro by high performance liquid chromatography coupled with Q-trap mass spectrometry. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2012 , 70, 700-7	3.5	9
53	Modified CHADS and CHADS-VASc scores to predict atrial fibrillation in acute ischemic stroke patients. <i>Journal of Clinical Neuroscience</i> , 2018 , 51, 35-38	2.2	8
52	Investigation of the binding sites and orientation of caffeine on human serum albumin by surface-enhanced Raman scattering and molecular docking. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2013 , 115, 57-63	4.4	8
51	Sibiricasaponins A-E, five new triterpenoid saponins from the aerial parts of Polygala sibirica L. <i>Flioterap</i> [1 2013 , 84, 295-301	3.2	8
50	Sprengerinin C exerts anti-tumorigenic effects in hepatocellular carcinoma via inhibition of proliferation and angiogenesis and induction of apoptosis. <i>European Journal of Pharmacology</i> , 2013 , 714, 261-73	5.3	8
49	Isolation of Two Sucrose Esters from Polygala tenuifolia by High Speed Countercurrent Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 2005 , 28, 1583-1592	1.3	8
48	Effects of echinacoside on histio-central levels of active mass in middle cerebral artery occlusion rats. <i>Biomedical and Environmental Sciences</i> , 2012 , 25, 238-44	1.1	8
47	Chromatographic analysis of Polygalae Radix by online hyphenating pressurized liquid extraction. <i>Scientific Reports</i> , 2016 , 6, 27303	4.9	8

(2015-2021)

46	Whole genome sequencing of 10K patients with acute ischaemic stroke or transient ischaemic attack: design, methods and baseline patient characteristics. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 291-297	9.1	8
45	Clinical Characteristics, Management, and In-Hospital Outcomes in Patients With Stroke or Transient Ischemic Attack in China. <i>JAMA Network Open</i> , 2021 , 4, e2120745	10.4	8
44	Five New Xanthenone O-Glycosides from the Roots of Polygala sibirica L <i>Helvetica Chimica Acta</i> , 2008 , 91, 897-903	2	7
43	Constituents from the Roots of Semiaquilegia adoxoides. <i>Chinese Journal of Chemistry</i> , 2006 , 24, 1788-1	799	7
42	New diterpenoids from Semiaquilegia adoxoides. <i>Journal of Asian Natural Products Research</i> , 2006 , 8, 87-91	1.5	7
41	Murradiate and murradiol, two structurally unique heterodimers of carbazole-monoterpene and carbazole-phenylethanol from Murraya tetramera. <i>Phytochemistry Letters</i> , 2016 , 15, 113-115	1.9	7
40	External Validation of the Prestroke Independence, Sex, Age, National Institutes of Health Stroke Scale Score for Predicting Pneumonia After Stroke Using Data From the China National Stroke Registry. <i>Journal of Stroke and Cerebrovascular Diseases</i> , 2017 , 26, 938-943	2.8	6
39	Habitat differentiation and degradation characterization of Cinnamomi Cortex by 1H NMR spectroscopy coupled with multivariate statistical analysis. <i>Food Research International</i> , 2015 , 67, 155-1	62	6
38	Construction of China cardiovascular health index. <i>BMC Public Health</i> , 2018 , 18, 937	4.1	6
37	The cardiometabolic risk profile of Chinese adults with diabetes: A nationwide cross-sectional survey. <i>Journal of Diabetes and Its Complications</i> , 2017 , 31, 43-52	3.2	6
36	A new furostanol glycoside with fatty acid synthase inhibitory activity from Ophiopogon japonicusa. <i>Chemistry of Natural Compounds</i> , 2012 , 48, 613-615	0.7	6
35	Polygalins D-G, four new flavonol glycosides from the aerial parts of Polygala sibirica L. (Polygalaceae). <i>Natural Product Research</i> , 2013 , 27, 1220-7	2.3	6
34	Prediction of 10-year Atherosclerotic Cardiovascular Disease Risk among Adults Aged 40-79 Years in China: a Nationally Representative Survey. <i>Biomedical and Environmental Sciences</i> , 2017 , 30, 244-254	1.1	6
33	A Precise Microfluidic Assay in Single-Cell Profile for Screening of Transient Receptor Potential Channel Modulators. <i>Advanced Science</i> , 2020 , 7, 2000111	13.6	6
32	Formal synthesis of semiaquilegin A. <i>Tetrahedron Letters</i> , 2010 , 51, 1121-1123	2	5
31	Smoking and Its Relation to Metabolic Status among Chinese Adults: Analysis of a Nationwide Survey. <i>Biomedical and Environmental Sciences</i> , 2016 , 29, 619-627	1.1	5
30	Chinese Stroke Association guidelines for clinical management of cerebrovascular disorders: executive summary and 2019 update of the management of high-risk population. <i>Stroke and Vascular Neurology</i> , 2020 , 5, 270-278	9.1	5
29	New sesquiterpene and thiophene derivatives from Artemisia rupestris. <i>Journal of Asian Natural Products Research</i> , 2015 , 17, 1129-36	1.5	4

28	Complete assignments of 1H and 13C NMR spectral data for a novel diterpenoid from Semiaquilegia adoxoides. <i>Magnetic Resonance in Chemistry</i> , 2006 , 44, 724-6	2.1	4
27	Association between short-term exposure to ambient air pollution and hospital admissions for transient ischemic attacks in Beijing, China. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 6873	7 ⁵ 6885	4
26	Low serum albumin levels predict poor outcome in patients with acute ischaemic stroke or transient ischaemic attack. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 458-466	9.1	4
25	LC-MS-Guided Isolation of Insulin-Secretion-Promoting Monoterpenoid Carbazole Alkaloids from Murraya microphylla. <i>Journal of Natural Products</i> , 2018 , 81, 2371-2380	4.9	4
24	Large Volume Direct Injection Ultra-High Performance Liquid Chromatography-Tandem Mass Spectrometry-Based Comparative Pharmacokinetic Study between Single and Combinatory Uses of Extract and Notoginseng Total Saponins. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
23	Novel composite scoring system to predict unknown atrial fibrillation in acute ischemic stroke patients. <i>Brain Research</i> , 2017 , 1674, 36-41	3.7	3
22	Cytotoxic polyacetylenes isolated from the roots and rhizomes of Notopterygium incisum. <i>Chinese Chemical Letters</i> , 2019 , 30, 428-430	8.1	3
21	Relationship between hospital performance measures and outcomes in patients with acute ischaemic stroke: a prospective cohort study. <i>BMJ Open</i> , 2018 , 8, e020467	3	2
20	Inhibitory activity of chemical constituents from Arenaria serpyllifolia on nitric oxide production. <i>Planta Medica</i> , 2013 , 79, 687-92	3.1	2
19	Comparative Study on Excretive Characterization of Main Components in Herb Pair Notoginseng-Safflower and Single Herbs by LC?MS/MS. <i>Pharmaceutics</i> , 2018 , 10,	6.4	2
18	Abdominal Obesity and Its Attribution to All-cause Mortality in the General Population with 14 Years Follow-up: Findings from Shanxi Cohort in China. <i>Biomedical and Environmental Sciences</i> , 2020 , 33, 227-237	1.1	2
17	Nitric Oxide Inhibitory Carbazole Alkaloids from the Folk Medicine Murraya tetramera C.C. Huang. <i>Chemistry and Biodiversity</i> , 2020 , 17, e2000490	2.5	1
16	Association of Trimethylamine N-Oxide and Its Precursor With Cerebral Small Vessel Imaging Markers. <i>Frontiers in Neurology</i> , 2021 , 12, 648702	4.1	1
15	Imaging Parameters Predict Recurrence After Transient Ischemic Attack or Minor Stroke Stratified by ABCD Score. <i>Stroke</i> , 2021 , 52, 2007-2015	6.7	1
14	YKL-40 Is Associated With Ultrasound-Determined Carotid Atherosclerotic Plaque Instability. <i>Frontiers in Neurology</i> , 2021 , 12, 622869	4.1	1
13	Sex differences in vascular risk factors, in-hospital management, and outcomes of patients with acute ischemic stroke in China. <i>European Journal of Neurology</i> , 2022 , 29, 188-198	6	1
12	Association between high-sensitivity C-reactive protein, functional disability, and stroke recurrence in patients with acute ischaemic stroke: A mediation analysis <i>EBioMedicine</i> , 2022 , 80, 104054	8.8	1
11	China Antihypertensive Trial in Acute Ischemic Stroke II (CATIS-2): rationale and design. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 286-290	9.1	O

LIST OF PUBLICATIONS

10	Association of Polyvascular Disease and Elevated Interleukin-6 With Outcomes in Acute Ischemic Stroke or Transient Ischemic Attack. <i>Frontiers in Neurology</i> , 2021 , 12, 661779	4.1	О
9	Assessment of Trends in Guideline-Based Oral Anticoagulant Prescription for Patients With Ischemic Stroke and Atrial Fibrillation in China. <i>JAMA Network Open</i> , 2021 , 4, e2118816	10.4	О
8	Comparison of the preventive effects of Murraya exotica and Murraya paniculata on alcohol-induced gastric lesions by pharmacodynamics and metabolomics. <i>Journal of Ethnopharmacology</i> , 2021 , 281, 114567	5	О
7	Rapid motor progression of Parkinsonß disease associates with clinical and genetic variants <i>Frontiers in Bioscience</i> , 2021 , 26, 1503-1512		O
6	ICH-LR2S2: a new risk score for predicting stroke-associated pneumonia from spontaneous intracerebral hemorrhage <i>Journal of Translational Medicine</i> , 2022 , 20, 193	8.5	0
5	Guideline-directed low-density lipoprotein management in high-risk ischemic stroke or transient ischemic attack admissions in China from 2015 to 2019. <i>Annals of Translational Medicine</i> , 2021 , 9, 1224	3.2	
4	GRP per capita and hospital characteristics associated with intravenous tissue plasminogen activator adherence rate: evidence from the Chinese Stroke Center Alliance. <i>Stroke and Vascular Neurology</i> , 2021 , 6, 337-343	9.1	
3	Sources of hospital-level variation in functional outcome after acute ischemic stroke: a multicenter retrospective cohort study. <i>Annals of Palliative Medicine</i> , 2021 , 10, 11322-11332	1.7	
2	Geographic Variation in Cardiovascular Health as Analyzed from the China Cardiovascular Health Index Study - 31 PLADs, China, 2017-2021 <i>China CDC Weekly</i> , 2022 , 4, 265-270	4	
1	Essen score in the prediction of cerebrovascular events compared with cardiovascular events after ischaemic stroke or transient ischaemic attack: a nationwide registry analysis <i>Journal of Geriatric Cardiology</i> , 2022 , 19, 265-275	1.7	