## Wei Hao

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1293976/publications.pdf

Version: 2024-02-01

214527 279487 2,718 95 23 47 citations h-index g-index papers 96 96 96 3172 citing authors all docs docs citations times ranked

#	Article	IF	CITATIONS
1	Gaming disorder: Its delineation as an important condition for diagnosis, management, and prevention. Journal of Behavioral Addictions, 2017, 6, 271-279.	1.9	359
2	Internet Addiction and Related Psychological Factors Among Children and Adolescents in China During the Coronavirus Disease 2019 (COVID-19) Epidemic. Frontiers in Psychiatry, 2020, 11, 00751.	1.3	254
3	Including gaming disorder in the ICD-11: The need to do so from a clinical and public health perspective. Journal of Behavioral Addictions, 2018, 7, 556-561.	1.9	214
4	China: alcohol today. Addiction, 2005, 100, 737-741.	1.7	131
5	Functional impairment matters in the screening and diagnosis of gaming disorder. Journal of Behavioral Addictions, 2017, 6, 285-289.	1.9	123
6	DRINKING AND DRINKING PATTERNS AND HEALTH STATUS IN THE GENERAL POPULATION OF FIVE AREAS OF CHINA. Alcohol and Alcoholism, 2004, 39, 43-52.	0.9	120
7	Alcohol and related health issues in China: action needed. The Lancet Global Health, 2015, 3, e190-e191.	2.9	78
8	Prevalence and Correlates of Problematic Online Gaming: a Systematic Review of the Evidence Published in Chinese. Current Addiction Reports, 2018, 5, 359-371.	1.6	75
9	Development of Anxiety-Like Behavior via Hippocampal IGF-2 Signaling in the Offspring of Parental Morphine Exposure: Effect of Enriched Environment. Neuropsychopharmacology, 2014, 39, 2777-2787.	2.8	62
10	The second National Epidemiological Survey on illicit drug use at six high-prevalence areas in China: prevalence rates and use patterns. Addiction, 2002, 97, 1305-1315.	1.7	60
11	Morphine conditioned place preference depends on glucocorticoid receptors in both hippocampus and nucleus accumbens. Hippocampus, 2006, 16, 809-813.	0.9	60
12	Sleep quality in cigarette smokers and nonsmokers: findings from the general population in central China. BMC Public Health, 2019, 19, 808.	1.2	60
13	Determination the cut-off point for the Bergen social media addiction (BSMAS): Diagnostic contribution of the six criteria of the components model of addiction for social media disorder. Journal of Behavioral Addictions, 2021, 10, 281-290.	1.9	56
14	Longitudinal surveys of prevalence rates and use patterns of illicit drugs at selected high-prevalence areas in China from 1993 to 2000. Addiction, 2004, 99, 1176-1180.	1.7	54
15	Sleeping problems in Chinese illicit drug dependent subjects. BMC Psychiatry, 2015, 15, 28.	1.1	51
16	Clarification of the Cut-off Score for Nine-Item Internet Gaming Disorder Scale–Short Form (IGDS9-SF) in a Chinese Context. Frontiers in Psychiatry, 2020, 11, 470.	1.3	44
17	Alcohol Attributable Fraction for Injury Morbidity from the Doseâ€Response Relationship of Acute Alcohol Consumption: Emergency Department Data from 18 Countries. Addiction, 2015, 110, 1724-1732.	1.7	40
18	Associations of Internet Addiction Severity With Psychopathology, Serious Mental Illness, and Suicidality: Large-Sample Cross-Sectional Study. Journal of Medical Internet Research, 2020, 22, e17560.	2.1	38

#	Article	IF	CITATIONS
19	Decreased Expression of Plasma MicroRNA in Patients with Methamphetamine (MA) Use Disorder. Journal of NeuroImmune Pharmacology, 2016, 11, 542-548.	2.1	34
20	Stigmatization of people with drug dependence in China: A community-based study in Hunan province. Drug and Alcohol Dependence, 2014, 134, 285-289.	1.6	30
21	Voluntary and Involuntary Psychiatric Admissions in China. Psychiatric Services, 2015, 66, 1341-1346.	1.1	29
22	Ketamine and international regulations. American Journal of Drug and Alcohol Abuse, 2017, 43, 495-504.	1.1	27
23	Efficacy, acceptability and tolerability of 8 atypical antipsychotics in Chinese patients with acute schizophrenia: A network meta-analysis. Schizophrenia Research, 2017, 185, 73-79.	1.1	26
24	Expert consensus on the prevention and treatment of substance use and addictive behaviour-related disorders during the COVID-19 pandemic. Annals of General Psychiatry, 2020, 33, e100252.	1.1	26
25	Aripiprazole and Risperidone for Treatment of Methamphetamine-Associated Psychosis in Chinese Patients. Journal of Substance Abuse Treatment, 2016, 62, 84-88.	1.5	25
26	A bidirectional association between internet addiction and depression: A large-sample longitudinal study among Chinese university students. Journal of Affective Disorders, 2022, 299, 416-424.	2.0	25
27	Drug use in rural China: a preliminary investigation in Hunan Province. Addiction, 2012, 107, 610-613.	1.7	23
28	Advances and challenges in pharmacotherapeutics for amphetamine-type stimulants addiction. European Journal of Pharmacology, 2016, 780, 129-135.	1.7	23
29	Gut dysbiosis associated with the rats' responses in methamphetamineâ€induced conditioned place preference. Addiction Biology, 2021, 26, e12975.	1.4	22
30	Measuring and preventing alcohol use and related harm among young people in Asian countries: a thematic review. Global Health Research and Policy, 2018, 3, 14.	1.4	21
31	A Comparative Clinical Study of the Effect of WeiniCom, a Chinese Herbal Compound, on Alleviation of Withdrawal Symptoms and Craving for Heroin in Detoxification Treatment. Journal of Psychoactive Drugs, 2000, 32, 277-284.	1.0	20
32	Cognitive impairment in chronic ketamine abusers. Psychiatry Research, 2020, 291, 113206.	1.7	20
33	An Overview of the Expert Consensus on the Prevention and Treatment of Gaming Disorder in China (2019 Edition). Neuroscience Bulletin, 2020, 36, 825-828.	1.5	19
34	Conditioned place preference associates with the mRNA expression of diazepam binding inhibitor in brain regions of the addicted rat during withdrawal. Molecular Brain Research, 2005, 137, 47-54.	2.5	17
35	Estimating Prevalence of Illicit Drug Use in Yunnan, China, 2011–15. Frontiers in Psychiatry, 2018, 9, 256.	1.3	16
36	Comparison of demographic characteristics and psychiatric comorbidity among methamphetamine-, heroin- and methamphetamine-heroin co- dependent males in Hunan, China. BMC Psychiatry, 2017, 17, 183.	1.1	15

#	Article	IF	CITATIONS
37	Metabolites Alterations in the Medial Prefrontal Cortex of Methamphetamine Users in Abstinence: A 1H MRS Study. Frontiers in Psychiatry, 2018, 9, 478.	1.3	15
38	GABRB2 Haplotype Association with Heroin Dependence in Chinese Population. PLoS ONE, 2015, 10, e0142049.	1.1	14
39	Prevalence Rates of Personality Disorder and Its Association With Methamphetamine Dependence in Compulsory Treatment Facilities in China. Frontiers in Psychiatry, 2018, 9, 698.	1.3	14
40	Quality of Life in Patients With Methamphetamine Use Disorder: Relationship to Impulsivity and Drug Use Characteristics. Frontiers in Psychiatry, 2020, 11, 579302.	1.3	14
41	Docosahexaenoic acid intake ameliorates ketamine-induced impairment of spatial cognition and learning ability in ICR mice. Neuroscience Letters, 2014, 580, 125-129.	1.0	13
42	Challenges of gaming disorder: suggestions from a public health perspective. Annals of General Psychiatry, 2019, 32, e100086.	1.1	13
43	Duration of Untreated Psychosis in Chinese and Mauritian: Impact of Clinical Characteristics and Patients' and Families' Perspectives on Psychosis. PLoS ONE, 2016, 11, e0157083.	1.1	12
44	Clinical characteristics of poly-drug abuse among heroin dependents and association with other psychopathology in compulsory isolation treatment settings in China. International Journal of Psychiatry in Clinical Practice, 2018, 22, 129-135.	1.2	12
45	Craving Responses to Methamphetamine and Sexual Visual Cues in Individuals With Methamphetamine Use Disorder After Long-Term Drug Rehabilitation. Frontiers in Psychiatry, 2018, 9, 145.	1.3	12
46	Psychoactive substance use in three sites in China: Gender differences and related factors. Psychiatry and Clinical Neurosciences, 1998, 52, S324-S328.	1.0	11
47	The association of 5-HTR2A-1438A/G, COMTVal158Met, MAOA-LPR, DATVNTR and 5-HTTVNTR gene polymorphisms and borderline personality disorder in female heroin-dependent Chinese subjects. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2014, 50, 74-82.	2.5	11
48	Drug policy in China: progress and challenges. Lancet, The, 2014, 383, 509.	6.3	11
49	Higher impulsivity and lower grey matter volume in the bilateral prefrontal cortex in long-term abstinent individuals with severe methamphetamine use disorder. Drug and Alcohol Dependence, 2020, 212, 108040.	1.6	11
50	Brief overview of the WHO Collaborative Project on the Development of New International Screening and Diagnostic Instruments for Gaming Disorder and Gambling Disorder. Addiction, 2022, 117, 2119-2121.	1.7	11
51	Gender differences in prevalence and correlates of antisocial personality disorder among heroin dependent users in compulsory isolation treatment in China. Addictive Behaviors, 2014, 39, 573-579.	1.7	10
52	Cue-Induced Brain Activation in Chronic Ketamine-Dependent Subjects, Cigarette Smokers, and Healthy Controls: A Task Functional Magnetic Resonance Imaging Study. Frontiers in Psychiatry, 2018, 9, 88.	1.3	10
53	Treatment of opioid dependence with buprenorphine/naloxone sublingual tablets: A phase 3 randomized, doubleâ€blind, placeboâ€controlled trial. Asia-Pacific Psychiatry, 2019, 11, e12344.	1.2	10
54	Effects of risperidone on blood levels of interleukin-6 in schizophrenia. Medicine (United States), 2020, 99, e19694.	0.4	10

#	Article	IF	CITATIONS
55	Chronic Alcohol Treatment-Induced GABA-Aα5 Histone H3K4 Trimethylation Upregulation Leads to Increased GABA-Aα5 Expression and Susceptibility to Alcohol Addiction in the Offspring of Wistar Rats. Frontiers in Psychiatry, 2018, 9, 468.	1.3	9
56	Neurofunctional Differences Related to Methamphetamine and Sexual Cues in Men With Shorter and Longer Term Abstinence Methamphetamine Dependence. International Journal of Neuropsychopharmacology, 2020, 23, 135-145.	1.0	9
57	The transition of alcohol control in China 1990-2019: Impacts and recommendations. International Journal of Drug Policy, 2022, 105, 103698.	1.6	9
58	GABA-Aα5 Might Be Involved in Learning-Memory Dysfunction in the Offsprings of Chronic Ethanol-Treated Rats via GABA-Aα5 Histone H3K9 Acetylation. Frontiers in Neuroscience, 2019, 13, 1076.	1.4	8
59	Gender Differences in Sleep Problems Among Drug Users. Frontiers in Psychiatry, 2020, 11, 808.	1.3	8
60	Effect of Clonidine on Cigarette Cessation and in the Alleviation of Withdrawal Symptoms. Addiction, 1988, 83, 1467-1467.	1.7	7
61	Conditioned Place Preference Associated with Level of Palmitoylation of PSD-95 in Rat Hippocampus and Nucleus Accumbens. Neuropsychobiology, 2011, 64, 211-218.	0.9	7
62	Profiles of psychiatric disorders among heroin dependent individuals in Changsha, China. Drug and Alcohol Dependence, 2015, 149, 272-279.	1.6	7
63	Alcohol-induced conditioned place preference negatively correlates with anxiety-like behavior in adolescent mice: inhibition by a neurokinin-1 receptor antagonist. Psychopharmacology, 2018, 235, 2847-2857.	1.5	7
64	Oral Microbiota Profile of Individuals Who Abuse Methamphetamine. Frontiers in Cellular and Infection Microbiology, 2021, 11, 706961.	1.8	7
65	CHN2 Promoter Methylation Change May Be Associated With Methamphetamine Dependence. Shanghai Archives of Psychiatry, 2017, 29, 357-364.	0.7	7
66	Evaluation of a community-based integrated heroin addiction treatment model in Chinese patients. Oncotarget, 2017, 8, 54046-54053.	0.8	7
67	A Comparative Study of Theoretical Graph Models for Characterizing Structural Networks of Human Brain. International Journal of Biomedical Imaging, 2013, 2013, 1-8.	3.0	6
68	Alcohol and the Sustainable Development Goals. Lancet, The, 2016, 388, 1279-1280.	6.3	6
69	Drugs and driving in China: Status and challenge. International Journal of Drug Policy, 2016, 31, 203-204.	1.6	6
70	A Community-Based Investigation of Stigma Toward Individuals Receiving Methadone Maintenance Treatment in China: A Randomized Case Vignette Study. Frontiers in Psychiatry, 2020, 11, 601266.	1.3	6
71	Prevalence, Demographic, and Clinical Correlates of Comorbid Depressive Symptoms in Chinese Psychiatric Patients With Alcohol Dependence. Frontiers in Psychiatry, 2020, 11, 499.	1.3	6
72	A Multiple Indicators Multiple Causes (MIMIC) model of internal barriers to drug treatment in China. Drug and Alcohol Dependence, 2015, 148, 143-149.	1.6	5

#	Article	IF	CITATIONS
73	Prevalence, correlates and treatment status of alcohol use disorders in psychiatric patients in China. General Hospital Psychiatry, 2017, 45, 70-75.	1.2	5
74	H3K4 dimethylation at FosB promoter in the striatum of chronic stressed rats promotes morphine-induced conditioned place preference. PLoS ONE, 2019, 14, e0221506.	1.1	5
75	Randomized Controlled Trial of Paliperidone Extended Release Versus Risperidone for the Treatment of Methamphetamine-Associated Psychosis in Chinese Patients. Frontiers in Psychiatry, 2020, 11, 237.	1.3	5
76	Drinking and drinking-lelated problems in China. Japanese Journal of Alcohol Studies and Drug Dependence, 2007, 42, 595-601.	0.4	5
77	SUPPLY CONTROL DOES WORK: THE CASE FROM AUSTRALIA. Addiction, 2005, 100, 926-927.	1.7	4
78	Literature review and economic evaluation of oral and intramuscular ziprasidone treatment among patients with schizophrenia in China. Annals of General Psychiatry, 2019, 31, e100016.	1.1	4
79	Restricting alcohol consumption to reduce liver disease in the Asia-Pacific region. The Lancet Gastroenterology and Hepatology, 2020, 5, 105-107.	3.7	4
80	Genome-Wide DNA Methylation Analysis in Male Methamphetamine Users With Different Addiction Qualities. Frontiers in Psychiatry, 2020, 11, 588229.	1.3	4
81	Quality of Life and Its Correlates in Alcohol Use Disorder Patients With and Without Depression in China. Frontiers in Psychiatry, 2020, 11, 627338.	1.3	4
82	Altered patterns of fractional amplitude of low-frequency fluctuation and regional homogeneity in abstinent methamphetamine-dependent users. Scientific Reports, 2021, 11, 7705.	1.6	4
83	Assessing the mediating role of impulsivity between methamphetamine-induced psychotic disorders and increased gambling severity in methamphetamine-dependent individuals. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 1109-1117.	1.8	4
84	Reliability and validity of DSM-IV and DSM-5 methamphetamine use disorder diagnoses using the Chinese Version of the Semi-Structured Assessment for Drug Dependence and Alcoholism (SSADDA). Drug and Alcohol Dependence, 2021, 229, 109047.	1.6	4
85	The synergistic effect of dual use of amphetamine-type stimulants and ketamine on drug-induced psychotic symptoms in Chinese synthetic drug users. Oncotarget, 2017, 8, 66569-66575.	0.8	4
86	The association of HTR3A mRNA expression and craving in Han Chinese alcohol-dependent patients: a preliminary study. American Journal of Drug and Alcohol Abuse, 2016, 42, 316-324.	1.1	3
87	Paliperidone Extended-Release Tablets for the Treatment of Methamphetamine Use Disorder in Chinese Patients After Acute Treatment: A Randomized, Double-Blind, Placebo-Controlled Exploratory Study. Frontiers in Psychiatry, 2019, 10, 656.	1.3	3
88	The challenge and response of mental health institutions in COVID-19 pandemic: from chaos to new normal. Translational Psychiatry, 2020, 10, 386.	2.4	3
89	Comparative Analysis of Results from a Cognitive Emotion Regulation Questionnaire Between International Students from West Asia and Xinjiang College Students in China. Shanghai Archives of Psychiatry, 2016, 28, 335-342.	0.7	3
90	Effects of ketamine use on psychotic disorders and symptoms in male, methamphetamine-dependent subjects. American Journal of Drug and Alcohol Abuse, 2019, 45, 276-284.	1.1	2

#	Article	IF	CITATION
91	Structural Imaging-Based Biomarkers for Detecting Craving and Predicting Relapse in Subjects With Methamphetamine Dependence. Frontiers in Psychiatry, 2020, 11, 599099.	1.3	2
92	Commentary: Craving in Opioid Use Disorder: From Neurobiology to Clinical Practice. Frontiers in Psychiatry, 2021, 12, 615921.	1.3	2
93	Histone acetylation of the htr3a gene in the prefrontal cortex of Wistar rats regulates ethanol-seeking behavior. Neural Regeneration Research, 2012, 7, 1021-8.	1.6	2
94	Gaming Disorder Symptom Questionnaire: The Development and Validation of a Screening Tool for ICD-11 Gaming Disorder in Adolescents. Frontiers in Psychiatry, 2022, 13, 848157.	1.3	2
95	TOWARDS A SELF-CHANGE-FRIENDLY TREATMENT AND POLICY FOR ADDICTIVE BEHAVIOURS. Addiction, 2010, 105, 1519-1520.	1.7	1