

# Ruth R Finkelstein

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1293988/publications.pdf>

Version: 2024-02-01

41  
papers

14,761  
citations

134610

34  
h-index

340414

39  
g-index

43  
all docs

43  
docs citations

43  
times ranked

11779  
citing authors

#	ARTICLE	IF	CITATIONS
1	ABI5 binding protein2 inhibits ABA responses during germination without ABA-INSENSITIVE5 degradation. <i>Plant Physiology</i> , 2022, 189, 666-678.	2.3	5
2	Overexpression of ABI5 Binding Proteins Suppresses Inhibition of Germination Due to Overaccumulation of DELLA Proteins. <i>International Journal of Molecular Sciences</i> , 2022, 23, 5537.	1.8	4
3	Grape ASR Regulates Glucose Transport, Metabolism and Signaling. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6194.	1.8	4
4	Phosphorylation of Serine 114 of the transcription factor ABSCISIC ACID INSENSITIVE 4 is essential for activity. <i>Plant Science</i> , 2021, 305, 110847.	1.7	8
5	PRPs localized to the middle lamellae are required for cortical tissue integrity in <i>Medicago truncatula</i> roots. <i>Plant Molecular Biology</i> , 2020, 102, 571-588.	2.0	0
6	ABI5-binding proteins (AFPs) alter transcription of ABA-induced genes via a variety of interactions with chromatin modifiers. <i>Plant Molecular Biology</i> , 2017, 93, 403-418.	2.0	46
7	Abscisic Acid Synthesis and Response. <i>The Arabidopsis Book</i> , 2013, 11, e0166.	0.5	815
8	Direct interactions of ABA-insensitive(ABI)-clade protein phosphatase(PP)2Cs with calcium-dependent protein kinases and ABA response element-binding bZIPs may contribute to turning off ABA response. <i>Plant Molecular Biology</i> , 2012, 80, 647-658.	2.0	107
9	Direct targets of the transcription factors ABA-Insensitive(ABI)4 and ABI5 reveal synergistic action by ABI4 and several bZIP ABA response factors. <i>Plant Molecular Biology</i> , 2011, 75, 347-363.	2.0	142
10	Accumulation of the transcription factor ABA-insensitive (ABI)4 is tightly regulated post-transcriptionally. <i>Journal of Experimental Botany</i> , 2011, 62, 3971-3979.	2.4	54
11	Abscisic Acid: Emergence of a Core Signaling Network. <i>Annual Review of Plant Biology</i> , 2010, 61, 651-679.	8.6	2,506
12	The Role of Hormones during Seed Development and Germination. , 2010, , 549-573.		32
13	Abscisic Acid Inhibits Type 2C Protein Phosphatases via the PYR/PYL Family of START Proteins. <i>Science</i> , 2009, 324, 1068-1071.	6.0	2,385
14	A small plant-specific protein family of ABI five binding proteins (AFPs) regulates stress response in germinating <i>Arabidopsis</i> seeds and seedlings. <i>Plant Molecular Biology</i> , 2008, 67, 643-658.	2.0	134
15	Molecular Aspects of Seed Dormancy. <i>Annual Review of Plant Biology</i> , 2008, 59, 387-415.	8.6	1,143
16	Studies of Abscisic Acid Perception Finally Flower. <i>Plant Cell</i> , 2006, 18, 786-791.	3.1	40
17	Redundant and Distinct Functions of the ABA Response Loci ABA-INSENSITIVE(ABI)5 and ABRE-BINDING FACTOR (ABF)3. <i>Plant Molecular Biology</i> , 2005, 59, 253-267.	2.0	188
18	The <i>Arabidopsis thaliana</i> ABSCISIC ACID-INSENSITIVE8 Locus Encodes a Novel Protein Mediating Abscisic Acid and Sugar Responses Essential for Growth[W]. <i>Plant Cell</i> , 2004, 16, 406-421.	3.1	129

#	ARTICLE	IF	CITATIONS
19	Regulatory Networks in Seeds Integrating Developmental, Abscisic Acid, Sugar, and Light Signaling. <i>Plant Physiology</i> , 2003, 131, 78-92.	2.3	162
20	Three Genes That Affect Sugar Sensing (Abscisic Acid Insensitive 4, Abscisic Acid Insensitive 5, and) <i>Plant Physiology</i> , 2003, 133, 231-242.	2.3	132
21	ABI5 Interacts with Abscisic Acid Signaling Effectors in Rice Protoplasts. <i>Journal of Biological Chemistry</i> , 2002, 277, 1689-1694.	1.6	49
22	Regulation and Role of the Arabidopsis Abscisic Acid-Insensitive 5 Gene in Abscisic Acid, Sugar, and Stress Response. <i>Plant Physiology</i> , 2002, 129, 1533-1543.	2.3	276
23	Abscisic Acid Signaling in Seeds and Seedlings. <i>Plant Cell</i> , 2002, 14, S15-S45.	3.1	1,910
24	Abscisic Acid Biosynthesis and Response. <i>The Arabidopsis Book</i> , 2002, 1, e0058.	0.5	139
25	ABA and sugar interactions regulating development: cross-talk or voices in a crowd?. <i>Current Opinion in Plant Biology</i> , 2002, 5, 26-32.	3.5	291
26	Physical interactions between ABA response loci of Arabidopsis. <i>Plant Journal</i> , 2001, 26, 627-635.	2.8	284
27	Abscisic Acid Inhibition of Radicle Emergence But Not Seedling Growth Is Suppressed by Sugars. <i>Plant Physiology</i> , 2000, 122, 1179-1186.	2.3	159
28	Regulation and Function of the Arabidopsis ABA-insensitive4 Gene in Seed and Abscisic Acid Response Signaling Networks. <i>Plant Physiology</i> , 2000, 124, 1752-1765.	2.3	252
29	The Arabidopsis Abscisic Acid Response Gene ABI5 Encodes a Basic Leucine Zipper Transcription Factor. <i>Plant Cell</i> , 2000, 12, 599-609.	3.1	1,032
30	The Arabidopsis Abscisic Acid Response Locus ABI4 Encodes an APETALA2 Domain Protein. <i>Plant Cell</i> , 1998, 10, 1043-1054.	3.1	599
31	The Arabidopsis Abscisic Acid Response Locus ABI4 Encodes an APETALA2 Domain Protein. <i>Plant Cell</i> , 1998, 10, 1043.	3.1	66
32	Arabidopsis mutants with reduced response to NaCl and osmotic stress. <i>Physiologia Plantarum</i> , 1995, 93, 659-666.	2.6	178
33	Arabidopsis mutants with reduced response to NaCl and osmotic stress. <i>Physiologia Plantarum</i> , 1995, 93, 659-666.	2.6	17
34	Mutations at two new Arabidopsis ABA response loci are similar to the <i>abi3</i> mutations. <i>Plant Journal</i> , 1994, 5, 765-771.	2.8	375
35	Abscisic acid-insensitive mutations provide evidence for stage-specific signal pathways regulating expression of an Arabidopsis late embryo genesis-abundant ( <i>lea</i> ) gene. <i>Molecular Genetics and Genomics</i> , 1993, 238, 401-408.	2.4	92
36	Three Classes of Abscisic Acid (ABA)-Insensitive Mutations of <i>Arabidopsis</i> Define Genes that Control Overlapping Subsets of ABA Responses. <i>Plant Physiology</i> , 1990, 94, 1172-1179.	2.3	292

#	ARTICLE	IF	CITATIONS
37	Abscisic acid or high osmoticum promote accumulation of long-chain fatty acids in developing embryos of <i>Brassica napus</i> . <i>Plant Science</i> , 1989, 61, 213-217.	1.7	68
38	Rapeseed Embryo Development in Culture on High Osmoticum Is Similar to That in Seeds. <i>Plant Physiology</i> , 1986, 81, 907-912.	2.3	194
39	Nucleotide sequence of a cDNA clone of <i>Brassica napus</i> 12S storage protein shows homology with legumin from <i>Pisum sativum</i> . <i>Plant Molecular Biology</i> , 1985, 5, 191-201.	2.0	102
40	Role of ABA in Maturation of Rapeseed Embryos. <i>Plant Physiology</i> , 1985, 78, 630-636.	2.3	293
41	Precociously germinating rapeseed embryos retain characteristics of embryogeny. <i>Planta</i> , 1984, 162, 125-131.	1.6	57