

Robert Frei

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1297137/publications.pdf>

Version: 2024-02-01

259
papers

13,805
citations

21215

62
h-index

38517

99
g-index

263
all docs

263
docs citations

263
times ranked

9910
citing authors

#	ARTICLE	IF	CITATIONS
1	History of Atmospheric Lead Deposition Since 12,370±14C yr BP from a Peat Bog, Jura Mountains, Switzerland. , 1998, 281, 1635-1640.		722
2	Fluctuations in Precambrian atmospheric oxygenation recorded by chromium isotopes. <i>Nature</i> , 2009, 461, 250-253.	13.7	554
3	Atmospheric oxygenation three billion years ago. <i>Nature</i> , 2013, 501, 535-538.	13.7	547
4	Tracing the Indian Ocean Mantle Domain Through Time: Isotopic Results from Old West Indian, East Tethyan, and South Pacific Seafloor. <i>Journal of Petrology</i> , 1998, 39, 1285-1306.	1.1	284
5	Geochemistry of the peat bog at Etang de la Gruère, Jura Mountains, Switzerland, and its record of atmospheric Pb and lithogenic trace metals (Sc, Ti, Y, Zr, and REE) since 12,370 14 C yr BP. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 2337-2360.	1.6	253
6	U-rich Archaean sea-floor sediments from Greenland – indications of >3700 Ma oxygenic photosynthesis. <i>Earth and Planetary Science Letters</i> , 2004, 217, 237-244.	1.8	237
7	New Lu–Hf and Pb–Pb age constraints on the earliest animal fossils. <i>Earth and Planetary Science Letters</i> , 2002, 201, 203-212.	1.8	223
8	The geographic distribution of strontium isotopes in Danish surface waters – A base for provenance studies in archaeology, hydrology and agriculture. <i>Applied Geochemistry</i> , 2011, 26, 326-340.	1.4	183
9	Anthropogenic contributions to atmospheric Hg, Pb and As accumulation recorded by peat cores from southern Greenland and Denmark dated using the 14C bomb pulse curve. <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 3991-4011.	1.6	179
10	Oxygenation of the mid-Proterozoic atmosphere: clues from chromium isotopes in carbonates. <i>Geochemical Perspectives Letters</i> , 2016, , 178-187.	1.0	172
11	Unraveling the record of successive high grade events in the Central Zone of the Limpopo Belt using Pb single phase dating of metamorphic minerals. <i>Precambrian Research</i> , 1998, 87, 87-115.	1.2	171
12	The genesis of Archaean chromitites from the Nuasahi and Sukinda massifs in the Singhbhum Craton, India. <i>Precambrian Research</i> , 2006, 148, 45-66.	1.2	157
13	Reduction of hexavalent chromium by ferrous iron: A process of chromium isotope fractionation and its relevance to natural environments. <i>Chemical Geology</i> , 2011, 285, 157-166.	1.4	147
14	Onset of main Phanerozoic marine radiation sparked by emerging Mid Ordovician icehouse. <i>Scientific Reports</i> , 2016, 6, 18884.	1.6	146
15	The Nd and Hf isotopic evolution of the mantle through the Archean. results from the Isua supracrustals, West Greenland, and from the Birimian terranes of West Africa. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 3901-3914.	1.6	140
16	Source heterogeneity for the major components of ¹⁴³ Ga Banded Iron Formations (Isua Greenstone) Tj ETQq0 0 0 rgBT /Overlock <i>Planetary Science Letters</i> , 2007, 253, 266-281.	1.8	135
17	Post-collisional transition from calc-alkaline to alkaline magmatism during transcurrent deformation in the southernmost Dom Feliciano Belt (Braziliano–Pan-African, Uruguay). <i>Lithos</i> , 2007, 98, 141-159.	0.6	134
18	Highly fractionated chromium isotopes in Mesoproterozoic-aged shales and atmospheric oxygen. <i>Nature Communications</i> , 2018, 9, 2871.	5.8	130

#	ARTICLE	IF	CITATIONS
19	The behavior of molybdenum and its isotopes across the chemocline and in the sediments of sulfidic Lake Cadagno, Switzerland. <i>Geochimica Et Cosmochimica Acta</i> , 2010, 74, 144-163.	1.6	129
20	Rare earth element mineralogy and geochemistry in a laterite profile from Madagascar. <i>Applied Geochemistry</i> , 2014, 41, 218-228.	1.4	125
21	Single mineral PbPb dating. <i>Earth and Planetary Science Letters</i> , 1995, 129, 261-268.	1.8	124
22	Geochronology of the Hout River Shear Zone and the metamorphism in the Southern Marginal Zone of the Limpopo Belt, Southern Africa. <i>Precambrian Research</i> , 2001, 109, 145-173.	1.2	123
23	Distribution of platinum-group elements and Os isotopes in chromite ores from MayarÃ-Baracoa Ophiolitic Belt (eastern Cuba). <i>Contributions To Mineralogy and Petrology</i> , 2005, 150, 589-607.	1.2	121
24	Chromium isotopes in carbonates – A tracer for climate change and for reconstructing the redox state of ancient seawater. <i>Earth and Planetary Science Letters</i> , 2011, 312, 114-125.	1.8	117
25	Re-Os isotopic evidence for long-lived heterogeneity and equilibration processes in the Earth's upper mantle. <i>Nature</i> , 2002, 419, 705-708.	13.7	113
26	Tracing the dynamic life story of a Bronze Age Female. <i>Scientific Reports</i> , 2015, 5, 10431.	1.6	112
27	Trace element systematics of the Neoproterozoic Fiskefjord anorthosite complex and associated meta-volcanic rocks, SW Greenland: Evidence for a magmatic arc origin. <i>Precambrian Research</i> , 2009, 175, 87-115.	1.2	110
28	Compositional variations in the Mesoproterozoic chromites of the Nuggihalli schist belt, Western Dharwar Craton (India): potential parental melts and implications for tectonic setting. <i>Contributions To Mineralogy and Petrology</i> , 2010, 160, 865-885.	1.2	110
29	Weathering on land and transport of chromium to the ocean in a subtropical region (Misiones, NW Argentina). <i>Journal of Geochemical Exploration</i> , 2014, 144, 107-114.	1.4	107
30	Re-Os, Sm-Nd, U-Pb, and stepwise lead leaching isotope systematics in shear-zone hosted gold mineralization: genetic tracing and age constraints of crustal hydrothermal activity. <i>Geochimica Et Cosmochimica Acta</i> , 1998, 62, 1925-1936.	1.6	105
31	Single mineral dating by the PbPb step-leaching method: Assessing the mechanisms. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 393-414.	1.6	104
32	Molybdenum evidence for expansive sulfidic water masses in –750Ma oceans. <i>Earth and Planetary Science Letters</i> , 2011, 311, 264-274.	1.8	102
33	Trace element and isotopic characterization of Neoproterozoic and Paleoproterozoic iron formations in the Black Hills (South Dakota, USA): Assessment of chemical change during 2.9–1.9 Ga deposition bracketing the 2.4–2.2 Ga first rise of atmospheric oxygen. <i>Precambrian Research</i> , 2008, 162, 441-474.	1.2	101
34	Field and geochemical characteristics of the Mesoproterozoic (ca. 1.43 Ga) Ivissartoq greenstone belt, southern West Greenland: Evidence for seafloor hydrothermal alteration in supra-subduction oceanic crust. <i>Gondwana Research</i> , 2007, 11, 69-91.	3.0	99
35	Mercury as a proxy for volcanic activity during extreme environmental turnover: The Cretaceous–Paleogene transition. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2013, 387, 153-164.	1.0	96
36	Mercury enrichment and Hg isotopes in Cretaceous–Paleogene boundary successions: Links to volcanism and palaeoenvironmental impacts. <i>Cretaceous Research</i> , 2016, 66, 60-81.	0.6	95

#	ARTICLE	IF	CITATIONS
37	Lu-Hf and Pb-Sr geochronology of apatites from Proterozoic terranes: A first look at Lu-Hf isotopic closure in metamorphic apatite. <i>Geochimica Et Cosmochimica Acta</i> , 2005, 69, 1847-1859.	1.6	94
38	Chromium isotope fractionation during oxidative weathering—Implications from the study of a Paleoproterozoic (ca. 1.9 Ga) paleosol, Schreiber Beach, Ontario, Canada. <i>Precambrian Research</i> , 2013, 224, 434-453.	1.2	94
39	The origin and compositions of Mesoproterozoic oceanic crust: Evidence from the 3075-Ma Ivissartoq greenstone belt, SW Greenland. <i>Lithos</i> , 2008, 100, 293-321.	0.6	91
40	The fate of chromium during tropical weathering: A laterite profile from Central Madagascar. <i>Geoderma</i> , 2014, 213, 521-532.	2.3	90
41	Tectonomagmatic events during stretching and basin formation in the Labrador Sea and the Davis Strait: evidence from age and composition of Mesozoic to Palaeogene dyke swarms in West Greenland. <i>Journal of the Geological Society</i> , 2009, 166, 999-1012.	0.9	89
42	Processes controlling the chromium isotopic composition of river water: Constraints from basaltic river catchments. <i>Geochimica Et Cosmochimica Acta</i> , 2016, 186, 296-315.	1.6	89
43	Fluctuations in late Neoproterozoic atmospheric oxidation — Cr isotope chemostratigraphy and iron speciation of the late Ediacaran lower Arroyo del Soldado Group (Uruguay). <i>Gondwana Research</i> , 2013, 23, 797-811.	3.0	88
44	Neoproterozoic to Early Palaeozoic events in the Sierra de San Luis: implications for the Famatinian geodynamics in the Eastern Sierras Pampeanas (Argentina). <i>Journal of the Geological Society</i> , 2006, 163, 965-982.	0.9	85
45	Controversial Pb-Pb and Sm-Nd isotope results in the early Archean Isua (West Greenland) oxide iron formation: preservation of primary signatures versus secondary disturbances. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 473-488.	1.6	84
46	PROVENANCE OF ANCIENT TEXTILES—A PILOT STUDY EVALUATING THE STRONTIUM ISOTOPE SYSTEM IN WOOL*. <i>Archaeometry</i> , 2009, 51, 252-276.	0.6	82
47	Bioavailable ⁸⁷ Sr/ ⁸⁶ Sr in European soils: A baseline for provenancing studies. <i>Science of the Total Environment</i> , 2019, 672, 1033-1044.	3.9	81
48	Derivation of detrital rutile in the Yaoundé region from the Neoproterozoic Pan-African belt in southern Cameroon (Central Africa). <i>Journal of African Earth Sciences</i> , 2006, 44, 443-458.	0.9	80
49	Enhanced soil quality with reduced tillage and solid manures in organic farming — a synthesis of 15 years. <i>Scientific Reports</i> , 2020, 10, 4403.	1.6	78
50	Mesoproterozoic evolution of the Río de la Plata Craton in Uruguay: at the heart of Rodinia?. <i>International Journal of Earth Sciences</i> , 2011, 100, 273-288.	0.9	77
51	Was it for walrus? Viking Age settlement and medieval walrus ivory trade in Iceland and Greenland. <i>World Archaeology</i> , 2015, 47, 439-466.	0.5	77
52	Oxidative release of chromium from Archean ultramafic rocks, its transport and environmental impact — A Cr isotope perspective on the Sukinda valley ore district (Orissa, India). <i>Applied Geochemistry</i> , 2015, 59, 125-138.	1.4	75
53	Oxidative elemental cycling under the low O ₂ Eoarchean atmosphere. <i>Scientific Reports</i> , 2016, 6, 21058.	1.6	74
54	Evidence for an Ancient Osmium Isotopic Reservoir in Earth. <i>Science</i> , 2002, 296, 516-518.	6.0	72

#	ARTICLE	IF	CITATIONS
55	Mantle heterogeneity during the formation of the North Atlantic Igneous Province: Constraints from trace element and Sr-Nd-Os-O isotope systematics of Baffin Island picrites. <i>Geochemistry, Geophysics, Geosystems</i> , 2004, 5, n/a-n/a.	1.0	72
56	Time constraints on the tectonic evolution of the Eastern Sierras Pampeanas (Central Argentina). <i>International Journal of Earth Sciences</i> , 2010, 99, 1199-1226.	0.9	71
57	Origin of hexavalent chromium in groundwater: The example of Sarigkiol Basin, Northern Greece. <i>Science of the Total Environment</i> , 2017, 593-594, 552-566.	3.9	70
58	Growth of subcontinental lithospheric mantle beneath Zimbabwe started at or before 3.8 Ga: Re-Os study on chromites. <i>Geology</i> , 1997, 25, 983.	2.0	69
59	Provenance of the late Proterozoic to early Cambrian metaclastic sediments of the Sierra de San Luis (Eastern Sierras Pampeanas) and Cordillera Oriental, Argentina. <i>Journal of South American Earth Sciences</i> , 2009, 28, 239-262.	0.6	68
60	Complex Sm-Nd and Lu-Hf isotope systematics in metamorphic garnets from the Isua supracrustal belt, West Greenland. <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 3177-3189.	1.6	67
61	Are high $3\text{He}/4\text{He}$ ratios in oceanic basalts an indicator of deep-mantle plume components?. <i>Earth and Planetary Science Letters</i> , 2003, 208, 197-204.	1.8	67
62	Isotopic Studies of Human Skeletal Remains from a Sixteenth to Seventeenth Century AD Churchyard in Campeche, Mexico. <i>Current Anthropology</i> , 2012, 53, 396-433.	0.8	66
63	New age (ca. 2970Ma), mantle source composition and geodynamic constraints on the Archean Fiskefjell anorthosite complex, SW Greenland. <i>Chemical Geology</i> , 2010, 277, 1-20.	1.4	65
64	Hydrothermal-metasomatic and tectono-metamorphic processes in the Isua supracrustal belt (West) Tj ETQq0 0 0 rgBT /Overlock 10 Tf sequence. <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 467-486.	1.6	64
65	Adipose triglyceride lipase acts on neutrophil lipid droplets to regulate substrate availability for lipid mediator synthesis. <i>Journal of Leukocyte Biology</i> , 2015, 98, 837-850.	1.5	64
66	Partial diagenetic overprint of Late Jurassic belemnites from New Zealand: Implications for the preservation potential of $\delta^{17}\text{Li}$ values in calcite fossils. <i>Geochimica Et Cosmochimica Acta</i> , 2013, 120, 80-96.	1.6	63
67	The geographic distribution of Sr isotopes from surface waters and soil extracts over the island of Bornholm (Denmark) – A base for provenance studies in archaeology and agriculture. <i>Applied Geochemistry</i> , 2013, 38, 147-160.	1.4	63
68	A Metamorphosed, Early Archean Chromitite from West Greenland: Implications for the Genesis of Archean Anorthositic Chromitites. <i>Journal of Petrology</i> , 2002, 43, 2143-2170.	1.1	62
69	Nd-Sr-Pb isotopic constraints on metal and fluid sources in W-Sb-Au mineralization at Woxi and Liaojiaping (Western Hunan, China). <i>Mineralium Deposita</i> , 2004, 39, 313-327.	1.7	62
70	On the valency state of radiogenic lead in zircon and its consequences. <i>Chemical Geology</i> , 2009, 261, 4-11.	1.4	62
71	Early Cambrian Black Shale-Hosted Mo-Ni and V Mineralization on the Rifted Margin of the Yangtze Platform, China: Reconnaissance Chromium Isotope Data and a Refined Metallogenic Model. <i>Economic Geology</i> , 2016, 111, 89-103.	1.8	62
72	Lithostratigraphy and geochronology of the Neoproterozoic crystalline basement of Salalah, Dhofar, Sultanate of Oman. <i>Precambrian Research</i> , 2006, 145, 182-206.	1.2	61

#	ARTICLE	IF	CITATIONS
73	Fractionation behavior of chromium isotopes during coprecipitation with calcium carbonate: Implications for their use as paleoclimatic proxy. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 164, 221-235.	1.6	60
74	A matter of months: High precision migration chronology of a Bronze Age female. <i>PLoS ONE</i> , 2017, 12, e0178834.	1.1	60
75	Comparative isotopic and chemical geochronometry of monazite, with implications for U-Th-Pb dating by electron microprobe: An example from metamorphic rocks of the eastern Wyoming Craton (U.S.A.). <i>American Mineralogist</i> , 2005, 90, 619-638.	0.9	59
76	Geochemistry of ultramafic rocks and hornblendite veins in the Fiskerfjallet layered anorthosite complex, SW Greenland: Evidence for hydrous upper mantle in the Archean. <i>Precambrian Research</i> , 2012, 214-215, 124-153.	1.2	59
77	High-resolution Hg chemostratigraphy: A contribution to the distinction of chemical fingerprints of the Deccan volcanism and Cretaceous–Paleogene Boundary impact event. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2014, 414, 98-115.	1.0	59
78	The origin of early Archean banded iron formations and of continental crust, Isua, southern West Greenland. <i>Precambrian Research</i> , 2005, 138, 151-175.	1.2	58
79	The Cr-isotope signature of surface seawater – A global perspective. <i>Chemical Geology</i> , 2016, 444, 101-109.	1.4	58
80	Os isotope systematics of mesoarchean chromitite-PGE deposits in the Singhbhum Craton (India): Implications for the evolution of lithospheric mantle. <i>Chemical Geology</i> , 2007, 244, 391-408.	1.4	57
81	Chromium isotope signatures in scleractinian corals from the <i>Rocas Atoll</i> , <i>Tropical South Atlantic</i> . <i>Geobiology</i> , 2016, 14, 54-67.	1.1	56
82	A multi-isotopic and trace element investigation of the Cretaceous–Tertiary boundary layer at Stevns Klint, Denmark – inferences for the origin and nature of siderophile and lithophile element geochemical anomalies. <i>Earth and Planetary Science Letters</i> , 2002, 203, 691-708.	1.8	54
83	Application of chromium stable isotopes to the evaluation of Cr(VI) contamination in groundwater and rock leachates from central Euboea and the Assopos basin (Greece). <i>Catena</i> , 2014, 122, 216-228.	2.2	54
84	Search for traces of the late heavy bombardment on Earth – Results from high precision chromium isotopes. <i>Earth and Planetary Science Letters</i> , 2005, 236, 28-40.	1.8	53
85	Remnants of arc-related Mesoarchean oceanic crust in the Tartoq Group of SW Greenland. <i>Gondwana Research</i> , 2013, 23, 436-451.	3.0	53
86	The Hadean upper mantle conundrum: evidence for source depletion and enrichment from Sm-Nd, Re-Os, and Pb isotopic compositions in 3.71 Gy boninite-like metabasalts from the Isua Supracrustal Belt, Greenland 1 Associate editor: A. D. Brandon. <i>Geochimica Et Cosmochimica Acta</i> , 2004, 68, 1645-1660.	1.6	52
87	Petrology and geochemistry of the $^{142}\text{Sm}/^{147}\text{Sm}$ Itilliarsuk banded iron formation and associated supracrustal rocks, West Greenland: Source characteristics and depositional environment. <i>Precambrian Research</i> , 2013, 229, 150-176.	1.2	52
88	Oxygenation variations in the atmosphere and shallow seawaters of the Yangtze Platform during the Ediacaran Period: Clues from Cr-isotope and Ce-anomaly in carbonates. <i>Precambrian Research</i> , 2018, 313, 78-90.	1.2	51
89	Chromium isotope, REE and redox-sensitive trace element chemostratigraphy across the late Neoproterozoic Ghaub glaciation, Otavi Group, Namibia. <i>Precambrian Research</i> , 2016, 286, 234-249.	1.2	50
90	Generation of continental crust in the northern part of the Borborema Province, northeastern Brazil, from Archaean to Neoproterozoic. <i>Journal of South American Earth Sciences</i> , 2016, 68, 68-96.	0.6	48

#	ARTICLE	IF	CITATIONS
91	LEAD ISOTOPIC EVIDENCE FOR A MIXED PROVENANCE FOR ROMAN WATER PIPES FROM POMPEII*. <i>Archaeometry</i> , 2000, 42, 201-208.	0.6	47
92	The least radiogenic terrestrial leads; implications for the early Archean crustal evolution and hydrothermalâ€“metasomatic processes in the Isua Supracrustal Belt (West Greenland). <i>Chemical Geology</i> , 2001, 181, 47-66.	1.4	47
93	Osmium isotopes in the Wiedemann Fjord mantle xenoliths: A unique record of cratonic mantle formation by melt depletion in the Archaean. <i>Geochemistry, Geophysics, Geosystems</i> , 2001, 2, n/a-n/a.	1.0	46
94	Paleo- and Neoproterozoic magmatic and tectonometamorphic evolution of the Isla Cristalina de Rivera (Nico PÃ©rez Terrane, Uruguay). <i>International Journal of Earth Sciences</i> , 2012, 101, 1745-1762.	0.9	46
95	Environmentally available hexavalent chromium in soils and sediments impacted by dispersed fly ash in Sarigkiol basin (Northern Greece). <i>Environmental Pollution</i> , 2018, 235, 632-641.	3.7	46
96	Biogeochemical cycle of chromium isotopes at the modern Earth's surface and its applications as a paleo-environment proxy. <i>Chemical Geology</i> , 2020, 541, 119570.	1.4	46
97	Step-leach Pb-Pb dating of inclusion-bearing garnet and staurolite, with implications for Early Proterozoic tectonism in the Black Hills collisional orogen, South Dakota, United States. <i>Geology</i> , 1998, 26, 111.	2.0	45
98	Alkali Picrites Formed by Melting of Old Metasomatized Lithospheric Mantle: Manitdlat Member, Vaigat Formation, Palaeocene of West Greenland. <i>Journal of Petrology</i> , 2003, 44, 3-38.	1.1	45
99	East Greenland ice core dust record reveals timing of Greenland ice sheet advance and retreat. <i>Nature Communications</i> , 2019, 10, 4494.	5.8	45
100	Geochronology of granitoid and metasedimentary rocks from Togo and Benin, West Africa: Comparisons with NE Brazil. <i>Precambrian Research</i> , 2012, 196-197, 218-233.	1.2	44
101	Complex calc-alkaline volcanism recorded in Mesoarchaean supracrustal belts north of FrederikshÃ¥b Isblink, southern West Greenland: Implications for subduction zone processes in the early Earth. <i>Precambrian Research</i> , 2012, 208-211, 90-123.	1.2	44
102	Extensive oxidative weathering in the aftermath of a late Neoproterozoic glaciation â€“ Evidence from trace element and chromium isotope records in the Urucum district (Jacadigo Group) and Puga iron formations (Mato Grosso do Sul, Brazil). <i>Gondwana Research</i> , 2017, 49, 1-20.	3.0	44
103	Mapping human mobility during the third and second millennia BC in present-day Denmark. <i>PLoS ONE</i> , 2019, 14, e0219850.	1.1	44
104	Evolution of mineralizing fluid in the porphyry copper system of the Skouries Deposit, Northeast Chalkidiki (Greece); evidence from combined Pb-Sr and stable isotope data. <i>Economic Geology</i> , 1995, 90, 746-762.	1.8	43
105	Pitfalls and new approaches in granulite chronometry. <i>Precambrian Research</i> , 1998, 91, 269-285.	1.2	43
106	An energy-dispersive miniprobe multielement analyzer (EMMA) for direct analysis of trace elements and chemical age dating of single mineral grains. <i>Chemical Geology</i> , 1997, 135, 75-87.	1.4	42
107	High-resolution stable isotope stratigraphy of the upper Cambrian and Ordovician in the Argentine Precordillera: Carbon isotope excursions and correlations. <i>Gondwana Research</i> , 2013, 24, 330-348.	3.0	42
108	Potential leaching of Cr(VI) from laterite mines and residues of metallurgical products (red mud and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.5	42

#	ARTICLE	IF	CITATIONS
109	Multiproxy geochemical and isotope stratigraphy records of a Neoproterozoic Oxygenation Event in the Ediacaran Sete Lagoas cap carbonate, Bambuí-Group, Brazil. <i>Chemical Geology</i> , 2018, 481, 119-132.	1.4	41
110	Chromium isotope stratigraphy of Ediacaran cap dolostones, Doushantuo Formation, South China. <i>Chemical Geology</i> , 2016, 436, 24-34.	1.4	40
111	Multi-isotope proveniencing of human remains from a Bronze Age battlefield in the Tollense Valley in northeast Germany. <i>Archaeological and Anthropological Sciences</i> , 2019, 11, 33-49.	0.7	40
112	Isotope geochemistry and origin of illite-smectite and kaolinite from the Seilitz and Kemmlitz kaolin deposits, Saxony, Germany. <i>Clay Minerals</i> , 2003, 38, 95-112.	0.2	39
113	Redox fluctuations in the Early Ordovician oceans: An insight from chromium stable isotopes. <i>Chemical Geology</i> , 2017, 448, 1-12.	1.4	39
114	Redox condition in the Nanhua Basin during the waning of the Sturtian glaciation: A chromium-isotope perspective. <i>Precambrian Research</i> , 2018, 319, 198-210.	1.2	39
115	Osmium and lead isotopes of rare OsIrRu minerals: derivation from the core-mantle boundary region?. <i>Earth and Planetary Science Letters</i> , 1999, 170, 83-92.	1.8	38
116	Neutrophil effector responses are suppressed by secretory phospholipase A2 modified HDL. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2015, 1851, 184-193.	1.2	38
117	Archean and Proterozoic mineralization and tectonics at the Renco Mine (northern marginal zone,) Tj ETQq1 1 0.784314 rgBT ₃₇ /Overlo	1.8	37
118	Osmium isotopic compositions of Os-rich platinum group element alloys from the Klamath and Siskiyou Mountains. <i>Journal of Geophysical Research</i> , 2004, 109, .	3.3	37
119	The 3.1 Ga Nuggihalli chromite deposits, Western Dharwar craton (India): Geochemical and isotopic constraints on mantle sources, crustal evolution and implications for supercontinent formation and ore mineralization. <i>Lithos</i> , 2012, 155, 392-409.	0.6	37
120	Shallow retardation of the strontium isotope signal of agricultural liming - implications for isoscapes used in provenance studies. <i>Science of the Total Environment</i> , 2020, 706, 135710.	3.9	37
121	Elemental mapping using proton-induced x-rays. <i>X-Ray Spectrometry</i> , 2001, 30, 156-163.	0.9	36
122	Granites and granites in the East Greenland Caledonides. , 2008, , 227-249.		36
123	Chromium isotope fractionation between modern seawater and biogenic carbonates from the Great Barrier Reef, Australia: Implications for the paleo-seawater ⁵³ Cr reconstruction. <i>Earth and Planetary Science Letters</i> , 2018, 498, 140-151.	1.8	36
124	A strontium isotope baseline of Cyprus. Assessing the use of soil leachates, plants, groundwater and surface water as proxies for the local range of bioavailable strontium isotope composition. <i>Science of the Total Environment</i> , 2020, 708, 134714.	3.9	36
125	New ²⁰⁷ Pb- ²⁰⁶ Pb and ⁴⁰ Ar- ³⁹ Ar ages from SW Montana, USA: constraints on the Proterozoic and Archean tectonic and depositional history of the Wyoming Province. <i>Precambrian Research</i> , 2002, 117, 119-143.	1.2	35
126	The Earth-Moon system during the late heavy bombardment period - Geochemical support for impacts dominated by comets. <i>Icarus</i> , 2009, 204, 368-380.	1.1	35

#	ARTICLE	IF	CITATIONS
127	Algoma-type Neoproterozoic BIFs and related marbles in the Serid� Belt (NE Brazil): REE, C, O, Cr and Sr isotope evidence. <i>Journal of South American Earth Sciences</i> , 2015, 61, 33-52.	0.6	35
128	2480 Ma mafic magmatism in the northern Black Hills, South Dakota: a new link connecting the Wyoming and Superior cratons. <i>Canadian Journal of Earth Sciences</i> , 2006, 43, 1579-1600.	0.6	34
129	Characterization of enriched lithospheric mantle components in ~ 4.7 Ga Banded Iron Formations: An example from the Tati Greenstone Belt, Northeastern Botswana. <i>Precambrian Research</i> , 2009, 172, 334-356.	1.2	34
130	Geodynamic evolution of the Eastern Sierras Pampeanas (Central Argentina) based on geochemical, Sm-Nd, Pb-Pb and SHRIMP data. <i>International Journal of Earth Sciences</i> , 2011, 100, 631-657.	0.9	34
131	Chemical and isotopic architecture of the belemnite rostrum. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 159, 231-243.	1.6	34
132	Marine ferromanganese oxide: A potentially important sink of light chromium isotopes?. <i>Chemical Geology</i> , 2018, 495, 90-103.	1.4	34
133	The Nevorlia Gold Skarn Deposit, Southern Cross Greenstone Belt, Western Australia: II. Pressure-Temperature-Time Path and Relationship to Postorogenic Granites. <i>Economic Geology</i> , 2004, 99, 453-478.	1.8	33
134	Os isotope heterogeneity of the upper mantle: Evidence from the Mayar� Baracoa ophiolite belt in eastern Cuba. <i>Earth and Planetary Science Letters</i> , 2006, 241, 466-476.	1.8	32
135	Geochemical and Pb-Sr-Nd isotopic composition of the ultrapotassic volcanic rocks from the extension-related �amard�-Uluk�la basin, Ni�de Province, Central Anatolia, Turkey. <i>Journal of Asian Earth Sciences</i> , 2006, 27, 613-627.	1.0	32
136	The origin of geochemical trends and Eoarchean (ca. 3700 Ma) zircons in Mesoarchean (ca. 3075 Ma) ocelli-hosting pillow basalts, Ivisaarq greenstone belt, SW Greenland: Evidence for crustal contamination versus crustal recycling. <i>Chemical Geology</i> , 2009, 268, 248-271.	1.4	32
137	Origin of Mesoarchean arc-related rocks with boninite/komatiite affinities from southern West Greenland. <i>Lithos</i> , 2012, 144-145, 24-39.	0.6	32
138	Dacitic ocelli in mafic lavas, 3.8-3.7 Ga Isua greenstone belt, West Greenland: Geochemical evidence for partial melting of oceanic crust and magma mixing. <i>Chemical Geology</i> , 2009, 258, 105-124.	1.4	31
139	Chromium isotope cycling in the water column and sediments of the Peruvian continental margin. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 257, 224-242.	1.6	31
140	Chronology of magmatism and mineralization in the Cassandra mining area, Greece: The potentials and limitations of dating hydrothermal illites. <i>Geochimica Et Cosmochimica Acta</i> , 1994, 58, 2107-2122.	1.6	30
141	Trace elements and isotope geochemistry (C, O, Fe, Cr) of the Cau� iron formation, Quadril�tero Ferr�fero, Brazil: Evidence for widespread microbial dissimilatory iron reduction at the Archean/Paleoproterozoic transition. <i>Precambrian Research</i> , 2017, 298, 39-55.	1.2	30
142	A systematic look at chromium isotopes in modern shells - implications for paleo-environmental reconstructions. <i>Biogeosciences</i> , 2018, 15, 4905-4922.	1.3	30
143	Extreme element mobility during transformation of Neoarchean (ca. 2.7 Ga) pillow basalts to a Paleoproterozoic (ca. 1.9 Ga) paleosol, Schreiber Beach, Ontario, Canada. <i>Chemical Geology</i> , 2012, 326-327, 145-173.	1.4	29
144	The link between surface water and groundwater-based drinking water - strontium isotope spatial distribution patterns and their relationships to Danish sediments. <i>Applied Geochemistry</i> , 2020, 121, 104698.	1.4	29

#	ARTICLE	IF	CITATIONS
145	Mono-sample Pb-Pb dating of pyrrhotite and tourmaline: Proterozoic vs. Archean intracratonic gold mineralization in Zimbabwe. <i>Geology</i> , 1996, 24, 823.	2.0	28
146	On the formation of peridotite-derived Os-rich PGE alloys. <i>American Mineralogist</i> , 2003, 88, 1731-1740.	0.9	28
147	Petrogenetic and geodynamic origin of the Neoproterozoic Dorset Lake Complex, Abitibi subprovince, Superior Province, Canada. <i>International Journal of Earth Sciences</i> , 2018, 107, 811-843.	0.9	28
148	Chromium isotope composition of organic-rich marine sediments and their mineral phases and implications for using black shales as a paleoredox archive. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 270, 338-359.	1.6	28
149	Geochemistry of Precambrian sedimentary rocks used to solve stratigraphical problems: An example from the Neoproterozoic Volta basin, Ghana. <i>Precambrian Research</i> , 2010, 176, 65-76.	1.2	27
150	The Pan-African West Congo belt in the Republic of Congo (Congo Brazzaville): Stratigraphy of the Mayombe and West Congo Supergroups studied by detrital zircon geochronology. <i>Precambrian Research</i> , 2016, 272, 185-202.	1.2	27
151	Element/Ca, C and O isotope ratios in modern brachiopods: Species-specific signals of biomineralization. <i>Chemical Geology</i> , 2017, 460, 15-24.	1.4	27
152	Variations of redox conditions in the atmosphere and Yangtze Platform during the Ediacaran-Cambrian transition: Constraints from Cr isotopes and Ce anomalies. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2020, 543, 109598.	1.0	26
153	Dating a Variscan pressure-temperature loop with staurolite. <i>Geology</i> , 1995, 23, 1095.	2.0	25
154	Geochemical and Pb-Sr-Nd Isotopic Constraints Indicating an Enriched-Mantle Source for Late Cretaceous to Early Tertiary Volcanism, Central Anatolia, Turkey. <i>International Geology Review</i> , 2004, 46, 1022-1041.	1.1	25
155	The Mesoproterozoic Midsommersdal dolerites and associated high-silica intrusions, North Greenland: crustal melting, contamination and hydrothermal alteration. <i>Contributions To Mineralogy and Petrology</i> , 2006, 152, 89-110.	1.2	25
156	Origins of inhabitants from the 16th century Sala (Sweden) silver mine cemetery – A lead isotope perspective. <i>Journal of Archaeological Science</i> , 2017, 80, 1-13.	1.2	25
157	U-Pb age constraints for the La Tuna Granite and Montevideo Formation (Paleoproterozoic, Uruguay): Unravelling the structure of the Río de la Plata Craton. <i>Journal of South American Earth Sciences</i> , 2017, 79, 443-458.	0.6	25
158	Stable isotope records across the Cretaceous-Paleogene transition, Stevns Klint, Denmark: New insights from the chromium isotope system. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 235, 305-332.	1.6	25
159	Heterogeneity and incorporation of chromium isotopes in recent marine molluscs (<i>Mytilus</i>). <i>Geobiology</i> , 2019, 17, 417-435.	1.1	25
160	Re-Os, Sm-Nd isotope- and REE systematics on ultramafic rocks and pillow basalts from the Earth's oldest oceanic crustal fragments (Isua Supracrustal Belt and Ujaragsuit nunatak area, W Greenland). <i>Chemical Geology</i> , 2003, 196, 163-191.	1.4	24
161	A transient swing to higher oxygen levels in the atmosphere and oceans at ~1.4 Ga. <i>Precambrian Research</i> , 2021, 354, 106058.	1.2	24
162	Subsurface CO ₂ Dynamics in Temperate Beech and Spruce Forest Stands. <i>Biogeochemistry</i> , 2005, 75, 479-506.	1.7	23

#	ARTICLE	IF	CITATIONS
163	An overview of anorthosite-bearing layered intrusions in the Archaean craton of southern West Greenland and the Superior Province of Canada: implications for Archaean tectonics and the origin of megacrystic plagioclase. <i>Geodinamica Acta</i> , 2018, 30, 84-99.	2.2	23
164	The role of pH on Cr(VI) partitioning and isotopic fractionation during its incorporation in calcite. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 265, 520-532.	1.6	23
165	Late Paleoproterozoic and Mesoproterozoic magmatism of the Nico Pérez Terrane (Uruguay): Tightening up correlations in southwestern Gondwana. <i>Precambrian Research</i> , 2019, 327, 296-313.	1.2	23
166	Isotope systematics in vein gold from Brusson, Val d'Ayas (NW Italy) 3. (U + Th)He and KAr in native Au and its fluid inclusions. <i>Chemical Geology</i> , 1997, 135, 173-187.	1.4	22
167	Constraints on the Origin and Evolution of Magmas in the Payán Matrón Volcanic Field, Quaternary Andean Back-arc of Western Argentina. <i>Journal of Petrology</i> , 2014, 55, 209-239.	1.1	22
168	Multiproxy isotope constraints on ocean compositional changes across the late Neoproterozoic Ghaub glaciation, Otavi Group, Namibia. <i>Precambrian Research</i> , 2017, 298, 306-324.	1.2	22
169	Pervasive early diagenetic dolomitization, subsequent hydrothermal alteration, and late stage hydrocarbon accumulation in a Middle Triassic carbonate sequence (Szeged Basin, SE Hungary). <i>Marine and Petroleum Geology</i> , 2018, 98, 270-290.	1.5	22
170	Removal of natural organic dyes from wool—implications for ancient textile provenance studies. <i>Journal of Archaeological Science</i> , 2010, 37, 2136-2145.	1.2	21
171	Dating brittle tectonic movements with cleft monazite: Fluid-rock interaction and formation of REE minerals. <i>Tectonics</i> , 2013, 32, 1176-1189.	1.3	21
172	Redox fluctuations during the Ediacaran-Cambrian transition, Nanhua Basin, South China: Insights from Cr isotope and REE+Y data. <i>Chemical Geology</i> , 2019, 525, 321-333.	1.4	21
173	Mobilization and isotope fractionation of chromium during water-rock interaction in presence of siderophores. <i>Applied Geochemistry</i> , 2019, 102, 44-54.	1.4	21
174	The extent of inter-mineral isotope equilibrium: a systematic bulk U-Pb and Pb step leaching (PbSL) isotope study of individual minerals from the Tertiary granite of Jerissos (northern Greece). <i>European Journal of Mineralogy</i> , 1996, 8, 1175-1190.	0.4	21
175	Geochemistry, Nd, Pb and Sr isotope systematics, and U-Pb zircon ages of the Neoproterozoic Bad Vermilion Lake greenstone belt and spatially associated granitic rocks, western Superior Province, Canada. <i>Precambrian Research</i> , 2016, 282, 21-51.	1.2	20
176	Oxygen and carbon isotope and Sr/Ca signatures of high-latitude Permian to Jurassic calcite fossils from New Zealand and New Caledonia. <i>Gondwana Research</i> , 2016, 38, 60-73.	3.0	20
177	Goldilocks at the dawn of complex life: mountains might have damaged Ediacaran-Cambrian ecosystems and prompted an early Cambrian greenhouse world. <i>Scientific Reports</i> , 2021, 11, 20010.	1.6	20
178	Isotope systematics in vein gold from Brusson, Val d'Ayas (NW Italy), 1. Pb/Pb evidence for a Piemonte metaophiolite Au source. <i>Chemical Geology</i> , 1996, 127, 111-124.	1.4	19
179	Gold potential of the Mpanda Mineral Field, SW Tanzania: evaluation based on geological, lead isotopic and aeromagnetic data. <i>Journal of African Earth Sciences</i> , 2004, 38, 437-447.	0.9	19
180	Coral-based climate records from tropical South Atlantic: 2009/2010 ENSO event in C and O isotopes from <i>Porites</i> corals (Rocas Atoll, Brazil). <i>Anais Da Academia Brasileira De Ciencias</i> , 2015, 87, 1939-1957.	0.3	19

#	ARTICLE	IF	CITATIONS
181	Lithospheric mantle xenoliths sampled by melts from upwelling asthenosphere: The Quaternary Tasse alkaline basalts of southeastern British Columbia, Canada. <i>Gondwana Research</i> , 2016, 33, 209-230.	3.0	19
182	Suspended sediment in a high-Arctic river: An appraisal of flux estimation methods. <i>Science of the Total Environment</i> , 2017, 580, 582-592.	3.9	18
183	Diet and mobility among Mesolithic hunter-gatherers in Motala (Sweden) - The isotope perspective. <i>Journal of Archaeological Science: Reports</i> , 2018, 17, 904-918.	0.2	18
184	Surface water oxygenation and bioproductivity – A link provided by combined chromium and cadmium isotopes in Early Cambrian metalliferous black shales (Nanhua Basin, South China). <i>Chemical Geology</i> , 2020, 552, 119785.	1.4	18
185	Timing between granitoid emplacement and associated gold mineralization: examples from the ca. 2.7 Ga Harare-Shamva greenstone belt, northern Zimbabwe. <i>Canadian Journal of Earth Sciences</i> , 1996, 33, 981-992.	0.6	17
186	The timing of high-temperature retrogression in the Reynolds Range, central Australia: constraints from garnet and epidote Pb-Pb dating. <i>Contributions To Mineralogy and Petrology</i> , 1999, 135, 244-254.	1.2	17
187	Lead-isotope and trace-element geochemistry of Paleoproterozoic metasedimentary rocks in the Lead and Rochford basins (Black Hills, South Dakota, USA): Implications for genetic models, mineralization ages, and sources of leads in the Homestake gold deposit. <i>Precambrian Research</i> , 2009, 172, 1-24.	1.2	17
188	⁴⁰ Ar/ ³⁹ Ar dating of exceptional concentration of metals by weathering of Precambrian rocks at the Precambrian–Cambrian boundary. <i>Precambrian Research</i> , 2014, 246, 54-63.	1.2	17
189	Ediacaran Doushantuo-type biota discovered in Laurentia. <i>Communications Biology</i> , 2020, 3, 647.	2.0	17
190	Signals of combined chromium–cadmium isotopes in basin waters of the Early Cambrian – Results from the Maoshi and Zhijin sections, Yangtze Platform, South China. <i>Chemical Geology</i> , 2021, 563, 120061.	1.4	17
191	Pulsed volcanism and rapid oceanic deoxygenation during Oceanic Anoxic Event 1a. <i>Geology</i> , 2021, 49, 1452-1456.	2.0	17
192	The Neoarchaean Storö, Supracrustal Belt, Nuuk region, southern West Greenland: An arc-related basin with continent-derived sedimentation. <i>Precambrian Research</i> , 2014, 247, 208-222.	1.2	16
193	Polyorogenic history of the East Greenland Caledonides. , 2008, , 55-72.		15
194	Chemostratigraphy of Neoproterozoic Banded Iron Formation (BIF). , 2015, , 433-449.		15
195	Fractionation Behavior of Chromium Isotopes during the Sorption of Cr (VI) on Kaolin and its Implications for Using Black Shales as a Paleoredox Archive. <i>Geochemistry, Geophysics, Geosystems</i> , 2019, 20, 2290-2302.	1.0	15
196	Provenance of the Late Ediacaran Rocha Formation, Cuchilla Dionisio Terrane, Uruguay: Tectonic implications on the assembly of Gondwana. <i>Precambrian Research</i> , 2020, 342, 105704.	1.2	15
197	Granite-hosted gold mineralization in the Midlands greenstone belt: a new type of low-grade gold deposit in Zimbabwe. <i>Mineralium Deposita</i> , 1998, 33, 437-460.	1.7	14
198	Priscoan (4.00–4.03 Ga) orthogneisses from northwestern Canada - by Samuel A. Bowring and Ian S. Williams: discussion. <i>Contributions To Mineralogy and Petrology</i> , 2001, 141, 248-250.	1.2	14

#	ARTICLE	IF	CITATIONS
199	High Precision Ru, Pd, Ir, Pt, Re and REE Determinations in the Stevns Klint Cretaceous-Tertiary Boundary Reference Material (FC-1) by Isotope Dilution Multiple Collector Inductively Coupled Plasma-Mass Spectrometry. <i>Geostandards and Geoanalytical Research</i> , 2003, 27, 59-66.	1.7	14
200	Subaerial speleothems and deep karst in central Sweden linked to Hirnantian glaciations. <i>Journal of the Geological Society</i> , 2015, 172, 349-356.	0.9	14
201	Geochemical constraints on the sources of Cr(VI) contamination in waters of Messapia (Central Evia) Basin. <i>Applied Geochemistry</i> , 2017, 84, 13-25.	1.4	14
202	Subtle Cr isotope signals track the variably anoxic Cryogenian interglacial period with voluminous manganese accumulation and decrease in biodiversity. <i>Scientific Reports</i> , 2019, 9, 15056.	1.6	14
203	Testing Late Bronze Age mobility in southern Sweden in the light of a new multi-proxy strontium isotope baseline of Scania. <i>PLoS ONE</i> , 2021, 16, e0250279.	1.1	14
204	Noble gases, K, U, Th, and Pb in native gold. <i>Journal of Geophysical Research</i> , 1995, 100, 24677-24689.	3.3	13
205	Petrology and geochemistry of the Tasse mantle xenoliths of the Canadian Cordillera: A record of Archean to Quaternary mantle growth, metasomatism, removal, and melting. <i>Tectonophysics</i> , 2018, 737, 1-26.	0.9	13
206	The geochemistry of modern calcareous barnacle shells and applications for palaeoenvironmental studies. <i>Geochimica Et Cosmochimica Acta</i> , 2018, 243, 149-168.	1.6	13
207	The geographic distribution of bioavailable strontium isotopes in Greece – A base for provenance studies in archaeology. <i>Science of the Total Environment</i> , 2021, 791, 148156.	3.9	13
208	True K-feldspar granites in oceanic crust (Masirah ophiolite, Sultanate of Oman): A U–Pb and Sm–Nd isotope study. <i>Chemical Geology</i> , 1997, 138, 119-126.	1.4	12
209	Characterisation of the natural attenuation of chromium contamination in the presence of nitrate using isotopic methods. A case study from the Matanza-Riachuelo River basin, Argentina. <i>Science of the Total Environment</i> , 2020, 699, 134331.	3.9	12
210	The Tapes Complex (Nico Pérez Terrane, Uruguay): Constraining the Mesoproterozoic evolution of the Río de la Plata Craton. <i>Journal of South American Earth Sciences</i> , 2021, 105, 102906.	0.6	12
211	Isotopic range of bioavailable strontium on the Peloponnese peninsula, Greece: A multi-proxy approach. <i>Science of the Total Environment</i> , 2021, 774, 145181.	3.9	12
212	Uranium isotope cycling on the highly productive Peruvian margin. <i>Chemical Geology</i> , 2022, 590, 120705.	1.4	12
213	Microbially induced chromium isotope fractionation and trace elements behavior in lower Cambrian microbialites from the Jaíba Member, Bambuí-Basin, Brazil. <i>Geobiology</i> , 2021, 19, 125-146.	1.1	11
214	Chromium isotope heterogeneity on a modern carbonate platform. <i>Chemical Geology</i> , 2021, 573, 120227.	1.4	11
215	Early Cambrian highly metalliferous black shale in South China: Cu and Zn isotopes and a short review of other non-traditional stable isotopes. <i>Mineralium Deposita</i> , 2022, 57, 1167-1187.	1.7	11
216	Nd isotope signature of Holocene Baltic Mn/Fe precipitates as monitor of climate change during the Little Ice Age. <i>Geochimica Et Cosmochimica Acta</i> , 2005, 69, 2253-2263.	1.6	10

#	ARTICLE	IF	CITATIONS
217	A shear zone related greenstone belt hosted gold mineralization in the Archean of West Greenland. A petrographic and combined Pb–Pb and Rb–Sr geochronological study. <i>Ore Geology Reviews</i> , 2007, 32, 20-36.	1.1	10
218	Geochemical signatures in Late Triassic brachiopods from New Caledonia. <i>New Zealand Journal of Geology, and Geophysics</i> , 2014, 57, 420-431.	1.0	10
219	The potential of the coral species <i>Porites astreoides</i> as a paleoclimate archive for the Tropical South Atlantic Ocean. <i>Journal of South American Earth Sciences</i> , 2017, 77, 276-285.	0.6	10
220	A back-arc origin for the Neoproterozoic megacrystic anorthosite-bearing Bird River Sill and the associated greenstone belt, Bird River subprovince, Western Superior Province, Manitoba, Canada. <i>International Journal of Earth Sciences</i> , 2019, 108, 2177-2207.	0.9	10
221	Petrogenesis and geodynamic setting of the Neoproterozoic Haines Gabbroic Complex and Shebandowan greenstone belt, southwestern Superior Province, Ontario, Canada. <i>Lithos</i> , 2019, 324-325, 1-19.	0.6	10
222	Carbon stable isotope record in the coral species <i>Siderastrea stellata</i> : A link to the Suess Effect in the tropical South Atlantic Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2018, 497, 82-90.	1.0	9
223	Allosteric targeting of the FFA2 receptor (GPR43) restores responsiveness of desensitized human neutrophils. <i>Journal of Leukocyte Biology</i> , 2021, 109, 741-751.	1.5	9
224	Ediacaran banded iron formations and carbonates of the Cachoeirinha Group of NE Brazil: Paleoenvironment and paleoredox conditions. <i>Journal of South American Earth Sciences</i> , 2021, 109, 103282.	0.6	9
225	An overview of the lithological and geochemical characteristics of the Mesoarchean (ca. 3075 Ma) Ivsaartoq greenstone belt, southern West Greenland. , 2008, , 51-76.		8
226	Evidence for Neoproterozoic hydrous arc magmatism, the anorthosite-bearing Mayville Intrusion, western Superior Province, Canada. <i>Lithos</i> , 2020, 362-363, 105482.	0.6	8
227	The proper choice of proxies for relevant strontium isotope baselines used for provenance and mobility studies in glaciated terranes – Important messages from Denmark. <i>Science of the Total Environment</i> , 2022, 821, 153394.	3.9	8
228	Efficient N-TIMS rhenium isotope measurements on outgassed tantalum filaments: very low filament blanks determined by a $\delta^{187}\text{Re}$ -standard addition approach. <i>International Journal of Mass Spectrometry and Ion Processes</i> , 1996, 153, L7-L10.	1.9	7
229	High-resolution Ge-Si-Fe, Cr isotope and Th-U data for the Neoproterozoic Temagami BIF, Canada, suggest primary origin of BIF bands and oxidative terrestrial weathering 2.7 Ga ago. <i>Earth and Planetary Science Letters</i> , 2022, 589, 117579.	1.8	7
230	Cadmium isotopes in Late Ediacaran–Early Cambrian Yangtze Platform carbonates – Reconstruction of bioproductivity in ambient surface seawater. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 601, 111096.	1.0	7
231	The Palaeoproterozoic Kangerluluk gold-copper mineralization (southeast Greenland): Pb and Nd isotopic constraints on its timing and genesis. <i>Mineralium Deposita</i> , 2001, 36, 177-188.	1.7	6
232	A strontium isotope pilot study using cremated teeth from the Vollmarshausen cemetery, Hesse, Germany. <i>Journal of Archaeological Science: Reports</i> , 2020, 31, 102356.	0.2	6
233	Studies of progressive leaching in single mineral dating. <i>Nuclear Instruments & Methods in Physics Research B</i> , 1997, 130, 676-681.	0.6	5
234	Chromium Isotope Systematics in Modern and Ancient Microbialites. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 928.	0.8	5

#	ARTICLE	IF	CITATIONS
235	Anatomy of a Neoproterozoic continental arc-backarc system in the Cross Lake-Pipestone Lake region, northwestern Superior Province, Canada. <i>Precambrian Research</i> , 2022, 370, 106556.	1.2	5
236	Metamorphism and polygenesis of the Madem Lakkos polymetallic sulfide deposit, Chalkidiki, Greece; discussion. <i>Economic Geology</i> , 1992, 87, 1184-1187.	1.8	4
237	Altered Inhibitory Function of the E-Type Prostanoid Receptor 4 in Eosinophils and Monocytes from Aspirin-Intolerant Patients. <i>Pharmacology</i> , 2014, 94, 280-286.	0.9	4
238	Imperial Porphyry from Gebel Abu Dokhan, the Red Sea Mountains, Egypt Part II. <i>Geochemistry. Neues Jahrbuch Fur Mineralogie, Abhandlungen</i> , 2016, 193, .	0.1	4
239	Imperial Porphyry from Gebel Abu Dokhan, the Red Sea Mountains, Egypt Part I. Mineralogy, petrology and occurrence. <i>Neues Jahrbuch Fur Mineralogie, Abhandlungen</i> , 2016, 193, .	0.1	4
240	Serpentinization in the Archean and Early Phanerozoic – Insights from chromium isotope and REY systematics of the Mg Cr hydroxycarbonate stichtite and associated host serpentinites. <i>Chemical Geology</i> , 2021, 565, 120055.	1.4	4
241	The Piedras de Afilar Formation (Neoproterozoic, Uruguay): Sedimentology and provenance of a key unit for SW-Gondwana paleogeography. <i>Journal of South American Earth Sciences</i> , 2021, 108, 103176.	0.6	4
242	C, Sr, Nd isotope chemostratigraphy and zircon provenance of the Witvlei Group (Namibia): Neoproterozoic glaciations and seawater evolution. <i>Precambrian Research</i> , 2022, 372, 106600.	1.2	4
243	Archean and Proterozoic mineralization and tectonics at the Renco Mine (northern marginal zone,) Tj ETQq1 1 0.784314 rgBJ /Overlo	1.8	3
244	Tracking with heavily irradiated silicon detectors operated at cryogenic temperatures. <i>IEEE Transactions on Nuclear Science</i> , 1999, 46, 228-231.	1.2	3
245	Reply to comments by Sanjay K. Mukhopadhyay, Sucharita Pal, J. P. Shrivastava on the paper by Sial et al. (2016) Mercury enrichments and Hg isotopes in Cretaceous–Paleogene boundary successions: Links to volcanism and palaeoenvironmental impacts. <i>Cretaceous Research</i> 66, 60–81. <i>Cretaceous Research</i> , 2017, 76, 84-88.	0.6	3
246	Commentary: Strontium Is Released Rapidly From Agricultural Lime – Implications for Provenance and Migration Studies. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .	1.1	3
247	Constraining Shallow Seawater Oxygenation for the Yangtze Platform During the Early Cambrian. <i>Paleoceanography and Paleoclimatology</i> , 2021, 36, e2021PA004282.	1.3	3
248	Cadmium isotopes in Bahamas platform carbonates: A base for reconstruction of past surface water bioproductivity and their link with chromium isotopes. <i>Science of the Total Environment</i> , 2022, 806, 150565.	3.9	3
249	Reply to the Comment by Igor M. Villa, Balz S. Kamber, and Thomas F. Nägler on “The Nd and Hf isotopic evolution of the mantle through the Archean. Results from the Isua supracrustals, West Greenland, and from the Birimian terranes of West Africa” <i>Geochimica Et Cosmochimica Acta</i> , 2001, 65, 2023-2025.	1.6	2
250	Enigmatic 1146 ± 4 Ma old granite in the southeastern rim of the West African craton, now part of the Dahomeyan orogenic belt in Ghana. <i>Journal of African Earth Sciences</i> , 2020, 167, 103814.	0.9	2
251	Factors Controlling the Chromium Isotope Compositions in Podiform Chromitites. <i>Minerals (Basel)</i> , Tj ETQq1 1 0.784314 rgBJ /Overlo	0.8	2
252	Mono-sample Pb-Pb dating of pyrrhotite and tourmaline: Proterozoic vs. Archean intracratonic gold mineralization: Comment and Reply. <i>Geology</i> , 1997, 25, 669.	2.0	1

#	ARTICLE	IF	CITATIONS
253	The Silicon Tracker of the LHCb experiment. , 0, , .		1
254	Constraining a bioavailable strontium isotope baseline for the Lake Garda region, Northern Italy: A multi-proxy approach. Journal of Archaeological Science: Reports, 2022, 41, 103339.	0.2	1
255	Petrogenesis of the late Archean Pillow Basalts from the Chitradurga greenstone belt, Western Dharwar Craton (southern India). Journal of Earth System Science, 2022, 131, 1.	0.6	1
256	Mineral occurrences in central East Greenland (70°N–75°N) and their relation to the Caledonian orogeny—A Sr-Nd-Pb isotopic study of scheelite. , 2008, , 293-306.		0
257	Comment on: “Chemostratigraphic constraints on early Ediacaran carbonate ramp dynamics, Río de la Plata craton, Uruguay” by Aubet et al. Gondwana Research, Volume 22, Issues 3-4, November 2012, Pages 1073-1090. Gondwana Research, 2013, 23, 1183-1185.	3.0	0
258	Investigating sheep mobility at Montale, Italy, through strontium isotope analyses. Journal of Archaeological Science: Reports, 2022, 41, 103298.	0.2	0
259	Geochemical signatures of soapstones from the Nuuk area, southern West Greenland — their use for fingerprinting of archaeological artefacts. Journal of Archaeological Science, 2022, 140, 105552.	1.2	0