

Nicholas V Hud

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1298422/nicholas-v-hud-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

143
papers

7,715
citations

50
h-index

84
g-index

164
ext. papers

8,669
ext. citations

10
avg, IF

6.14
L-index

#	Paper	IF	Citations
143	Thioesters provide a plausible prebiotic path to proto-peptides.. <i>Nature Communications</i> , 2022 , 13, 2569	17.4	2
142	The proto-Nucleic Acid Builder: a software tool for constructing nucleic acid analogs. <i>Nucleic Acids Research</i> , 2021 , 49, 79-89	20.1	3
141	X-ray Fiber Diffraction and Computational Analyses of Stacked Hexads in Supramolecular Polymers: Insight into Self-Assembly in Water by Prospective Prebiotic Nucleobases. <i>Journal of the American Chemical Society</i> , 2021 , 143, 6079-6094	16.4	6
140	SalivaSTAT: Direct-PCR and Pooling of Saliva Samples Collected in Healthcare and Community Setting for SARS-CoV-2 Mass Surveillance. <i>Diagnostics</i> , 2021 , 11,	3.8	6
139	Water-Soluble Supramolecular Polymers of Paired and Stacked Heterocycles: Assembly, Structure, Properties, and a Possible Path to Pre-RNA. <i>Journal of the American Chemical Society</i> , 2021 , 143, 9279-9296	16.4	6
138	The Unexpected Base-Pairing Behavior of Cyanuric Acid in RNA and Ribose versus Cyanuric Acid Induced Helicene Assembly of Nucleic Acids: Implications for the Pre-RNA Paradigm. <i>Chemistry - A European Journal</i> , 2021 , 27, 4033-4042	4.8	6
137	Transition metals enhance prebiotic depsipeptide oligomerization reactions involving histidine.. <i>RSC Advances</i> , 2021 , 11, 3534-3538	3.7	5
136	Depsipeptide Nucleic Acids: Prebiotic Formation, Oligomerization, and Self-Assembly of a New Proto-Nucleic Acid Candidate. <i>Journal of the American Chemical Society</i> , 2021 , 143, 13525-13537	16.4	5
135	Water and Life: The Medium is the Message. <i>Journal of Molecular Evolution</i> , 2021 , 89, 2-11	3.1	16
134	Prebiotic Syntheses of Noncanonical Nucleosides and Nucleotides. <i>Chemical Reviews</i> , 2020 , 120, 4806-4830	18.1	18
133	The Prebiotic Provenance of Semi-Aqueous Solvents. <i>Origins of Life and Evolution of Biospheres</i> , 2020 , 50, 1-14	1.5	6
132	Mutually stabilizing interactions between proto-peptides and RNA. <i>Nature Communications</i> , 2020 , 11, 3137	17.4	28
131	A blueprint for academic labs to produce SARS-CoV-2 RT-qPCR test kits 2020 ,		5
130	Reversible Transformation of a Supramolecular Hydrogel by Redox Switching of Methylene Blue-A Noncovalent Chain Stopper. <i>ACS Omega</i> , 2020 , 5, 344-349	3.9	11
129	Prebiotic Origin of Pre-RNA Building Blocks in a Urea "Warm Little Pond" Scenario. <i>ChemBioChem</i> , 2020 , 21, 3504-3510	3.8	5
128	Towards Efficient Nonenzymatic DNA Ligation: Comparing Key Parameters for Maximizing Ligation Rates and Yields with Carbodiimide Activation*. <i>ChemBioChem</i> , 2020 , 21, 3359-3370	3.8	6
127	A blueprint for academic laboratories to produce SARS-CoV-2 quantitative RT-PCR test kits. <i>Journal of Biological Chemistry</i> , 2020 , 295, 15438-15453	5.4	16

126	A Stark Contrast to Modern Earth: Phosphate Mineral Transformation and Nucleoside Phosphorylation in an Iron- and Cyanide-Rich Early Earth Scenario. <i>Angewandte Chemie</i> , 2019 , 131, 17137-17143	3.6	1
125	RNA nucleosides built in one prebiotic pot. <i>Science</i> , 2019 , 366, 32-33	33.3	3
124	Spontaneous Symmetry Breaking in the Formation of Supramolecular Polymers: Implications for the Origin of Biological Homochirality. <i>Angewandte Chemie</i> , 2019 , 131, 1467-1471	3.6	3
123	Solvent viscosity facilitates replication and ribozyme catalysis from an RNA duplex in a model prebiotic process. <i>Nucleic Acids Research</i> , 2019 , 47, 6569-6577	20.1	11
122	Selective incorporation of proteinaceous over nonproteinaceous cationic amino acids in model prebiotic oligomerization reactions. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019 , 116, 16338-16346	11.5	48
121	A Stark Contrast to Modern Earth: Phosphate Mineral Transformation and Nucleoside Phosphorylation in an Iron- and Cyanide-Rich Early Earth Scenario. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 16981-16987	16.4	14
120	Spontaneous Symmetry Breaking in the Formation of Supramolecular Polymers: Implications for the Origin of Biological Homochirality. <i>Angewandte Chemie - International Edition</i> , 2019 , 58, 1453-1457	16.4	42
119	Glycosylation of a model proto-RNA nucleobase with non-ribose sugars: implications for the prebiotic synthesis of nucleosides. <i>Organic and Biomolecular Chemistry</i> , 2018 , 16, 1263-1271	3.9	21
118	A Possible Path to Prebiotic Peptides Involving Silica and Hydroxy Acid-Mediated Amide Bond Formation. <i>ChemBioChem</i> , 2018 , 19, 1913-1917	3.8	11
117	Searching for Possible Ancestors of RNA: The Self-Assembly Hypothesis for the Origin of Proto-RNA. <i>Nucleic Acids and Molecular Biology</i> , 2018 , 143-174		4
116	Exquisite regulation of supramolecular equilibrium polymers in water: chain stoppers control length, polydispersity and viscoelasticity. <i>Polymer Chemistry</i> , 2018 , 9, 5268-5277	4.9	11
115	Multiple prebiotic metals mediate translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, 12164-12169	11.5	34
114	Folding, Assembly, and Persistence: The Essential Nature and Origins of Biopolymers. <i>Journal of Molecular Evolution</i> , 2018 , 86, 598-610	3.1	24
113	Searching for lost nucleotides of the pre-RNA World with a self-refining model of early Earth. <i>Nature Communications</i> , 2018 , 9, 5171	17.4	16
112	Iron mediates catalysis of nucleic acid processing enzymes: support for Fe(II) as a cofactor before the great oxidation event. <i>Nucleic Acids Research</i> , 2017 , 45, 3634-3642	20.1	18
111	Silicate-Promoted Phosphorylation of Glycerol in Non-Aqueous Solvents: A Prebiotically Plausible Route to Organophosphates. <i>Life</i> , 2017 , 7,	3	12
110	Surveying the sequence diversity of model prebiotic peptides by mass spectrometry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017 , 114, E7652-E7659	11.5	37
109	Protein-free ribosomal RNA folds to a near-native state in the presence of Mg ²⁺ . <i>RSC Advances</i> , 2017 , 7, 54674-54681	3.7	8

108	Elongation of Model Prebiotic Proto-Peptides by Continuous Monomer Feeding. <i>Macromolecules</i> , 2017 , 50, 9286-9294	5.5	19
107	A viscous solvent enables information transfer from gene-length nucleic acids in a model prebiotic replication cycle. <i>Nature Chemistry</i> , 2017 , 9, 318-324	17.6	53
106	Darwin's Warm Little Pond: A One-Pot Reaction for Prebiotic Phosphorylation and the Mobilization of Phosphate from Minerals in a Urea-Based Solvent. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13249-13253	16.4	71
105	Darwin's Warm Little Pond: A One-Pot Reaction for Prebiotic Phosphorylation and the Mobilization of Phosphate from Minerals in a Urea-Based Solvent. <i>Angewandte Chemie</i> , 2016 , 128, 13443-13447	3.6	12
104	RNA-DNA Chimeras in the Context of an RNA World Transition to an RNA/DNA World. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 13204-13209	16.4	25
103	Titelbild: Darwin's Warm Little Pond: A One-Pot Reaction for Prebiotic Phosphorylation and the Mobilization of Phosphate from Minerals in a Urea-Based Solvent (Angew. Chem. 42/2016). <i>Angewandte Chemie</i> , 2016 , 128, 13107-13107	3.6	
102	Spontaneous formation and base pairing of plausible prebiotic nucleotides in water. <i>Nature Communications</i> , 2016 , 7, 11328	17.4	73
101	Kinetics of prebiotic depsipeptide formation from the ester-amide exchange reaction. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 28441-28450	3.6	20
100	Formation of supramolecular assemblies and liquid crystals by purine nucleobases and cyanuric acid in water: implications for the possible origins of RNA. <i>Physical Chemistry Chemical Physics</i> , 2016 , 18, 20091-6	3.6	27
99	Small molecule-mediated duplex formation of nucleic acids with incompatible backbones. <i>Chemical Communications</i> , 2016 , 52, 5436-9	5.8	6
98	Our Odyssey to Find a Plausible Prebiotic Path to RNA: The First Twenty Years. <i>Synlett</i> , 2016 , 28, 36-55	2.2	8
97	Ribosomal small subunit domains radiate from a central core. <i>Scientific Reports</i> , 2016 , 6, 20885	4.9	20
96	RNA-DNA Chimeras in the Context of an RNA World Transition to an RNA/DNA World. <i>Angewandte Chemie</i> , 2016 , 128, 13398-13403	3.6	6
95	Collision cross section calibrants for negative ion mode traveling wave ion mobility-mass spectrometry. <i>Analyst</i> , 2015 , 140, 6853-61	5	65
94	Folding and imaging of DNA nanostructures in anhydrous and hydrated deep-eutectic solvents. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 6765-9	16.4	51
93	The ribosome challenge to the RNA world. <i>Journal of Molecular Evolution</i> , 2015 , 80, 143-61	3.1	57
92	History of the ribosome and the origin of translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015 , 112, 15396-401	11.5	147
91	Ester-Mediated Amide Bond Formation Driven by Wet-Dry Cycles: A Possible Path to Polypeptides on the Prebiotic Earth. <i>Angewandte Chemie - International Edition</i> , 2015 , 54, 9871-5	16.4	183

90	Titelbild: Folding and Imaging of DNA Nanostructures in Anhydrous and Hydrated Deep-Eutectic Solvents (Angew. Chem. 23/2015). <i>Angewandte Chemie</i> , 2015 , 127, 6753-6753	3.6	
89	Ester-Mediated Amide Bond Formation Driven by Wet/Dry Cycles: A Possible Path to Polypeptides on the Prebiotic Earth. <i>Angewandte Chemie</i> , 2015 , 127, 10009-10013	3.6	34
88	Folding and Imaging of DNA Nanostructures in Anhydrous and Hydrated Deep-Eutectic Solvents. <i>Angewandte Chemie</i> , 2015 , 127, 6869-6873	3.6	11
87	Was a Pyrimidine-Pyrimidine Base Pair the Ancestor of Watson-Crick Base Pairs? Insights from a Systematic Approach to the Origin of RNA. <i>Israel Journal of Chemistry</i> , 2015 , 55, 891-905	3.4	38
86	Spontaneous prebiotic formation of a Ribofuranoside that self-assembles with a complementary heterocycle. <i>Journal of the American Chemical Society</i> , 2014 , 136, 5640-6	16.4	67
85	Evolution of the ribosome at atomic resolution. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 10251-6	11.5	129
84	Ester Formation and Hydrolysis during Wet/Dry Cycles: Generation of Far-from-Equilibrium Polymers in a Model Prebiotic Reaction. <i>Macromolecules</i> , 2014 , 47, 1334-1343	5.5	65
83	MD and NMR analyses of choline and TMA binding to duplex DNA: on the origins of aberrant sequence-dependent stability by alkyl cations in aqueous and water-free solvents. <i>Journal of the American Chemical Society</i> , 2014 , 136, 3075-86	16.4	39
82	Ultra-sensitive pH control of supramolecular polymers and hydrogels: pKa matching of biomimetic monomers. <i>Chemical Science</i> , 2014 , 5, 4681-4686	9.4	35
81	Secondary structures of rRNAs from all three domains of life. <i>PLoS ONE</i> , 2014 , 9, e88222	3.7	78
80	Abiotic synthesis of RNA in water: a common goal of prebiotic chemistry and bottom-up synthetic biology. <i>Current Opinion in Chemical Biology</i> , 2014 , 22, 146-57	9.7	65
79	The origin of RNA and "my grandfather's axe". <i>Chemistry and Biology</i> , 2013 , 20, 466-74		130
78	Quantum-mechanical analysis of the energetic contributions to π -stacking in nucleic acids versus rise, twist, and slide. <i>Journal of the American Chemical Society</i> , 2013 , 135, 1306-16	16.4	66
77	Efficient self-assembly in water of long noncovalent polymers by nucleobase analogues. <i>Journal of the American Chemical Society</i> , 2013 , 135, 2447-50	16.4	122
76	Enhanced nonenzymatic ligation of homopurine miniduplexes: support for greater base stacking in a pre-RNA world. <i>ChemBioChem</i> , 2013 , 14, 45-8	3.8	14
75	RNA with iron(II) as a cofactor catalyses electron transfer. <i>Nature Chemistry</i> , 2013 , 5, 525-8	17.6	60
74	Molecular paleontology: a biochemical model of the ancestral ribosome. <i>Nucleic Acids Research</i> , 2013 , 41, 3373-85	20.1	41
73	Secondary structure and domain architecture of the 23S and 5S rRNAs. <i>Nucleic Acids Research</i> , 2013 , 41, 7522-35	20.1	59

72	In vitro secondary structure of the genomic RNA of satellite tobacco mosaic virus. <i>PLoS ONE</i> , 2013 , 8, e54384	3.7	22
71	Cations in charge: magnesium ions in RNA folding and catalysis. <i>Current Opinion in Structural Biology</i> , 2012 , 22, 262-72	8.1	144
70	RNA-magnesium-protein interactions in large ribosomal subunit. <i>Journal of Physical Chemistry B</i> , 2012 , 116, 8113-20	3.4	35
69	Human telomere sequence DNA in water-free and high-viscosity solvents: G-quadruplex folding governed by Kramers rate theory. <i>Journal of the American Chemical Society</i> , 2012 , 134, 15324-30	16.4	69
68	RNA folding and catalysis mediated by iron (II). <i>PLoS ONE</i> , 2012 , 7, e38024	3.7	65
67	Nonenzymatic ligation of DNA with a reversible step and a final linkage that can be used in PCR. <i>ChemBioChem</i> , 2012 , 13, 1121-4	3.8	13
66	B-DNA structure is intrinsically polymorphic: even at the level of base pair positions. <i>Nucleic Acids Research</i> , 2012 , 40, 3714-22	20.1	50
65	Domain III of the T. thermophilus 23S rRNA folds independently to a near-native state. <i>Rna</i> , 2012 , 18, 752-8	5.8	19
64	Universal sequence replication, reversible polymerization and early functional biopolymers: a model for the initiation of prebiotic sequence evolution. <i>PLoS ONE</i> , 2012 , 7, e34166	3.7	44
63	Molecular recognition of Watson-Crick-like purine-purine base pairs. <i>ChemBioChem</i> , 2011 , 12, 2155-8	3.8	11
62	Adenine Synthesis in a Model Prebiotic Reaction: Connecting Origin of Life Chemistry with Biology. <i>Journal of Chemical Education</i> , 2011 , 88, 1698-1701	2.4	6
61	Intercalation as a means to suppress cyclization and promote polymerization of base-pairing oligonucleotides in a prebiotic world. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 5288-93	11.5	47
60	Primitive genetic polymers. <i>Cold Spring Harbor Perspectives in Biology</i> , 2010 , 2, a002196	10.2	68
59	Self-Assembly and the Origin of the First RNA-Like Polymers. <i>ACS Symposium Series</i> , 2010 , 109-132	0.4	1
58	Step-Growth Control in Template-Directed Polymerization. <i>Heterocycles</i> , 2010 , 82, 1477	0.8	3
57	Guanine, adenine, and hypoxanthine production in UV-irradiated formamide solutions: relaxation of the requirements for prebiotic purine nucleobase formation. <i>ChemBioChem</i> , 2010 , 11, 1240-3	3.8	151
56	DNA and RNA in anhydrous media: duplex, triplex, and G-quadruplex secondary structures in a deep eutectic solvent. <i>Angewandte Chemie - International Edition</i> , 2010 , 49, 6310-4	16.4	166
55	Mineral surfaces: a mixed blessing for the RNA world?. <i>Astrobiology</i> , 2009 , 9, 253-5; discussion 256	3.7	5

54	Conformational variants of duplex DNA correlated with cytosine-rich chromosomal fragile sites. <i>Journal of Biological Chemistry</i> , 2009 , 284, 7157-64	5.4	32
53	Molecular recognition of poly(A) by small ligands: an alternative method of analysis reveals nanomolar, cooperative and shape-selective binding. <i>Nucleic Acids Research</i> , 2009 , 37, 611-21	20.1	74
52	Molecular dynamics simulations and coupled nucleotide substitution experiments indicate the nature of A{middle dot}A base pairing and a putative structure of the coralyne-induced homo-adenine duplex. <i>Nucleic Acids Research</i> , 2009 , 37, 7715-27	20.1	24
51	Evidence of strong hydrogen bonding by 8-aminoguanine. <i>Chemical Communications</i> , 2009 , 647-9	5.8	19
50	Solution structure and thermodynamics of 2P5PRNA intercalation. <i>Journal of the American Chemical Society</i> , 2009 , 131, 5831-8	16.4	17
49	Comprehensive investigation of the energetics of pyrimidine nucleoside formation in a model prebiotic reaction. <i>Journal of the American Chemical Society</i> , 2009 , 131, 16088-95	16.4	30
48	Integration host factor (IHF) dictates the structure of polyamine-DNA condensates: implications for the role of IHF in the compaction of bacterial chromatin. <i>Biochemistry</i> , 2009 , 48, 667-75	3.2	21
47	Submicromolar, selective G-quadruplex ligands from one pot: thermodynamic and structural studies of human telomeric DNA binding by azacyanines. <i>ChemBioChem</i> , 2008 , 9, 1889-92	3.8	17
46	Chapter 3:Sequence-specific DNAMetal Ion Interactions. <i>RSC Biomolecular Sciences</i> , 2008 , 75-117		4
45	Chapter 4:Metal Ion Interactions with G-Quadruplex Structures. <i>RSC Biomolecular Sciences</i> , 2008 , 118-153		11
44	DFT energy surfaces for aminopurine homodimers and their conjugate acid ions. <i>Journal of Physical Chemistry A</i> , 2007 , 111, 3369-77	2.8	15
43	Formation of a beta-pyrimidine nucleoside by a free pyrimidine base and ribose in a plausible prebiotic reaction. <i>Journal of the American Chemical Society</i> , 2007 , 129, 9556-7	16.4	65
42	Addressing the problems of base pairing and strand cyclization in template-directed synthesis: a case for the utility and necessity of Pmolecular midwivesPand reversible backbone linkages for the origin of proto-RNA. <i>Chemistry and Biodiversity</i> , 2007 , 4, 768-83	2.5	37
41	Harnessing DNA intercalation. <i>Trends in Biotechnology</i> , 2007 , 25, 433-6	15.1	41
40	Bacterial protein HU dictates the morphology of DNA condensates produced by crowding agents and polyamines. <i>Nucleic Acids Research</i> , 2007 , 35, 951-61	20.1	25
39	NMR evaluation of ammonium ion movement within a unimolecular G-quadruplex in solution. <i>Nucleic Acids Research</i> , 2007 , 35, 2554-63	20.1	46
38	Bacterial protein HU dictates the morphology of DNA condensates produced by crowding agents and polyamines. <i>FASEB Journal</i> , 2007 , 21, A283	0.9	
37	Time study of DNA condensate morphology: implications regarding the nucleation, growth, and equilibrium populations of toroids and rods. <i>Biochemistry</i> , 2006 , 45, 8174-83	3.2	66

36	Ethidium and proflavine binding to a 2P5Plinked RNA duplex. <i>Journal of the American Chemical Society</i> , 2006 , 128, 15380-1	16.4	43
35	Characterization of nigerlysin, hemolysin produced by <i>Aspergillus niger</i> , and effect on mouse neuronal cells in vitro. <i>Toxicology</i> , 2006 , 219, 150-5	4.4	12
34	Glyoxylate as a backbone linkage for a prebiotic ancestor of RNA. <i>Origins of Life and Evolution of Biospheres</i> , 2006 , 36, 39-63	1.5	62
33	Condensation of oligonucleotides assembled into nicked and gapped duplexes: potential structures for oligonucleotide delivery. <i>Nucleic Acids Research</i> , 2005 , 33, 143-51	20.1	23
32	Toroidal DNA condensates: unraveling the fine structure and the role of nucleation in determining size. <i>Annual Review of Biophysics and Biomolecular Structure</i> , 2005 , 34, 295-318		173
31	Formation of native-like mammalian sperm cell chromatin with folded bull protamine. <i>Journal of Biological Chemistry</i> , 2004 , 279, 20088-95	5.4	76
30	Enzymatic behavior by intercalating molecules in a template-directed ligation reaction. <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 2004-8	16.4	40
29	Cover Picture: Enzymatic Behavior by Intercalating Molecules in a Template-Directed Ligation Reaction (Angew. Chem. Int. Ed. 15/2004). <i>Angewandte Chemie - International Edition</i> , 2004 , 43, 1895-1895	16.4	
28	Enzymatic Behavior by Intercalating Molecules in a Template-Directed Ligation Reaction. <i>Angewandte Chemie</i> , 2004 , 116, 2038-2042	3.6	8
27	Titelbild: Enzymatic Behavior by Intercalating Molecules in a Template-Directed Ligation Reaction (Angew. Chem. 15/2004). <i>Angewandte Chemie</i> , 2004 , 116, 1931-1931	3.6	
26	Assembly of an antiparallel homo-adenine DNA duplex by small-molecule binding. <i>Journal of the American Chemical Society</i> , 2004 , 126, 8644-5	16.4	95
25	Evidence that both kinetic and thermodynamic factors govern DNA toroid dimensions: effects of magnesium(II) on DNA condensation by hexammine cobalt(III). <i>Biochemistry</i> , 2004 , 43, 5380-7	3.2	55
24	DNA-templated Ag nanocluster formation. <i>Journal of the American Chemical Society</i> , 2004 , 126, 5207-12	16.4	901
23	Controlling the size of nanoscale toroidal DNA condensates with static curvature and ionic strength. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 9296-301	11.5	184
22	Controlling nucleic acid secondary structure by intercalation: effects of DNA strand length on coralyne-driven duplex disproportionation. <i>Nucleic Acids Research</i> , 2003 , 31, 4608-15	20.1	91
21	MgCl ₂ Enhances Cluster Formation by Nanoscale Toroidal DNA Condensates. <i>Journal of Cluster Science</i> , 2003 , 14, 115-122	3	7
20	Gene packaging with lipids, peptides and viruses inhibits transfection by electroporation in vitro. <i>Journal of Controlled Release</i> , 2003 , 86, 361-70	11.7	21
19	A unified model for the origin of DNA sequence-directed curvature. <i>Biopolymers</i> , 2003 , 69, 144-58	2.2	122

18	Complete disproportionation of duplex poly(dT)*poly(dA) into triplex poly(dT)*poly(dA)*poly(dT) and poly(dA) by coralyne. <i>Nucleic Acids Research</i> , 2002 , 30, 983-92	20.1	102
17	Characterization of divalent cation localization in the minor groove of the A(n)T(n) and T(n)A(n) DNA sequence elements by (1)H NMR spectroscopy and manganese(II). <i>Biochemistry</i> , 2002 , 41, 9900-10	3.2	45
16	The solution structure of d(G(4)T(4)G(3))(2): a bimolecular G-quadruplex with a novel fold. <i>Journal of Molecular Biology</i> , 2002 , 320, 911-24	6.5	58
15	DNA-cation interactions: The major and minor grooves are flexible ionophores. <i>Current Opinion in Structural Biology</i> , 2001 , 11, 293-301	8.1	181
14	Cryoelectron microscopy of lambda phage DNA condensates in vitreous ice: the fine structure of DNA toroids. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14925-30	11.5	239
13	Solution nuclear magnetic resonance probing of cation binding sites on nucleic acids. <i>Methods in Enzymology</i> , 2001 , 338, 400-20	1.7	29
12	Intercalation-mediated synthesis and replication: a new approach to the origin of life. <i>Journal of Theoretical Biology</i> , 2000 , 205, 543-62	2.3	51
11	Structure of polyglutamine. <i>FEBS Letters</i> , 2000 , 472, 166-8	3.8	15
10	Nucleation of DNA Condensation by Static Loops: Formation of DNA Toroids with Reduced Dimensions. <i>Journal of the American Chemical Society</i> , 2000 , 122, 4833-4834	16.4	68
9	Localization of ²³ Na ⁺ in a DNA Quadruplex by High-Field Solid-State NMR. <i>Journal of the American Chemical Society</i> , 2000 , 122, 11423-11429	16.4	56
8	The effect of sodium, potassium and ammonium ions on the conformation of the dimeric quadruplex formed by the <i>Oxytricha nova</i> telomere repeat oligonucleotide d(G(4)T(4)G(4)). <i>Nucleic Acids Research</i> , 1999 , 27, 3018-28	20.1	203
7	Binding sites and dynamics of ammonium ions in a telomere repeat DNA quadruplex. <i>Journal of Molecular Biology</i> , 1999 , 285, 233-43	6.5	147
6	Localization of ammonium ions in the minor groove of DNA duplexes in solution and the origin of DNA A-tract bending. <i>Journal of Molecular Biology</i> , 1999 , 286, 651-60	6.5	190
5	Ammonium Ion as an NMR Probe for Monovalent Cation Coordination Sites of DNA Quadruplexes. <i>Journal of the American Chemical Society</i> , 1998 , 120, 6403-6404	16.4	85
4	Localization of Divalent Metal Ions in the Minor Groove of DNA A-Tracts. <i>Journal of the American Chemical Society</i> , 1997 , 119, 5756-5757	16.4	113
3	The selectivity for K ⁺ versus Na ⁺ in DNA quadruplexes is dominated by relative free energies of hydration: a thermodynamic analysis by ¹ H NMR. <i>Biochemistry</i> , 1996 , 35, 15383-90	3.2	292
2	Tip-radius-induced artifacts in AFM images of protamine-complexed DNA fibers. <i>Ultramicroscopy</i> , 1992 , 42-44 (Pt B), 1095-100	3.1	84
1	Impact of substrate-template stability, temperature, phosphate location, and nick-site base pairs on non-enzymatic DNA ligation: Defining parameters for optimization of ligation rates and yields with carbodiimide activation		1

