

Dong In Kim

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1298504/dong-in-kim-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

242
papers

7,835
citations

35
h-index

84
g-index

263
ext. papers

10,290
ext. citations

6
avg, IF

6.86
L-index

#	Paper	IF	Citations
242	Applications of Auction and Mechanism Design in Edge Computing: A Survey. <i>IEEE Transactions on Cognitive Communications and Networking</i> , 2022 , 1-1	6.6	4
241	Dynamics in Coded Edge Computing for IoT: A Fractional Evolutionary Game Approach. <i>IEEE Internet of Things Journal</i> , 2022 , 1-1	10.7	0
240	Foundations of Wireless Information and Power Transfer: Theory, Prototypes, and Experiments. <i>Proceedings of the IEEE</i> , 2022 , 110, 8-30	14.3	6
239	A Hierarchical Incentive Design Toward Motivating Participation in Coded Federated Learning. <i>IEEE Journal on Selected Areas in Communications</i> , 2022 , 40, 359-375	14.2	5
238	Learning to Schedule Joint Radar-Communication With Deep Multi-Agent Reinforcement Learning. <i>IEEE Transactions on Vehicular Technology</i> , 2022 , 71, 406-422	6.8	2
237	Doherty Power Amplifier With Extended High-Efficiency Range Based on the Utilization of Multiple Output Power Back-Off Parameters. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2022 , 1-1	4.1	2
236	Non-Technical Loss Detection Using Deep Reinforcement Learning for Feature Cost Efficiency and Imbalanced Dataset. <i>IEEE Access</i> , 2022 , 10, 27084-27095	3.5	2
235	Access Management in Joint Sensing and Communication Systems: Efficiency versus Fairness. <i>IEEE Transactions on Vehicular Technology</i> , 2022 , 1-1	6.8	0
234	When Optimization Meets Machine Learning: The Case of IRS-Assisted Wireless Networks. <i>IEEE Network</i> , 2022 , 1-9	11.4	
233	Reconfigurable Intelligent Surface-Aided Joint Radar and Covert Communications: Fundamentals, Optimization, and Challenges. <i>IEEE Vehicular Technology Magazine</i> , 2022 , 2-12	9.9	1
232	A 1.8-2.7 GHz Triple-Band Low Noise Amplifier with 31.5 dB Dynamic Range of Power Gain and Adaptive Power Consumption for LTE Application. <i>Sensors</i> , 2022 , 22, 4039	3.8	0
231	2021 ,		1
230	Design and Implementation of 5.8 GHz RF Wireless Power Transfer System. <i>IEEE Access</i> , 2021 , 9, 168520-168534	3.5	1
229	Neural Episodic Control-Based Adaptive Modulation and Coding Scheme for Inter-Satellite Communication Link. <i>IEEE Access</i> , 2021 , 9, 159175-159186	3.5	
228	Drone-Based Sensor Information Gathering System with Beam-Rotation Forward-Scattering Communications and Wireless Power Transfer. <i>IEEE Internet of Things Journal</i> , 2021 , 1-1	10.7	
227	Optimal Power Allocation for Rate Splitting Communications With Deep Reinforcement Learning. <i>IEEE Wireless Communications Letters</i> , 2021 , 1-1	5.9	6
226	Dynamic Edge Association and Resource Allocation in Self-Organizing Hierarchical Federated Learning Networks. <i>IEEE Journal on Selected Areas in Communications</i> , 2021 , 39, 3640-3653	14.2	22

225	A Low-Power 12-Bit 20 MS/s Asynchronously Controlled SAR ADC for WAVE ITS Sensor Based Applications. <i>Sensors</i> , 2021 , 21,	3.8	1
224	Jamming Mitigation in JRC Systems via Deep Reinforcement Learning and Backscatter-supported Intelligent Deception Strategy 2021 ,		1
223	Performance Analysis of Power Amplifier Nonlinearity on Multi-Tone SWIPT. <i>IEEE Wireless Communications Letters</i> , 2021 , 10, 765-769	5.9	3
222	A Hierarchical Game Model for OFDM Integrated Radar and Communication Systems. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 5077-5082	6.8	2
221	Dynamic Network Service Selection in IRS-Assisted Wireless Networks: A Game Theory Approach. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 5160-5165	6.8	4
220	On-Off Arbitrary Beam Synthesis and Non-Interactive Beam Management for Phased Antenna Array Communications. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 5959-5973	6.8	1
219	Dual-Band RF Wireless Power Transfer System with a Shared-Aperture Dual-Band Tx Array Antenna. <i>Energies</i> , 2021 , 14, 3803	3.1	2
218	Dynamic Model for Network Selection in Next Generation HetNets With Memory-Affecting Rational Users. <i>IEEE Transactions on Mobile Computing</i> , 2021 , 20, 1365-1379	4.6	5
217	Retroreflective Transceiver Array Using a Novel Calibration Method Based on Optimum Phase Searching. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 2510-2520	8.9	8
216	Heterogeneously Reconfigurable Energy Harvester: An Algorithm for Optimal Reconfiguration. <i>IEEE Internet of Things Journal</i> , 2021 , 8, 1437-1452	10.7	1
215	A 15-W Triple-Mode Wireless Power Transmitting Unit With High System Efficiency Using Integrated Power Amplifier and DCDC Converter. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 9574-9585	8.9	2
214	A 15-W Quadruple-Mode Reconfigurable Bidirectional Wireless Power Transceiver With 95% System Efficiency for Wireless Charging Applications. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 3814-3827	7.2	6
213	Radio Resource Management in Joint Radar and Communication: A Comprehensive Survey. <i>IEEE Communications Surveys and Tutorials</i> , 2021 , 23, 780-814	37.1	22
212	A Design of Adaptive Control and Communication Protocol for SWIPT System in 180 nm CMOS Process for Sensor Applications. <i>Sensors</i> , 2021 , 21,	3.8	1
211	Adaptive Task Offloading in Coded Edge Computing: A Deep Reinforcement Learning Approach. <i>IEEE Communications Letters</i> , 2021 , 1-1	3.8	1
210	A broadband circularly polarized magneto-electric dipole array antenna for 5G millimeter-wave applications. <i>Applied Physics Letters</i> , 2021 , 119, 023503	3.4	3
209	. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 8280-8285	6.8	7
208	Improper Gaussian Signaling for D2D Communication Coexisting MISO Cellular Networks. <i>IEEE Transactions on Wireless Communications</i> , 2021 , 20, 5186-5198	9.6	3

207	Performance Analysis of IoT-Based Overlay Satellite-Terrestrial Networks Under Interference. <i>IEEE Transactions on Cognitive Communications and Networking</i> , 2021 , 7, 985-1001	6.6	6
206	A 2.4 GHz Power Receiver Embedded With a Low-Power Transmitter and PCE of 53.8%, for Wireless Charging of IoT/Wearable Devices. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2021 , 69, 4315-4325 ²	4.1	2
205	Compact and High Gain 4 \times 4 Circularly Polarized Microstrip Patch Antenna Array for Next Generation Small Satellite. <i>Applied Sciences (Switzerland)</i> , 2021 , 11, 8869	2.6	3
204	A 77-dB Dynamic-Range Analog Front-End for Fine-Dust Detection Systems with Dual-Mode Ultra-Low Noise TIA. <i>Sensors</i> , 2021 , 21,	3.8	1
203	Securing Data Sharing from the Sky: Integrating Blockchains into Drones in 5G and Beyond. <i>IEEE Network</i> , 2021 , 35, 78-85	11.4	11
202	Analysis and Experiment on Multi-Antenna-to-Multi-Antenna RF Wireless Power Transfer. <i>IEEE Access</i> , 2021 , 9, 2018-2031	3.5	2
201	Protecting Multi-function Wireless Systems From Jammers with Backscatter Assistance: An Intelligent Strategy. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 1-1	6.8	1
200	Latency Minimization in Covert Communication-Enabled Federated Learning Network. <i>IEEE Transactions on Vehicular Technology</i> , 2021 , 70, 13447-13452	6.8	2
199	Toward Smart Wireless Communications via Intelligent Reflecting Surfaces: A Contemporary Survey. <i>IEEE Communications Surveys and Tutorials</i> , 2020 , 22, 2283-2314	37.1	216
198	IRS-Based Wireless Jamming Attacks: When Jammers Can Attack Without Power. <i>IEEE Wireless Communications Letters</i> , 2020 , 9, 1663-1667	5.9	20
197	Toward an Automated Auction Framework for Wireless Federated Learning Services Market. <i>IEEE Transactions on Mobile Computing</i> , 2020 , 1-1	4.6	26
196	Transmitter-Oriented Dual-Mode SWIPT With Deep-Learning-Based Adaptive Mode Switching for IoT Sensor Networks. <i>IEEE Internet of Things Journal</i> , 2020 , 7, 8979-8992	10.7	9
195	Design of a Low Power 10-b 8-MS/s Asynchronous SAR ADC with On-Chip Reference Voltage Generator. <i>Electronics (Switzerland)</i> , 2020 , 9, 872	2.6	7
194	DQN-Based Adaptive Modulation Scheme Over Wireless Communication Channels. <i>IEEE Communications Letters</i> , 2020 , 24, 1289-1293	3.8	9
193	Dynamic Power Splitting for SWIPT With Nonlinear Energy Harvesting in Ergodic Fading Channel. <i>IEEE Internet of Things Journal</i> , 2020 , 7, 5648-5665	10.7	7
192	Deep RNN-Based Channel Tracking for Wireless Energy Transfer System. <i>IEEE Systems Journal</i> , 2020 , 14, 4340-4343	4.3	3
191	A Low-Profile Ferrite Dipole VHF Antenna for Integrated Mast Applications. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 1642	2.6	0
190	A High-Efficiency and Wide-Input Range RF Energy Harvester Using Multiple Rectenna and Adaptive Matching. <i>Energies</i> , 2020 , 13, 1023	3.1	3

189	Cooperative AF-based 3D Mobile UAV Relaying for Hybrid Satellite-Terrestrial Networks 2020 ,		5
188	Novel Frequency-Splitting SWIPT for Overcoming Amplifier Nonlinearity. <i>IEEE Wireless Communications Letters</i> , 2020 , 9, 826-829	5.9	8
187	Dynamic Game and Pricing for Data Sponsored 5G Systems With Memory Effect. <i>IEEE Journal on Selected Areas in Communications</i> , 2020 , 38, 750-765	14.2	1
186	. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 2770-2784	9.6	33
185	Scaled GaN-HEMT Large-Signal Model Based on EM Simulation. <i>Electronics (Switzerland)</i> , 2020 , 9, 632	2.6	1
184	Cognitive Radio Networks with Ambient Backscatter Communication 2020 , 125-156		
183	A Programmable Binary Metasurface for Wireless Power Transfer Application 2020 ,		2
182	A Game-Theoretic Analysis for Complementary and Substitutable IoT Services Delivery With Externalities. <i>IEEE Transactions on Communications</i> , 2020 , 68, 615-629	6.9	11
181	Simultaneous Wireless Information and Power Transfer (SWIPT) for Internet of Things: Novel Receiver Design and Experimental Validation. <i>IEEE Internet of Things Journal</i> , 2020 , 7, 2996-3012	10.7	31
180	Outage Probability of 3-D Mobile UAV Relaying for Hybrid Satellite-Terrestrial Networks. <i>IEEE Communications Letters</i> , 2020 , 24, 418-422	3.8	31
179	Mechanism Design for Wireless Powered Spatial Crowdsourcing Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2020 , 69, 920-934	6.8	6
178	6.78 MHz Wireless Power Transmitter Based on a Reconfigurable ClassE Power Amplifier for Multiple Device Charging. <i>IEEE Transactions on Power Electronics</i> , 2020 , 35, 5907-5917	7.2	9
177	A Design of Low-Power 10-bit 1-MS/s Asynchronous SAR ADC for DSRC Application. <i>Electronics (Switzerland)</i> , 2020 , 9, 1100	2.6	8
176	A 2.45 GHz High Efficiency CMOS RF Energy Harvester with Adaptive Path Control. <i>Electronics (Switzerland)</i> , 2020 , 9, 1107	2.6	5
175	Backscatter-Aided Cooperative Transmission in Wireless-Powered Heterogeneous Networks. <i>IEEE Transactions on Wireless Communications</i> , 2020 , 19, 7309-7323	9.6	7
174	LUT-Based Focal Beamforming System Using 2-D Adaptive Sequential Searching Algorithm for Microwave Power Transfer. <i>IEEE Access</i> , 2020 , 8, 196024-196033	3.5	7
173	Beam Avoidance for Human Safety in Radiative Wireless Power Transfer. <i>IEEE Access</i> , 2020 , 8, 217510-217525	3.5	2
172	Traffic-Aware Backscatter Communications in Wireless-Powered Heterogeneous Networks. <i>IEEE Transactions on Mobile Computing</i> , 2020 , 19, 1731-1744	4.6	6

171	. <i>IEEE Access</i> , 2019 , 7, 129043-129053	3.5	22
170	InGaP/GaAs HBT Broadband Power Amplifier IC with 54.3% Fractional Bandwidth Based on Cascode Structure 2019 ,		3
169	Guest Editorial Wireless Transmission of Information and Power Part II. <i>IEEE Journal on Selected Areas in Communications</i> , 2019 , 37, 249-252	14.2	1
168	. <i>IEEE Transactions on Vehicular Technology</i> , 2019 , 68, 2906-2920	6.8	251
167	A Fully Integrated Bluetooth Low-Energy Transceiver with Integrated Single Pole Double Throw and Power Management Unit for IoT Sensors. <i>Sensors</i> , 2019 , 19,	3.8	7
166	60.8 GHz GaAs pHEMT Broadband Power Amplifier Based on Dual-Frequency Selective Impedance Matching Technique. <i>IEEE Access</i> , 2019 , 7, 66275-66280	3.5	13
165	Applications of Deep Reinforcement Learning in Communications and Networking: A Survey. <i>IEEE Communications Surveys and Tutorials</i> , 2019 , 21, 3133-3174	37.1	528
164	Bandwidth-Enhanced Circularly Polarized Crescent-Shaped Slot Antenna via Circular-Patch Loading. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 1117	2.6	2
163	A Survey on Blockchain: A Game Theoretical Perspective. <i>IEEE Access</i> , 2019 , 7, 47615-47643	3.5	53
162	Random 3D Mobile UAV Networks: Mobility Modeling and Coverage Probability. <i>IEEE Transactions on Wireless Communications</i> , 2019 , 18, 2527-2538	9.6	52
161	High-Gain Waveguide-Fed Circularly Polarized Spidron Fractal Aperture Antenna. <i>Applied Sciences (Switzerland)</i> , 2019 , 9, 691	2.6	4
160	A Sidelobe-Reduced, Four-Beam Array Antenna Fed by a Modified 4x4 Butler Matrix for 5G Applications. <i>IEEE Transactions on Antennas and Propagation</i> , 2019 , 67, 4528-4536	4.9	32
159	A Survey on Consensus Mechanisms and Mining Strategy Management in Blockchain Networks. <i>IEEE Access</i> , 2019 , 7, 22328-22370	3.5	355
158	Coverage Probability of 3-D Mobile UAV Networks. <i>IEEE Wireless Communications Letters</i> , 2019 , 8, 97-100	9.9	31
157	Joint Tx Power Allocation and Rx Power Splitting for SWIPT System With Multiple Nonlinear Energy Harvesting Circuits. <i>IEEE Wireless Communications Letters</i> , 2019 , 8, 53-56	5.9	28
156	Incentivizing Consensus Propagation in Proof-of-Stake Based Consortium Blockchain Networks. <i>IEEE Wireless Communications Letters</i> , 2019 , 8, 157-160	5.9	50
155	Toward Realization of Long-Range Wireless-Powered Sensor Networks. <i>IEEE Wireless Communications</i> , 2019 , 26, 184-192	13.4	28
154	Joint Traffic Routing and Virtualized Security Function Activation in Wireless Multihop Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2019 , 68, 9205-9219	6.8	3

153	Efficient Training Management for Mobile Crowd-Machine Learning: A Deep Reinforcement Learning Approach. <i>IEEE Wireless Communications Letters</i> , 2019 , 8, 1345-1348	5.9	39
152	Generalized Coordinated Multipoint (GCoMP)-Enabled NOMA: Outage, Capacity, and Power Allocation. <i>IEEE Transactions on Communications</i> , 2019 , 67, 7923-7936	6.9	24
151	Battery-Less Location Tracking for Internet of Things: Simultaneous Wireless Power Transfer and Positioning. <i>IEEE Internet of Things Journal</i> , 2019 , 6, 9147-9164	10.7	15
150	5.8 GHz High-Efficiency RF-DC Converter Based on Common-Ground Multiple-Stack Structure. <i>Sensors</i> , 2019 , 19,	3.8	7
149	2019 ,		59
148	Design of a 900 MHz Dual-Mode SWIPT for Low-Power IoT Devices. <i>Sensors</i> , 2019 , 19,	3.8	8
147	Joint Service Pricing and Cooperative Relay Communication for Federated Learning 2019 ,		29
146	A design of a 5.6GHz frequency synthesizer with switched bias LIT VCO and low noise on-chip LDO regulator for 5G applications. <i>International Journal of Circuit Theory and Applications</i> , 2019 , 47, 1856-1868		2
145	Resource Allocation for Wireless-Powered Full-Duplex Relaying Systems With Nonlinear Energy Harvesting Efficiency. <i>IEEE Transactions on Vehicular Technology</i> , 2019 , 68, 12079-12093	6.8	14
144	Signal Detection for Ambient Backscatter Communication with OFDM Carriers. <i>Sensors</i> , 2019 , 19,	3.8	9
143	A Novel Coding Metasurface for Wireless Power Transfer Applications. <i>Energies</i> , 2019 , 12, 4488	3.1	12
142	DSS modulator using the SIDO dc/dc converter for the CMOS RF PA integrated circuit. <i>IET Microwaves, Antennas and Propagation</i> , 2019 , 13, 597-601	1.6	2
141	Reconfigurable Heterogeneous Energy Harvester with Adaptive Mode Switching 2019 ,		1
140	Backscatter Based Cooperative Transmission in Wireless-Powered Heterogeneous Networks 2019 ,		2
139	Deep Reinforcement Learning for Time Scheduling in RF-Powered Backscatter Cognitive Radio Networks 2019 ,		12
138	Broadband InGaP/GaAs HBT Power Amplifier Integrated Circuit Using Cascode Structure and Optimized Shunt Inductor. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2019 , 67, 5090-5100	4.1	7
137	Guest Editorial Wireless Transmission of Information and Power Part I. <i>IEEE Journal on Selected Areas in Communications</i> , 2019 , 37, 1-3	14.2	7
136	Octave Bandwidth Doherty Power Amplifier Using Multiple Resonance Circuit for the Peaking Amplifier. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2019 , 66, 583-593	3.9	43

135	Striving for Efficiency: A 475-kHz High-Efficiency Two-Stage Class-E Power Amplifier. <i>IEEE Microwave Magazine</i> , 2019 , 20, 85-90	1.2	1
134	Fundamentals of Wireless Information and Power Transfer: From RF Energy Harvester Models to Signal and System Designs. <i>IEEE Journal on Selected Areas in Communications</i> , 2019 , 37, 4-33	14.2	298
133	Game-Theoretic Modeling of Backscatter Wireless Sensor Networks Under Smart Interference. <i>IEEE Communications Letters</i> , 2018 , 22, 804-807	3.8	5
132	A 3.9 mW Bluetooth Low-Energy Transmitter Using All-Digital PLL-Based Direct FSK Modulation in 55 nm CMOS. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2018 , 65, 3037-3048	3.9	12
131	Theory and Experiment for Wireless-Powered Sensor Networks: How to Keep Sensors Alive. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 430-444	9.6	38
130	Joint Optimal Mode Switching and Power Adaptation for Nonlinear Energy Harvesting SWIPT System Over Fading Channel. <i>IEEE Transactions on Communications</i> , 2018 , 66, 1817-1832	6.9	9
129	X-band two-stage Doherty power amplifier based on pre-matched GaN-HEMTs. <i>IET Microwaves, Antennas and Propagation</i> , 2018 , 12, 179-184	1.6	7
128	260- μ s W DCO With Constant Current Over PVT Variations Using FLL and Adjustable LDO. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2018 , 65, 739-743	3.5	6
127	Wireless-Powered Device-to-Device Communications With Ambient Backscattering: Performance Modeling and Analysis. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 1528-1544	9.6	70
126	A 39.5-dB SNR, 300-Hz Frame-Rate, 56 \times 70-Channel Read-Out IC for Electromagnetic Resonance Touch Panels. <i>IEEE Transactions on Industrial Electronics</i> , 2018 , 65, 5001-5011	8.9	0
125	Ambient Backscatter Assisted Wireless Powered Communications. <i>IEEE Wireless Communications</i> , 2018 , 25, 170-177	13.4	109
124	Wireless Information and Power Transfer: Rate-Energy Tradeoff for Nonlinear Energy Harvesting. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 1966-1981	9.6	46
123	Distributed Wireless Power Transfer System for Internet of Things Devices. <i>IEEE Internet of Things Journal</i> , 2018 , 5, 2657-2671	10.7	62
122	Optimal Time Scheduling for Wireless-Powered Backscatter Communication Networks. <i>IEEE Wireless Communications Letters</i> , 2018 , 7, 820-823	5.9	31
121	Coordinated Multipoint Transmission in Downlink Multi-Cell NOMA Systems: Models and Spectral Efficiency Performance. <i>IEEE Wireless Communications</i> , 2018 , 25, 24-31	13.4	60
120	A Design of Fast-Settling, Low-Power 4.19-MHz Real-Time Clock Generator With Temperature Compensation and 15-dB Noise Reduction. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2018 , 26, 1151-1158	2.6	4
119	Joint Information and Power Transfer in SWIPT-Enabled CRFID Networks. <i>IEEE Wireless Communications Letters</i> , 2018 , 7, 186-189	5.9	6
118	A Triple-Mode Wireless Power-Receiving Unit With 85.5% System Efficiency for A4WP, WPC, and PMA Applications. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 3141-3156	7.2	17

117	Design of a High Efficiency DCDC Buck Converter With Two-Step Digital PWM and Low Power Self-Tracking Zero Current Detector for IoT Applications. <i>IEEE Transactions on Power Electronics</i> , 2018 , 33, 1428-1439	7.2	33
116	Stackelberg Game for Distributed Time Scheduling in RF-Powered Backscatter Cognitive Radio Networks. <i>IEEE Transactions on Wireless Communications</i> , 2018 , 17, 5606-5622	9.6	45
115	Downlink Power Allocation for CoMP-NOMA in Multi-Cell Networks. <i>IEEE Transactions on Communications</i> , 2018 , 66, 3982-3998	6.9	101
114	New Reconfigurable Nonlinear Energy Harvester: Boosting Rate-Energy Tradeoff 2018 ,		5
113	Dual Mode SWIPT: Waveform Design and Transceiver Architecture with Adaptive Mode Switching Policy 2018 ,		8
112	A Design of Small Area, 0.95 mW, 612?1152 MHz Open Loop Injection-Locked Frequency Multiplier for IoT Sensor Applications. <i>Sensors</i> , 2018 , 18,	3.8	2
111	Improvement of RF Wireless Power Transmission Using a Circularly Polarized Retrodirective Antenna Array with EBG Structures. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 324	2.6	5
110	Design of Peak Efficiency of 85.3% WPC/PMA Wireless Power Receiver Using Synchronous Active Rectifier and Multi Feedback Low-Dropout Regulator. <i>Energies</i> , 2018 , 11, 479	3.1	3
109	Single Inductor-Multiple Output DPWM DC-DC Boost Converter with a High Efficiency and Small Area. <i>Energies</i> , 2018 , 11, 725	3.1	4
108	A Wide Input Range Buck-Boost DCDC Converter Using Hysteresis Triple-Mode Control Technique with Peak Efficiency of 94.8% for RF Energy Harvesting Applications. <i>Energies</i> , 2018 , 11, 1618	3.1	6
107	Design of a Low-Power, Small-Area AEC-Q100-Compliant SENT Transmitter in Signal Conditioning IC for Automotive Pressure and Temperature Complex Sensors in 180 Nm CMOS Technology. <i>Sensors</i> , 2018 , 18,	3.8	5
106	Broadband Circularly Polarized Slot Antenna Loaded by a Multiple-Circular-Sector Patch. <i>Sensors</i> , 2018 , 18,	3.8	6
105	A High Noise Immunity, 28 μ W 6-Channel Finger Touch Sensing IC Using OFDM and Frequency Translation Technique. <i>Sensors</i> , 2018 , 18,	3.8	2
104	Optimal Spectrum Sensing Policy in RF-Powered Cognitive Radio Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2018 , 67, 9557-9570	6.8	9
103	A 3-D Meandered Probe-Fed Dual-Band Circularly Polarized Dielectric Resonator Antenna. <i>Sensors</i> , 2018 , 18,	3.8	2
102	Optimal Transmission Policy in Decoupled RF Energy Harvesting Networks. <i>IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences</i> , 2018 , E101.A, 516-520	0.4	
101	Traffic-Aware Optimal Spectral Access in Wireless Powered Cognitive Radio Networks. <i>IEEE Transactions on Mobile Computing</i> , 2018 , 17, 733-745	4.6	10
100	A 6-bit 4MS/s 26fJ/conversion-step segmented SAR ADC with reduced switching energy for BLE. <i>International Journal of Circuit Theory and Applications</i> , 2018 , 46, 375-383	2	5

99	An Antenna Proximity Sensor for Mobile Terminals Using Reflection Coefficient. <i>Sensors</i> , 2018 , 18,	3.8	1
98	Unified Design of Wireless Information and Power Transmission 2018 , 39-59		
97	Traffic-Aware Backscatter Communications in Wireless-Powered Heterogeneous Networks 2018 ,		2
96	Toward a Perpetual IoT System: Wireless Power Management Policy With Threshold Structure. <i>IEEE Internet of Things Journal</i> , 2018 , 5, 5254-5270	10.7	7
95	Dual-Mode CMOS Power Amplifier Based on Load-Impedance Modulation. <i>IEEE Microwave and Wireless Components Letters</i> , 2018 , 28, 1041-1043	2.6	6
94	A 10- and 12-Bit Multi-Channel Hybrid Type Successive Approximation Register Analog-to-Digital Converter for Wireless Power Transfer System. <i>Energies</i> , 2018 , 11, 2673	3.1	2
93	Robust Design of 3D-Printed 60 GHz Double-Ridged TEM Horn Antenna. <i>Applied Sciences (Switzerland)</i> , 2018 , 8, 1582	2.6	3
92	GaN-HEMT asymmetric three-way Doherty power amplifier using GPD. <i>IET Microwaves, Antennas and Propagation</i> , 2018 , 12, 2115-2121	1.6	4
91	Novel Sparse-Coded Ambient Backscatter Communication for Massive IoT Connectivity. <i>Energies</i> , 2018 , 11, 1780	3.1	8
90	Multi-Dimensional Sparse-Coded Ambient Backscatter Communication for Massive IoT Networks. <i>Energies</i> , 2018 , 11, 2855	3.1	1
89	40 dB-Isolation, 1.85 dB-Insertion Loss Full CMOS SPDT Switch with Body-Floating Technique and Ultra-Small Active Matching Network Using On-Chip Solenoid Inductor for BLE Applications. <i>Electronics (Switzerland)</i> , 2018 , 7, 297	2.6	2
88	Ambient Backscatter Communications: A Contemporary Survey. <i>IEEE Communications Surveys and Tutorials</i> , 2018 , 20, 2889-2922	37.1	292
87	Experiment, Modeling, and Analysis of Wireless-Powered Sensor Network for Energy Neutral Power Management. <i>IEEE Systems Journal</i> , 2018 , 12, 3381-3392	4.3	10
86	Dual Circularly-Polarized Spidron Fractal Slot Antenna. <i>Electromagnetics</i> , 2017 , 37, 40-48	0.8	11
85	An Inductive 2-D Position Detection IC With 99.8% Accuracy for Automotive EMR Gear Control System. <i>IEEE Transactions on Very Large Scale Integration (VLSI) Systems</i> , 2017 , 25, 1731-1741	2.6	2
84	Optimal Data Scheduling and Admission Control for Backscatter Sensor Networks. <i>IEEE Transactions on Communications</i> , 2017 , 65, 2062-2077	6.9	17
83	Compressed Sensing for Wireless Communications: Useful Tips and Tricks. <i>IEEE Communications Surveys and Tutorials</i> , 2017 , 19, 1527-1550	37.1	163
82	Compact Load Network for GaN-HEMT Doherty Power Amplifier IC Using Left-Handed and Right-Handed Transmission Lines. <i>IEEE Microwave and Wireless Components Letters</i> , 2017 , 27, 293-295	2.6	10

81	Energy-Arrival-Aware Detection Threshold in Wireless-Powered Cognitive Radio Networks. <i>IEEE Transactions on Vehicular Technology</i> , 2017 , 66, 9201-9213	6.8	16
80	Ambient Backscatter: A New Approach to Improve Network Performance for RF-Powered Cognitive Radio Networks. <i>IEEE Transactions on Communications</i> , 2017 , 65, 3659-3674	6.9	126
79	Doherty Power Amplifier Based on the Fundamental Current Ratio for Asymmetric cells. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 4190-4197	4.1	29
78	Non-Orthogonal Multiple Access (NOMA) for Downlink Multiuser MIMO Systems: User Clustering, Beamforming, and Power Allocation. <i>IEEE Access</i> , 2017 , 5, 565-577	3.5	187
77	Received Power-Based Channel Estimation for Energy Beamforming in Multiple-Antenna RF Energy Transfer System. <i>IEEE Transactions on Signal Processing</i> , 2017 , 65, 1461-1476	4.8	35
76	High-efficiency rectifier (5.2 GHz) using a Class-F Dickson charge pump. <i>Microwave and Optical Technology Letters</i> , 2017 , 59, 3018-3023	1.2	6
75	Joint EH Time Allocation and Distributed Beamforming in Interference-Limited Two-Way Networks With EH-Based Relays. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 6395-6408	9.6	13
74	. <i>IEEE Wireless Communications</i> , 2017 , 24, 88-97	13.4	112
73	Hybrid Backscatter Communication for Wireless-Powered Heterogeneous Networks. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 6557-6570	9.6	92
72	Mode Switching for SWIPT Over Fading Channel With Nonlinear Energy Harvesting. <i>IEEE Wireless Communications Letters</i> , 2017 , 6, 678-681	5.9	20
71	Coverage probability of distributed wireless power transfer system 2017 ,		5
70	VHF/UHF broadband four-way power combiner/divider using 0° hybrid and impedance transformer based on transmission lines. <i>IET Microwaves, Antennas and Propagation</i> , 2017 , 11, 1748-1753	1.6	4
69	Circularly polarized CHANEL-logo antenna for GNSS applications. <i>Journal of Electromagnetic Waves and Applications</i> , 2017 , 31, 1434-1443	1.3	2
68	Optimized Current of the Peaking Amplifier for Two-Stage Doherty Power Amplifier. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 209-217	4.1	19
67	Self-Energy Recycling for RF Powered Multi-Antenna Relay Channels. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 812-824	9.6	22
66	Wireless-Powered Sensor Networks: How to Realize. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 221-234	9.6	72
65	A Design of a 92.4% Efficiency Triple Mode Control DCDC Buck Converter With Low Power Retention Mode and Adaptive Zero Current Detector for IoT/Wearable Applications. <i>IEEE Transactions on Power Electronics</i> , 2017 , 32, 6946-6960	7.2	33
64	Symmetric Three-Way Doherty Power Amplifier for High Efficiency and Linearity. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2017 , 64, 862-866	3.5	28

63	2.6 GHz GaN-HEMT Doherty power amplifier integrated circuit with 55.5% efficiency based on a compact load network 2017 ,		4
62	. <i>IEEE Transactions on Wireless Communications</i> , 2017 , 16, 8220-8234	9.6	8
61	Highly Efficient Fully Integrated GaN-HEMT Doherty Power Amplifier Based on Compact Load Network. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2017 , 65, 5203-5211	4.1	20
60	Wireless Information and Power Transfer: Spectral Efficiency Optimization for Asymmetric Full-Duplex Relay Systems 2017 ,		3
59	Overlay RF-powered backscatter cognitive radio networks: A game theoretic approach 2017 ,		29
58	Vertical-Strip-Fed Broadband Circularly Polarized Dielectric Resonator Antenna. <i>Sensors</i> , 2017 , 17,	3.8	7
57	Transmission Power and Antenna Allocation for Energy-Efficient RF Energy Harvesting Networks with Massive MIMO. <i>Energies</i> , 2017 , 10, 802	3.1	3
56	Wideband Circularly Polarized Spidron Fractal Slot Antenna with an Embedded Patch. <i>International Journal of Antennas and Propagation</i> , 2017 , 2017, 1-7	1.2	7
55	New SWIPT Using PAPR: How It Works. <i>IEEE Wireless Communications Letters</i> , 2016 , 5, 672-675	5.9	45
54	Data Collection and Wireless Communication in Internet of Things (IoT) Using Economic Analysis and Pricing Models: A Survey. <i>IEEE Communications Surveys and Tutorials</i> , 2016 , 18, 2546-2590	37.1	183
53	A design of wide input range triple-mode active rectifier with peak efficiency of 94.2 % and maximum output power of 8 W for wireless power receiver in 0.18 μ m BCD. <i>Analog Integrated Circuits and Signal Processing</i> , 2016 , 86, 255-265	1.2	2
52	CMOS Power Amplifier Integrated Circuit With Dual-Mode Supply Modulator for Mobile Terminals. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2016 , 63, 157-167	3.9	32
51	A low phase noise 30-GHz frequency synthesizer with linear transconductance VCO and dual-injection-locked frequency divider. <i>Analog Integrated Circuits and Signal Processing</i> , 2016 , 86, 365-376	1.2	4
50	Wireless Charging Technologies: Fundamentals, Standards, and Network Applications. <i>IEEE Communications Surveys and Tutorials</i> , 2016 , 18, 1413-1452	37.1	481
49	Stochastic Optimal Control for Wireless Powered Communication Networks. <i>IEEE Transactions on Wireless Communications</i> , 2016 , 15, 686-698	9.6	43
48	A Design of a Wireless Power Receiving Unit With a High-Efficiency 6.78-MHz Active Rectifier Using Shared DLLs for Magnetic-Resonant A4 WP Applications. <i>IEEE Transactions on Power Electronics</i> , 2016 , 31, 4484-4498	7.2	51
47	A Wideband Circularly Polarized Pixelated Dielectric Resonator Antenna. <i>Sensors</i> , 2016 , 16,	3.8	17
46	A Wideband Circularly Polarized Antenna with a Multiple-Circular-Sector Dielectric Resonator. <i>Sensors</i> , 2016 , 16,	3.8	6

45	Wireless Information and Power Transfer: Rate-Energy Tradeoff for Equi-Probable Arbitrary-Shaped Discrete Inputs. <i>IEEE Transactions on Wireless Communications</i> , 2016 , 15, 4393-4407	9.6	17
44	A design of power managements IC with peak efficiency of 92.8 % step-up converter and peak efficiency of 93.8 % step-down converter for power transmitting unit of A4WP applications in 0.18 μm BCD. <i>Analog Integrated Circuits and Signal Processing</i> , 2016 , 88, 115-125	1.2	2
43	A Wide-Locking-Range Dual Injection-Locked Frequency Divider With an Automatic Frequency Calibration Loop in 65-nm CMOS. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2015 , 62, 327-331	3.5	15
42	Dual-mode supply modulator for CMOS envelope tracking power amplifier integrated circuit. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 1338-1343	1.2	4
41	A 1.248/0.918 Gb/s low-power transmitter for MIPI M-PHY with 2-step impedance calibration loop in 0.11 μm CMOS. <i>Analog Integrated Circuits and Signal Processing</i> , 2015 , 83, 129-142	1.2	0
40	Circularly Polarized Semi-Eccentric Annular Dielectric Resonator Antenna for X-Band Applications. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1810-1813	3.8	34
39	Circularly Polarized Spidron Fractal Dielectric Resonator Antenna. <i>IEEE Antennas and Wireless Propagation Letters</i> , 2015 , 14, 1806-1809	3.8	49
38	A Sub-1-V Bulk-Driven Opamp With an Effective Transconductance-Stabilizing Technique. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2015 , 62, 1018-1022	3.5	6
37	Performance Analysis of Wireless Energy Harvesting Cognitive Radio Networks Under Smart Jamming Attacks. <i>IEEE Transactions on Cognitive Communications and Networking</i> , 2015 , 1, 200-216	6.6	30
36	Wireless Networks With RF Energy Harvesting: A Contemporary Survey. <i>IEEE Communications Surveys and Tutorials</i> , 2015 , 17, 757-789	37.1	1479
35	Efficiency enhanced CMOS digitally controlled dynamic bias switching power amplifier for LTE. <i>Microwave and Optical Technology Letters</i> , 2015 , 57, 2315-2321	1.2	3
34	Performance Optimization for Cooperative Multiuser Cognitive Radio Networks with RF Energy Harvesting Capability. <i>IEEE Transactions on Wireless Communications</i> , 2015 , 14, 3614-3629	9.6	53
33	CMOS dynamic supply switching power amplifier for LTE applications 2015 ,		3
32	CMOS Startup Charge Pump With Body Bias and Backward Control for Energy Harvesting Step-Up Converters. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2014 , 61, 1618-1628	3.9	35
31	A CMOS envelope tracking power amplifier for 4G LTE mobile terminal applications 2014 ,		1
30	Mellin Transform Approach for the Capacitance Computation of Asymmetric Coplanar Striplines. <i>Electromagnetics</i> , 2014 , 34, 617-624	0.8	0
29	High-Efficiency Power Amplifier Using an Active Second-Harmonic Injection Technique Under Optimized Third-Harmonic Termination. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2014 , 61, 549-553	3.5	17
28	Opportunistic Channel Access and RF Energy Harvesting in Cognitive Radio Networks. <i>IEEE Journal on Selected Areas in Communications</i> , 2014 , 32, 2039-2052	14.2	105

27	Integrated CMOS RF transmitter with a single-ended power amplifier. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 205-210	1.2	3
26	Three-stage doherty amplifier with uneven input splitter. <i>Microwave and Optical Technology Letters</i> , 2013 , 55, 1405-1409	1.2	7
25	Doherty power amplifier using a compact load network for bandwidth extension 2013 ,		1
24	Baseband Noise Reduction Method Using Captured TX Signal for UHF RFID Reader Applications. <i>IEEE Transactions on Industrial Electronics</i> , 2012 , 59, 592-598	8.9	11
23	A Reconfigurable Carrier Leakage Canceler for UHF RFID Reader Front-Ends. <i>IEEE Transactions on Circuits and Systems I: Regular Papers</i> , 2011 , 58, 70-76	3.9	32
22	900 MHz CMOS RF-to-DC converter using a cross-coupled charge pump for energy harvesting 2011 ,		6
21	Ultrabroadband Linear Power Amplifier Using a Frequency-Selective Analog Predistorter. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2011 , 58, 264-268	3.5	15
20	CMOS DSB Transmitter With Low TX Noise for UHF RFID Reader System-on-Chip. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2010 ,	4.1	2
19	A Highly Linear Two-Stage Amplifier Integrated Circuit Using InGaP/GaAs HBT. <i>IEEE Journal of Solid-State Circuits</i> , 2010 , 45, 2038-2043	5.5	23
18	CMOS passive wake-up circuit for sensor network applications. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 597-600	1.2	11
17	Linearization of a 3.7 GHz multi-carrier GaN HEMT Doherty power amplifier using digital predistortion method. <i>Microwave and Optical Technology Letters</i> , 2010 , 52, 634-638	1.2	
16	High-Efficiency Class-F Amplifier Design Using Defected Ground Structure 2009 ,		1
15	Analysis and design of compact third-order intermodulation generation circuits. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 2137-2140	1.2	3
14	A load network for Doherty amplifiers using an optimized impedance transformer. <i>Microwave and Optical Technology Letters</i> , 2009 , 51, 2502-2504	1.2	2
13	A 5W ultra-broadband power amplifier using silicon LDMOSFETs 2009 ,		3
12	Low phase noise S-band PLL frequency synthesizer using DDS and offset mixing techniques 2009 ,		2
11	Design of a 100watt high-efficiency power amplifier for the 10-500MHz band 2009 ,		4
10	Optimum ASK Modulation Scheme for Passive RFID Tags Under Antenna Mismatch Conditions. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2009 , 57, 2337-2343	4.1	13

9	A 60-W Multicarrier WCDMA Power Amplifier Using an RF Predistorter. <i>IEEE Transactions on Circuits and Systems II: Express Briefs</i> , 2009 , 56, 265-269	3.5	11
8	Inverted-load network for high-power Doherty amplifier. <i>IEEE Microwave Magazine</i> , 2009 , 10, 93-98	1.2	13
7	A high-power Cartesian feedback transmitter including a compact inverted Doherty amplifier. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 944-946	1.2	
6	An optimized Doherty power amplifier using an unequal quadrature input splitter. <i>Microwave and Optical Technology Letters</i> , 2008 , 50, 1536-1539	1.2	6
5	A high-frequency and high-power quasi-class-E amplifier design using a finite bias feed inductor. <i>Microwave and Optical Technology Letters</i> , 2007 , 49, 1114-1118	1.2	4
4	A New Envelope Predistorter With Envelope Delay Taps for Memory Effect Compensation. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007 , 55, 52-59	4.1	25
3	A New Compact Load Network for Doherty Amplifiers Using an Imperfect Quarter-Wave Line. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007 , 55, 2313-2319	4.1	19
2	Design of a High-Efficiency and High-Power Inverted Doherty Amplifier. <i>IEEE Transactions on Microwave Theory and Techniques</i> , 2007 , 55, 1105-1111	4.1	32
1	High-Efficiency Class-F Amplifier Design In the Presence of Internal Parasitic Components of Transistors 2006 ,		7