

De-Chang Jia

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1299758/de-chang-jia-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

174
papers

3,622
citations

32
h-index

50
g-index

183
ext. papers

4,548
ext. citations

5.8
avg. IF

5.63
L-index

#	Paper	IF	Citations
174	Effects of high-temperature heat treatment on the mechanical properties of unidirectional carbon fiber reinforced geopolymer composites. <i>Ceramics International</i> , 2010 , 36, 1447-1453	5.1	165
173	Effects of fiber length on mechanical properties and fracture behavior of short carbon fiber reinforced geopolymer matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 497, 181-185	5.3	150
172	Effects of Si/Al ratio on the structure and properties of metakaolin based geopolymer. <i>Ceramics International</i> , 2016 , 42, 14416-14422	5.1	145
171	3D printing strong and conductive geo-polymer nanocomposite structures modified by graphene oxide. <i>Carbon</i> , 2017 , 117, 421-426	10.4	110
170	Growth Mechanism of In Situ TiB Whiskers in Spark Plasma Sintered TiB/Ti Metal Matrix Composites. <i>Crystal Growth and Design</i> , 2006 , 6, 1626-1630	3.5	94
169	Two-Dimensional van der Waals Materials with Aligned In-Plane Polarization and Large Piezoelectric Effect for Self-Powered Piezoelectric Sensors. <i>Nano Letters</i> , 2019 , 19, 5410-5416	11.5	74
168	Progress of a novel non-oxide Si-B-C-N ceramic and its matrix composites. <i>Journal of Advanced Ceramics</i> , 2012 , 1, 157-178	10.7	68
167	Microstructural and mechanical characterization of fly ash cenosphere/metakaolin-based geopolymeric composites. <i>Ceramics International</i> , 2011 , 37, 1661-1666	5.1	66
166	Synergistic effects of surface chemistry and topologic structure from modified microarc oxidation coatings on Ti implants for improving osseointegration. <i>ACS Applied Materials & Interfaces</i> , 2015 , 7, 8932-41	9.5	63
165	Effects of fibre content on mechanical properties and fracture behaviour of short carbon fibre reinforced geopolymer matrix composites. <i>Bulletin of Materials Science</i> , 2009 , 32, 77-81	1.7	62
164	Microstructures and properties of SiB _{0.5} C _{1.5} N _{0.5} ceramics consolidated by mechanical alloying and hot pressing. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 489, 187-192	5.3	62
163	In situ crack growth observation and fracture behavior of short carbon fiber reinforced geopolymer matrix composites. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2010 , 527, 2404-2407	5.3	61
162	Thermal evolution and crystallization kinetics of potassium-based geopolymer. <i>Ceramics International</i> , 2011 , 37, 59-63	5.1	60
161	Effect of cesium substitution on the thermal evolution and ceramics formation of potassium-based geopolymer. <i>Ceramics International</i> , 2010 , 36, 2395-2400	5.1	58
160	Microstructure and integrity of leucite ceramic derived from potassium-based geopolymer precursor. <i>Journal of the European Ceramic Society</i> , 2013 , 33, 689-698	6	54
159	Synthesis of high-purity, isotropic or textured Cr ₂ AlC bulk ceramics by spark plasma sintering of pressure-less sintered powders. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 1393-1400	6	52
158	Preparation and anisotropic properties of textured structural ceramics: A review. <i>Journal of Advanced Ceramics</i> , 2019 , 8, 289-332	10.7	51

157	Effect of BN content on microstructures, mechanical and dielectric properties of porous BN/Si ₃ N ₄ composite ceramics prepared by gel casting. <i>Ceramics International</i> , 2013 , 39, 4231-4237	5.1	50
156	Effect of curing temperature and SiO ₂ /K ₂ O molar ratio on the performance of metakaolin-based geopolymers. <i>Ceramics International</i> , 2016 , 42, 16184-16190	5.1	49
155	In situ fabrication and characterization of graphene/geopolymer composites. <i>Ceramics International</i> , 2015 , 41, 11242-11250	5.1	48
154	Effect of fiber content on the microstructure and mechanical properties of carbon fiber felt reinforced geopolymer composites. <i>Ceramics International</i> , 2016 , 42, 7837-7843	5.1	47
153	Metastable Si-B-C-N ceramics and their matrix composites developed by inorganic route based on mechanical alloying: Fabrication, microstructures, properties and their relevant basic scientific issues. <i>Progress in Materials Science</i> , 2018 , 98, 1-67	42.2	47
152	Ablation mechanism and properties of SiCf/SiBCN ceramic composites under an oxyacetylene torch environment. <i>Corrosion Science</i> , 2014 , 82, 101-107	6.8	43
151	Microstructural features and properties of the nano-crystalline SiC/BN(C) composite ceramic prepared from the mechanically alloyed SiBCN powder. <i>Journal of Alloys and Compounds</i> , 2012 , 537, 346-356	5.7	43
150	Effect of reduced graphene oxide content on the microstructure and mechanical properties of graphene/geopolymer nanocomposites. <i>Ceramics International</i> , 2016 , 42, 752-758	5.1	40
149	Ablation behavior of graphene reinforced SiBCN ceramics in an oxyacetylene combustion flame. <i>Corrosion Science</i> , 2015 , 100, 85-100	6.8	39
148	Ablation behavior and mechanism of SiCf/Cf/SiBCN ceramic composites with improved thermal shock resistance under oxyacetylene combustion flow. <i>Ceramics International</i> , 2015 , 41, 8868-8877	5.1	39
147	Diffusion bonding of ZrB ₂ /SiC/Nb with in situ synthesized TiB whiskers array. <i>Journal of the European Ceramic Society</i> , 2012 , 32, 4447-4454	6	37
146	Thermal-mechanical properties of short carbon fiber reinforced geopolymer matrix composites subjected to thermal load. <i>Central South University</i> , 2009 , 16, 881-886		36
145	Improvement of high-temperature mechanical properties of heat treated Cf/geopolymer composites by Sol-SiO ₂ impregnation. <i>Journal of the European Ceramic Society</i> , 2010 , 30, 3053-3061	6	34
144	Green synthesis of high porosity waste gangue microsphere/geopolymer composite foams via hydrogen peroxide modification. <i>Journal of Cleaner Production</i> , 2019 , 227, 483-494	10.3	33
143	Physical and surface characteristics of the mechanically alloyed SiBCN powder. <i>Ceramics International</i> , 2012 , 38, 6399-6404	5.1	33
142	A green and low-cost hollow gangue microsphere/geopolymer adsorbent for the effective removal of heavy metals from wastewaters. <i>Journal of Environmental Management</i> , 2019 , 246, 174-183	7.9	32
141	Mechanical, dielectric and thermal properties of porous boron nitride/silicon oxynitride ceramic composites prepared by pressureless sintering. <i>Ceramics International</i> , 2017 , 43, 8230-8235	5.1	31
140	Preparation, microstructures, mechanical properties and oxidation resistance of SiBCN/ZrB ₂ /rN ceramics by reactive hot pressing. <i>Journal of the European Ceramic Society</i> , 2015 , 35, 4399-4410	6	31

139	SiC fiber reinforced geopolymer composites, part 1: Short SiC fiber. <i>Ceramics International</i> , 2016 , 42, 5345-5352	5.1	31
138	Processing and characterization of SiB _{0.5} C _{1.5} N _{0.5} produced by mechanical alloying and subsequent spark plasma sintering. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2008 , 488, 241-246	5.3	30
137	A facile approach to construct BiOI/Bi ₅ O ₇ I composites with heterostructures: efficient charge separation and enhanced photocatalytic activity. <i>RSC Advances</i> , 2015 , 5, 74174-74179	3.7	29
136	Fabrication and characterization of amorphous SiBCN powders. <i>Ceramics International</i> , 2007 , 33, 1573-1577	5.7	29
135	Effects of in situ amorphous graphite coating on ablation resistance of SiC fiber reinforced SiBCN ceramics in an oxyacetylene flame. <i>Corrosion Science</i> , 2016 , 113, 31-45	6.8	28
134	Low-temperature sintered pollucite ceramic from geopolymer precursor using synthetic metakaolin. <i>Journal of Materials Science</i> , 2013 , 48, 1812-1818	4.3	28
133	Microstructure and thermal stabilities in various atmospheres of SiB _{0.5} C _{1.5} N _{0.5} nano-sized powders fabricated by mechanical alloying technique. <i>Journal of Non-Crystalline Solids</i> , 2010 , 356, 326-333	3.9	28
132	In situ processing of MWCNTs/leucite composites through geopolymer precursor. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 2219-2226	6	27
131	Porous geopolymer composites: A review. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021 , 150, 106629	8.4	27
130	SiC fiber reinforced geopolymer composites, part 2: Continuous SiC fiber. <i>Ceramics International</i> , 2016 , 42, 12239-12245	5.1	26
129	Microstructure, oxidation and thermal shock resistance of graphene reinforced SiBCN ceramics. <i>Ceramics International</i> , 2016 , 42, 4429-4444	5.1	26
128	The effect of applied voltages on the structure, apatite-inducing ability and antibacterial ability of micro arc oxidation coating formed on titanium surface. <i>Bioactive Materials</i> , 2018 , 3, 426-433	16.7	26
127	Characterization of porous silicon nitride/silicon oxynitride composite ceramics produced by sol infiltration. <i>Materials Chemistry and Physics</i> , 2010 , 124, 97-101	4.4	26
126	Effects of boron addition on the high temperature oxidation resistance of dense sSiBCN monoliths at 1500 °C. <i>Corrosion Science</i> , 2017 , 126, 10-25	6.8	25
125	Influence of ball milling parameters on the structure of the mechanically alloyed SiBCN powder. <i>Ceramics International</i> , 2013 , 39, 1963-1969	5.1	25
124	Interplay between storage temperature, medium and leaching kinetics of hazardous wastes in Metakaolin-based geopolymer. <i>Journal of Hazardous Materials</i> , 2020 , 384, 121377	12.8	25
123	Effect of Si/C ratio and their content on the microstructure and properties of SiBCN Ceramics prepared by spark plasma sintering techniques. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2011 , 528, 1944-1948	5.3	24
122	A self-adjusting PTFE/TiO ₂ hydrophobic double-layer coating for corrosion resistance and electrical insulation. <i>Chemical Engineering Journal</i> , 2020 , 402, 126116	14.7	23

121	High-temperature oxidation behavior of dense SiBCN monoliths: Carbon-content dependent oxidation structure, kinetics and mechanisms. <i>Corrosion Science</i> , 2017 , 124, 103-120	6.8	22
120	MC3T3-E1 cell response of amorphous phase/TiO ₂ nanocrystal composite coating prepared by microarc oxidation on titanium. <i>Materials Science and Engineering C</i> , 2014 , 39, 186-95	8.3	22
119	Effects of graphite on the mechanical and microwave absorption properties of geopolymer based composites. <i>Ceramics International</i> , 2017 , 43, 2325-2332	5.1	22
118	Synthesis and structural evolution of dual-boron-source-modified polysilazane derived SiBCN ceramics. <i>New Journal of Chemistry</i> , 2016 , 40, 7034-7042	3.6	21
117	In Situ Processing of Graphene/Leucite Nanocomposite Through Graphene Oxide/Geopolymer. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 1164-1173	3.8	21
116	Crystallization and microstructural evolution process from the mechanically alloyed amorphous SiBCN powder to the hot-pressed nano SiC/BN(C) ceramic. <i>Journal of Materials Science</i> , 2012 , 47, 7291-7304	4.2	21
115	Safe trapping of cesium into doping-enhanced pollucite structure by geopolymer precursor technique. <i>Journal of Hazardous Materials</i> , 2019 , 367, 577-588	12.8	20
114	Celsian formation from barium-exchanged geopolymer precursor: Thermal evolution. <i>Journal of the European Ceramic Society</i> , 2017 , 37, 4179-4185	6	19
113	Enhanced mechanical properties and thermal shock resistance of Si ₂ BC ₃ N ceramics with SiC coated MWCNTs. <i>Journal of Advanced Ceramics</i> , 2019 , 8, 121-132	10.7	19
112	Intrinsic Dipole Coupling in 2D van der Waals Ferroelectrics for Gate-Controlled Switchable Rectifier. <i>Advanced Electronic Materials</i> , 2020 , 6, 1900975	6.4	19
111	Microarc oxidation coating covered Ti implants with micro-scale gouges formed by a multi-step treatment for improving osseointegration. <i>Materials Science and Engineering C</i> , 2017 , 76, 908-917	8.3	18
110	Microstructure and mechanical properties of SiCf/SiBCN ceramic matrix composites. <i>Journal of Advanced Ceramics</i> , 2015 , 4, 31-38	10.7	18
109	Monoclinic-celsian ceramics formation: Through thermal treatment of ion-exchanged 3D printing geopolymer precursor. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 563-573	6	18
108	Effects of high-temperature heat treatment on the microstructure and mechanical performance of hybrid Cf-SiCf-(Al ₂ O ₃ p) reinforced geopolymer composites. <i>Composites Part B: Engineering</i> , 2017 , 114, 289-298	10	17
107	Effects of graphene oxide on the geopolymerization mechanism determined by quenching the reaction at intermediate states. <i>RSC Advances</i> , 2017 , 7, 13498-13508	3.7	17
106	Highly Dense Amorphous Si ₂ BC ₃ N Monoliths with Excellent Mechanical Properties Prepared by High Pressure Sintering. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3782-3787	3.8	17
105	In-situ preparation of fully stabilized graphene/cubic-leucite composite through graphene oxide/geopolymer. <i>Materials and Design</i> , 2016 , 101, 301-308	8.1	17
104	On the formation mechanisms and properties of MAX phases: A review. <i>Journal of the European Ceramic Society</i> , 2021 , 41, 3851-3878	6	17

103	Thermal properties and thermal shock resistance of BAS-BN composite ceramics. <i>Ceramics International</i> , 2019 , 45, 8181-8187	5.1	16
102	Crystallization kinetics and microstructure evolution of reduced graphene oxide/geopolymer composites. <i>Journal of the European Ceramic Society</i> , 2016 , 36, 2601-2609	6	16
101	Synthesis of novel low-cost porous gangue microsphere/geopolymer composites and their adsorption properties for dyes. <i>International Journal of Applied Ceramic Technology</i> , 2018 , 15, 1602-1614 ²		16
100	Sintering Behavior of Gehlenite. Part I: Self-Forming, Macro-/Mesoporous Gehlenite Pore-Forming Mechanism, Microstructure, Mechanical, and Physical Properties. <i>Journal of the American Ceramic Society</i> , 2007 , 90, 1760-1773	3.8	16
99	Incorporation of BN-coated carbon fibers into ZrB ₂ /SiBCN ceramic composites and their ablation behavior. <i>Journal of the European Ceramic Society</i> , 2020 , 40, 1078-1085	6	16
98	Conformal coating containing Ca, P, Si and Na with double-level porous surface structure on titanium formed by a three-step microarc oxidation. <i>RSC Advances</i> , 2015 , 5, 28908-28920	3.7	15
97	The effect of NaOH concentration on the steam-hydrothermally treated bioactive microarc oxidation coatings containing Ca, P, Si and Na on pure Ti surface. <i>Materials Science and Engineering C</i> , 2015 , 49, 669-680	8.3	15
96	Synthesis and characterization of ferroelectric SrBi ₂ Ta ₂ O ₉ nanotubes arrays. <i>Journal of Sol-Gel Science and Technology</i> , 2009 , 52, 120-123	2.3	15
95	Effects of treatment temperature on the reduction of GO under alkaline solution during the preparation of graphene/geopolymer composites. <i>Ceramics International</i> , 2016 , 42, 18181-18188	5.1	15
94	Synthesis, piezoelectric property and domain behaviour of the vertically aligned K _{1-x} Na _x NbO ₃ nanowire with a morphotropic phase boundary. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 747-753	7.1	14
93	Influence of residual stress on magnetoelectric coupling of bilayered CoFe ₂ O ₄ /PMNBT thin films. <i>Journal of Materials Chemistry</i> , 2011 , 21, 10738		14
92	Microwave-dielectric and magnetic properties of Ta-doped BiFeO ₃ nanopowders. <i>Philosophical Magazine Letters</i> , 2009 , 89, 701-710	1	14
91	Scalable-Manufactured Superhydrophobic Multilayer Nanocomposite Coating with Mechanochemical Robustness and High-Temperature Endurance. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 35502-35512	9.5	14
90	Direct ink writing of continuous SiO ₂ fiber reinforced wave-transparent ceramics. <i>Journal of Advanced Ceramics</i> , 2020 , 9, 403-412	10.7	13
89	Crystallization Behavior of Amorphous Si ₂ BC ₃ N Ceramic Monolith Subjected to High Pressure. <i>Journal of the American Ceramic Society</i> , 2015 , 98, 3788-3796	3.8	13
88	Electrochemical investigation of silicon/carbon composite as anode material for lithium ion batteries. <i>Journal of Materials Science</i> , 2008 , 43, 3149-3152	4.3	13
87	Immobilization behavior of Sr in geopolymer and its ceramic product. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 1372-1384	3.8	13
86	Densification, microstructural evolution and mechanical properties of Si-B-C-N monoliths with LaB ₆ addition. <i>Journal of Alloys and Compounds</i> , 2017 , 696, 1090-1095	5.7	12

85	Influence of sintering pressure on the crystallization and mechanical properties of BN-MAS composite ceramics. <i>Journal of Materials Science</i> , 2016 , 51, 2292-2298	4.3	12
84	Robust Inorganic Daytime Radiative Cooling Coating Based on a Phosphate Geopolymer. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 54963-54971	9.5	12
83	Crystallisation process of Bi ₅ Ti ₃ FeO ₁₅ multiferroic nanoparticles synthesised by a sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2018 , 85, 132-139	2.3	12
82	Polymer-Derived Lightweight SiBCN Ceramic Nanofibers with High Microwave Absorption Performance. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 34889-34898	9.5	12
81	Effect of magnesium aluminum silicate glass on the thermal shock resistance of BN matrix composite ceramics. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 2669-2678	3.8	11
80	Microstructures, mechanical properties and oxidation resistance of SiBCN ceramics with the addition of MgO, ZrO ₂ and SiO ₂ (MZO) as sintering additives. <i>RSC Advances</i> , 2015 , 5, 52194-52205	3.7	11
79	Microstructural evolution and mechanical properties of in situ nano Ta ₄ HfC ₅ reinforced SiBCN composite ceramics. <i>Journal of Advanced Ceramics</i> , 2020 , 9, 739-748	10.7	11
78	Structure evolution, amorphization and nucleation studies of carbon-lean to -rich SiBCN powder blends prepared by mechanical alloying. <i>RSC Advances</i> , 2016 , 6, 48255-48271	3.7	11
77	Preparation and in-situ high-temperature mechanical properties of Cf-SiCf reinforced geopolymer composites. <i>Ceramics International</i> , 2017 , 43, 549-555	5.1	11
76	Crystallization Behavior and Multiferroic Properties of Bi ₃ .15Nd _{0.85} Ti ₃ O ₁₂ /CoFe ₂ O ₄ Powders Synthesized by Sol-gel Method. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 2334-2340	3.8	11
75	High-temperature oxidation resistance of dense amorphous boron-rich SiBCN monoliths. <i>Corrosion Science</i> , 2019 , 157, 312-323	6.8	10
74	Titania nanotube/nano-brushite composited bioactive coating with micro/nanotopography on titanium formed by anodic oxidation and hydrothermal treatment. <i>Ceramics International</i> , 2015 , 41, 13115-13125	5.1	10
73	Effect of the BN content on the thermal shock resistance and properties of BN/SiO ₂ composites fabricated from mechanically alloyed SiBON powders. <i>RSC Advances</i> , 2017 , 7, 48994-49003	3.7	10
72	Progress of a novel amorphous and nanostructured Si-B-C-N ceramic and its matrix composites prepared by an inorganic processing route. <i>Chinese Science Bulletin</i> , 2015 , 60, 236-245	2.9	10
71	Hydrothermal transformation of geopolymers to bulk zeolite structures for efficient hazardous elements adsorption. <i>Science of the Total Environment</i> , 2021 , 767, 144973	10.2	10
70	Anisotropic properties of textured h-BN matrix ceramics prepared using 3Y ₂ O ₃ -5Al ₂ O ₃ (-4MgO) as sintering additives. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 1788-1795	6	9
69	Biologically Inspired Scalable-Manufactured Dual-layer Coating with a Hierarchical Micropattern for Highly Efficient Passive Radiative Cooling and Robust Superhydrophobicity. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 21888-21897	9.5	9
68	Synthesis and mechanical properties of lightweight hybrid geopolymer foams reinforced with carbon nanotubes. <i>International Journal of Applied Ceramic Technology</i> , 2020 , 17, 2335-2345	2	8

67	Interface evolution of the Cf/leucite composites derived from Cf/geopolymer composites. <i>Ceramics International</i> , 2013 , 39, 1203-1208	5.1	8
66	B2O3-assisted low-temperature crystallization of pollucite structures and their potential applications in Cs+ immobilization. <i>Journal of Nuclear Materials</i> , 2020 , 540, 152314	3.3	8
65	SiBCN-reduced graphene oxide (rGO) ceramic composites derived from single-source-precursor with enhanced and tunable microwave absorption performance. <i>Carbon</i> , 2021 , 179, 180-189	10.4	8
64	High voltage resistance ceramic coating fabricated on titanium alloy for insulation shielding application. <i>Ceramics International</i> , 2019 , 45, 1909-1917	5.1	8
63	Boron-dependent microstructural evolution, thermal stability, and crystallization of mechanical alloying derived SiBCN. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 3205-3221	3.8	7
62	A novel in situ synthesis of SiBCN-Zr composites prepared by a sol-gel process and spark plasma sintering. <i>Dalton Transactions</i> , 2016 , 45, 12739-44	4.3	7
61	Effect of ball milling treatment on the microstructures and properties of Cr2AlC powders and hot pressed bulk ceramics. <i>Journal of the European Ceramic Society</i> , 2019 , 39, 5140-5148	6	7
60	Mechanism of superior luminescent and high-efficiency photocatalytic properties of Eu-doped calcium aluminate by low-cost self-propagating combustion synthesis technique. <i>Scientific Reports</i> , 2017 , 7, 2906	4.9	7
59	Electrospinning of pure polymer-derived SiBCN nanofibers with high yield. <i>Ceramics International</i> , 2021 , 47, 10958-10964	5.1	7
58	Novel geopolymer based composites reinforced with stainless steel mesh and chromium powder. <i>Construction and Building Materials</i> , 2017 , 150, 89-94	6.7	6
57	H2Ti5O11·H2O nanorod arrays formed on a Ti surface via a hybrid technique of microarc oxidation and chemical treatment. <i>CrystEngComm</i> , 2015 , 17, 2705-2717	3.3	6
56	Dense, pure SiC monoliths with excellent oxidation resistance sintered at low temperatures and high pressures. <i>Ceramics International</i> , 2015 , 41, 15227-15230	5.1	6
55	Microstructure and erosion resistance of in-situ SiAlON reinforced BN-SiO2 composite ceramics. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2016 , 31, 315-320	1	6
54	Electrophoretic sol-gel synthesis of SrBi2Ta2O9 nanowires. <i>Journal of Sol-Gel Science and Technology</i> , 2010 , 56, 87-92	2.3	6
53	Solvents adjusted pure phase CoCO3 as anodes for high cycle stability. <i>Journal of Advanced Ceramics</i> , 2021 , 10, 509-519	10.7	6
52	Synthesis of Novel Cobalt-Containing Polysilazane Nanofibers with Fluorescence by Electrospinning. <i>Polymers</i> , 2016 , 8,	4.5	6
51	Effects of Li Substitution on the Microstructure and Thermal Expansion Behavior of Pollucite Derived from Geopolymer. <i>Journal of the American Ceramic Society</i> , 2016 , 99, 3784-3791	3.8	6
50	Enhanced thermal shock and oxidation resistance of Si2BC3N ceramics through MWCNTs incorporation. <i>Journal of Advanced Ceramics</i> , 2018 , 7, 276-288	10.7	6

49	Enhanced ablation resistance of HfB ₂ -HfC/SiBCN ceramics under an oxyacetylene torch environment. <i>Corrosion Science</i> , 2021 , 187, 109509	6.8	6
48	Effects of Zr and chopped C fiber on microstructure and mechanical properties of SiBCN ceramics. <i>Science China Technological Sciences</i> , 2020 , 63, 1520-1530	3.5	5
47	Microstructure and thermal shock behavior of sol-gel introduced ZrB ₂ reinforced SiBCN matrix. <i>Journal of Sol-Gel Science and Technology</i> , 2018 , 86, 365-373	2.3	5
46	Effects of TaC addition on microstructure and mechanical properties of SiBCN composite ceramics. <i>Ceramics International</i> , 2019 , 45, 22138-22147	5.1	5
45	Low Optical Writing Energy Multibit Optoelectronic Memory Based on SnS /h-BN/Graphene Heterostructure. <i>Small</i> , 2021 , 17, e2104459	11	5
44	Principles, design, structure and properties of ceramics for microwave absorption or transmission at high-temperatures. <i>International Materials Reviews</i> , 1-32	16.1	5
43	Enhanced Strengths and Thermal Shock Resistance of SiC-BN-10 Vol% Cf Composites through ZrB ₂ Addition. <i>Transactions of the Indian Ceramic Society</i> , 2019 , 78, 204-211	1.8	5
42	From bulk to porous structures: Tailoring monoclinic SrAl ₂ Si ₂ O ₈ ceramic by geopolymer precursor technique. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 4957-4968	3.8	5
41	Direct ink writing of geopolymer with high spatial resolution and tunable mechanical properties. <i>Additive Manufacturing</i> , 2021 , 46, 102202	6.1	5
40	Effects of Na ⁺ substitution Cs ⁺ on the microstructure and thermal expansion behavior of ceramic derived from geopolymer. <i>Journal of the American Ceramic Society</i> , 2017 , 100, 4412-4424	3.8	4
39	Processing and mechanical performance of 3D Cf/SiCN composites prepared by polymer impregnation and pyrolysis. <i>Ceramics International</i> , 2019 , 45, 17344-17353	5.1	4
38	Fabrication of Si ₂ N ₂ O Ceramic Foam by Combination of Direct Ink Writing and Biological Foaming Techniques. <i>Advanced Engineering Materials</i> , 2020 , 22, 1901541	3.5	4
37	Microstructural evolution of amorphous Si ₂ BC ₃ N nanopowders upon heating at high temperatures: High pressures reverse the nucleation order of SiC and BN(C). <i>Journal of the American Ceramic Society</i> , 2018 , 101, 4321-4330	3.8	4
36	MECHANICAL PROPERTIES AND FRACTURE BEHAVIOR OF ELECTROLESS NI-PLATED SHORT CARBON FIBER REINFORCED GEOPOLYMER MATRIX COMPOSITES. <i>International Journal of Modern Physics B</i> , 2009 , 23, 1371-1376	1.1	4
35	Dense amorphous Si ₂ BC ₁₋₄ N monoliths resistant to high-temperature oxidation for hypersonic vehicle. <i>Corrosion Science</i> , 2020 , 163, 108231	6.8	4
34	Carbon content-dependent microstructures, surface characteristics and thermal stability of mechanical alloying derived SiBCN powders. <i>Ceramics International</i> , 2018 , 44, 3614-3624	5.1	4
33	Co-growing design of super-repellent dual-layer coating for multiple heat dissipation improvement. <i>Chemical Engineering Journal</i> , 2022 , 427, 131701	14.7	4
32	Facile synthesis, microstructure and photophysical properties of core-shell nanostructured (SiCN)/BN nanocomposites. <i>Scientific Reports</i> , 2017 , 7, 39866	4.9	3

31	In situ ZrC/Si-B-C-N monoliths prepared by sol-gel and reactive hot-pressing: Processing, microstructure, mechanical properties and oxidation behavior. <i>Journal of Alloys and Compounds</i> , 2019 , 811, 151687	5.7	3
30	First-principles study of the anisotropic thermal expansion and thermal transport properties in h-BN. <i>Science China Materials</i> , 2021 , 64, 953-963	7.1	3
29	Thermal shock resistance of the porous boron nitride/silicon oxynitride ceramic composites. <i>International Journal of Applied Ceramic Technology</i> , 2018 , 15, 1358-1365	2	3
28	Synthesis mechanism of amorphous Si ₂ BC ₃ N powders: Structural evolution of 2Si-BN-3C mixtures during mechanical alloying. <i>Journal of the American Ceramic Society</i> , 2020 , 103, 4189-4202	3.8	2
27	Rapid Fabrication, Microstructure, and Investigations of a High-Performance Multilayer Coating with External, Flexible, and Silicon-Doped Hydroxyapatite Nanorods on Titanium. <i>ACS Biomaterials Science and Engineering</i> , 2019 , 5, 4244-4262	5.5	2
26	Bi-fluctuation in Na _{0.5} Bi _{0.5} TiO ₃ ferroelectric ceramics with abnormal relaxor behaviour. <i>Philosophical Magazine</i> , 2019 , 99, 2661-2680	1.6	2
25	Geopolymer-Encapsulated Cesium Lead Bromide Perovskite Nanocrystals for Potential Display Applications. <i>ACS Applied Nano Materials</i> , 2020 , 3, 11695-11700	5.6	2
24	Carbon-content-dependent phase composition, microstructural evolution, and mechanical properties of SiBCN monoliths. <i>Journal of the American Ceramic Society</i> , 2018 , 101, 2137-2154	3.8	2
23	BCl ₃ modified tris(dichloromethylsilylethyl)borane as a precursor for SiBCN ceramics applied in lithium-ion battery anodes. <i>Ceramics International</i> , 2021 , 47, 22839-22853	5.1	2
22	Development of Single-Chamber Solid Oxide Fuel Cells: Performance Optimization and Micro-Stack Designs. <i>Ceramic Transactions</i> , 2010 , 173-177	0.1	1
21	Preparation and properties of SrBi _{2.2} Ta ₂ O ₉ thin film. <i>Central South University</i> , 2005 , 12, 376-379		1
20	MoSiBCN metal-ceramic composites with enhanced and tunable thermophysical properties and thermal shock resistance. <i>Ceramics International</i> , 2021 , 48, 5744-5744	5.1	1
19	Geopolymer and Geopolymer Matrix Composites. <i>Springer Series in Materials Science</i> , 2020 ,	0.9	1
18	A Comparative Study on High Temperature Oxidation Behavior of SiC, SiC-BN and SiBCN Monoliths. <i>Corrosion Science</i> , 2021 , 109855	6.8	1
17	Transparent and High-Absolute-Effectiveness Electromagnetic Interference Shielding Film Based on Single-Crystal Graphene. <i>Advanced Materials Technologies</i> , 2101465	6.8	1
16	Hardness and toughness improvement of SiC-based ceramics with the addition of (Hf 0.2 Mo 0.2 Ta 0.2 Nb 0.2 Ti 0.2)B ₂ . <i>Journal of the American Ceramic Society</i> ,	3.8	0
15	Crystallinity dependence of high-temperature oxidation of silicoboron carbonitride monoliths. <i>Corrosion Science</i> , 2021 , 187, 109473	6.8	0
14	Synthesis of coatings on SiC fibers and their effects on microstructure and mechanical properties of SiCf/SiBCN composites. <i>Journal of the American Ceramic Society</i> , 2021 , 104, 6589	3.8	0

- | | | | |
|----|--|-----|---|
| 13 | Preparation and characterization of Cf/Pollucite composites through geopolymer precursors. <i>Ceramics International</i> , 2021 , 47, 31713-31723 | 5.1 | o |
| 12 | One-step fabrication of double-layer nanocomposite coating by plasma electrolytic oxidation with particle addition. <i>Applied Surface Science</i> , 2022 , 153043 | 6.7 | o |
| 11 | Mechanical alloying derived SiBCN-Ta4HfC5 composite ceramics: study on amorphous transformation mechanism. <i>Journal of Non-Crystalline Solids</i> , 2022 , 585, 121543 | 3.9 | o |
| 10 | Effect of Polycarbosilane Content on Microstructures and Mechanical Properties of Short-Carbon-Fibre-Reinforced SiC Composites. <i>Advanced Composites Letters</i> , 2006 , 15, 096369350601500 ^{1,2} | | |
| 9 | Geopolymerization Mechanism of Geopolymers. <i>Springer Series in Materials Science</i> , 2020 , 35-80 | 0.9 | |
| 8 | Geopolymers and Their Matrix Composites: A State-of-the-Art Review. <i>Springer Series in Materials Science</i> , 2020 , 7-34 | 0.9 | |
| 7 | Particles-Reinforced Geopolymer Matrix Composites. <i>Springer Series in Materials Science</i> , 2020 , 131-177 | 0.9 | |
| 6 | Continuous Fibers-Reinforced Geopolymer Matrix Composites. <i>Springer Series in Materials Science</i> , 2020 , 271-307 | 0.9 | |
| 5 | Graphene-Reinforced Geopolymer Matrix Composites. <i>Springer Series in Materials Science</i> , 2020 , 81-129 | 0.9 | |
| 4 | Short Carbon Fiber (Csf)-Reinforced Geopolymer Matrix Composites. <i>Springer Series in Materials Science</i> , 2020 , 179-241 | 0.9 | |
| 3 | Short SiC Fiber and Hybrid SiC/Carbon Fiber Reinforced Geopolymer Matrix Composites. <i>Springer Series in Materials Science</i> , 2020 , 243-270 | 0.9 | |
| 2 | Concepts for Energy Absorption and Dissipation in Ceramic Armor57-70 | | |
| 1 | A strategy for fabricating anisotropic Si ₃ N ₄ ceramics with controllable mechanical and thermal properties. <i>International Journal of Applied Ceramic Technology</i> , 2021 , 18, 40-50 | 2 | |