

Yuji Orihashi

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1300202/yuji-orihashi-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

89 papers	2,874 citations	25 h-index	52 g-index
95 ext. papers	3,213 ext. citations	1.9 avg, IF	4.74 L-index

#	Paper	IF	Citations
89	Central vs. lateral growth and evolution of the ~100 ka Peinado composite volcano, southern Central Volcanic Zone of the Andes. <i>Journal of Volcanology and Geothermal Research</i> , 2022 , 425, 107532	2.8	0
88	Determination of highly precise and accurate eruptive age of Obirakiyama Tuff, ejecta from Yunosawa Caldera, southern Aomori Prefecture. <i>Journal of the Geological Society of Japan</i> , 2021 , 127, 545-561	0.6	
87	Zircon U-Pb age of the acidic tuff from the Miocene Kuma Group, western Shikoku. <i>Journal of the Geological Society of Japan</i> , 2021 , 127, 595-603	0.6	1
86	Zircon LA-ICP-MS U-Pb age of the main eruptives (Nijikai Tuff) constituting the Ikarigaseki Caldera, southern Aomori Prefecture. <i>Journal of the Geological Society of Japan</i> , 2021 , 127, 431-436	0.6	0
85	A cold seep triggered by a hot ridge subduction. <i>Scientific Reports</i> , 2021 , 11, 20923	4.9	0
84	Zircon U-Pb ages of Miocene granitic rocks in the Koshikijima Islands: Implications for Neogene tectonics in the Kyushu region, southwest Japan. <i>Island Arc</i> , 2021 , 30, e12383	2	1
83	Single-pulse laser ablation inductively coupled plasma-mass spectrometry U-Pb dating of thin zircon rims: An application to metamorphic rocks from Mount Everest, eastern Nepal. <i>Chemical Geology</i> , 2021 , 559, 119903	4.2	5
82	U-Pb ages of Miocene near-trench granitic rocks of the Southwest Japan arc: implications for magmatism related to hot subduction. <i>Geological Magazine</i> , 2021 , 158, 47-71	2	12
81	Geomorphology, morphometry, spatial distribution and ages of mafic monogenetic volcanoes of the Peinado and Incahuasi fields, southernmost Central Volcanic Zone of the Andes. <i>Journal of Volcanology and Geothermal Research</i> , 2020 , 401, 106966	2.8	9
80	Improved method for highly precise and accurate ¹⁸² W/ ¹⁸⁴ W isotope measurements by multiple collector inductively coupled plasma mass spectrometry and application for terrestrial samples. <i>Geochemical Journal</i> , 2020 , 54, 117-127	0.9	3
79	Preliminary tephrochronological study of the Yezo Group (uppermost Albian-Basal Campanian) in north Japan. <i>Cretaceous Research</i> , 2019 , 103, 104158	1.8	2
78	The tectonic setting of the eastern margin of the Sino-Korean Block inferred from detrital zircon U-Pb age and Nd isotope composition of the Pyeongan Supergroup (upper Palaeozoic [Lower Triassic], Korea. <i>Geological Magazine</i> , 2019 , 156, 471-484	2	2
77	Constraining the depositional age of an Upper Cretaceous non-marine and shallow marine siliciclastic succession, Kuji Group, northeastern Japan, based on carbon isotope stratigraphy and U-Pb radiometric dating. <i>Cretaceous Research</i> , 2018 , 92, 264-278	1.8	3
76	Zircon U-Pb Ages of Tochibora welded tuff Member at the lowermost part of the Hachiya Formation, in Kani Basin, Gifu Prefecture. <i>Journal of the Geological Society of Japan</i> , 2018 , 124, 533-538	0.6	4
75	Material recycling in a sediment-starved trench recorded in the Early Cretaceous Shiriya accretionary complex, Northeast Japan. <i>Island Arc</i> , 2018 , 27, e12272	2	9
74	Eruptive history of Incahuasi, Falso Azufre and El Cñdor Quaternary composite volcanoes, southern Central Andes. <i>Bulletin of Volcanology</i> , 2018 , 80, 1	2.4	10
73	Slab-derived components in the subcontinental lithospheric mantle beneath Chilean Patagonia: Geochemistry and Sr-Nd-Pb isotopes of mantle xenoliths and host basalt. <i>Lithos</i> , 2017 , 292-293, 179-197	2.9	9

72	Evidence of a modern deep water magmatic hydrothermal system in the Canary Basin (eastern central Atlantic Ocean). <i>Geochemistry, Geophysics, Geosystems</i> , 2017 , 18, 3138-3164	3.6	13
71	UPb age determination for zircons using laser ablation-ICP-mass spectrometry equipped with six multiple-ion counting detectors. <i>Journal of Analytical Atomic Spectrometry</i> , 2017 , 32, 88-95	3.7	38
70	Zircon U-Pb Ages of Ohno Volcanic Rocks in eastern Kyushu. <i>Journal of the Geological Society of Japan</i> , 2017 , 123, 423-431	0.6	8
69	Detrital zircon geochronology and Nd isotope geochemistry of the basal succession of the Taebaeksan Basin, South Korea: Implications for the Gondwana linkage of the Sino-Korean (North China) block during the Neoproterozoic/Early Cambrian. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2016 , 441, 770-786	2.9	30
68	Age and petrogenesis of Na-rich felsic rocks in western Iran: Evidence for closure of the southern branch of the Neo-Tethys in the Late Cretaceous. <i>Tectonophysics</i> , 2016 , 671, 151-172	3.1	27
67	Age of Mirny field kimberlites (Siberia) and application of rutile and titanite for U-Pb dating of kimberlite emplacement by LA-ICP-MS. <i>Geochemical Journal</i> , 2016 , 50, 431-438	0.9	7
66	Crustal growth history of the Korean Peninsula: Constraints from detrital zircon ages in modern river sediments. <i>Geoscience Frontiers</i> , 2016 , 7, 707-714	6	15
65	Volcano-tectonic interaction in the Cerro Santa Marta area, northwest James Ross Island, Antarctic Peninsula. <i>Journal of Volcanology and Geothermal Research</i> , 2015 , 297, 89-108	2.8	9
64	Finding of 115 Ma adakitic tonalite east of the Futaba Fault, Abukuma Highland, and its regional geological implications. <i>Journal of the Geological Society of Japan</i> , 2015 , 121, 167-171	0.6	2
63	Cretaceous granitoids and their zircon UPb ages across the south-central part of the Abukuma Highland, Japan. <i>Island Arc</i> , 2015 , 24, 159-168	2	12
62	Tectonic reconstruction of batholith formation based on the spatiotemporal distribution of Cretaceous/Paleogene granitic rocks in southwestern Japan. <i>Island Arc</i> , 2015 , 24, 205-220	2	36
61	Emplacement history and inflation evidence of a long basaltic lava flow located in Southern Payenia Volcanic Province, Argentina. <i>Journal of Volcanology and Geothermal Research</i> , 2015 , 293, 46-56	2.8	12
60	Sr-Nd-Pb-Hf isotopic constraints on the diversity of magma sources beneath the Aden Ridge (central Gulf of Aden) and plume-ridge interaction. <i>Journal of Mineralogical and Petrological Sciences</i> , 2015 , 110, 97-110	0.9	5
59	U-Pb age of rutile from the eclogite xenolith of the Udachnaya kimberlite pipe. <i>Doklady Earth Sciences</i> , 2014 , 457, 861-864	0.6	5
58	Regional mantle heterogeneity regulates melt production along the Réunion hotspot-influenced Central Indian Ridge. <i>Geochemical Journal</i> , 2014 , 48, 433-449	0.9	8
57	Petrogenetic evolution of basaltic lavas from Balhaf/Bir Ali Plio-Quaternary volcanic field, Arabian Sea, Republic of Yemen. <i>Arabian Journal of Geosciences</i> , 2014 , 7, 69-86	1.8	5
56	Geochemical and Sr-Nd-Pb isotopic compositions of lithospheric mantle: Spinel lherzolites in alkaline basalts from the northwestern Ethiopian plateau. <i>Journal of Mineralogical and Petrological Sciences</i> , 2014 , 109, 241-257	0.9	3
55	Zircon U-Pb age of the Triassic granitoids at Nui Phao, northern Viet Nam.. <i>Bulletin of the Geological Survey of Japan</i> , 2014 , 65, 17-22	1	9

54	The provenance of the southeastern Yellow Sea sediments constrained by detrital zircon U-Pb age. <i>Marine Geology</i> , 2013 , 337, 182-194	3.3	9
53	U-Pb zircon age from the radiolarian-bearing Hitoegane Formation in the Hida Gaien Belt, Japan. <i>Island Arc</i> , 2013 , 22, 494-507	2	10
52	Shallow-depth melt exsolution due to ridge subduction: LA-ICPMS U-Pb igneous and detrital zircon ages from the Chile Triple Junction and the Taitao Peninsula, Chilean Patagonia. <i>Geochemical Journal</i> , 2013 , 47, 149-165	0.9	15
51	An inter-laboratory evaluation of OD-3 zircon for use as a secondary U-Pb dating standard. <i>Island Arc</i> , 2013 , 22, 382-394	2	152
50	Zircon multichronology: Fission-track, U-Pb, and combined fission-track/U-Pb studies. <i>Island Arc</i> , 2013 , 22, 261-263	2	2
49	Evolution history of the crust underlying Cerro Pampa, Argentine Patagonia: Constraint from LA-ICPMS U-Pb ages for exotic zircons in the Mid-Miocene adakite. <i>Geochemical Journal</i> , 2013 , 47, 235-247	0.9	8
48	Preface: Geoscience dynamics in the Patagonia Archipelago—Southern Pacific Ocean. <i>Geochemical Journal</i> , 2013 , 47, 93-95	0.9	
47	Boron and other trace element constraints on the slab-derived component in Quaternary volcanic rocks from the Southern Volcanic Zone of the Andes. <i>Geochemical Journal</i> , 2013 , 47, 185-199	0.9	8
46	Permian Peri-glacial Deposits from Central Mongolia in Central Asian Orogenic Belt: A Possible Indicator of the Capitanian Cooling Event. <i>Resource Geology</i> , 2012 , 62, 408-422	1	7
45	Detrital zircon U-Pb ages of the Jangsan Formation in the northeastern Okcheon belt, Korea and its implications for material source, provenance, and tectonic setting. <i>Sedimentary Geology</i> , 2012 , 282, 256-267	2.8	26
44	Mesozoic detrital zircon U-Pb ages of modern river sediments in Korea: implications for migration of arc magmatism in the Mesozoic East Asian continental margin. <i>Terra Nova</i> , 2012 , 24, 156-165	3	12
43	Evaluation of fission-track and U-Pb double dating method for identical zircon grains. <i>Journal of the Geological Society of Japan</i> , 2012 , 118, 365-375	0.6	72
42	Discovery of new hydrothermal activity and chemosynthetic fauna on the Central Indian Ridge at 18°-20° S. <i>PLoS ONE</i> , 2012 , 7, e32965	3.7	56
41	Discovery of Shimanto High-P/T Metamorphic Rocks from the Western Margin of Kyushu, Japan. <i>Journal of Geography (Chigaku Zasshi)</i> , 2011 , 120, 30-39	0.5	13
40	Origin of zircon in jadeitite from the Nishisonogi metamorphic rocks, Kyushu, Japan. <i>Journal of Metamorphic Geology</i> , 2011 , 29, 673-684	4.4	19
39	Detrital zircon geochronology of the Cretaceous Sindong Group, Southeast Korea: Implications for depositional age and Early Cretaceous igneous activity. <i>Island Arc</i> , 2010 , 19, 647-658	2	56
38	Neoproterozoic stratigraphy of the Dhanjori basin, Singhbhum Craton, Eastern India: And recording of a few U-Pb zircon dates from its basal part. <i>Journal of Asian Earth Sciences</i> , 2010 , 39, 527-536	2.8	62
37	Two types of adakites revealed by ²³⁸ U- ²³⁰ Th disequilibrium from Daisen Volcano, southwestern Japan. <i>Geochemical Journal</i> , 2010 , 44, 379-386	0.9	8

36	New U-Pb zircon ages from Paleo-Mesoarchean TTG gneisses of the Singhbhum Craton, Eastern India. <i>Geochemical Journal</i> , 2010 , 44, 81-88	0.9	92
35	U-Pb zircon ages of syenitic and granitic rocks in the Ashizuri igneous complex, southwestern Shikoku: Constraint for the origin of forearc alkaline magmatism. <i>Geochemical Journal</i> , 2010 , 44, 275-283	0.9	17
34	Variaciones composicionales reveladas mediante analisis de imagenes ASTER del volcan Viedma, Zona Volcanica Andina Austral.. <i>Andean Geology</i> , 2010 , 37,	2.4	3
33	Retroarc volcanism in the northern San Rafael Block (34°B5°30'S), southern Central Andes: Occurrence, age, and tectonic setting. <i>Journal of Volcanology and Geothermal Research</i> , 2009 , 186, 169-185	2.8	68
32	Are the Taitao granites formed due to subduction of the Chile ridge?. <i>Lithos</i> , 2009 , 113, 246-258	2.9	39
31	Detrital zircon evidence for the antiquity of Taiwan. <i>Geosciences Journal</i> , 2009 , 13, 233-243	1.4	19
30	Eruption age of the Kusandong Tuff in the Cretaceous Gyeongsang Basin, Korea. <i>Geosciences Journal</i> , 2009 , 13, 265-273	1.4	25
29	Paleozoic U-Pb age of rutile inclusions in diamonds of the VII variety from placers of the northeast Siberian platform. <i>Doklady Earth Sciences</i> , 2009 , 428, 1151-1155	0.6	20
28	U-Pb Age Determination for Seven Standard Zircons using Inductively Coupled Plasma-Mass Spectrometry Coupled with Frequency Quintupled Nd-YAG (λ 213 nm) Laser Ablation System: Comparison with LA-ICP-MS Zircon Analyses with a NIST Glass Reference Material. <i>Resource Geology</i> , 2008 , 58, 101-123	1	89
27	Primordial helium isotope signature from Pliocene Quaternary alkaline basalts in Yemen. <i>Island Arc</i> , 2008 , 10, 145-157	2	
26	Underplating of mantle evidenced by the depositional ages: U-Pb dating of zircons from the Shimanto accretionary complex, southwest Japan. <i>Island Arc</i> , 2008 , 17, 376-393	2	41
25	Argon isotope ratio of the plume-source deduced from high-resolution stepwise crushing extraction. <i>Geochemical Journal</i> , 2008 , 42, 39-49	0.9	6
24	Ages of zircons from Jurassic sediments of Bluefish River slope, NWT Canada, and the possible age of kimberlite activity on the Lena West property. <i>Doklady Earth Sciences</i> , 2008 , 421, 751-754	0.6	1
23	On the origin of rhyolitic rocks of the Setouchi Volcanic Rocks- Reply to the comments on the paper Regional variation of whole rock chemistry of the Miocene felsic igneous rocks in the Kii Peninsula, southwest Japan. <i>Journal of the Geological Society of Japan</i> , 2008 , 114, 384-386	0.6	1
22	Geochemistry of eclogites from the Dabie-Bulu terrane, eastern China: New insights into protoliths and trace element behaviour during UHP metamorphism. <i>Lithos</i> , 2007 , 95, 441-457	2.9	40
21	Sinking hot anomaly trapped at the 410 km discontinuity near the Honshu subduction zone, Japan. <i>Earth and Planetary Science Letters</i> , 2007 , 261, 565-577	5.3	23
20	2007 ,		8
19	Regional variation of whole rock chemistry of the Miocene felsic igneous rocks in the Kii Peninsula, southwest Japan. <i>Journal of the Geological Society of Japan</i> , 2007 , 113, 310-325	0.6	15

18	U-Pb ages and trace element compositions of reddish, colorless, and detrital zircons in the Kumano Acidic Rocks in the Outer Zone of southwest Japan and origin of the host magma.. <i>Journal of the Geological Society of Japan</i> , 2007 , 113, 366-383	0.6	9
17	Element partitioning between transition-zone minerals and ultramafic melt under hydrous conditions. <i>Geophysical Research Letters</i> , 2006 , 33,	4.9	17
16	Evidence of primitive melt heterogeneities preserved in plagioclase-hosted melt inclusions of South Atlantic MORB. <i>Geochemical Journal</i> , 2006 , 40, 277-290	0.9	4
15	Zircon sensitive high mass-resolution ion microprobe U ^{Bb} and fission-track ages for gabbros and sheeted dykes of the Taitao ophiolite, Southern Chile, and their tectonic implications. <i>Island Arc</i> , 2006 , 15, 130-142	2	28
14	Geologic reconnaissance of Lautaro Volcano, Chilean Patagonia. <i>Andean Geology</i> , 2006 , 33,		7
13	Reduction of mercury background on ICP-mass spectrometry for in situ U ^{Bb} age determinations of zircon samples. <i>Journal of Analytical Atomic Spectrometry</i> , 2005 , 20, 696	3.7	71
12	Geology of the summit limestone of Mount Qomolangma (Everest) and cooling history of the Yellow Band under the Qomolangma detachment. <i>Island Arc</i> , 2005 , 14, 297-310	2	30
11	Fission track ages of welded tuffs of the Gongenzaki Formation in the Tsugaru district, Aomori Prefecture, northeast Japan. <i>Journal of the Geological Society of Japan</i> , 2005 , 111, 476-487	0.6	6
10	Quaternary volcanic activity of Hudson and Lautaro volcanoes, Chilean Patagonia: New constraints from K-Ar ages. <i>Andean Geology</i> , 2004 , 31,		29
9	Rapid quantitative analysis of Y and REE abundances in XRF glass bead for selected GSJ reference rock standards using Nd-YAG 266nm UV laser ablation ICP-MS.. <i>Geochemical Journal</i> , 2003 , 37, 401-412	0.9	48
8	Petrogenesis of E-type Mid-Ocean Ridge Basalts near Longitude 46.DEG.E, the Gulf of Aden. <i>Journal of Geography (Chigaku Zasshi)</i> , 2003 , 112, 732-749	0.5	5
7	Rapid and simultaneous determination of multi-element abundances and U-Pb age for zircon crystal using UV laser ablation ICP-MS technique: critical evaluation of the technique with 91500 zircon standard. <i>Journal of Mineralogical and Petrological Sciences</i> , 2003 , 98, 109-117	0.9	16
6	Bulk rock chemistry of the Muro pyroclastic flow deposit: A clue to its source region.. <i>Ganseki Kobutsu Kagaku</i> , 2002 , 31, 307-317	0.1	16
5	Primordial helium isotope signature from Plio-Quaternary alkaline basalts in Yemen. <i>Island Arc</i> , 2001 , 10, 145-157	2	9
4	JNdi-1: a neodymium isotopic reference in consistency with LaJolla neodymium. <i>Chemical Geology</i> , 2000 , 168, 279-281	4.2	1141
3	Petrology of a mantle-derived rhyolite, Hokkaido, Japan. <i>Chemical Geology</i> , 1999 , 160, 425-445	4.2	27
2	Dispersion of the Afar plume: Implications from the Spatiotemporal Distribution of the Late Miocene to Recent Volcanics, Southwestern Arabian Peninsula. <i>Gondwana Research</i> , 1998 , 1, 221-234	5.1	11
1	Sr and Nd isotopic data for the seven GSJ rock reference samples;JA-l, JB-la, JB-2, JB-3, JG-la, JGb-l and JR-l.. <i>Geochemical Journal</i> , 1998 , 32, 205-211	0.9	41

