

# Jiupeng Zhao

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/130022/jiupeng-zhao-publications-by-year.pdf>

**Version:** 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

145 papers	3,274 citations	31 h-index	52 g-index
152 ext. papers	4,063 ext. citations	5.9 avg, IF	5.55 L-index

#	Paper	IF	Citations
145	VO-Based Infrared Radiation Regulator with Excellent Dynamic Thermal Management Performance.. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2022</b> ,	9.5	3
144	Construction of TiO <sub>2</sub> @C@Prussian Blue core-shell nanorod arrays for enhanced electrochromic switching speed and cycle stability. <i>Journal of Alloys and Compounds</i> , <b>2022</b> , 908, 164410	5.7	2
143	Iridescent Daytime Radiative Cooling with No Absorption Peaks in the Visible Range.. <i>Small</i> , <b>2022</b> , e2202400	14.00	5
142	3D conifer-like WO <sub>3</sub> branched nanowire arrays electrode for boosting electrochromic-supercapacitor performance. <i>Applied Surface Science</i> , <b>2021</b> , 577, 151889	6.7	5
141	Preparation of Polyimide Films with Ultra-Low Dielectric Constant by Phase Inversion. <i>Crystals</i> , <b>2021</b> , 11, 1383	2.3	1
140	MgF <sub>2</sub> as abundant and environmentally friendly electrolytes for high performance electrochromic devices. <i>Journal of Materiomics</i> , <b>2021</b> , 7, 1318-1323	6.7	2
139	Effect of Unit Cell Shape on Switchable Infrared Metamaterial VO Absorbers/Emitters. <i>Research</i> , <b>2021</b> , 2021, 9804183	7.8	3
138	Smart Materials for Dynamic Thermal Radiation Regulation. <i>Small</i> , <b>2021</b> , 17, e2100446	11	19
137	All-solid-state electrochromic devices based on the LiAlSiO <sub>4</sub> electrolyte. <i>Materials Letters</i> , <b>2021</b> , 292, 129592	3.3	2
136	High-performance polyethylene dissolved oxygen sensor with a petallike surface. <i>Colloid and Polymer Science</i> , <b>2021</b> , 299, 1439-1446	2.4	0
135	Bioinspired Microstructured Materials for Optical and Thermal Regulation. <i>Advanced Materials</i> , <b>2021</b> , 33, e2000697	24	33
134	Visualization electrochromic-supercapacitor device based on porous Co doped NiO films. <i>Journal of Alloys and Compounds</i> , <b>2021</b> , 857, 158087	5.7	10
133	S, O dual-doped porous carbon derived from activation of waste papers as electrodes for high performance lithium ion capacitors. <i>Nanoscale Advances</i> , <b>2021</b> , 3, 738-746	5.1	2
132	Morphology regulation of Ga particles from ionic liquids and their lithium storage properties. <i>New Journal of Chemistry</i> , <b>2021</b> , 45, 4408-4413	3.6	2
131	Recent progresses in the mechanism, performance, and fabrication methods of metal-derived nanomaterials for efficient electrochemical CO <sub>2</sub> reduction. <i>Journal of Materials Chemistry A</i> , <b>2021</b> , 9, 4558-4588	13	2
130	Porous structure O-rich carbon nanotubes as anode material for sodium-ion batteries. <i>Ionics</i> , <b>2021</b> , 27, 667-675	2.7	0
129	In situ XRD and operando spectra-electrochemical investigation of tetragonal WO <sub>3-x</sub> nanowire networks for electrochromic supercapacitors. <i>NPG Asia Materials</i> , <b>2021</b> , 13,	10.3	9

128	Sprayable Ultrablack Coating Based on Hollow Carbon Nanospheres. <i>ACS Applied Nano Materials</i> , <b>2021</b> , 4, 7995-8002	5.6	1
127	Surface modification, adsorption behavior, and optical properties of Fe <sub>2</sub> O <sub>3</sub> @SiO <sub>2</sub> /Au core-shell ellipsoids. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , <b>2021</b> , 625, 126888	5.1	1
126	Annealing effect on the electrochromic properties of amorphous WO <sub>3</sub> films in Mg <sup>2+</sup> based electrolytes. <i>Materials Chemistry and Physics</i> , <b>2021</b> , 270, 124745	4.4	1
125	Highly robust, transparent, and conductive films based on AgNW-C nanowires for flexible smart windows. <i>Applied Surface Science</i> , <b>2021</b> , 559, 149846	6.7	8
124	Bio-inspired electrochromic skin based on tungsten oxide. <i>Solar Energy Materials and Solar Cells</i> , <b>2021</b> , 230, 111195	6.4	4
123	Design and synthesis of 2D rGO/NiO heterostructure composites for high-performance electrochromic energy storage. <i>Applied Surface Science</i> , <b>2021</b> , 565, 150512	6.7	5
122	Co-electrodeposited Al-Ga composite electrode from ionic liquid with volume expansion adaptability in energy storage. <i>Materials Letters</i> , <b>2021</b> , 303, 130484	3.3	0
121	Progress and perspective of electrochemical CO <sub>2</sub> reduction on Pd-based nanomaterials. <i>Chemical Engineering Science</i> , <b>2021</b> , 245, 116869	4.4	6
120	Stretchable electrochromic devices based on embedded WO <sub>3</sub> @AgNW Core-Shell nanowire elastic conductors. <i>Chemical Engineering Journal</i> , <b>2021</b> , 426, 130840	14.7	13
119	Reflective Property of Inorganic Electrochromic Materials. <i>Wuji Cailiao Xuebao/Journal of Inorganic Materials</i> , <b>2021</b> , 36, 451	1	2
118	A large-area, flexible, high contrast and long-life stable solid-state electrochromic device driven by an anion-assisted method. <i>Journal of Materials Chemistry C</i> , <b>2021</b> , 9, 1641-1648	7.1	7
117	In Situ Atomic Force Microscopic Studies of LiFSI-[Py1,4]FSI Interfacial Nanostructure on Au(111): Solid Electrolyte Interphase and Lithium Underpotential Deposition. <i>Journal of Physical Chemistry C</i> , <b>2021</b> , 125, 27140-27147	3.8	1
116	Electrodeposition of a continuous, dendrite-free aluminum film from an ionic liquid and its electrochemical properties. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2020</b> , 31, 9937-9945	2.1	6
115	Effect of independently controllable electrolyte ion content on the performance of all-solid-state electrochromic devices. <i>Chemical Engineering Journal</i> , <b>2020</b> , 398, 125628	14.7	14
114	Flexible fiber-shaped lithium and sodium-ion batteries with exclusive ion transport channels and superior pseudocapacitive charge storage. <i>Journal of Materials Chemistry A</i> , <b>2020</b> , 8, 11155-11164	13	4
113	An electrochromic supercapacitor based on an MOF derived hierarchical-porous NiO film. <i>Nanoscale</i> , <b>2020</b> , 12, 8934-8941	7.7	70
112	Robust and Flexible Colloidal Photonic Crystal Films with Bending Strain-Independent Structural Colors for Anticounterfeiting. <i>Particle and Particle Systems Characterization</i> , <b>2020</b> , 37, 1900495	3.1	6
111	Preparation and performance of fast-response ITO/Li-NiO/Li-WO <sub>3</sub> /ITO all-solid-state electrochromic devices by evaporation method. <i>Materials Letters</i> , <b>2020</b> , 265, 127464	3.3	19

110	All solid state electrochromic devices based on the LiF electrolyte. <i>Chemical Communications</i> , <b>2020</b> , 56, 5018-5021	5.8	16
109	Mechanical, Dielectric, and Thermal Attributes of Polyimides Stemmed Out of 4,4'-Diaminodiphenyl Ether. <i>Crystals</i> , <b>2020</b> , 10, 173	2.3	3
108	A Universal Approach To Achieve High Luminous Transmittance and Solar Modulating Ability Simultaneously for Vanadium Dioxide Smart Coatings via Double-Sided Localized Surface Plasmon Resonances. <i>ACS Applied Materials &amp; Interfaces</i> , <b>2020</b> , 12, 7302-7309	9.5	25
107	Hierarchical structure N, O-co-doped porous carbon/carbon nanotube composite derived from coal for supercapacitors and CO <sub>2</sub> capture. <i>Nanoscale Advances</i> , <b>2020</b> , 2, 878-887	5.1	19
106	Enhancing the electrochromic stability of Prussian blue based on TiO <sub>2</sub> nanorod arrays. <i>New Journal of Chemistry</i> , <b>2020</b> , 44, 2236-2240	3.6	14
105	Ultra-tough and highly ordered macroscopic fiber assembly from 2D functional metal oxide nanosheet liquid crystals and strong ionic interlayer bridging. <i>Nanoscale</i> , <b>2020</b> , 12, 1374-1383	7.7	3
104	Highly-conductive porous poly(ether ether ketone) electrolyte membranes for flexible electrochromic devices with variable infrared emittance. <i>Electrochimica Acta</i> , <b>2020</b> , 332, 135357	6.7	11
103	Effect of ionic liquid electrolytes on the electrochemical stability and optical tunability of polyaniline-based infrared variable emittance devices. <i>Electrochimica Acta</i> , <b>2020</b> , 358, 136935	6.7	1
102	N-doped two-dimensional ultrathin NiO nanosheets for electrochromic supercapacitor. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2020</b> , 31, 20611-20619	2.1	6
101	Theoretical insights into the factors affecting the electrochemical reduction of CO <sub>2</sub> . <i>Sustainable Energy and Fuels</i> , <b>2020</b> , 4, 4352-4369	5.8	7
100	In Situ Preparation of VO <sub>2</sub> Films with Controlled Ionized Flux Density in HiPIMS and Their Regulation of Thermal Radiance. <i>ACS Applied Electronic Materials</i> , <b>2020</b> , 2, 2203-2210	4	6
99	Preparation of WO <sub>3</sub> Films with Controllable Crystallinity for Improved Near-Infrared Electrochromic Performances. <i>ACS Sustainable Chemistry and Engineering</i> , <b>2020</b> , 8, 11658-11666	8.3	29
98	Influence of Coagulation Bath Temperature on the Structure and Dielectric Properties of Porous Polyimide Films in Different Solvent Systems. <i>ACS Omega</i> , <b>2020</b> , 5, 29889-29895	3.9	2
97	Assembling free-standing and aligned tungstate/MXene fiber for flexible lithium and sodium-ion batteries with efficient pseudocapacitive energy storage. <i>Energy Storage Materials</i> , <b>2020</b> , 33, 82-87	19.4	17
96	Dynamically Switchable Multicolor Electrochromic Films. <i>Small</i> , <b>2019</b> , 15, e1804974	11	30
95	Low cost fabrication of three-dimensional hierarchical porous graphene anode material for sodium ion batteries application. <i>Surface and Coatings Technology</i> , <b>2019</b> , 360, 110-115	4.4	3
94	Preparation and performances of all-solid-state variable infrared emittance devices based on amorphous and crystalline WO <sub>3</sub> electrochromic thin films. <i>Solar Energy Materials and Solar Cells</i> , <b>2019</b> , 200, 109916	6.4	35
93	Near-Perfect Selective Photonic Crystal Emitter with Nanoscale Layers for Daytime Radiative Cooling. <i>ACS Applied Nano Materials</i> , <b>2019</b> , 2, 5512-5519	5.6	31

92	Structural Strategies for Germanium-Based Anode Materials to Enhance Lithium Storage. <i>Particle and Particle Systems Characterization</i> , <b>2019</b> , 36, 1900248	3.1	9
91	Further understanding of the mechanisms of electrochromic devices with variable infrared emissivity based on polyaniline conducting polymers. <i>Journal of Materials Chemistry C</i> , <b>2019</b> , 7, 9878-9891	7.1	53
90	Biomimetic Moth-eye Anti-reflective Poly-(methyl methacrylate) Nanostructural Coating. <i>Journal of Bionic Engineering</i> , <b>2019</b> , 16, 1030-1038	2.7	4
89	Preparation of monolayer hollow spherical tungsten oxide films with enhanced near infrared electrochromic performances. <i>Electrochimica Acta</i> , <b>2019</b> , 297, 223-229	6.7	27
88	Fabrication of the infrared variable emissivity electrochromic film based on polyaniline conducting polymer. <i>Synthetic Metals</i> , <b>2019</b> , 248, 88-93	3.6	20
87	A V2O5-nanosheets-coated hard carbon fiber fabric as high-performance anode for sodium ion battery. <i>Surface and Coatings Technology</i> , <b>2019</b> , 358, 661-666	4.4	50
86	A general method for high-performance Li-ion battery Ge composites electrodes from ionic liquid electrodeposition without binders or conductive agents: The cases of CNTs, RGO and PEDOT. <i>Chemical Engineering Journal</i> , <b>2018</b> , 346, 427-437	14.7	13
85	Patterned polyaniline encapsulated in titania nanotubes for electrochromism. <i>Physical Chemistry Chemical Physics</i> , <b>2018</b> , 20, 5818-5826	3.6	13
84	Achieving rapid Li-ion insertion kinetics in TiO mesoporous nanotube arrays for bifunctional high-rate energy storage smart windows. <i>Nanoscale</i> , <b>2018</b> , 10, 3254-3261	7.7	33
83	Facile scalable synthesis of ordered macroporous few-layer MoS2 and carbon hybrid nanoarchitectures with sodium-ion batteries. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 3492-3501	2.1	4
82	Controllable crystallinity of nickel oxide film with enhanced electrochromic properties. <i>Applied Surface Science</i> , <b>2018</b> , 451, 104-111	6.7	17
81	Electrochemical Fabrication and Sensing Application of Multicolored Silver Films. <i>Advanced Materials Interfaces</i> , <b>2018</b> , 5, 1800277	4.6	5
80	Laser damage resistance of polystyrene opal photonic crystals. <i>Scientific Reports</i> , <b>2018</b> , 8, 4523	4.9	2
79	Self-supported one-dimensional materials for enhanced electrochromism. <i>Nanoscale Horizons</i> , <b>2018</b> , 3, 261-292	10.8	40
78	Bifunctional urchin-like WO3@PANI electrodes for superior electrochromic behavior and lithium-ion battery. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 14803-14812	2.1	10
77	Template-free growth of coral-like Ge nanorod bundles via UV-assisted ionic liquid electrodeposition. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2018</b> , 29, 14105-14110	2.1	3
76	Building ultrathin polyaniline encapsulated V2O5 heterogeneous nanowires and its electrochromic performance. <i>Journal of Electroanalytical Chemistry</i> , <b>2018</b> , 825, 16-21	4.1	15
75	Synthesis, spectroscopic and electrochemical characterization of polyurethanes containing triphenylamine derivative. <i>Polymer Bulletin</i> , <b>2018</b> , 75, 3459-3472	2.4	

74	Rapid redox kinetics in uniform sandwich-structured mesoporous Nb <sub>2</sub> O <sub>5</sub> /graphene/mesoporous Nb <sub>2</sub> O <sub>5</sub> nanosheets for high-performance sodium-ion supercapacitors. <i>Energy Storage Materials</i> , <b>2018</b> , 13, 223-232	19.4	87
73	Synthesis of Silica Microspheres-Inspired by the Formation of Ice Crystals-With High Homogeneous Particle Sizes and Their Applications in Photonic Crystals. <i>Materials</i> , <b>2018</b> , 11,	3.5	2
72	Effects of Microsphere Size on the Mechanical Properties of Photonic Crystals. <i>Crystals</i> , <b>2018</b> , 8, 453	2.3	7
71	A Protective Film Produced by Whey Protein for Photonic Crystals: Inspired by the Epidermis Structure of Chameleon. <i>Journal of Bionic Engineering</i> , <b>2018</b> , 15, 713-721	2.7	1
70	Detection of Homologue and Isomer Vapors through Dynamic Reflection Spectra of Hollow Mesoporous Silica Sphere Photonic Crystals. <i>Chemistry - an Asian Journal</i> , <b>2018</b> , 13, 3670-3675	4.5	1
69	Enhanced storage capability by biomass-derived porous carbon for lithium-ion and sodium-ion battery anodes. <i>Sustainable Energy and Fuels</i> , <b>2018</b> , 2, 2358-2365	5.8	28
68	Pyrrolic nitrogen-doped carbon sandwiched monolayer MoS <sub>2</sub> vertically anchored on graphene oxide for high-performance sodium-ion battery anodes. <i>Journal of Solid State Electrochemistry</i> , <b>2018</b> , 22, 2801-2809	2.6	2
67	Fabrication, structures and fluorescence enhancement of Au NCs/ellipsoid ordered array complexes. <i>Journal Physics D: Applied Physics</i> , <b>2018</b> , 51, 25LT03	3	
66	Highly robust and flexible WO <sub>3</sub> ·xH <sub>2</sub> O/PEDOT films for improved electrochromic performance in near-infrared region. <i>Solar Energy Materials and Solar Cells</i> , <b>2017</b> , 163, 23-30	6.4	29
65	Assembly of flexible CoMoO <sub>4</sub> @NiMoO <sub>4</sub> ·xH <sub>2</sub> O and FeO electrodes for solid-state asymmetric supercapacitors. <i>Scientific Reports</i> , <b>2017</b> , 7, 41088	4.9	63
64	Graphene nanowires anchored to 3D graphene foam via self-assembly for high performance Li and Na ion storage. <i>Nano Energy</i> , <b>2017</b> , 37, 108-117	17.1	128
63	Ionic liquid electrodeposition of strain-released Germanium nanowires as stable anodes for lithium ion batteries. <i>Nanoscale</i> , <b>2017</b> , 9, 8481-8488	7.7	29
62	A comprehensive study of electrochromic device with variable infrared emissivity based on polyaniline conducting polymer. <i>Solar Energy Materials and Solar Cells</i> , <b>2017</b> , 170, 120-126	6.4	56
61	Recent advances in multifunctional electrochromic energy storage devices and photoelectrochromic devices. <i>Science China Chemistry</i> , <b>2017</b> , 60, 13-37	7.9	57
60	Three dimensional molybdenum oxide/polyaniline hybrid nanosheet networks with outstanding optical and electrochemical properties. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 10872-10879	3.6	7
59	3D-Printed All-Fiber Li-Ion Battery toward Wearable Energy Storage. <i>Advanced Functional Materials</i> , <b>2017</b> , 27, 1703140	15.6	184
58	Process optimization and optical properties of colloidal self-assembly via refrigerated centrifugation. <i>Colloid and Polymer Science</i> , <b>2017</b> , 295, 1655-1662	2.4	10
57	Trace detection of homologues and isomers based on hollow mesoporous silica sphere photonic crystals. <i>Materials Horizons</i> , <b>2017</b> , 4, 862-868	14.4	21



56	A nanostructured Fc(COCH) film prepared using silica monolayer colloidal crystal templates and its electrochromic properties. <i>Physical Chemistry Chemical Physics</i> , <b>2017</b> , 19, 30756-30761	3.6	2
55	UV-assisted, template-free electrodeposition of germanium nanowire cluster arrays from an ionic liquid for anodes in lithium-ion batteries. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 15210-15215	3.6	9
54	Mechanical, electrical and carbonization properties of graphene oxide/polyimide composite films prepared by pre-in situ polymerization. <i>Journal of Materials Science: Materials in Electronics</i> , <b>2017</b> , 28, 14515-14521	2.1	1
53	High-performance dissolved oxygen sensors based on platinum(II) porphyrin embedded in polystyrene beads. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 6646-6652	3.6	6
52	A visual water vapor photonic crystal sensor with PVA/SiO <sub>2</sub> opal structure. <i>Applied Surface Science</i> , <b>2017</b> , 423, 421-425	6.7	41
51	Review: recent progress in ordered macroporous electrochromic materials. <i>Journal of Materials Science</i> , <b>2017</b> , 52, 11251-11268	4.3	8
50	Improved cycling stability of MoS <sub>2</sub> -coated carbon nanotubes on graphene foam as flexible anodes for lithium-ion batteries. <i>New Journal of Chemistry</i> , <b>2017</b> , 41, 588-593	3.6	11
49	High sensitivity and accuracy dissolved oxygen (DO) detection by using PtOEP/poly(MMA-co-TFEMA) sensing film. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , <b>2017</b> , 170, 242-6	4.4	12
48	Rational selection of amorphous or crystalline VO cathode for sodium-ion batteries. <i>Physical Chemistry Chemical Physics</i> , <b>2016</b> , 18, 25645-25654	3.6	41
47	Controllable synthesis of bowl-like Cu array prepared by electrodeposition through multilayer colloidal template. <i>Surface and Coatings Technology</i> , <b>2016</b> , 307, 177-181	4.4	3
46	Three dimensional hierarchically porous crystalline MnO <sub>2</sub> structure design for a high rate performance lithium-ion battery anode. <i>RSC Advances</i> , <b>2016</b> , 6, 85222-85229	3.7	14
45	Preparation of functionalized Fe <sub>3</sub> O <sub>4</sub> @SiO <sub>2</sub> magnetic nanoparticles for monoclonal antibody purification. <i>Chemical Research in Chinese Universities</i> , <b>2016</b> , 32, 889-894	2.2	15
44	Annealing synthesis of coralline V <sub>2</sub> O <sub>5</sub> nanorod architecture for multicolor energy-efficient electrochromic device. <i>Solar Energy Materials and Solar Cells</i> , <b>2016</b> , 146, 135-143	6.4	64
43	Preparation of Three-Dimensional Photonic Crystals of Zirconia by Electrodeposition in a Colloidal Crystals Template. <i>Crystals</i> , <b>2016</b> , 6, 76	2.3	7
42	The binder-free Ca <sub>2</sub> Ge <sub>7</sub> O <sub>16</sub> nanosheet/carbon nanotube composite as a high-capacity anode for Li-ion batteries with long cycling life. <i>RSC Advances</i> , <b>2016</b> , 6, 107040-107048	3.7	2
41	Free-standing Ca <sub>2</sub> Ge <sub>7</sub> O <sub>16</sub> nanorod arrays anode with long-term stability and superior rate capability in lithium ion batteries. <i>Journal of Electroanalytical Chemistry</i> , <b>2016</b> , 783, 15-21	4.1	2
40	Pseudocapacitive effect and Li <sup>+</sup> diffusion coefficient in three-dimensionally ordered macroporous vanadium oxide for energy storage. <i>Electrochemistry Communications</i> , <b>2016</b> , 69, 46-49	5.1	28
39	Transferable TiO <sub>2</sub> nanotubes membranes formed via anodization and their application in transparent electrochromism. <i>Solar Energy Materials and Solar Cells</i> , <b>2016</b> , 150, 57-64	6.4	25

38	Self-assembly, structural order and mechanism of $\text{Fe}_2\text{O}_3/\text{SiO}_2$ ellipsoids induced by magnetic fields. <i>New Journal of Chemistry</i> , <b>2016</b> , 40, 9520-9525	3.6	5
37	Facile and controllable construction of vanadium pentoxide@conducting polymer core/shell nanostructures and their thickness-dependent synergistic energy storage properties. <i>Electrochimica Acta</i> , <b>2016</b> , 222, 194-202	6.7	9
36	Improved Electrochromic Performance of Poly(3,4-ethylenedioxythiophene) by Incorporating a Three-Dimensionally Ordered Macroporous Structure. <i>Chemistry - an Asian Journal</i> , <b>2016</b> , 11, 2882-2888	4.5	21
35	Ionic liquid electrodeposition of Ge nanostructures on freestanding Ni-nanocone arrays for Li-ion battery. <i>RSC Advances</i> , <b>2015</b> , 5, 19596-19600	3.7	8
34	Versatile displays based on a 3-dimensionally ordered macroporous vanadium oxide film for advanced electrochromic devices. <i>Journal of Materials Chemistry C</i> , <b>2015</b> , 3, 3159-3166	7.1	38
33	Preparation and characterization of $\text{Fe}_3\text{O}_4/\text{SiO}_2/\text{Bi}_2\text{MoO}_6$ composite as magnetically separable photocatalyst. <i>Journal of Alloys and Compounds</i> , <b>2015</b> , 638, 214-220	5.7	27
32	A rapid-response electrochromic device with significantly enhanced electrochromic performance. <i>RSC Advances</i> , <b>2015</b> , 5, 803-806	3.7	23
31	Preparation of Ge nanotube arrays from an ionic liquid for lithium ion battery anodes with improved cycling stability. <i>Chemical Communications</i> , <b>2015</b> , 51, 2064-7	5.8	60
30	The roles of lithium-philic giant nitrogen-doped graphene in protecting micron-sized silicon anode from fading. <i>Scientific Reports</i> , <b>2015</b> , 5, 15665	4.9	38
29	Novel morphology changes from 3D ordered macroporous structure to $\text{V}_2\text{O}_5$ nanofiber grassland and its application in electrochromism. <i>Scientific Reports</i> , <b>2015</b> , 5, 16864	4.9	34
28	From Amorphous Macroporous Film to 3D Crystalline Nanorod Architecture: A New Approach to Obtain High-Performance $\text{V}_2\text{O}_5$ Electrochromism. <i>Advanced Materials Interfaces</i> , <b>2015</b> , 2, 1500230	4.6	29
27	Adsorption of bovine serum albumin on superparamagnetic composite microspheres with a $\text{Fe}_3\text{O}_4/\text{SiO}_2$ core and mesoporous $\text{SiO}_2$ shell. <i>RSC Advances</i> , <b>2015</b> , 5, 103760-103766	3.7	13
26	Ionic liquid electrodeposition of germanium/carbon nanotube composite anode material for lithium ion batteries. <i>Materials Letters</i> , <b>2015</b> , 144, 50-53	3.3	27
25	3D hierarchical porous graphene aerogels for highly improved adsorption and recycled capacity. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , <b>2015</b> , 194, 62-67	3.1	44
24	Preparation and thermal stability of the spindle $\text{Fe}_2\text{O}_3/\text{SiO}_2$ core-shell nanoparticles. <i>Journal of Solid State Chemistry</i> , <b>2014</b> , 211, 69-74	3.3	32
23	Enhancement and wettability of self-assembled GO sheets as interfacial layers of CF/PI composites. <i>RSC Advances</i> , <b>2014</b> , 4, 7511	3.7	6
22	Preparation, characterization and properties of amine-functionalized silicon carbide/polyimide composite films. <i>RSC Advances</i> , <b>2014</b> , 4, 28456	3.7	19
21	Preparation and magnetic properties of $\text{Fe}_2\text{O}_3/\text{SiO}_2$ core shell ellipsoids with different aspect ratios. <i>New Journal of Chemistry</i> , <b>2014</b> , 38, 4351	3.6	18



20	Fabrication, structure and mechanism of reduced graphene oxide-based carbon composite films. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 10502	13	8
19	One-pot preparation of crystalline-amorphous double-layer structured WO <sub>3</sub> films and their electrochromic properties. <i>Electrochimica Acta</i> , <b>2014</b> , 148, 46-52	6.7	18
18	Catalytic and enhanced effects of silicon carbide nanoparticles on carbonization and graphitization of polyimide films. <i>RSC Advances</i> , <b>2014</b> , 4, 42569-42576	3.7	12
17	Improved electrochromic performance and lithium diffusion coefficient in three-dimensionally ordered macroporous V <sub>2</sub> O <sub>5</sub> films. <i>Journal of Materials Chemistry C</i> , <b>2014</b> , 2, 3651-3658	7.1	99
16	Layered polyaniline/graphene film from sandwich-structured polyaniline/graphene/polyaniline nanosheets for high-performance pseudosupercapacitors. <i>Journal of Materials Chemistry A</i> , <b>2014</b> , 2, 4642-4651 <sup>178</sup>	13	178
15	Ionic liquid electrodeposition of 3D germanium/acetylene black/Ni foam nanocomposite electrodes for lithium-ion batteries. <i>RSC Advances</i> , <b>2014</b> , 4, 60371-60375	3.7	9
14	Ion diffusion and optical switching performance of 3D ordered nanostructured polyaniline films for advanced electrochemical/electrochromic devices. <i>Electrochimica Acta</i> , <b>2013</b> , 104, 191-197	6.7	65
13	Two modes in macroporous Cu <sub>2</sub> O growth through template-assisted electrodeposition method. <i>Journal of Porous Materials</i> , <b>2013</b> , 20, 601-605	2.4	5
12	Structural evolution and characteristics of the phase transformations between $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> , Fe <sub>3</sub> O <sub>4</sub> and $\alpha$ -Fe <sub>2</sub> O <sub>3</sub> nanoparticles under reducing and oxidizing atmospheres. <i>CrystEngComm</i> , <b>2013</b> , 15, 8166	3.3	247
11	Controllable synthesis of Cu <sub>2</sub> O petaloid octahedral microcrystals and multi-patterned evolution. <i>Journal of Colloid and Interface Science</i> , <b>2013</b> , 392, 151-157	9.3	10
10	3D ordered macroporous germanium fabricated by electrodeposition from an ionic liquid and its lithium storage properties. <i>Journal of Materials Chemistry A</i> , <b>2013</b> , 1, 15076	13	57
9	The fabrication of controlled coral-like Cu <sub>2</sub> O films and their hydrophobic property. <i>Applied Surface Science</i> , <b>2013</b> , 266, 395-399	6.7	23
8	Synthesis, optical and magnetic properties of $\gamma$ -Fe <sub>2</sub> O <sub>3</sub> nanoparticles with various shapes. <i>Materials Letters</i> , <b>2013</b> , 99, 111-114	3.3	60
7	3D Ordered Macroporous Ge/Al and Ge/Si Bilayer Films Made by Electrodeposition from Ionic Liquids. <i>Zeitschrift Fur Physikalische Chemie</i> , <b>2013</b> , 227, 1731-1740	3.1	1
6	Studies on late formation of 3D ordered macroporous materials through colloidal crystal templates. <i>Journal of Porous Materials</i> , <b>2012</b> , 19, 1023-1026	2.4	2
5	Large area orientation films based on graphene oxide self-assembly and low-temperature thermal reduction. <i>Applied Physics Letters</i> , <b>2012</b> , 101, 181903	3.4	27
4	Semiconductor nanostructures via electrodeposition from ionic liquids. <i>Pure and Applied Chemistry</i> , <b>2010</b> , 82, 1673-1689	2.1	36
3	Electrodeposition of 3D ordered macroporous germanium from ionic liquids: a feasible method to make photonic crystals with a high dielectric constant. <i>Angewandte Chemie - International Edition</i> , <b>2009</b> , 48, 2703-7	16.4	107

2	Two-dimensional WO <sub>3</sub> nanosheets for high-performance electrochromic supercapacitors. <i>Inorganic Chemistry Frontiers</i> ,	6.8	3
1	Dual Optical Information-Encrypted/Decrypted Invisible Photonic Patterns based on Controlled Wettability. <i>Advanced Optical Materials</i> ,2101268	8.1	2