Maria Esteve

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1300503/publications.pdf

Version: 2024-02-01

| | | 185998 | 1 | .61609 |
|----------|----------------|--------------|---|----------------|
| 78 | 3,203 | 28 | | 54 |
| papers | citations | h-index | | g-index |
| | | | | |
| | | | | |
| 89 | 89 | 89 | | 3815 |
| 09 | 09 | 09 | | 3013 |
| all docs | docs citations | times ranked | | citing authors |
| | | | | |

| # | Article | IF | CITATIONS |
|----|---|----------------------|----------------------|
| 1 | Self-expandable metal stents versus endoscopic balloon dilation for the treatment of strictures in Crohn's disease (ProtDilat study): an open-label, multicentre, randomised trial. The Lancet Gastroenterology and Hepatology, 2022, 7, 332-341. | 3.7 | 24 |
| 2 | Evolution of Endoscopic Lesions in Steroid-Refractory Acute Severe Ulcerative Colitis Responding to Infliximab or Cyclosporine. Clinical Gastroenterology and Hepatology, 2021, 19, 1180-1188.e4. | 2.4 | 12 |
| 3 | Extraintestinal Manifestations in Patients with Inflammatory Bowel Disease: Study Based on the ENEIDA Registry. Digestive Diseases and Sciences, 2021, 66, 2014-2023. | 1.1 | 28 |
| 4 | Long-Term Effect of a Gluten-Free Diet on Diarrhoea- or Bloating-Predominant Functional Bowel Disease: Role of the â€~Low-Grade Coeliac Score' and the â€~Coeliac Lymphogram' in the Response Rate t the Diet. Nutrients, 2021, 13, 1812. | 01.7 | 7 |
| 5 | Intraepithelial Lymphocyte Cytometric Pattern Is a Useful Diagnostic Tool for Coeliac Disease Diagnosis Irrespective of Degree of Mucosal Damage and Ageâ€"A Validation Cohort. Nutrients, 2021, 13, 1684. | 1.7 | 9 |
| 6 | Clinical features, therapeutic requirements and evolution of patients with Crohn's disease and upper gastrointestinal involvement (CROHNEX study). Alimentary Pharmacology and Therapeutics, 2021, 54, 1041-1051. | 1.9 | 6 |
| 7 | SARS-CoV-2 identified by transmission electron microscopy in lymphoproliferative and ischaemic intestinal lesions of COVID-19 patients with acute abdominal pain: two case reports. BMC Gastroenterology, 2021, 21, 334. | 0.8 | 16 |
| 8 | Effectiveness and Safety of the Sequential Use of a Second and Third Anti-TNF Agent in Patients With Inflammatory Bowel Disease: Results From the Eneida Registry. Inflammatory Bowel Diseases, 2020, 26, 606-616. | 0.9 | 29 |
| 9 | Intestinal Inflammation Modulates the Epithelial Response to Butyrate in Patients With Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2020, 26, 43-55. | 0.9 | 83 |
| 10 | Efficacy and safety of endoscopic balloon dilation in inflammatory bowel disease: results of the large multicenter study of the ENEIDA registry. Surgical Endoscopy and Other Interventional Techniques, 2020, 34, 1112-1122. | 1.3 | 20 |
| 11 | Recomendaciones del Grupo Español de Trabajo en Enfermedad de Crohn y Colitis Ulcerosa (GETECCU) sobre el tratamiento tópico en la colitis ulcerosa. GastroenterologÃa Y HepatologÃa, 2020, 43, 97-105. | 0.2 | 1 |
| 12 | COVID-19 and inflammatory bowel disease: Questions arising from patient care and follow-up during the initial phase of the pandemic (February–April 2020). GastroenterologÃa Y HepatologÃa (English) Tj ETQq0 (| 0 0. .rg/BT/0 | Oværlock 10 T |
| 13 | El registro ENEIDA (Estudio Nacional en Enfermedad Inflamatoria intestinal sobre Determinantes) Tj ETQq1 1 0.78 HepatologÃa, 2020, 43, 551-558. | 4314 rgB 0.2 | 3T /Overlock 1 33 |
| 14 | Changes in the requirement for early surgery in inflammatory bowel disease in the era of biological agents. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 2080-2087. | 1.4 | 11 |
| 15 | Gamma delta ⁺ intraepithelial lymphocytes and coeliac lymphogram in a diagnostic approach to coeliac disease in patients with seronegative villous atrophy. Alimentary Pharmacology and Therapeutics, 2020, 51, 699-705. | 1.9 | 24 |
| 16 | Management of Small Bowel Villous Atrophy in Patients Seronegative for Celiac Disease: High Diagnostic Accuracy of Celiac Lymphogram. American Journal of Gastroenterology, 2020, 115, 2110-2110. | 0.2 | 2 |
| 17 | Usefulness of fecal calprotectin as a biomarker of microscopic colitis in a cohort of patients with chronic watery diarrhoea of functional characteristics. Digestive and Liver Disease, 2019, 51, 1646-1651. | 0.4 | 19 |
| 18 | Systematic Review and Meta-Analysis: Accuracy of Both Gamma Delta+ Intraepithelial Lymphocytes and Coeliac Lymphogram Evaluated by Flow Cytometry for Coeliac Disease Diagnosis. Nutrients, 2019, 11, 1992. | 1.7 | 21 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 19 | Relevant Infections in Inflammatory Bowel Disease, and Their Relationship With Immunosuppressive Therapy and Their Effects on Disease Mortality. Journal of Crohn's and Colitis, 2019, 13, 828-837. | 0.6 | 48 |
| 20 | A Scoring System for Identifying Patients Likely to Be Diagnosed with Low-Grade Coeliac Enteropathy. Nutrients, 2019, 11, 1050. | 1.7 | 5 |
| 21 | EpidemIBD: rationale and design of a large-scale epidemiological study of inflammatory bowel disease in Spain. Therapeutic Advances in Gastroenterology, 2019, 12, 175628481984703. | 1.4 | 18 |
| 22 | A Prospective Pilot Randomized Study: Electroacupuncture vs. Sham Procedure for the Treatment of Fatigue in Patients With Quiescent Inflammatory Bowel Disease. Inflammatory Bowel Diseases, 2019, 26, 484-492. | 0.9 | 15 |
| 23 | Genetic association between CD96 locus and immunogenicity to anti-TNF therapy in Crohn's disease. Pharmacogenomics Journal, 2019, 19, 547-555. | 0.9 | 4 |
| 24 | Quality of life during one year of postoperative prophylactic drug therapy after intestinal resection in Crohn's patients: Results of the APPRECIA trial. Digestive and Liver Disease, 2019, 51, 529-535. | 0.4 | 3 |
| 25 | Gamma-Delta T lymphocytes in the Diagnostic Approach of Celiac Disease. Journal of Clinical Gastroenterology, 2019, 53, 474-475. | 1.1 | 1 |
| 26 | Systematic review with metaâ€enalysis: the prevalence of bile acid malabsorption and response to colestyramine in patients with chronic watery diarrhoea and previous cholecystectomy. Alimentary Pharmacology and Therapeutics, 2019, 49, 242-250. | 1.9 | 23 |
| 27 | Addition of Granulocyte/Monocyte Apheresis to Oral Prednisone for Steroid-dependent Ulcerative Colitis: A Randomized Multicentre Clinical Trial. Journal of Crohn's and Colitis, 2018, 12, 687-694. | 0.6 | 10 |
| 28 | Caseâ€finding in primary care for coeliac disease: Accuracy and costâ€effectiveness of a rapid pointâ€ofâ€care test. United European Gastroenterology Journal, 2018, 6, 855-865. | 1.6 | 11 |
| 29 | Study of the standard direct costs of various techniques of advanced endoscopy. Comparison with surgical alternatives. Digestive and Liver Disease, 2018, 50, 689-697. | 0.4 | 15 |
| 30 | An RORÎ ³ t Oral Inhibitor Modulates IL-17 Responses in Peripheral Blood and Intestinal Mucosa of Crohn's Disease Patients. Frontiers in Immunology, 2018, 9, 2307. | 2.2 | 40 |
| 31 | Recomendaciones del Grupo Español de Trabajo en Enfermedad de Crohn y Colitis Ulcerosa (GETECCU) sobre la utilidad de la determinación de calprotectina fecal en la enfermedad inflamatoria intestinal. GastroenterologÃa Y HepatologÃa, 2018, 41, 514-529. | 0.2 | 33 |
| 32 | Adalimumab vs Azathioprine in the Prevention of Postoperative Crohn's Disease Recurrence. A GETECCU Randomised Trial. Journal of Crohn's and Colitis, 2017, 11, 1293-1301. | 0.6 | 57 |
| 33 | Escasa eficacia de metronidazol en la erradicación de Blastocystis hominis en pacientes sintomáticos: serie de casos y revisión sistemática de la literatura. GastroenterologÃa Y HepatologÃa, 2017, 40, 381-387. | 0.2 | 9 |
| 34 | Recomendaciones del Grupo Español de Trabajo en Enfermedad de Crohn y Colitis Ulcerosa (GETECCU) sobre la monitorización, prevención y tratamiento de la recurrencia posquirúrgica en la enfermedad de Crohn. GastroenterologÃa Y HepatologÃa, 2017, 40, 472-483. | 0.2 | 27 |
| 35 | Systematic Review and Meta-analysis Show 3% of Patients With Celiac Disease in Spain to be Negative for HLA-DQ2.5 and HLA-DQ8. Clinical Gastroenterology and Hepatology, 2017, 15, 594-596. | 2.4 | 11 |
| 36 | Sensitive quantification of the HIV-1 reservoir in gut-associated lymphoid tissue. PLoS ONE, 2017, 12, e0175899. | 1.1 | 50 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Double-Blind Randomized Clinical Trial: Gluten versus Placebo Rechallenge in Patients with Lymphocytic Enteritis and Suspected Celiac Disease. PLoS ONE, 2016, 11, e0157879. | 1.1 | 25 |
| 38 | Physician Perspectives on Unresolved Issues in the Management of Ulcerative Colitis. Inflammatory Bowel Diseases, 2016, 22, 583-598. | 0.9 | 2 |
| 39 | Fecal Gluten Peptides Reveal Limitations of Serological Tests and Food Questionnaires for Monitoring Gluten-Free Diet in Celiac Disease Patients. American Journal of Gastroenterology, 2016, 111, 1456-1465. | 0.2 | 163 |
| 40 | Immunological Differences between Lymphocytic and Collagenous Colitis. Journal of Crohn's and Colitis, 2016, 10, 1055-1066. | 0.6 | 33 |
| 41 | Men in the spotlight: A rare case of penile squamous carcinoma associated with human papillomavirus (HPV) infection in a patient with ulcerative colitis (UC). GastroenterologÃa Y HepatologÃa, 2016, 39, 566-567. | 0.2 | 2 |
| 42 | Regional Specialisation of T Cell Subsets and Apoptosis in the Human Gut Mucosa: Differences Between Ileum and Colon in Healthy Intestine and Inflammatory Bowel Diseases. Journal of Crohn's and Colitis, 2016, 10, 1042-1054. | 0.6 | 14 |
| 43 | Prevalence and Natural History of Microscopic Colitis: A Population-Based Study With Long-term Clinical Follow-up in Terrassa, Spain. Journal of Crohn's and Colitis, 2016, 10, 805-811. | 0.6 | 20 |
| 44 | Potential coeliac disease markers and autoimmunity in olmesartan induced enteropathy: A population-based study. Digestive and Liver Disease, 2016, 48, 154-161. | 0.4 | 24 |
| 45 | Identification of Risk Loci for Crohn's Disease Phenotypes Using a Genome-Wide Association Study. Gastroenterology, 2015, 148, 794-805. | 0.6 | 46 |
| 46 | Thiopurine Therapy Reduces the Incidence of Colorectal Neoplasia in Patients with Ulcerative Colitis. Data from the ENEIDA Registry. Journal of Crohn's and Colitis, 2015, 9, 1063-1070. | 0.6 | 45 |
| 47 | Intestinal Intraepithelial Lymphocyte Cytometric Pattern Is More Accurate than Subepithelial Deposits of Anti-Tissue Transglutaminase IgA for the Diagnosis of Celiac Disease in Lymphocytic Enteritis. PLoS ONE, 2014, 9, e101249. | 1.1 | 40 |
| 48 | Accuracy of GastroPanel for the diagnosis of atrophic gastritis. European Journal of Gastroenterology and Hepatology, 2014, 26, 941-948. | 0.8 | 54 |
| 49 | Delphi consensus statement: Quality indicators for Inflammatory Bowel Disease Comprehensive Care Units. Journal of Crohn's and Colitis, 2014, 8, 240-251. | 0.6 | 89 |
| 50 | Risk of colectomy in patients with ulcerative colitis under thiopurine treatment. Journal of Crohn's and Colitis, 2014, 8, 1287-1293. | 0.6 | 24 |
| 51 | Impact of surveillance of hepatitis b and hepatitis c in patients with inflammatory bowel disease under anti-TNF therapies: Multicenter prospective observational study (REPENTINA 3). Journal of Crohn's and Colitis, 2014, 8, 1529-1538. | 0.6 | 45 |
| 52 | A genome-wide association study identifies a novel locus at 6q22.1 associated with ulcerative colitis. Human Molecular Genetics, 2014, 23, 6927-6934. | 1.4 | 39 |
| 53 | Phenotypic concordance in familial inflammatory bowel disease (IBD). Results of a nationwide IBD Spanish database. Journal of Crohn's and Colitis, 2014, 8, 654-661. | 0.6 | 20 |
| 54 | Sull32 Toxicity and Mortality Related to the Use of Ciclosporin in Steroid Refractory Ulcerative Colitis: A Multicentric Nationwide Study (ENEIDA). Gastroenterology, 2013, 144, S-407. | 0.6 | 6 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Comparison of lymphocyte isolation methods for endoscopic biopsy specimens from the colonic mucosa. Journal of Immunological Methods, 2013, 389, 29-37. | 0.6 | 19 |
| 56 | Is a gluten-free diet necessary in Marsh I intestinal lesions in patients with HLADQ2, DQ8 genotype and without gastrointestinal symptoms?. Current Opinion in Clinical Nutrition and Metabolic Care, 2012, 15, 505-510. | 1.3 | 11 |
| 57 | Ciclosporin versus infliximab in patients with severe ulcerative colitis refractory to intravenous steroids: a parallel, open-label randomised controlled trial. Lancet, The, 2012, 380, 1909-1915. | 6.3 | 517 |
| 58 | Reply to Dr. Panetta et al.'s letter. Journal of Crohn's and Colitis, 2012, 6, 806. | 0.6 | 0 |
| 59 | Lymphocytic duodenosis: Aetiology and long-term response to specific treatment. Digestive and Liver Disease, 2012, 44, 643-648. | 0.4 | 37 |
| 60 | Evolution of the incidence of collagenous colitis and lymphocytic colitis in Terrassa, Spain: A population-based study. Inflammatory Bowel Diseases, 2011, 17, 1015-1020. | 0.9 | 53 |
| 61 | Apoptosis resistance of mucosal lymphocytes and IL-10 deficiency in patients with steroid-refractory Crohn's disease. Inflammatory Bowel Diseases, 2011, 17, 1490-1500. | 0.9 | 25 |
| 62 | Decision tree for early introduction of rescue therapy in active ulcerative colitis treated with steroids. Inflammatory Bowel Diseases, 2011, 17, 2497-2502. | 0.9 | 25 |
| 63 | Inflammatory bowel disease in travelers: Choosing the right vaccines and check-ups. World Journal of Gastroenterology, 2011, 17, 2708. | 1.4 | 18 |
| 64 | How Do We Manage Vaccinations in Patients with Inflammatory Bowel Disease?. Digestive Diseases, 2009, 27, 370-374. | 0.8 | 5 |
| 65 | Impact of mass screening for gluten-sensitive enteropathy in working population. World Journal of Gastroenterology, 2009, 15, 1331. | 1.4 | 35 |
| 66 | Pitfalls and errors in the diagnosis of collagenous and lymphocytic colitis. Journal of Crohn's and Colitis, 2008, 2, 343-347. | 0.6 | 19 |
| 67 | Severe ulcerative colitis: At what point should we define resistance to steroids?. World Journal of Gastroenterology, 2008, 14, 5504. | 1.4 | 7 |
| 68 | Drug Consumption and the Risk of Microscopic Colitis. American Journal of Gastroenterology, 2007, 102, 324-330. | 0.2 | 216 |
| 69 | Systematic Evaluation of the Causes of Chronic Watery Diarrhea With Functional Characteristics. American Journal of Gastroenterology, 2007, 102, 2520-2528. | 0.2 | 121 |
| 70 | Intestinal spirochetosis and chronic watery diarrhea: Clinical and histological response to treatment and long-term follow up. Journal of Gastroenterology and Hepatology (Australia), 2006, 21, 1326-1333. | 1.4 | 94 |
| 71 | Development of antinuclear antibodies and its clinical impact in patients with Crohn's disease treated with chimeric monoclonal anti-TNF $\hat{\mathbf{l}}\pm$ antibodies (infliximab). European Journal of Gastroenterology and Hepatology, 2003, 15, 351-354. | 0.8 | 41 |
| 72 | Abnormal fatty acid status in patients with Crohn disease. American Journal of Clinical Nutrition, 2001, 73, 661-662. | 2.2 | 2 |

| # | ARTICLE | IF | CITATION |
|----|--|-----|----------|
| 73 | Incidence of collagenous and lymphocytic colitis: a 5-year population-based study. American Journal of Gastroenterology, 1999, 94, 418-423. | 0.2 | 164 |
| 74 | Determinants of Plasma Fatty Acid Abnormalities in Patients with Active Inflammatory Bowel Disease: A Multivariate Analysis. Inflammatory Bowel Diseases, 1995, 1, 95-100. | 0.9 | 4 |
| 75 | Determinants of plasma fatty acid abnormalities in patients with active inflammatory bowel disease: A multivariate analysis. Inflammatory Bowel Diseases, 1995, 1, 95-100. | 0.9 | 10 |
| 76 | How Effective Is Enteral Nutrition in Inducing Clinical Remission in Active Crohn's Disease? A Metaâ€Analysis of the Randomized Clinical Trials. Journal of Parenteral and Enteral Nutrition, 1995, 19, 356-364. | 1.3 | 210 |
| 77 | Plasma Polyunsaturated Fatty Acids in Liver Cirrhosis With or Without Chronic Hepatic Encephalopathy: A Preliminary Study. Journal of Parenteral and Enteral Nutrition, 1992, 16, 359-363. | 1.3 | 20 |
| 78 | Aztreonam vs. cefotaxime in the treatment of gram-negative spontaneous peritonitis in cirrhotic patients. Hepatology, 1991, 14, 91-98. | 3.6 | 63 |