William J Orts

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1300838/william-j-orts-publications-by-year.pdf

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

162 7,781 85 47 h-index g-index citations papers 168 8,586 5.74 4.3 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
162	Torrefied agro-industrial residue as filler in natural rubber compounds. <i>Journal of Applied Polymer Science</i> , 2021 , 138, 50684	2.9	1
161	Safer Sunscreens: Investigation of Naturally Derived UV Absorbers for Potential Use in Consumer Products. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 9085-9092	8.3	4
160	Redispersion and structural change evaluation of dried microfibrillated cellulose. <i>Carbohydrate Polymers</i> , 2021 , 252, 117165	10.3	13
159	Production of polyhydroxyalkanoate copolymers containing 4-hydroxybutyrate in engineered Bacillus megaterium. <i>International Journal of Biological Macromolecules</i> , 2021 , 168, 86-92	7.9	10
158	Per- and polyfluoroalkyl substances and their alternatives in paper food packaging. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 , 20, 2596-2625	16.4	13
157	Properties of gluten foams containing different additives. <i>Industrial Crops and Products</i> , 2020 , 152, 112	.5 \$.1 ₉	2
156	Evaluation of biodegradation of polylactic acid mineral composites in composting conditions. Journal of Applied Polymer Science, 2020 , 137, 48939	2.9	5
155	Nucleation and plasticization with recycled low-molecular-weight poly-3-hydroxybutyrate toughens virgin poly-3-hydroxybutyrate. <i>Journal of Applied Polymer Science</i> , 2019 , 136, 47432	2.9	4
154	Plant-based materials and transitioning to a circular economy. <i>Sustainable Production and Consumption</i> , 2019 , 19, 194-215	8.2	75
153	Hydrothermal Carbonization of Various Paper Mill Sludges: An Observation of Solid Fuel Properties. <i>Energies</i> , 2019 , 12, 858	3.1	23
152	Massaranduba Sawdust: A Potential Source of Charcoal and Activated Carbon. <i>Polymers</i> , 2019 , 11,	4.5	7
151	Ketalization of 2-heptanone to prolong its activity as mite repellant for the protection of honey bees. <i>Journal of the Science of Food and Agriculture</i> , 2019 , 99, 6267-6277	4.3	3
150	Air and Steam Gasification of Almond Biomass. Frontiers in Energy Research, 2019, 7,	3.8	10
149	CELLULOSE SHEETS MADE FROM MICRO/NANOFIBRILLATED FIBERS OF BAMBOO, JUTE AND EUCALYPTUS CELLULOSE PULPS. <i>Cellulose Chemistry and Technology</i> , 2019 , 53, 291-305	1.9	2
148	Bio-based thin films of cellulose nanofibrils and magnetite for potential application in green electronics. <i>Carbohydrate Polymers</i> , 2019 , 207, 100-107	10.3	21
147	Biological pretreatment of rice straw by ligninolytic Bacillus sp. strains for enhancing biogas production. <i>Environmental Progress and Sustainable Energy</i> , 2019 , 38, e13036	2.5	18
146	Activated carbons prepared by physical activation from different pretreatments of amazon piassava fibers. <i>Journal of Natural Fibers</i> , 2019 , 16, 961-976	1.8	9

(2015-2019)

145	Main Characteristics of Underexploited Amazonian Palm Fibers for Using as Potential Reinforcing Materials. <i>Waste and Biomass Valorization</i> , 2019 , 10, 3125-3142	3.2	2
144	Torrefaction kinetics of almond and walnut shells. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018 , 131, 3065-3075	4.1	12
143	Recycled polypropylene-polyethylene torrefied almond shell biocomposites. <i>Industrial Crops and Products</i> , 2018 , 125, 425-432	5.9	12
142	Renewable hybrid nanocatalyst from magnetite and cellulose for treatment of textile effluents. <i>Carbohydrate Polymers</i> , 2017 , 163, 101-107	10.3	27
141	Small-Angle Neutron Scattering Studies on an Idealized Diesel Biofuel Platform. <i>Energy & Diesel Biofuel Platform</i> . <i>Energy & Diesel Biofu</i>	4.1	2
140	Pilot scale high solids anaerobic digestion of steam autoclaved municipal solid waste (MSW) pulp. <i>Renewable Energy</i> , 2017 , 113, 257-265	8.1	12
139	Design and Testing of Safer, More Effective Preservatives for Consumer Products. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 4320-4331	8.3	9
138	Production of -Xylonic Acid from Hemicellulose Using Artificial Enzyme Complexes. <i>Journal of Microbiology and Biotechnology</i> , 2017 , 27, 77-83	3.3	11
137	Production of Glucaric Acid from Hemicellulose Substrate by Rosettasome Enzyme Assemblies. <i>Molecular Biotechnology</i> , 2016 , 58, 489-96	3	12
136	Torrefaction of almond shells: Effects of torrefaction conditions on properties of solid and condensate products. <i>Industrial Crops and Products</i> , 2016 , 86, 40-48	5.9	41
135	Effect of multi-branched PDLA additives on the mechanical and thermomechanical properties of blends with PLLA. <i>Journal of Applied Polymer Science</i> , 2016 , 133, n/a-n/a	2.9	12
134	Properties of cellulose micro/nanofibers obtained from eucalyptus pulp fiber treated with anaerobic digestate and high shear mixing. <i>Cellulose</i> , 2016 , 23, 1239-1256	5.5	35
133	Methanotrophic production of polyhydroxybutyrate-co-hydroxyvalerate with high hydroxyvalerate content. <i>International Journal of Biological Macromolecules</i> , 2016 , 87, 302-7	7.9	39
132	Cloning and Expression of Pectobacterium carotovorum Endo-polygalacturonase Gene in Pichia pastoris for Production of Oligogalacturonates. <i>BioResources</i> , 2016 , 11,	1.3	5
131	Biopolymer films to control fusarium dry rot and their application to preserve potato tubers. Journal of Applied Polymer Science, 2016 , 133,	2.9	2
130	A pilot-scale steam autoclave system for treating municipal solid waste for recovery of renewable organic content: Operational results and energy usage. <i>Waste Management and Research</i> , 2016 , 34, 457	- 6 4	5
129	Biorefinery Developments for Advanced Biofuels from a Sustainable Array of Biomass Feedstocks: Survey of Recent Biomass Conversion Research from Agricultural Research Service. <i>Bioenergy Research</i> , 2016 , 9, 430-446	3.1	23
128	Countercurrent extraction of soluble sugars from almond hulls and assessment of the bioenergy potential. <i>Journal of Agricultural and Food Chemistry</i> , 2015 , 63, 2490-8	5.7	15

127	Leaching behavior of water-soluble carbohydrates from almond hulls. <i>Industrial Crops and Products</i> , 2015 , 65, 488-495	5.9	5
126	Antimicrobial Poly(lactic acid)-Based Nanofibres Developed by Solution Blow Spinning. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 616-27	1.3	17
125	Torrefaction of pomaces and nut shells. <i>Bioresource Technology</i> , 2015 , 177, 58-65	11	52
124	Torrefied biomass-polypropylene composites. <i>Journal of Applied Polymer Science</i> , 2015 , 132, n/a-n/a	2.9	4
123	Synthesis, Characterization and Nanocomposite Formation of Poly(glycerol succinate-co-maleate) with Nanocrystalline Cellulose. <i>Journal of Polymers and the Environment</i> , 2014 , 22, 219-226	4.5	16
122	Solution blow spun poly(lactic acid)/hydroxypropyl methylcellulose nanofibers with antimicrobial properties. <i>European Polymer Journal</i> , 2014 , 54, 1-10	5.2	46
121	Almond hulls as a biofuels feedstock: Variations in carbohydrates by variety and location in California. <i>Industrial Crops and Products</i> , 2014 , 54, 109-114	5.9	17
120	Modification of vital wheat gluten with phosphoric acid to produce high free swelling capacity. <i>Journal of Applied Polymer Science</i> , 2014 , 131, n/a-n/a	2.9	10
119	Starch Plastic Packaging and Agriculture Applications 2014 , 421-452		9
118	Modification of wheat gluten with citric acid to produce superabsorbent materials. <i>Journal of Applied Polymer Science</i> , 2013 , 129, 3192-3197	2.9	26
117	Incorporation of poly(glycidylmethacrylate) grafted bacterial cellulose nanowhiskers in poly(lactic acid) nanocomposites: Improved barrier and mechanical properties. <i>European Polymer Journal</i> , 2013 , 49, 2062-2072	5.2	56
116	Properties of electrospun pollock gelatin/poly(vinyl alcohol) and pollock gelatin/poly(lactic acid) fibers. <i>International Journal of Biological Macromolecules</i> , 2013 , 55, 214-20	7.9	17
115	Bionanocomposites 2013, 361-430		6
114	Influence of Disperse Phase Characteristics on Stability, Physical and Antimicrobial Properties of Emulsions Containing Cinnamaldehyde. <i>JAOCS, Journal of the American Oil Chemistsl Society</i> , 2013 , 90, 233-241	1.8	19
113	Biobased adhesives, gums, emulsions, and binders: current trends and future prospects. <i>Journal of Adhesion Science and Technology</i> , 2013 , 27, 1972-1997	2	47
112	Differences in Alcohol-Soluble Protein from Genetically Altered Wheat Using Capillary Zone Electrophoresis, One- and Two-Dimensional Electrophoresis, and a Novel Gluten Matrix Association Factor Analysis. <i>Cereal Chemistry</i> , 2013 , 90, 13-23	2.4	1
111	Solid lipid particles in lipid films to control the diffusive release of 2-heptanone. <i>Pest Management Science</i> , 2013 , 69, 975-82	4.6	3
110	Physical Characteristics of Genetically Altered Wheat Related to Technological Protein Separation. <i>Cereal Chemistry</i> , 2013 , 90, 1-12	2.4	4

(2011-2013)

109	Structural and Morphological Characterization of Micro and Nanofibers Produced by Electrospinning and Solution Blow Spinning: A Comparative Study. <i>Advances in Materials Science and Engineering</i> , 2013 , 2013, 1-14	1.5	73
108	Expression and characterization of Coprothermobacter proteolyticus alkaline serine protease. <i>Scientific World Journal, The</i> , 2013 , 2013, 396156	2.2	8
107	Use of microscopy to assess bran removal patterns in milled rice. <i>Journal of Agricultural and Food Chemistry</i> , 2012 , 60, 6960-5	5.7	10
106	Isolation and characterization of a novel GH67 Eglucuronidase from a mixed culture. <i>Journal of Industrial Microbiology and Biotechnology</i> , 2012 , 39, 1245-51	4.2	10
105	Thermal, mechanical and morphological characterization of plasticized PLA P HB blends. <i>Polymer Degradation and Stability</i> , 2012 , 97, 1822-1828	4.7	262
104	Starch[]pid composites containing cinnamaldehyde. <i>Starch/Staerke</i> , 2012 , 64, 219-228	2.3	2
103	Thermal properties of poly(ethylene terephthalate) recovered from municipal solid waste by steam autoclaving. <i>Journal of Applied Polymer Science</i> , 2012 , 126, 1698-1708	2.9	4
102	Isolation of 🗄 lucuronidase enzyme from a rumen metagenomic library. <i>Protein Journal</i> , 2012 , 31, 206-1	13.9	10
101	Starch 2012 , 5-32		5
100	Preparation and characterization of novel micro- and nanocomposite hydrogels containing cellulosic fibrils. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 9433-42	5.7	67
99	Polyaniline-modified cellulose nanofibrils as reinforcement of a smart polyurethane. <i>Polymer International</i> , 2011 , 60, 743-750	3.3	49
98	Meet our Authors. MRS Bulletin, 2011 , 36, 693-694	3.2	
97	Wheat Flour Exposed to Ethanol Yields Dough with Unexpected Properties. <i>Cereal Chemistry</i> , 2011 , 88, 509-517	2.4	4
96	Development of an integrated pretreatment fractionation process for fermentable sugars and lignin: Application to almond (Prunus dulcis) shell. <i>Biomass and Bioenergy</i> , 2011 , 35, 4435-4441	5.3	9
95	HPMC reinforced with different cellulose nano-particles. <i>Carbohydrate Polymers</i> , 2011 , 86, 1549-1557	10.3	119
94	Biodegradation of Thermoplastic Starch and its Blends with Poly(lactic acid) and Polyethylene: Influence of Morphology. <i>Macromolecular Chemistry and Physics</i> , 2011 , 212, 1147-1154	2.6	25
93	Nano and submicrometric fibers of poly(D,L-lactide) obtained by solution blow spinning: Process and solution variables. <i>Journal of Applied Polymer Science</i> , 2011 , 122, 3396-3405	2.9	104
92	Ethanol in biorefining and dehydration of agricultural materials: energy, capital cost, and product quality implications. <i>Biofuels, Bioproducts and Biorefining</i> , 2011 , 5, 37-53	5.3	3

91	Starch-based foam composite materials: Processing and bioproducts. MRS Bulletin, 2011, 36, 696-702	3.2	16
90	Fish Gelatin 2011 , 143-157		1
89	Encapsulation of plant oils in porous starch microspheres. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 4180-4	5.7	96
88	Finding the "bio" in biobased products: electrophoretic identification of wheat proteins in processed products. <i>Journal of Agricultural and Food Chemistry</i> , 2010 , 58, 4169-79	5.7	4
87	Extraction of ethanol with higher carboxylic acid solvents and their toxicity to yeast. <i>Separation and Purification Technology</i> , 2010 , 72, 180-185	8.3	14
86	Polyacrylamide and methylcellulose hydrogel as delivery vehicle for the controlled release of paraquat pesticide. <i>Journal of Materials Science</i> , 2010 , 45, 4977-4985	4.3	56
85	Structural, Electrical, Mechanical, and Thermal Properties of Electrospun Poly(lactic acid)/Polyaniline Blend Fibers. <i>Macromolecular Materials and Engineering</i> , 2010 , 295, 618-627	3.9	48
84	Cellulose nanowhiskers from coconut husk fibers: Effect of preparation conditions on their thermal and morphological behavior. <i>Carbohydrate Polymers</i> , 2010 , 81, 83-92	10.3	683
83	Electrically conductive nanocomposites made from cellulose nanofibrils and polyaniline. <i>Journal of Nanoscience and Nanotechnology</i> , 2009 , 9, 2917-22	1.3	59
82	Fresh fruit: microstructure, texture, and quality 2009,		1
82	Fresh fruit: microstructure, texture, and quality 2009, Electrospinning of Polyaniline/Poly(Lactic Acid) Ultrathin Fibers: Process and Statistical Modeling using a Non-Gaussian Approach. <i>Macromolecular Theory and Simulations</i> , 2009, 18, 528-536	1.5	17
	Electrospinning of Polyaniline/Poly(Lactic Acid) Ultrathin Fibers: Process and Statistical Modeling	1.5	
81	Electrospinning of Polyaniline/Poly(Lactic Acid) Ultrathin Fibers: Process and Statistical Modeling using a Non-Gaussian Approach. <i>Macromolecular Theory and Simulations</i> , 2009 , 18, 528-536 Development of conducting polyaniline/poly(lactic acid) nanofibers by electrospinning. <i>Journal of</i>		17
8 ₁	Electrospinning of Polyaniline/Poly(Lactic Acid) Ultrathin Fibers: Process and Statistical Modeling using a Non-Gaussian Approach. <i>Macromolecular Theory and Simulations</i> , 2009 , 18, 528-536 Development of conducting polyaniline/poly(lactic acid) nanofibers by electrospinning. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 744-753 Solution blow spinning: A new method to produce micro- and nanofibers from polymer solutions.	2.9	17 71
81 80 79	Electrospinning of Polyaniline/Poly(Lactic Acid) Ultrathin Fibers: Process and Statistical Modeling using a Non-Gaussian Approach. <i>Macromolecular Theory and Simulations</i> , 2009 , 18, 528-536 Development of conducting polyaniline/poly(lactic acid) nanofibers by electrospinning. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 744-753 Solution blow spinning: A new method to produce micro- and nanofibers from polymer solutions. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 2322-2330 Removal of paraguat pesticide from aqueous solutions using a novel adsorbent material based on	2.9	17 71 402
81 80 79 78	Electrospinning of Polyaniline/Poly(Lactic Acid) Ultrathin Fibers: Process and Statistical Modeling using a Non-Gaussian Approach. <i>Macromolecular Theory and Simulations</i> , 2009 , 18, 528-536 Development of conducting polyaniline/poly(lactic acid) nanofibers by electrospinning. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 744-753 Solution blow spinning: A new method to produce micro- and nanofibers from polymer solutions. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 2322-2330 Removal of paraquat pesticide from aqueous solutions using a novel adsorbent material based on polyacrylamide and methylcellulose hydrogels. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 2139-214	2.9 2.9 8 ^{2.9}	17 71 402 54
81 80 79 78	Electrospinning of Polyaniline/Poly(Lactic Acid) Ultrathin Fibers: Process and Statistical Modeling using a Non-Gaussian Approach. <i>Macromolecular Theory and Simulations</i> , 2009 , 18, 528-536 Development of conducting polyaniline/poly(lactic acid) nanofibers by electrospinning. <i>Journal of Applied Polymer Science</i> , 2009 , 112, 744-753 Solution blow spinning: A new method to produce micro- and nanofibers from polymer solutions. <i>Journal of Applied Polymer Science</i> , 2009 , 113, 2322-2330 Removal of paraquat pesticide from aqueous solutions using a novel adsorbent material based on polyacrylamide and methylcellulose hydrogels. <i>Journal of Applied Polymer Science</i> , 2009 , 114, 2139-214 Molecular cloning and characterization of multidomain xylanase from manure library. <i>World Journal of Microbiology and Biotechnology</i> , 2009 , 25, 2071-2078 Purification and characterization of a glycoside hydrolase family 43 beta-xylosidase from	2.9 2.9 8 ^{2.9}	17 71 402 54 18

(2007-2009)

73	Effects of drying temperature on barrier and mechanical properties of cold-water fish gelatin films. Journal of Food Engineering, 2009 , 95, 327-331	6	47
72	Effect of fiber treatments on tensile and thermal properties of starch/ethylene vinyl alcohol copolymers/coir biocomposites. <i>Bioresource Technology</i> , 2009 , 100, 5196-202	11	216
71	Edible Films and Coatings: Why, What, and How? 2009 , 1-23		58
70	Starch-based nanocomposites 2009 , 205-251		11
69	Effect of relative humidity on the morphology of electrospun polymer fibers. <i>Canadian Journal of Chemistry</i> , 2008 , 86, 590-599	0.9	86
68	Agricultural chemistry and bioenergy. Journal of Agricultural and Food Chemistry, 2008, 56, 3892-9	5.7	48
67	Poly(hydroxyalkanoates): Biorefinery polymers with a whole range of applications. The work of Robert H. Marchessault. <i>Canadian Journal of Chemistry</i> , 2008 , 86, 628-640	0.9	38
66	Fine Structure of Starch-Clay Composites as Biopolymers. <i>Microscopy and Microanalysis</i> , 2008 , 14, 1500-	-15.91	
65	Electron microscopy as a valuable tool in designing biobased products. <i>Microscopy and Microanalysis</i> , 2008 , 14, 1498-1499	0.5	
64	Cloning of Bacillus licheniformis xylanase gene and characterization of recombinant enzyme. <i>Current Microbiology</i> , 2008 , 57, 301-5	2.4	28
63	Self-assembled films of cellulose nanofibrils and poly(o-ethoxyaniline). <i>Colloid and Polymer Science</i> , 2008 , 286, 1265-1272	2.4	21
62	Temperature Related Structural Changes in Wheat and Corn Starch Granules and Their Effects on Gels and Dry Foam. <i>Starch/Staerke</i> , 2008 , 60, 476-484	2.3	24
61	Biodegradable composites based on starch/EVOH/glycerol blends and coconut fibers. <i>Journal of Applied Polymer Science</i> , 2008 , 111, NA-NA	2.9	5
60	Binary and ternary blends of polylactide, polycaprolactone and thermoplastic starch. <i>Polymer</i> , 2008 , 49, 599-609	3.9	243
59	Extraction of ethanol with higher alcohol solvents and their toxicity to yeast. <i>Separation and Purification Technology</i> , 2008 , 63, 444-451	8.3	47
58	Cold water fish gelatin films: Effects of cross-linking on thermal, mechanical, barrier, and biodegradation properties. <i>European Polymer Journal</i> , 2008 , 44, 3748-3753	5.2	126
57	Electrospun Nanofibers of Poly(vinyl alcohol) Reinforced with Cellulose Nanofibrils. <i>Journal of Biobased Materials and Bioenergy</i> , 2008 , 2, 231-242	1.4	69
56	Heat expanded starch-based compositions. <i>Journal of Agricultural and Food Chemistry</i> , 2007 , 55, 3936-4	135.7	12

55	Cellulose Fiber Reinforced Starch-Based Foam Composites. <i>Journal of Biobased Materials and Bioenergy</i> , 2007 , 1, 360-366	1.4	10
54	Hydrogen-bond networks in linear, branched and tertiary alcohols. <i>Chemical Engineering Science</i> , 2007 , 62, 3019-3031	4.4	27
53	In situ lamination of starch-based baked foam packaging with degradable films. <i>Packaging Technology and Science</i> , 2007 , 20, 77-85	2.3	12
52	Blends of starch with ethylene vinyl alcohol copolymers: effect of water, glycerol, and amino acids as plasticizers. <i>Polymers for Advanced Technologies</i> , 2007 , 18, 629-635	3.2	33
51	Controlled release of 2-heptanone using starch gel and polycaprolactone matrices and polymeric films. <i>Polymers for Advanced Technologies</i> , 2007 , 18, 636-642	3.2	8
50	Extruded starchBanoclay nanocomposites: Effects of glycerol and nanoclay concentration. <i>Polymer Engineering and Science</i> , 2007 , 47, 1898-1904	2.3	85
49	Wheat Proteins Extracted from Flour and Batter with Aqueous Ethanol at Subambient Temperatures. <i>Cereal Chemistry</i> , 2007 , 84, 497-501	2.4	9
48	Use of Synthetic Polymers and Biopolymers for Soil Stabilization in Agricultural, Construction, and Military Applications. <i>Journal of Materials in Civil Engineering</i> , 2007 , 19, 58-66	3	90
47	Ethanol and water capacities of alcohols: A molecular dynamics study. <i>Chemical Engineering Science</i> , 2006 , 61, 5834-5840	4.4	23
46	Solvent extraction of ethanol from aqueous solutions using biobased oils, alcohols, and esters. JAOCS, Journal of the American Oil Chemistsl Society, 2006 , 83, 153-157	1.8	21
45	Properties of baked starch foam with natural rubber latex. <i>Industrial Crops and Products</i> , 2006 , 24, 34-40	3 5.9	77
44	Effects of Processing Conditions on Nanoclay Dispersion in Starch-Clay Nanocomposites. <i>Cereal Chemistry</i> , 2006 , 83, 300-305	2.4	49
43	Native or raw starch digestion: a key step in energy efficient biorefining of grain. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 353-65	5.7	172
42	Permeability of starch gel matrices and select films to solvent vapors. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 3297-304	5.7	12
41	Thermoformed wheat gluten biopolymers. <i>Journal of Agricultural and Food Chemistry</i> , 2006 , 54, 349-52	5.7	37
40	Compression Deformation and Structural Relationships of Medium Grain Cooked Rice. <i>Cereal Chemistry</i> , 2006 , 83, 636-640	2.4	13
39	The azidation of starch. <i>Carbohydrate Polymers</i> , 2006 , 65, 529-534	10.3	18
38	Rheological and mechanical properties of cross-linked fish gelatins. <i>Polymer</i> , 2006 , 47, 6379-6386	3.9	120

(1999-2005)

37	Solvent Extraction of Ethanol from Aqueous Solutions. I. Screening Methodology for Solvents. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 6789-6796	3.9	44
36	Solvent Extraction of Ethanol from Aqueous Solutions. II. Linear, Branched, and Ring-Containing Alcohol Solvents. <i>Industrial & Engineering Chemistry Research</i> , 2005 , 44, 6797-6803	3.9	21
35	Starch Polymers 2005 ,		3
34	Rheology of starchBlay nanocomposites. <i>Carbohydrate Polymers</i> , 2005 , 59, 467-475	10.3	106
33	Application of Cellulose Microfibrils in Polymer Nanocomposites. <i>Journal of Polymers and the Environment</i> , 2005 , 13, 301-306	4.5	222
32	Lightweight Concrete Containing an Alkaline Resistant Starch-Based Aquagel. <i>Journal of Polymers and the Environment</i> , 2004 , 12, 189-196	4.5	7
31	Observation Method for the Histological Structure of Cooked Rice Kernels Using Adhesive Tape. Journal of the Japanese Society for Food Science and Technology, 2003 , 50, 319-323	0.2	1
30	Histological structures of cooked rice grain. <i>Journal of Agricultural and Food Chemistry</i> , 2003 , 51, 7019-2	! 3 5.7	59
29	Flavor Retention and Physical Properties of Rice Cakes Prepared from Coated Rice Grain. <i>Cereal Chemistry</i> , 2002 , 79, 387-391	2.4	4
28	Sorption and vapor transmission properties of uncompressed and compressed microcellular starch foam. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 7100-4	5.7	11
27	Biopolymer Additives for the Reduction of Soil Erosion Losses during Irrigation. <i>ACS Symposium Series</i> , 2001 , 102-116	0.4	5
26	Properties of starch-based foam formed by compression/explosion processing. <i>Industrial Crops and Products</i> , 2001 , 13, 135-143	5.9	65
25	In situ laminating process for baked starch-based foams. <i>Industrial Crops and Products</i> , 2001 , 14, 125-13-	4 5.9	23
24	Starch, fiber and CaCO3 effects on the physical properties of foams made by a baking process. <i>Industrial Crops and Products</i> , 2001 , 14, 201-212	5.9	116
23	Synthesis and properties of water-resistant poly(glucaramides). <i>Industrial Crops and Products</i> , 2000 , 12, 125-135	5.9	6
22	Biopolymer additives to reduce erosion-induced soil losses during irrigation. <i>Industrial Crops and Products</i> , 2000 , 11, 19-29	5.9	87
21	Wheat Starch Effects on the Textural Characteristics of Puffed Brown Rice Cakes. <i>Cereal Chemistry</i> , 2000 , 77, 18-23	2.4	8
20	Starch-based lightweight concrete: effect of starch source, processing method, and aggregate geometry. <i>Industrial Crops and Products</i> , 1999 , 9, 133-144	5.9	15

19	Reducing Soil Erosion Losses with Small Applications of Biopolymers. ACS Symposium Series, 1999 , 235-	-2474	2
18	Volatile flavor components of rice cakes. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 4353-6	5.7	127
17	Moderate strength lightweight concrete from organic aquagel mixtures. <i>Industrial Crops and Products</i> , 1998 , 8, 123-132	5.9	23
16	The 30 m Small-Angle Neutron Scattering Instruments at the National Institute of Standards and Technology. <i>Journal of Applied Crystallography</i> , 1998 , 31, 430-445	3.8	544
15	Analysis of Lamellar Structure in Semicrystalline Polymers by Studying the Absorption of Water and Ethylene Glycol in Nylons Using Small-Angle Neutron Scattering. <i>Macromolecules</i> , 1998 , 31, 142-152	5.5	63
14	Enhanced Ordering of Liquid Crystalline Suspensions of Cellulose Microfibrils: A Small Angle Neutron Scattering Study. <i>Macromolecules</i> , 1998 , 31, 5717-5725	5.5	223
13	Neutron Reflectivity and Atomic Force Microscopy Studies of a Lipid Bilayer in Water Adsorbed to the Surface of a Silicon Single Crystal. <i>Langmuir</i> , 1996 , 12, 1343-1350	4	269
12	Water adsorption at a polyimide/silicon wafer interface. <i>Polymer Engineering and Science</i> , 1995 , 35, 100	0021300	4 59
11	Film Thickness Dependent Thermal Expansion in Ultrathin Poly(methyl methacrylate) Films on Silicon. <i>Macromolecules</i> , 1995 , 28, 771-774	5.5	100
10	13C NMR Determination of the Degree of Cocrystallization in Random Copolymers of Poly(.betahydroxybutyrate-cobetahydroxyvalerate). <i>Macromolecules</i> , 1995 , 28, 6394-6400	5.5	63
9	Cocrystallization in random copolymers of poly(Ehydroxybutyrate-co-Ehydroxyvalerate) and its effect on crystalline morphology. <i>Canadian Journal of Chemistry</i> , 1995 , 73, 2094-2100		9
	, , , , ,	0.9	
8	Density profile of spin cast polymethylmethacrylate thin films. <i>Journal of Polymer Science, Part B:</i> Polymer Physics, 1994 , 32, 2475-2480	2.6	14
7	Density profile of spin cast polymethylmethacrylate thin films. <i>Journal of Polymer Science, Part B:</i>		14
	Density profile of spin cast polymethylmethacrylate thin films. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994 , 32, 2475-2480 Hydration in semicrystalline polymers: Small-angle neutron scattering studies of the effect of	2.6	
7	Density profile of spin cast polymethylmethacrylate thin films. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994 , 32, 2475-2480 Hydration in semicrystalline polymers: Small-angle neutron scattering studies of the effect of drawing in nylon-6 fibers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994 , 32, 2695-2703 Observation of temperature dependent thicknesses in ultrathin polystyrene films on silicon.	2.6	23
7	Density profile of spin cast polymethylmethacrylate thin films. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994 , 32, 2475-2480 Hydration in semicrystalline polymers: Small-angle neutron scattering studies of the effect of drawing in nylon-6 fibers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994 , 32, 2695-2703 Observation of temperature dependent thicknesses in ultrathin polystyrene films on silicon. <i>Physical Review Letters</i> , 1993 , 71, 867-870 Measurement of the crystallinity of poly(Ehydroxybutyrate-co-Ehydroxyvalerate) copolymers by	2.6 2.6	23 188
7 6 5	Density profile of spin cast polymethylmethacrylate thin films. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994 , 32, 2475-2480 Hydration in semicrystalline polymers: Small-angle neutron scattering studies of the effect of drawing in nylon-6 fibers. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 1994 , 32, 2695-2703 Observation of temperature dependent thicknesses in ultrathin polystyrene films on silicon. <i>Physical Review Letters</i> , 1993 , 71, 867-870 Measurement of the crystallinity of poly(Ehydroxybutyrate-co-Ehydroxyvalerate) copolymers by inverse gas chromatography. <i>Macromolecules</i> , 1992 , 25, 949-953	2.6 2.6 7.4 5.5	23 188 26

LIST OF PUBLICATIONS

Saxs Measurement of Morphology and its Relationship to Melting Point Depression in Poly(Beta-Hydroxybutyrate-CO-Beta-Hydroxyvalerate) Random Copolymers. *Advances in X-ray Analysis*, **1991**, 35, 645-651