

Isabel Henriques

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1301195/isabel-henriques-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

122
papers

3,601
citations

33
h-index

55
g-index

127
ext. papers

4,729
ext. citations

5.5
avg, IF

5.46
L-index

#	Paper	IF	Citations
122	Third generation cephalosporin-resistant <i>Klebsiella pneumoniae</i> thriving in patients and in wastewater: what do they have in common?. <i>BMC Genomics</i> , 2022 , 23, 72	4.5	1
121	Occurrence and distribution of Carbapenem-resistant Enterobacterales and carbapenemase genes along a highly polluted hydrographic basin.. <i>Environmental Pollution</i> , 2022 , 300, 118958	9.3	2
120	The impact of silver sulfide nanoparticles and silver ions in soil microbiome. <i>Journal of Hazardous Materials</i> , 2022 , 422, 126793	12.8	1
119	Pollution- induced community tolerance framework - disc diffusion method to assess the impact of silver nanoparticles in soils: Potential relevance for risk assessment. <i>Applied Soil Ecology</i> , 2022 , 169, 104185	5.5	0
118	Microbial Associations of Abyssal Gorgonians and Anemones (>4,000 m Depth) at the Clarion-Clipperton Fracture Zone.. <i>Frontiers in Microbiology</i> , 2022 , 13, 828469	5.7	0
117	KPC-3-, GES-5-, and VIM-1-Producing Enterobacterales Isolated from Urban Ponds. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 5848	4.6	0
116	Short-Term Responses of Soil Microbial Communities to Changes in Air Temperature, Soil Moisture and UV Radiation. <i>Genes</i> , 2022 , 13, 850	4.2	0
115	Zebrafish and water microbiome recovery after oxytetracycline exposure. <i>Environmental Pollution</i> , 2021 , 272, 116371	9.3	13
114	Tetracycline-Resistant Bacteria Selected from Water and Zebrafish after Antibiotic Exposure. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	3
113	Effects of Long-Term Exposure to Increased Salinity on the Amphibian Skin Bacterium <i>Erwinia toletana</i> . <i>Archives of Environmental Contamination and Toxicology</i> , 2021 , 80, 779-788	3.2	1
112	Genome analysis of two multidrug-resistant <i>Escherichia coli</i> O8:H9-ST48 strains isolated from lettuce. <i>Gene</i> , 2021 , 785, 145603	3.8	3
111	Selection of antibiotic resistance by metals in a riverine bacterial community. <i>Chemosphere</i> , 2021 , 263, 127936	8.4	10
110	Exploring antibiotic resistance in environmental integron-cassettes through intl-attC amplicons deep sequencing. <i>Brazilian Journal of Microbiology</i> , 2021 , 52, 363-372	2.2	4
109	Long-term effects of Cu(OH) nanopesticide exposure on soil microbial communities. <i>Environmental Pollution</i> , 2021 , 269, 116113	9.3	16
108	Endophytic Lifestyle of Global Clones of Extended-Spectrum β -Lactamase-Producing Priority Pathogens in Fresh Vegetables: a Trojan Horse Strategy Favoring Human Colonization?. <i>MSystems</i> , 2021 , 6,	7.6	4
107	Carbapenem-resistant bacteria over a wastewater treatment process: Carbapenem-resistant Enterobacteriaceae in untreated wastewater and intrinsically-resistant bacteria in final effluent. <i>Science of the Total Environment</i> , 2021 , 782, 146892	10.2	4
106	New insights into the role of constitutive bacterial rhizobiome and phenolic compounds in two <i>Pinus</i> spp. with contrasting susceptibility to pine pitch canker. <i>Tree Physiology</i> , 2021 ,	4.2	1

105	Gut and faecal bacterial community of the terrestrial isopod <i>Porcellionides pruinosus</i> : potential use for monitoring exposure scenarios. <i>Ecotoxicology</i> , 2021 , 30, 2096-2108	2.9	0
104	gene diversity in spp.. <i>Microbiology (United Kingdom)</i> , 2021 , 167,	2.9	1
103	Occurrence, antibiotic-resistance and virulence of <i>E. coli</i> strains isolated from mangrove oysters (<i>Crassostrea gasar</i>) farmed in estuaries of Amazonia. <i>Marine Pollution Bulletin</i> , 2020 , 157, 111302	6.7	7
102	Resistome in Lake Bolonha, Brazilian Amazon: Identification of Genes Related to Resistance to Broad-Spectrum Antibiotics. <i>Frontiers in Microbiology</i> , 2020 , 11, 67	5.7	7
101	Antibiotic residues in final effluents of European wastewater treatment plants and their impact on the aquatic environment. <i>Environment International</i> , 2020 , 140, 105733	12.9	124
100	Occurrence of carbapenemase-producing Enterobacteriaceae in a Portuguese river: bla, bla and bla among the detected genes. <i>Environmental Pollution</i> , 2020 , 260, 113913	9.3	21
99	A global multinational survey of cefotaxime-resistant coliforms in urban wastewater treatment plants. <i>Environment International</i> , 2020 , 144, 106035	12.9	17
98	Impact of AgS NPs on soil bacterial community - A terrestrial mesocosm approach. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 206, 111405	7	7
97	Genotypic and phenotypic traits of bla-carrying <i>Escherichia coli</i> strains from an UV-C-treated wastewater effluent. <i>Water Research</i> , 2020 , 184, 116079	12.5	5
96	Genomic analysis of <i>Chromobacterium haemolyticum</i> : insights into the species resistome, virulence determinants and genome plasticity. <i>Molecular Genetics and Genomics</i> , 2020 , 295, 1001-1012	3.1	2
95	Using flow cytometry for bacterioplankton community analysis as a complementary tool to Water Framework Directive to signal putatively impacted sites. <i>Science of the Total Environment</i> , 2019 , 695, 133754	10.2	2
94	Long-term effects of oxytetracycline exposure in zebrafish: A multi-level perspective. <i>Chemosphere</i> , 2019 , 222, 333-344	8.4	34
93	Chemical composition and antimicrobial activity of <i>Satureja montana</i> byproducts essential oils. <i>Industrial Crops and Products</i> , 2019 , 137, 541-548	5.9	9
92	Antibiotic resistance in European wastewater treatment plants mirrors the pattern of clinical antibiotic resistance prevalence. <i>Science Advances</i> , 2019 , 5, eaau9124	14.3	184
91	Extended Spectrum Beta-Lactamase-Producing Gram-Negative Bacteria Recovered From an Amazonian Lake Near the City of Belém, Brazil. <i>Frontiers in Microbiology</i> , 2019 , 10, 364	5.7	17
90	Inorganic nitrate prevents the loss of tight junction proteins and modulates inflammatory events induced by broad-spectrum antibiotics: A role for intestinal microbiota?. <i>Nitric Oxide - Biology and Chemistry</i> , 2019 , 88, 27-34	5	9
89	<i>Pseudomonas</i> associated with <i>Bursaphelenchus xylophilus</i> , its insect vector and the host tree: A role in pine wilt disease?. <i>Forest Pathology</i> , 2019 , 49, e12564	1.2	0
88	The impact of antibiotic exposure in water and zebrafish gut microbiomes: A 16S rRNA gene-based metagenomic analysis. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 186, 109771	7	23

87	The endosphere of the salt marsh plant <i>Halimione portulacoides</i> is a diversity hotspot for the genus <i>Salinicola</i> : description of five novel species <i>Salinicola halimionae</i> sp. nov., <i>Salinicola aestuarinus</i> sp. nov., <i>Salinicola endophyticus</i> sp. nov., <i>Salinicola halophyticus</i> sp. nov. and <i>Salinicola lusitanus</i> sp. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019 , 69, 46-62	2.2	4
86	Linking the Environmental Microbial Diversity and Antibiotic Resistance 2019 , 451-457		
85	The role of bacteria in pine wilt disease: insights from microbiome analysis. <i>FEMS Microbiology Ecology</i> , 2018 , 94,	4.3	19
84	<i>Shewanella</i> species as the origin of bla genes: insights into gene diversity, associated phenotypes and possible transfer mechanisms. <i>International Journal of Antimicrobial Agents</i> , 2018 , 51, 340-348	14.3	21
83	Bacterial community dynamics within an aerobic granular sludge reactor treating wastewater loaded with pharmaceuticals. <i>Ecotoxicology and Environmental Safety</i> , 2018 , 147, 905-912	7	35
82	Functional annotation of hypothetical proteins from the <i>Exiguobacterium antarcticum</i> strain B7 reveals proteins involved in adaptation to extreme environments, including high arsenic resistance. <i>PLoS ONE</i> , 2018 , 13, e0198965	3.7	22
81	Bacterial lineages putatively associated with the dissemination of antibiotic resistance genes in a full-scale urban wastewater treatment plant. <i>Environment International</i> , 2018 , 118, 179-188	12.9	63
80	Fate of cefotaxime-resistant Enterobacteriaceae and ESBL-producers over a full-scale wastewater treatment process with UV disinfection. <i>Science of the Total Environment</i> , 2018 , 639, 1028-1037	10.2	17
79	Metal(loid)-Contaminated Soils as a Source of Culturable Heterotrophic Aerobic Bacteria for Remediation Applications. <i>Geomicrobiology Journal</i> , 2017 , 34, 760-768	2.5	30
78	Culture-independent methods reveal high diversity of OXA-48-like genes in water environments. <i>Journal of Water and Health</i> , 2017 , 15, 519-525	2.2	2
77	Basagran induces developmental malformations and changes the bacterial community of zebrafish embryos. <i>Environmental Pollution</i> , 2017 , 221, 52-63	9.3	12
76	mcr-1 and bla in <i>Escherichia coli</i> Sequence Type 744 after Meropenem and Colistin Therapy, Portugal. <i>Emerging Infectious Diseases</i> , 2017 , 23, 1419-1421	10.2	30
75	Phylogenetic diversity and functional characterization of the Manila clam microbiota: a culture-based approach. <i>Environmental Science and Pollution Research</i> , 2017 , 24, 21721-21732	5.1	13
74	Characterization of antibiotic resistant and pathogenic <i>Escherichia coli</i> in irrigation water and vegetables in household farms. <i>International Journal of Food Microbiology</i> , 2017 , 257, 192-200	5.8	62
73	Antibacterial activity of oxytetracycline photoproducts in marine aquaculture water. <i>Environmental Pollution</i> , 2017 , 220, 644-649	9.3	18
72	<i>Saccharosporillum correiae</i> sp. nov., an endophytic bacterium isolated from the halophyte <i>Halimione portulacoides</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 2026-2030	2.2	7
71	<i>Zunongwangia endophytica</i> sp. nov., an endophyte isolated from the salt marsh plant, <i>Halimione portulacoides</i> , and emended description of the genus <i>Zunongwangia</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3004-3009	2.2	6
70	<i>Altererythrobacter halimionae</i> sp. nov. and <i>Altererythrobacter endophyticus</i> sp. nov., two endophytes from the salt marsh plant <i>Halimione portulacoides</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017 , 67, 3057-3062	2.2	13

69	Bacterial community associated to the pine wilt disease insect vectors <i>Monochamus galloprovincialis</i> and <i>Monochamus alternatus</i> . <i>Scientific Reports</i> , 2016 , 6, 23908	4.9	16
68	Co-selection of antibiotic and metal(loid) resistance in gram-negative epiphytic bacteria from contaminated salt marshes. <i>Marine Pollution Bulletin</i> , 2016 , 109, 427-434	6.7	28
67	Antibiotic and metal resistance in a ST395 <i>Pseudomonas aeruginosa</i> environmental isolate: A genomics approach. <i>Marine Pollution Bulletin</i> , 2016 , 110, 75-81	6.7	18
66	Culturable endophytic bacteria from the salt marsh plant <i>Halimione portulacoides</i> : phylogenetic diversity, functional characterization, and influence of metal(loid) contamination. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 10200-14	5.1	38
65	<i>Microbacterium diaminobutyricum</i> sp. nov., isolated from <i>Halimione portulacoides</i> , which contains diaminobutyric acid in its cell wall, and emended description of the genus <i>Microbacterium</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016 , 66, 4492-4500	2.2	20
64	Draft genome sequence of <i>Psychrobacter</i> sp. ENNN9_III, a strain isolated from water in a polluted temperate estuarine system (Ria de Aveiro, Portugal). <i>Genomics Data</i> , 2016 , 8, 21-4		
63	Diversity of endophytic <i>Pseudomonas</i> in <i>Halimione portulacoides</i> from metal(loid)-polluted salt marshes. <i>Environmental Science and Pollution Research</i> , 2016 , 23, 13255-67	5.1	7
62	Assessment of rhizospheric culturable bacteria of <i>Phragmites australis</i> and <i>Juncus effusus</i> from polluted sites. <i>Journal of Basic Microbiology</i> , 2015 , 55, 1179-90	2.7	11
61	Combined effect of temperature and copper pollution on soil bacterial community: climate change and regional variation aspects. <i>Ecotoxicology and Environmental Safety</i> , 2015 , 111, 153-9	7	8
60	Low Prevalence of Carbapenem-Resistant Bacteria in River Water: Resistance Is Mostly Related to Intrinsic Mechanisms. <i>Microbial Drug Resistance</i> , 2015 , 21, 497-506	2.9	45
59	Salivary peptidomic as a tool to disclose new potential antimicrobial peptides. <i>Journal of Proteomics</i> , 2015 , 115, 49-57	3.9	25
58	Co-resistance to different classes of antibiotics among ESBL-producers from aquatic systems. <i>Water Research</i> , 2014 , 48, 100-7	12.5	79
57	Gulls identified as major source of fecal pollution in coastal waters: a microbial source tracking study. <i>Science of the Total Environment</i> , 2014 , 470-471, 84-91	10.2	40
56	A microcosm approach to evaluate the degradation of tributyltin (TBT) by <i>Aeromonas molluscorum</i> Av27 in estuarine sediments. <i>Environmental Research</i> , 2014 , 132, 430-7	7.9	11
55	Seawater is a reservoir of multi-resistant <i>Escherichia coli</i> , including strains hosting plasmid-mediated quinolones resistance and extended-spectrum beta-lactamases genes. <i>Frontiers in Microbiology</i> , 2014 , 5, 426	5.7	41
54	The contribution of <i>Escherichia coli</i> from human and animal sources to the integron gene pool in coastal waters. <i>Frontiers in Microbiology</i> , 2014 , 5, 419	5.7	19
53	Contribution of chemical water properties to the differential responses of bacterioneuston and bacterioplankton to ultraviolet-B radiation. <i>FEMS Microbiology Ecology</i> , 2014 , 87, 517-35	4.3	8
52	Occurrence of IMP-8, IMP-10, and IMP-13 metallo- β -lactamases located on class 1 integrons and other extended-spectrum β -lactamases in bacterial isolates from Tunisian rivers. <i>Scandinavian Journal of Infectious Diseases</i> , 2013 , 45, 95-103		26

51	Comparative genomics of IncP-1 plasmids from water environments reveals diverse and unique accessory genetic elements. <i>Plasmid</i> , 2013 , 70, 412-9	3.3	8
50	Genetic diversity and antimicrobial resistance of <i>Escherichia coli</i> from Tagus estuary (Portugal). <i>Science of the Total Environment</i> , 2013 , 461-462, 65-71	10.2	30
49	Analysis of antibiotic resistance in bacteria isolated from the surface microlayer and underlying water of an estuarine environment. <i>Microbial Drug Resistance</i> , 2013 , 19, 64-71	2.9	7
48	Wavelength dependence of biological damage induced by UV radiation on bacteria. <i>Archives of Microbiology</i> , 2013 , 195, 63-74	3	129
47	Growth conditions influence UVB sensitivity and oxidative damage in an estuarine bacterial isolate. <i>Photochemical and Photobiological Sciences</i> , 2013 , 12, 974-86	4.2	3
46	Effects of UV radiation on the lipids and proteins of bacteria studied by mid-infrared spectroscopy. <i>Environmental Science & Technology</i> , 2013 , 47, 6306-15	10.3	38
45	Molecular analysis of the diversity of genus <i>Psychrobacter</i> present within a temperate estuary. <i>FEMS Microbiology Ecology</i> , 2013 , 84, 451-60	4.3	14
44	Draft Genome Sequence of <i>Serratia fonticola</i> UTAD54, a Carbapenem-Resistant Strain Isolated from Drinking Water. <i>Genome Announcements</i> , 2013 , 1,		3
43	Draft Genome Sequence of <i>Serratia fonticola</i> LMG 7882T Isolated from Freshwater. <i>Genome Announcements</i> , 2013 , 1,		2
42	Environmental <i>Shewanella xiamenensis</i> strains that carry blaOXA-48 or blaOXA-204 genes: additional proof for blaOXA-48-like gene origin. <i>Antimicrobial Agents and Chemotherapy</i> , 2013 , 57, 6399-400	5.0	26
41	Role of transition metals in UV-B-induced damage to bacteria. <i>Photochemistry and Photobiology</i> , 2013 , 89, 640-8	3.6	4
40	Broad diversity of conjugative plasmids in integron-carrying bacteria from wastewater environments. <i>FEMS Microbiology Letters</i> , 2012 , 330, 157-64	2.9	37
39	Impact of sampling depth and plant species on local environmental conditions, microbiological parameters and bacterial composition in a mercury contaminated salt marsh. <i>Marine Pollution Bulletin</i> , 2012 , 64, 263-71	6.7	13
38	New molecular variants of epsilon and beta IncP-1 plasmids are present in estuarine waters. <i>Plasmid</i> , 2012 , 67, 252-8	3.3	11
37	Contribution of reactive oxygen species to UV-B-induced damage in bacteria. <i>Journal of Photochemistry and Photobiology B: Biology</i> , 2012 , 117, 40-6	6.7	44
36	Resistance to broad-spectrum antibiotics in aquatic systems: anthropogenic activities modulate the dissemination of bla(CTX-M)-like genes. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 4134-40	4.8	117
35	Novel gene cassettes and integrons in antibiotic-resistant bacteria isolated from urban wastewaters. <i>Research in Microbiology</i> , 2012 , 163, 92-100	4	64
34	The UV responses of bacterioneuston and bacterioplankton isolates depend on the physiological condition and involve a metabolic shift. <i>FEMS Microbiology Ecology</i> , 2012 , 80, 646-58	4.3	18

33	Prevalence and diversity of carbapenem-resistant bacteria in untreated drinking water in Portugal. <i>Microbial Drug Resistance</i> , 2012 , 18, 531-7	2.9	25
32	Spatial and temporal analysis of estuarine bacterioneuston and bacterioplankton using culture-dependent and culture-independent methodologies. <i>Antonie Van Leeuwenhoek</i> , 2012 , 101, 819-35 ¹	2.1	13
31	Diversity of gene cassette promoters in class 1 integrons from wastewater environments. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 5413-6	4.8	15
30	Bacterial Diversity and Geochemical Profiles in Sediments from Eutrophic Azorean Lakes. <i>Geomicrobiology Journal</i> , 2012 , 29, 704-715	2.5	15
29	Effects of UV-B radiation on the structural and physiological diversity of bacterioneuston and bacterioplankton. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 2066-9	4.8	40
28	A molecular and multivariate approach to the microbial community of a commercial shallow raceway marine recirculation system operating with a Moving Bed Biofilter. <i>Aquaculture Research</i> , 2011 , 42, 1308-1322	1.9	10
27	Diversity in UV sensitivity and recovery potential among bacterioneuston and bacterioplankton isolates. <i>Letters in Applied Microbiology</i> , 2011 , 52, 360-6	2.9	22
26	Effects of ultraviolet radiation on the abundance, diversity and activity of bacterioneuston and bacterioplankton: insights from microcosm studies. <i>Aquatic Sciences</i> , 2011 , 73, 63-77	2.5	13
25	PCR-DGGE-based methodologies to assess diversity and dynamics of <i>Aeromonas</i> communities. <i>Journal of Applied Microbiology</i> , 2010 , 108, 611-23	4.7	3
24	Wastewater bacterial communities bring together broad-host range plasmids, integrons and a wide diversity of uncharacterized gene cassettes. <i>Research in Microbiology</i> , 2010 , 161, 58-66	4	79
23	Short-term variability of abundance, diversity and activity of estuarine bacterioneuston and bacterioplankton. <i>Journal of Plankton Research</i> , 2009 , 31, 1545-1555	2.2	28
22	Characterization of bacterial diversity in two aerated lagoons of a wastewater treatment plant using PCR-DGGE analysis. <i>Microbiological Research</i> , 2009 , 164, 560-9	5.3	60
21	Substrate effect on bacterial communities from constructed wetlands planted with <i>Typha latifolia</i> treating industrial wastewater. <i>Ecological Engineering</i> , 2009 , 35, 744-753	3.9	75
20	Changes in the bacterial community structure in two-stage constructed wetlands with different plants for industrial wastewater treatment. <i>Bioresource Technology</i> , 2009 , 100, 3228-35	11	105
19	INTEGRALL: a database and search engine for integrons, integrases and gene cassettes. <i>Bioinformatics</i> , 2009 , 25, 1096-8	7.2	343
18	Tetracycline-resistance genes in gram-negative isolates from estuarine waters. <i>Letters in Applied Microbiology</i> , 2008 , 47, 526-33	2.9	23
17	Characterization of microbial population of AlheiraT (a traditional Portuguese fermented sausage) by PCR-DGGE and traditional cultural microbiological methods. <i>Journal of Applied Microbiology</i> , 2008 , 105, 2187-94	4.7	25
16	Bacterial community composition over a dry winter in meso- and eutrophic Portuguese water bodies. <i>FEMS Microbiology Ecology</i> , 2007 , 59, 638-50	4.3	37

15	Biochemical Characterization of SFC-1, a class A carbapenem-hydrolyzing beta-lactamase. <i>Antimicrobial Agents and Chemotherapy</i> , 2007 , 51, 4512-4	5.9	21
14	Prevalence and characterization of integrons from bacteria isolated from a slaughterhouse wastewater treatment plant. <i>Journal of Antimicrobial Chemotherapy</i> , 2007 , 60, 1243-50	5.1	127
13	Rapid differentiation of species of Botryosphaeriaceae by PCR fingerprinting. <i>Research in Microbiology</i> , 2007 , 158, 112-21	4	49
12	Long-term performance and microbial dynamics of an up-flow fixed bed reactor established for the biodegradation of fluorobenzene. <i>Applied Microbiology and Biotechnology</i> , 2006 , 71, 555-62	5.7	15
11	Seasonal and spatial variability of free-living bacterial community composition along an estuarine gradient (Ria de Aveiro, Portugal). <i>Estuarine, Coastal and Shelf Science</i> , 2006 , 68, 139-148	2.9	81
10	Biodegradation of 2-fluorobenzoate in upflow fixed bed bioreactors operated with different growth support materials. <i>Journal of Chemical Technology and Biotechnology</i> , 2006 , 81, 1577-1585	3.5	12
9	Occurrence and diversity of integrons and beta-lactamase genes among ampicillin-resistant isolates from estuarine waters. <i>Research in Microbiology</i> , 2006 , 157, 938-47	4	155
8	Analysing diversity among beta-lactamase encoding genes in aquatic environments. <i>FEMS Microbiology Ecology</i> , 2006 , 56, 418-29	4.3	52
7	Evaluation of amplified ribosomal DNA restriction analysis as a method for the identification of Botryosphaeria species. <i>FEMS Microbiology Letters</i> , 2005 , 245, 221-9	2.9	38
6	Evaluation of 16S rDNA- and gyrB-DGGE for typing members of the genus <i>Aeromonas</i> . <i>FEMS Microbiology Letters</i> , 2005 , 246, 11-8	2.9	19
5	Molecular characterization of a carbapenem-hydrolyzing class A beta-lactamase, SFC-1, from <i>Serratia fonticola</i> UTAD54. <i>Antimicrobial Agents and Chemotherapy</i> , 2004 , 48, 2321-4	5.9	54
4	Applicability of rep-PCR genomic fingerprinting to molecular discrimination of members of the genera <i>Phaeoacremonium</i> and <i>Phaeoconiella</i> . <i>Plant Pathology</i> , 2004 , 53, 629-634	2.8	17
3	Molecular sequence analysis of prokaryotic diversity in the middle and outer sections of the Portuguese estuary Ria de Aveiro. <i>FEMS Microbiology Ecology</i> , 2004 , 49, 269-79	4.3	49
2	Sfh-I, a subclass B2 metallo-beta-lactamase from a <i>Serratia fonticola</i> environmental isolate. <i>Antimicrobial Agents and Chemotherapy</i> , 2003 , 47, 2330-3	5.9	56
1	Genetic characterization of a new thermotolerant <i>Bacillus licheniformis</i> strain. <i>Current Microbiology</i> , 2000 , 40, 137-9	2.4	9