
## Sang Min Lee

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1302075/publications.pdf Version: 2024-02-01



| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Diagnostic Performance of 2-D Shear Wave Elastography on the Evaluation of Hepatic Fibrosis with<br>Emphasis on Impact of the Different Region-of-Interest Methods. Ultrasound in Medicine and Biology,<br>2022, 48, 198-208.                                      | 1.5 | 1         |
| 2  | Comparison of diagnostic accuracy of 2D and 3D measurements to determine opportunistic screening of osteoporosis using the proximal femur on abdomen-pelvic CT. PLoS ONE, 2022, 17, e0262025.  | 2.5 | 1         |
| 3  | Gastrointestinal stromal tumours: Preoperative imaging features to predict recurrence after curative resection. European Journal of Radiology, 2022, 149, 110193.  | 2.6 | 4         |
| 4  | Performance of LI-RADS Version 2018 on CT for Determining Eligibility for Liver Transplant According<br>to Milan Criteria in Patients at High Risk for Hepatocellular Carcinoma. American Journal of<br>Roentgenology, 2022, 219, 86-96.                           | 2.2 | 7         |
| 5  | Accelerated Pancreatobiliary <scp>MRI</scp> for Pancreatic Cancer Surveillance in Patients With<br>Pancreatic Cystic Neoplasms. Journal of Magnetic Resonance Imaging, 2022, 56, 1757-1768.  | 3.4 | 2         |
| 6  | Systematic review and meta-analysis of MRI features for differentiating autoimmune pancreatitis from pancreatic adenocarcinoma. European Radiology, 2022, 32, 6691-6701.   | 4.5 | 6         |
| 7  | Impact of respiratory motion on liver stiffness measurements according to different shear wave<br>elastography techniques and region of interest methods: a phantom study. Ultrasonography, 2021, 40,<br>103-114.  | 2.3 | 8         |
| 8  | Rapid Response System Should Be Enhanced at Non-general Ward Locations: a Retrospective<br>Multicenter Cohort Study in Korea. Journal of Korean Medical Science, 2021, 36, e7.   | 2.5 | 0         |
| 9  | New formulas to predict the length of a peripherally inserted central catheter based on anteroposterior chest radiographs. Journal of Vascular Access, 2021, , 112972982110011.  | 0.9 | 2         |
| 10 | Comparisons between image quality and diagnostic performance of 2D- and breath-hold 3D magnetic resonance cholangiopancreatography at 3T. European Radiology, 2021, 31, 8399-8407.   | 4.5 | 6         |
| 11 | Non-Pathological Opacification of the Cavernous Sinus on Brain CT Angiography: Comparison with<br>Flow-Related Signal Intensity on Time-of-Flight MR Angiography. Healthcare (Switzerland), 2021, 9, 94.   | 2.0 | 0         |
| 12 | Diagnostic Performance of 2018 KLCA-NCC Practice Guideline for Hepatocellular Carcinoma on<br>Gadoxetic Acid-Enhanced MRI in Patients with Chronic Hepatitis B or Cirrhosis: Comparison with<br>LI-RADS Version 2018. Korean Journal of Radiology, 2021, 22, 1066. | 3.4 | 12        |
| 13 | Computed Tomography Findings Associated with Treatment Failure after Antibiotic Therapy for Acute<br>Appendicitis. Korean Journal of Radiology, 2021, 22, 63.  | 3.4 | 3         |
| 14 | Double Low-Dose Dual-Energy Liver CT in Patients at High-Risk of HCC. Investigative Radiology, 2020, 55, 340-348.  | 6.2 | 28        |
| 15 | A pictorial review on clinicopathologic and radiologic features of duodenal gastrointestinal stromal tumors. Diagnostic and Interventional Radiology, 2020, 26, 277-283.   | 1.5 | 6         |
| 16 | Comparison of point and 2-dimensional shear wave elastography for the evaluation of liver fibrosis.<br>Ultrasonography, 2020, 39, 288-297.   | 2.3 | 11        |
| 17 | Enhancement parameters of contrast-enhanced computed tomography for pancreatic ductal<br>adenocarcinoma: Correlation with pathologic grading. World Journal of Gastroenterology, 2020, 26,<br>4151-4158.   | 3.3 | 4         |
| 18 | Combined hepatocellular cholangiocarcinoma: LI-RADS v2017 categorisation for differential diagnosis<br>and prognostication on gadoxetic acid-enhanced MR imaging. European Radiology, 2019, 29, 373-382.   | 4.5 | 89        |

SANG MIN LEE

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | LI-RADS Version 2017 versus Version 2018: Diagnosis of Hepatocellular Carcinoma on Gadoxetate<br>Disodium–enhanced MRI. Radiology, 2019, 292, 655-663.  | 7.3 | 55        |
| 20 | Preoperative CT Classification of the Resectability of Pancreatic Cancer: Interobserver Agreement.<br>Radiology, 2019, 293, 343-349.  | 7.3 | 46        |
| 21 | Value of virtual monochromatic spectral image of dual-layer spectral detector CT with noise<br>reduction algorithm for image quality improvement in obese simulated body phantom. BMC Medical<br>Imaging, 2019, 19, 76.   | 2.7 | 14        |
| 22 | Procalcitonin-Guided Treatment on Duration of Antibiotic Therapy and Cost in Septic Patients<br>(PRODA): a Multi-Center Randomized Controlled Trial. Journal of Korean Medical Science, 2019, 34,<br>e110.  | 2.5 | 22        |
| 23 | Prediction of Treatment Outcome of Chemotherapy Using Perfusion Computed Tomography in Patients with Unresectable Advanced Gastric Cancer. Korean Journal of Radiology, 2019, 20, 589.  | 3.4 | 4         |
| 24 | Measurement of Pancreatic Fat Fraction by CT Histogram Analysis to Predict Pancreatic Fistula after<br>Pancreaticoduodenectomy. Korean Journal of Radiology, 2019, 20, 599.   | 3.4 | 16        |
| 25 | High Acceleration Three-Dimensional T1-Weighted Dual Echo Dixon Hepatobiliary Phase Imaging Using<br>Compressed Sensing-Sensitivity Encoding: Comparison of Image Quality and Solid Lesion Detectability<br>with the Standard T1-Weighted Sequence. Korean Journal of Radiology, 2019, 20, 438. | 3.4 | 32        |
| 26 | CT reconstruction algorithms affect histogram and texture analysis: evidence for liver parenchyma,<br>focal solid liver lesions, and renal cysts. European Radiology, 2019, 29, 4008-4015.  | 4.5 | 22        |
| 27 | Comparison of four different Shear Wave Elastography platforms according to abdominal wall thickness in liver fibrosis evaluation: a phantom study. Medical Ultrasonography, 2019, 21, 22.  | 0.8 | 15        |
| 28 | Usefulness of contrast-enhanced ultrasound using perfluorobutanecontaining microbubbles as a<br>planning for percutaneous biopsies of focal hepatic lesions: a prospective feasibility study. Medical<br>Ultrasonography, 2019, 21, 109.  | 0.8 | 4         |
| 29 | Snoring during Bronchoscopy with Moderate Sedation Is a Predictor of Obstructive Sleep Apnea.<br>Tuberculosis and Respiratory Diseases, 2019, 82, 335.  | 1.8 | 1         |
| 30 | Additional value of contrast-enhanced ultrasonography for fusion-guided, percutaneous biopsies of focal liver lesions: prospective feasibility study. Abdominal Radiology, 2018, 43, 3279-3287.   | 2.1 | 13        |
| 31 | Clinical utility of real-time ultrasound-multimodality fusion guidance for percutaneous biopsy of focal liver lesions. European Journal of Radiology, 2018, 103, 76-83.   | 2.6 | 13        |
| 32 | CT diagnosis of gallbladder adenomyomatosis: importance of enhancing mucosal epithelium, the<br>"cotton ball sign― European Radiology, 2018, 28, 3573-3582.   | 4.5 | 16        |
| 33 | GRASE Revisited: breath-hold three-dimensional (3D) magnetic resonance cholangiopancreatography<br>using a Gradient and Spin Echo (GRASE) technique at 3T. European Radiology, 2018, 28, 3721-3728.   | 4.5 | 32        |
| 34 | Virtual monoenergetic dual-layer, dual-energy CT enterography: optimization of keV settings and its<br>added value for Crohn's disease. European Radiology, 2018, 28, 2525-2534.  | 4.5 | 39        |
| 35 | Balloon Angioplasty in a Pediatric Renal Artery Occlusion. Journal of the Korean Society of Radiology, 2018, 79, 332.   | 0.2 | 0         |
| 36 | Pulmonary Histoplasmosis Identified by Video-Assisted Thoracic Surgery (VATS) Biopsy: a Case Report.<br>Journal of Korean Medical Science, 2018, 33, e15.   | 2.5 | 2         |

SANG MIN LEE

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Isolated Main Pancreatic Duct Dilatation: CT Differentiation Between Benign and Malignant Causes.<br>American Journal of Roentgenology, 2017, 209, 1046-1055.   | 2.2 | 33        |
| 38 | Clinical Feasibility of 3-Dimensional Magnetic Resonance Cholangiopancreatography Using<br>Compressed Sensing. Investigative Radiology, 2017, 52, 612-619.  | 6.2 | 66        |
| 39 | Real-time US-CT/MR fusion imaging for percutaneous radiofrequency ablation of hepatocellular carcinoma. Journal of Hepatology, 2017, 66, 347-354.   | 3.7 | 103       |
| 40 | Prospective Validation of Intra- and Interobserver Reproducibility of a New Point Shear Wave<br>Elastographic Technique for Assessing Liver Stiffness in Patients with Chronic Liver Disease. Korean<br>Journal of Radiology, 2017, 18, 926.  | 3.4 | 21        |
| 41 | T2* Mapping from Multi-Echo Dixon Sequence on Gadoxetic Acid-Enhanced Magnetic Resonance<br>Imaging for the Hepatic Fat Quantification: Can It Be Used for Hepatic Function Assessment?. Korean<br>Journal of Radiology, 2017, 18, 682.   | 3.4 | 7         |
| 42 | Analysis of Fifty Hotspot Mutations of Lung Squamous Cell Carcinoma in Never-smokers. Journal of<br>Korean Medical Science, 2017, 32, 415.  | 2.5 | 8         |
| 43 | Liver fibrosis staging with a new 2D-shear wave elastography using comb-push technique:<br>Applicability, reproducibility, and diagnostic performance. PLoS ONE, 2017, 12, e0177264.  | 2.5 | 31        |
| 44 | CT volumetric measurement of colorectal cancer helps predict tumor staging and prognosis. PLoS ONE, 2017, 12, e0178522.   | 2.5 | 8         |
| 45 | No-Touch Radiofrequency Ablation: A Comparison of Switching Bipolar and Switching Monopolar<br>Ablation inEx VivoBovine Liver. Korean Journal of Radiology, 2017, 18, 279.  | 3.4 | 25        |
| 46 | No-touch radiofrequency ablation using multiple electrodes: An in vivo comparison study of<br>switching monopolar versus switching bipolar modes in porcine livers. PLoS ONE, 2017, 12, e0176350.   | 2.5 | 20        |
| 47 | Diagnostic accuracy of liver imaging reporting and data system (Llâ€RADS) v2014 for intrahepatic<br>massâ€forming cholangiocarcinomas in patients with chronic liver disease on gadoxetic acidâ€enhanced<br>MRI. Journal of Magnetic Resonance Imaging, 2016, 44, 1330-1338.              | 3.4 | 67        |
| 48 | Diagnostic Accuracy of Computed Tomography and Magnetic Resonance Imaging Obtained after<br>Neoadjuvant Chemoradiotherapy in Predicting the Local Tumor Stage and Circumferential Resection<br>Margin Status of Rectal Cancer. Journal of the Korean Society of Radiology, 2014, 70, 123. | 0.2 | 1         |
| 49 | Adaptive 4D Volume Perfusion CT of Lung Cancer: Effects of Computerized Motion Correction and the<br>Range of Volume Coverage on Measurement Reproducibility. American Journal of Roentgenology, 2013,<br>200, W603-W609.   | 2.2 | 16        |
| 50 | New classification of adenocarcinoma: what radiologists need to know. Diagnostic and Interventional Radiology, 2012, 18, 519-26.  | 1.5 | 13        |
| 51 | Localization of the Focal Gastric Lesion on Abdominal MDCT: The Importance of the Right and Left<br>Gastric Arteries and Gastroepiploic Arteries. Journal of the Korean Radiological Society, 2008, 58, 391.  | 0.0 | 0         |
| 52 | A Case of Diffuse Nodular Pulmonary Ossification. Tuberculosis and Respiratory Diseases, 1999, 46, 856.   | 0.2 | 0         |
| 53 | Prolonged Extracorporeal Lung Heart Assist ( Extracorporeal Membrane Oxygenation ) - 4 cases<br>report. Daehan Macwi'gwa Haghoeji, 1992, 25, 424.   | 0.2 | 6         |