

Yit-Heng Chooi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1302254/publications.pdf>

Version: 2024-02-01

81
papers

5,388
citations

101384

36
h-index

91712

69
g-index

103
all docs

103
docs citations

103
times ranked

5413
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Out for a RiPP: challenges and advances in genome mining of ribosomal peptides from fungi. <i>Natural Product Reports</i> , 2022, 39, 222-230. | 5.2 | 15 |
| 2 | RiPP-ing through the plant kingdom. <i>Nature Chemical Biology</i> , 2022, 18, 2-3. | 3.9 | 1 |
| 3 | Cre/lox-Mediated Chromosomal Integration of Biosynthetic Gene Clusters for Heterologous Expression in <i>Aspergillus nidulans</i> . <i>ACS Synthetic Biology</i> , 2022, 11, 1186-1195. | 1.9 | 9 |
| 4 | Intra-hemocoel injection of pseurotin A from <i>Metarhizium anisopliae</i> , induces dose-dependent reversible paralysis in the Greater Wax Moth (<i>Galleria mellonella</i>). <i>Fungal Genetics and Biology</i> , 2022, 159, 103675. | 0.9 | 4 |
| 5 | Heterologous Expression of Fungal Biosynthetic Pathways in <i>Aspergillus nidulans</i> Using Episomal Vectors. <i>Methods in Molecular Biology</i> , 2022, 2489, 75-92. | 0.4 | 2 |
| 6 | Discovery of brevijanazines from <i>Aspergillus brevijanus</i> reveals the molecular basis for p-nitrobenzoic acid in fungi. <i>Chemical Communications</i> , 2022, 58, 6296-6299. | 2.2 | 5 |
| 7 | Hancockiamides: phenylpropanoid piperazines from <i>Aspergillus hancockii</i> are biosynthesised by a versatile dual single-module NRPS pathway. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 587-595. | 1.5 | 24 |
| 8 | cblaster: a remote search tool for rapid identification and visualization of homologous gene clusters. <i>Bioinformatics Advances</i> , 2021, 1, . | 0.9 | 101 |
| 9 | clinker & clustermap.js: automatic generation of gene cluster comparison figures. <i>Bioinformatics</i> , 2021, 37, 2473-2475. | 1.8 | 552 |
| 10 | Chlorinated metabolites from <i>Streptomyces</i> sp. highlight the role of biosynthetic mosaics and superclusters in the evolution of chemical diversity. <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 6147-6159. | 1.5 | 8 |
| 11 | Polyketides produced by the entomopathogenic fungus <i>Metarhizium anisopliae</i> induce <i>Candida albicans</i> growth. <i>Fungal Genetics and Biology</i> , 2021, 152, 103568. | 0.9 | 10 |
| 12 | Characterisation and heterologous biosynthesis of burnettiene A, a new polyene-decalin polyketide from <i>Aspergillus burnettii</i> . <i>Organic and Biomolecular Chemistry</i> , 2021, 19, 9506-9513. | 1.5 | 8 |
| 13 | Genome Mining of <i>Aspergillus hancockii</i> Unearths Cryptic Polyketide Hancockinone A Featuring a Prenylated 6/6/6/5 Carbocyclic Skeleton. <i>Organic Letters</i> , 2021, 23, 8789-8793. | 2.4 | 6 |
| 14 | Synthaser: a CD-Search enabled Python toolkit for analysing domain architecture of fungal secondary metabolite megasynth(et)ases. <i>Fungal Biology and Biotechnology</i> , 2021, 8, 13. | 2.5 | 6 |
| 15 | Genomics-Driven Discovery of Phytotoxic Cytochalasans Involved in the Virulence of the Wheat Pathogen <i>Parastagonospora nodorum</i> . <i>ACS Chemical Biology</i> , 2020, 15, 226-233. | 1.6 | 24 |
| 16 | Fungal Polyketide-Nonribosomal Peptide Synthetases and Their Associated Natural Products. , 2020, , 415-444. | | 6 |
| 17 | Comprehensive chemotaxonomic and genomic profiling of a biosynthetically talented Australian fungus, <i>Aspergillus burnettii</i> sp. nov.. <i>Fungal Genetics and Biology</i> , 2020, 143, 103435. | 0.9 | 19 |
| 18 | Fungal Planet description sheets: 1042-1111. <i>Persoonia: Molecular Phylogeny and Evolution of Fungi</i> , 2020, 44, 301-459. | 1.6 | 91 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Victorin, the host-selective cyclic peptide toxin from the oat pathogen <i>Cochliobolus victoriae</i> , is ribosomally encoded. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 24243-24250. | 3.3 | 41 |
| 20 | CRISPR-Mediated Activation of Biosynthetic Gene Clusters for Bioactive Molecule Discovery in Filamentous Fungi. ACS Synthetic Biology, 2020, 9, 1843-1854. | 1.9 | 47 |
| 21 | Conglobatins Bâ€E: cytotoxic analogues of the C2-symmetric macrodiolide conglobatin. Journal of Antibiotics, 2020, 73, 756-765. | 1.0 | 8 |
| 22 | Biosynthesis of a New Benzazepine Alkaloid Nanangelenin A from <i>Aspergillus nanangensis</i> Involves an Unusual Kynurenine-Incorporating NRPS Catalyzing Regioselective Lactamization. Journal of the American Chemical Society, 2020, 142, 7145-7152. | 6.6 | 35 |
| 23 | Volatile Molecules Secreted by the Wheat Pathogen <i>Parastagonospora nodorum</i> Are Involved in Development and Phytotoxicity. Frontiers in Microbiology, 2020, 11, 466. | 1.5 | 6 |
| 24 | Three Recently Diverging Duplicated Methyltransferases Exhibit Substrate-Dependent Regioselectivity Essential for Xantholipin Biosynthesis. ACS Chemical Biology, 2020, 15, 2107-2115. | 1.6 | 5 |
| 25 | The fungal gene cluster for biosynthesis of the antibacterial agent viriditoxin. Fungal Biology and Biotechnology, 2019, 6, 2. | 2.5 | 26 |
| 26 | The identification and deletion of the polyketide synthaseâ€nonribosomal peptide synthase gene responsible for the production of the phytotoxic triticone A/B in the wheat fungal pathogen <i>Pyrenophora triticiâ€repentis</i> . Environmental Microbiology, 2019, 21, 4875-4886. | 1.8 | 12 |
| 27 | Biosynthesis of a Tricyclo[6.2.2.0 ^{2,7}]dodecane System by a Berberine Bridge Enzymeâ€Like Aldolase. Chemistry - A European Journal, 2019, 25, 15062-15066. | 1.7 | 7 |
| 28 | Bipolenins Kâ€N: New sesquiterpenoids from the fungal plant pathogen <i>Bipolaris sorokiniana</i> . Beilstein Journal of Organic Chemistry, 2019, 15, 2020-2028. | 1.3 | 17 |
| 29 | Biosynthesis of bioactive natural products from Basidiomycota. Organic and Biomolecular Chemistry, 2019, 17, 1027-1036. | 1.5 | 34 |
| 30 | Heterologous biosynthesis of elsinochrome A sheds light on the formation of the photosensitive perylenequinone system. Chemical Science, 2019, 10, 1457-1465. | 3.7 | 68 |
| 31 | Fungal Dirigent Protein Controls the Stereoselectivity of Multicopper Oxidase-Catalyzed Phenol Coupling in Viriditoxin Biosynthesis. Journal of the American Chemical Society, 2019, 141, 8068-8072. | 6.6 | 34 |
| 32 | Acquisition and Loss of Secondary Metabolites Shaped the Evolutionary Path of Three Emerging Phytopathogens of Wheat. Genome Biology and Evolution, 2019, 11, 890-905. | 1.1 | 22 |
| 33 | Discovery and Heterologous Biosynthesis of the Burnettramic Acids: Rare PKS-NRPS-Derived Bolaamphiphilic Pyrrolizidinediones from an Australian Fungus, <i>Aspergillus burnettii</i> . Organic Letters, 2019, 21, 1287-1291. | 2.4 | 54 |
| 34 | Nanangenines: drimane sesquiterpenoids as the dominant metabolite cohort of a novel Australian fungus, <i>Aspergillus nanangensis</i> . Beilstein Journal of Organic Chemistry, 2019, 15, 2631-2643. | 1.3 | 22 |
| 35 | Panning for gold in mould: can we increase the odds for fungal genome mining?. Organic and Biomolecular Chemistry, 2018, 16, 1620-1626. | 1.5 | 23 |
| 36 | The global regulator of pathogenesis PnCon7 positively regulates <i>Tox3</i> effector gene expression through direct interaction in the wheat pathogen <i>Parastagonospora nodorum</i> . Molecular Microbiology, 2018, 109, 78-90. | 1.2 | 13 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Chemical Ecogenomics-Guided Discovery of Phytotoxic \pm -Pyrone from the Fungal Wheat Pathogen <i>Parastagonospora nodorum</i> . <i>Organic Letters</i> , 2018, 20, 6148-6152. | 2.4 | 30 |
| 38 | Functional genomics-guided discovery of a light-activated phytotoxin in the wheat pathogen <i>Parastagonospora nodorum</i> via pathway activation. <i>Environmental Microbiology</i> , 2017, 19, 1975-1986. | 1.8 | 38 |
| 39 | Identification and Heterologous Production of a Benzoyl-Primed Tricarboxylic Acid Polyketide Intermediate from the Zaragozaic Acid A Biosynthetic Pathway. <i>Organic Letters</i> , 2017, 19, 3560-3563. | 2.4 | 72 |
| 40 | Heterologous expression of cytotoxic sesquiterpenoids from the medicinal mushroom <i>Lignosus rhinocerotis</i> in yeast. <i>Microbial Cell Factories</i> , 2017, 16, 103. | 1.9 | 40 |
| 41 | Biosynthesis of the pyrrolidine protein synthesis inhibitor anisomycin involves novel gene ensemble and cryptic biosynthetic steps. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4135-4140. | 3.3 | 25 |
| 42 | <i>Aspergillus hancockii</i> sp. nov., a biosynthetically talented fungus endemic to southeastern Australian soils. <i>PLoS ONE</i> , 2017, 12, e0170254. | 1.1 | 35 |
| 43 | A Multifunctional Monooxygenase XanO4 Catalyzes Xanthone Formation in Xantholipin Biosynthesis via a Cryptic Demethoxylation. <i>Cell Chemical Biology</i> , 2016, 23, 508-516. | 2.5 | 31 |
| 44 | Epigenetic Genome Mining of an Endophytic Fungus Leads to the Pleiotropic Biosynthesis of Natural Products. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 7592-7596. | 7.2 | 76 |
| 45 | Involvement of Lipocalin-like CghA in Decalin-Forming Stereoselective Intramolecular [4+2] Cycloaddition. <i>ChemBioChem</i> , 2015, 16, 2294-2298. | 1.3 | 80 |
| 46 | Transcriptome Analysis Revealed Highly Expressed Genes Encoding Secondary Metabolite Pathways and Small Cysteine-Rich Proteins in the Sclerotium of <i>Lignosus rhinocerotis</i> . <i>PLoS ONE</i> , 2015, 10, e0143549. | 1.1 | 17 |
| 47 | Functional redundancy of necrotrophic effectors – consequences for exploitation for breeding. <i>Frontiers in Plant Science</i> , 2015, 6, 501. | 1.7 | 33 |
| 48 | <i>SnPKS19</i> Encodes the Polyketide Synthase for Alternariol Mycotoxin Biosynthesis in the Wheat Pathogen <i>Parastagonospora nodorum</i> . <i>Applied and Environmental Microbiology</i> , 2015, 81, 5309-5317. | 1.4 | 27 |
| 49 | Next-generation sequencing approach for connecting secondary metabolites to biosynthetic gene clusters in fungi. <i>Frontiers in Microbiology</i> , 2015, 5, 774. | 1.5 | 80 |
| 50 | Elucidation of the Concise Biosynthetic Pathway of the Communesin Indole Alkaloids. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 3004-3007. | 7.2 | 94 |
| 51 | Elucidation of the Concise Biosynthetic Pathway of the Communesin Indole Alkaloids. <i>Angewandte Chemie</i> , 2015, 127, 3047-3050. | 1.6 | 18 |
| 52 | An <i>In Planta</i> -Expressed Polyketide Synthase Produces (R)-Mellein in the Wheat Pathogen <i>Parastagonospora nodorum</i> . <i>Applied and Environmental Microbiology</i> , 2015, 81, 177-186. | 1.4 | 54 |
| 53 | Minimum Information about a Biosynthetic Gene cluster. <i>Nature Chemical Biology</i> , 2015, 11, 625-631. | 3.9 | 715 |
| 54 | Efficient Biosynthesis of Fungal Polyketides Containing the Dioxabicyclo-octane Ring System. <i>Journal of the American Chemical Society</i> , 2015, 137, 11904-11907. | 6.6 | 90 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | The past, present and future of secondary metabolite research in the <i>D</i> othideomycetes. <i>Molecular Plant Pathology</i> , 2015, 16, 92-107. | 2.0 | 49 |
| 56 | A genome-wide survey of the secondary metabolite biosynthesis genes in the wheat pathogen <i>Parastagonospora nodorum</i> . <i>Mycology</i> , 2014, 5, 192-206. | 2.0 | 24 |
| 57 | A chemical ecogenomics approach to understand the roles of secondary metabolites in fungal cereal pathogens. <i>Frontiers in Microbiology</i> , 2014, 5, 640. | 1.5 | 29 |
| 58 | Fungal Polyketide Synthase Product Chain-Length Control by Partnering Thiohydrolase. <i>ACS Chemical Biology</i> , 2014, 9, 1576-1586. | 1.6 | 54 |
| 59 | The genome of the Tiger Milk mushroom, <i>Lignosus rhinocerotis</i> , provides insights into the genetic basis of its medicinal properties. <i>BMC Genomics</i> , 2014, 15, 635. | 1.2 | 65 |
| 60 | Generation of Complexity in Fungal Terpene Biosynthesis: Discovery of a Multifunctional Cytochrome P450 in the Fumagillin Pathway. <i>Journal of the American Chemical Society</i> , 2014, 136, 4426-4436. | 6.6 | 87 |
| 61 | Complexity Generation in Fungal Polyketide Biosynthesis: A Spirocycle-Forming P450 in the Concise Pathway to the Antifungal Drug Griseofulvin. <i>ACS Chemical Biology</i> , 2013, 8, 2322-2330. | 1.6 | 85 |
| 62 | A Cytochrome P450 Serves as an Unexpected Terpene Cyclase during Fungal Meroterpenoid Biosynthesis. <i>Journal of the American Chemical Society</i> , 2013, 135, 16805-16808. | 6.6 | 65 |
| 63 | Genome Mining of a Prenylated and Immunosuppressive Polyketide from Pathogenic Fungi. <i>Organic Letters</i> , 2013, 15, 780-783. | 2.4 | 89 |
| 64 | LovG: The Thioesterase Required for Dihydromonacolin $\hat{\epsilon}$...L Release and Lovastatin Nonaketide Synthase Turnover in Lovastatin Biosynthesis. <i>Angewandte Chemie</i> , 2013, 125, 6600-6603. | 1.6 | 9 |
| 65 | The Fumagillin Biosynthetic Gene Cluster in <i>Aspergillus fumigatus</i> Encodes a Cryptic Terpene Cyclase Involved in the Formation of $\hat{1}^2$ - <i>trans</i> -Bergamotene. <i>Journal of the American Chemical Society</i> , 2013, 135, 4616-4619. | 6.6 | 159 |
| 66 | LovG: The Thioesterase Required for Dihydromonacolin $\hat{\epsilon}$...L Release and Lovastatin Nonaketide Synthase Turnover in Lovastatin Biosynthesis. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 6472-6475. | 7.2 | 100 |
| 67 | Discovery of Cryptic Polyketide Metabolites from Dermatophytes Using Heterologous Expression in <i>Aspergillus nidulans</i> . <i>ACS Synthetic Biology</i> , 2013, 2, 629-634. | 1.9 | 99 |
| 68 | Characterization of a Silent Azaphilone Gene Cluster from <i>Aspergillus niger</i> ATCC 1015 Reveals a Hydroxylation-Mediated Pyran-Ring Formation. <i>Chemistry and Biology</i> , 2012, 19, 1049-1059. | 6.2 | 148 |
| 69 | Navigating the Fungal Polyketide Chemical Space: From Genes to Molecules. <i>Journal of Organic Chemistry</i> , 2012, 77, 9933-9953. | 1.7 | 223 |
| 70 | Discovery and Characterization of a Group of Fungal Polycyclic Polyketide Prenyltransferases. <i>Journal of the American Chemical Society</i> , 2012, 134, 9428-9437. | 6.6 | 52 |
| 71 | Identification and Characterization of the Echinocandin B Biosynthetic Gene Cluster from <i>Emericella rugulosa</i> NRRL 11440. <i>Journal of the American Chemical Society</i> , 2012, 134, 16781-16790. | 6.6 | 123 |
| 72 | Characterization of the <i>Suillus grevillei</i> Quinone Synthetase GreA Supports a Nonribosomal Code for Aromatic $\hat{1}^{\pm}$ -Keto Acids. <i>ChemBioChem</i> , 2012, 13, 1798-1804. | 1.3 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Elucidation of Piericidin A1 Biosynthetic Locus Revealed a Thioesterase-Dependent Mechanism of Î±-Pyridone Ring Formation. <i>Chemistry and Biology</i> , 2012, 19, 243-253. | 6.2 | 38 |
| 74 | Comparative Characterization of Fungal Anthracenone and Naphthacenedione Biosynthetic Pathways Reveals an Î±-Hydroxylation-Dependent Claisen-like Cyclization Catalyzed by a Dimanganese Thioesterase. <i>Journal of the American Chemical Society</i> , 2011, 133, 15773-15785. | 6.6 | 81 |
| 75 | Fungal Indole Alkaloid Biosynthesis: Genetic and Biochemical Investigation of the Tryptoquialanine Pathway in <i>Penicillium aethiopicum</i> . <i>Journal of the American Chemical Society</i> , 2011, 133, 2729-2741. | 6.6 | 140 |
| 76 | Metabolic Engineering for the Production of Natural Products. <i>Annual Review of Chemical and Biomolecular Engineering</i> , 2011, 2, 211-236. | 3.3 | 255 |
| 77 | Identification and engineering of the cytochalasin gene cluster from <i>Aspergillus clavatus</i> NRRL 1. <i>Metabolic Engineering</i> , 2011, 13, 723-732. | 3.6 | 119 |
| 78 | Genetic characterization of enzymes involved in the priming steps of oxytetracycline biosynthesis in <i>Streptomyces rimosus</i> . <i>Microbiology (United Kingdom)</i> , 2011, 157, 2401-2409. | 0.7 | 18 |
| 79 | Identification of the Viridicatumtoxin and Griseofulvin Gene Clusters from <i>Penicillium aethiopicum</i> . <i>Chemistry and Biology</i> , 2010, 17, 483-494. | 6.2 | 168 |
| 80 | Adding the Lipo to Lipopeptides: Do More with Less. <i>Chemistry and Biology</i> , 2010, 17, 791-793. | 6.2 | 40 |
| 81 | Cloning and sequence characterization of a non-reducing polyketide synthase gene from the lichen <i>Xanthoparmelia semiviridis</i> . <i>Mycological Research</i> , 2008, 112, 147-161. | 2.5 | 53 |