

Julia Kozlitina

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1302492/julia-kozlitina-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

5,875
citations

25
h-index

57
g-index

57
ext. papers

7,263
ext. citations

12.7
avg, IF

5.36
L-index

#	Paper	IF	Citations
50	Cross-Sectional Associations of Objectively Measured Sedentary Time, Physical Activity, and Fitness With Cardiac Structure and Function: Findings From the Dallas Heart Study. <i>Journal of the American Heart Association</i> , 2021 , 10, e015601	6	1
49	Germline Saturation Mutagenesis Induces Skeletal Phenotypes in Mice. <i>Journal of Bone and Mineral Research</i> , 2021 , 36, 1548-1565	6.3	0
48	Genetic association and characterization of FSTL5 in isolated clubfoot. <i>Human Molecular Genetics</i> , 2021 , 29, 3717-3728	5.6	1
47	rs641738C>T near MBOAT7 is associated with liver fat, ALT and fibrosis in NAFLD: A meta-analysis. <i>Journal of Hepatology</i> , 2021 , 74, 20-30	13.4	24
46	Genetic and Metabolic Determinants of Plasma Levels of ANGPTL8. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, 1649-1667	5.6	2
45	Prevalence of pectus excavatum in an adult population-based cohort estimated from radiographic indices of chest wall shape. <i>PLoS ONE</i> , 2020 , 15, e0232575	3.7	7
44	Genetic Risk Factors and Disease Modifiers of Nonalcoholic Steatohepatitis. <i>Gastroenterology Clinics of North America</i> , 2020 , 49, 25-44	4.4	11
43	Clinical Exome Studies Have Inconsistent Coverage. <i>Clinical Chemistry</i> , 2020 , 66, 199-206	5.5	6
42	Prevalence of pectus excavatum in an adult population-based cohort estimated from radiographic indices of chest wall shape 2020 , 15, e0232575		
41	Prevalence of pectus excavatum in an adult population-based cohort estimated from radiographic indices of chest wall shape 2020 , 15, e0232575		
40	Prevalence of pectus excavatum in an adult population-based cohort estimated from radiographic indices of chest wall shape 2020 , 15, e0232575		
39	Prevalence of pectus excavatum in an adult population-based cohort estimated from radiographic indices of chest wall shape 2020 , 15, e0232575		
38	gene variation bridges atherogenic dyslipidemia with hepatic inflammation in NAFLD patients. <i>Journal of Lipid Research</i> , 2019 , 60, 1144-1153	6.3	27
37	An African-specific haplotype in MRGPRX4 is associated with menthol cigarette smoking. <i>PLoS Genetics</i> , 2019 , 15, e1007916	6	12
36	Telomere Length and Use of Immunosuppressive Medications in Idiopathic Pulmonary Fibrosis. <i>American Journal of Respiratory and Critical Care Medicine</i> , 2019 , 200, 336-347	10.2	41
35	Telomere length and genetic variant associations with interstitial lung disease progression and survival. <i>European Respiratory Journal</i> , 2019 , 53,	13.6	67
34	A GTPase-activating protein-binding protein (G3BP1)/antiviral protein relay conveys arteriosclerotic Wnt signals in aortic smooth muscle cells. <i>Journal of Biological Chemistry</i> , 2018 , 293, 7942-7968	5.4	16

33	Causal relationship of hepatic fat with liver damage and insulin resistance in nonalcoholic fatty liver. <i>Journal of Internal Medicine</i> , 2018 , 283, 356-370	10.8	140
32	A Protein-Truncating HSD17B13 Variant and Protection from Chronic Liver Disease. <i>New England Journal of Medicine</i> , 2018 , 378, 1096-1106	59.2	350
31	Association of African Ancestry With Electrocardiographic Voltage and Concentric Left Ventricular Hypertrophy: The Dallas Heart Study. <i>JAMA Cardiology</i> , 2018 , 3, 1167-1173	16.2	7
30	HSD17B13 and Chronic Liver Disease in Blacks and Hispanics. <i>New England Journal of Medicine</i> , 2018 , 379, 1876-1877	59.2	22
29	Relation of plasma ceramides to visceral adiposity, insulin resistance and the development of type 2 diabetes mellitus: the Dallas Heart Study. <i>Diabetologia</i> , 2018 , 61, 2570-2579	10.3	44
28	Telomere length in patients with pulmonary fibrosis associated with chronic lung allograft dysfunction and post-lung transplantation survival. <i>Journal of Heart and Lung Transplantation</i> , 2017 , 36, 845-853	5.8	53
27	Adiposity amplifies the genetic risk of fatty liver disease conferred by multiple loci. <i>Nature Genetics</i> , 2017 , 49, 842-847	36.3	184
26	Variability of cholesterol accessibility in human red blood cells measured using a bacterial cholesterol-binding toxin. <i>ELife</i> , 2017 , 6,	8.9	30
25	Telomere-related lung fibrosis is diagnostically heterogeneous but uniformly progressive. <i>European Respiratory Journal</i> , 2016 , 48, 1710-1720	13.6	164
24	Caspase-12, but Not Caspase-11, Inhibits Obesity and Insulin Resistance. <i>Journal of Immunology</i> , 2016 , 196, 437-47	5.3	12
23	Plasma Levels of Risk-Variant APOL1 Do Not Associate with Renal Disease in a Population-Based Cohort. <i>Journal of the American Society of Nephrology: JASN</i> , 2016 , 27, 3204-3219	12.7	47
22	The MBOAT7-TMC4 Variant rs641738 Increases Risk of Nonalcoholic Fatty Liver Disease in Individuals of European Descent. <i>Gastroenterology</i> , 2016 , 150, 1219-1230.e6	13.3	347
21	Genetic Variation in the TAS2R38 Bitter Taste Receptor and Smoking Behaviors. <i>PLoS ONE</i> , 2016 , 11, e0164157	3.7	25
20	Association Between Sedentary Time and Coronary Artery Calcium. <i>JACC: Cardiovascular Imaging</i> , 2016 , 9, 1470-1472	8.4	6
19	Wild-type microglia do not reverse pathology in mouse models of Rett syndrome. <i>Nature</i> , 2015 , 521, E1-4	50.4	119
18	A robust distribution-free test for genetic association studies of quantitative traits. <i>Statistical Applications in Genetics and Molecular Biology</i> , 2015 , 14, 443-64	1.2	5
17	Exome-wide association study identifies a TM6SF2 variant that confers susceptibility to nonalcoholic fatty liver disease. <i>Nature Genetics</i> , 2014 , 46, 352-6	36.3	695
16	Genetic, anatomic, and clinical determinants of human serum sterol and vitamin D levels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, E4006-14	11.5	51

15	Effect of telomere length on survival in patients with idiopathic pulmonary fibrosis: an observational cohort study with independent validation. <i>Lancet Respiratory Medicine</i> , 2014 , 2, 557-65 ^{35.1}	151
14	Inducible neuronal inactivation of Sim1 in adult mice causes hyperphagic obesity. <i>Endocrinology</i> , 2014 , 155, 2436-44	4.8 20
13	Effect of leukocyte telomere length on total and regional brain volumes in a large population-based cohort. <i>JAMA Neurology</i> , 2014 , 71, 1247-54	17.2 50
12	Ethnic differences in physical activity and metabolic risk: the Dallas Heart Study. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 1124-32	1.2 23
11	Frequency of the cholesteryl ester storage disease common LIPA E8SJM mutation (c.894G>A) in various racial and ethnic groups. <i>Hepatology</i> , 2013 , 58, 958-65	11.2 74
10	Atypical angiotensin-like protein that regulates ANGPTL3. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012 , 109, 19751-6	11.5 308
9	Red blood cell size is inversely associated with leukocyte telomere length in a large multi-ethnic population. <i>PLoS ONE</i> , 2012 , 7, e51046	3.7 33
8	Minimum Information about a Genotyping Experiment (MIGEN). <i>Standards in Genomic Sciences</i> , 2011 , 5, 224-9	2
7	Dissociation between APOC3 variants, hepatic triglyceride content and insulin resistance. <i>Hepatology</i> , 2011 , 53, 467-74	11.2 110
6	Population-based risk assessment of APOL1 on renal disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2011 , 22, 2098-105	12.7 164
5	Power of genetic association studies with fixed and random genotype frequencies. <i>Annals of Human Genetics</i> , 2010 , 74, 429-38	2.2 4
4	Rare loss-of-function mutations in ANGPTL family members contribute to plasma triglyceride levels in humans. <i>Journal of Clinical Investigation</i> , 2009 , 119, 70-9	15.9 277
3	Genetic variation in PNPLA3 confers susceptibility to nonalcoholic fatty liver disease. <i>Nature Genetics</i> , 2008 , 40, 1461-5	36.3 2115
2	Efficient survey sampling of households via Gaussian quadrature. <i>Journal of the Royal Statistical Society Series C: Applied Statistics</i> , 2006 , 55, 355-364	1.5 8
1	rs641738C>T near MBOAT7 is positively associated with liver fat, ALT, and histological severity of NAFLD: a meta-analysis	3