

Chi-Wang Shu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1302836/chi-wang-shu-publications-by-year.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

448 papers	40,392 citations	83 h-index	195 g-index
477 ext. papers	46,093 ext. citations	2.9 avg, IF	7.94 L-index

#	Paper	IF	Citations
448	An Essentially Oscillation-Free Discontinuous Galerkin Method for Hyperbolic Systems. <i>SIAM Journal of Scientific Computing</i> , 2022 , 44, A230-A259	2.6	0
447	High order entropy stable and positivity-preserving discontinuous Galerkin method for the nonlocal electron heat transport model. <i>Journal of Computational Physics</i> , 2022 , 454, 110945	4.1	1
446	Stability analysis of inverse Lax-Wendroff boundary treatment of high order compact difference schemes for parabolic equations. <i>Journal of Computational and Applied Mathematics</i> , 2022 , 400, 113711	2.4	2
445	Local discontinuous Galerkin methods for the carpet cloak model. <i>Annals of Mathematical Sciences and Applications</i> , 2022 , 7, 97-137	1.3	
444	A high order positivity-preserving conservative WENO remapping method on 3D tetrahedral meshes. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2022 , 395, 115037	5.7	0
443	Multi-symplectic discontinuous Galerkin methods for the stochastic Maxwell equations with additive noise. <i>Journal of Computational Physics</i> , 2022 , 461, 111199	4.1	1
442	High-resolution ILW outflow boundary treatment for the Navier-Stokes equations. <i>Computers and Fluids</i> , 2022 , 105506	2.8	
441	Stability of high order finite difference and local discontinuous Galerkin schemes with explicit-implicit-null time-marching for high order dissipative and dispersive equations. <i>Journal of Computational Physics</i> , 2022 , 464, 111314	4.1	
440	Provably physical-constraint-preserving discontinuous Galerkin methods for multidimensional relativistic MHD equations. <i>Numerische Mathematik</i> , 2021 , 148, 699-741	2.2	5
439	Weighted ghost fluid discontinuous Galerkin method for two-medium problems. <i>Journal of Computational Physics</i> , 2021 , 426, 109956	4.1	4
438	A Sequel of Inverse Lax-Wendroff High Order Wall Boundary Treatment for Conservation Laws. <i>Archives of Computational Methods in Engineering</i> , 2021 , 28, 2315-2329	7.8	2
437	A discontinuous Galerkin method and its error estimate for nonlinear fourth-order wave equations. <i>Journal of Computational and Applied Mathematics</i> , 2021 , 386, 113230	2.4	1
436	An inverse Lax-Wendroff procedure for hyperbolic conservation laws with changing wind direction on the boundary. <i>Journal of Computational Physics</i> , 2021 , 426, 109940	4.1	4
435	A high order positivity-preserving conservative WENO remapping method on 2D quadrilateral meshes. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2021 , 373, 113497	5.7	4
434	Central discontinuous Galerkin methods on overlapping meshes for wave equations. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2021 , 55, 329-356	1.8	
433	An Oscillation-free Discontinuous Galerkin Method for Scalar Hyperbolic Conservation Laws. <i>SIAM Journal on Numerical Analysis</i> , 2021 , 59, 1299-1324	2.4	2
432	A local discontinuous Galerkin method for nonlinear parabolic SPDEs. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2021 , 55, S187-S223	1.8	4

431	On a class of splines free of Gibbs phenomenon. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2021 , 55, S29-S64	1.8	4
430	High-order Runge-Kutta discontinuous Galerkin methods with multi-resolution WENO limiters for solving steady-state problems. <i>Applied Numerical Mathematics</i> , 2021 , 165, 482-499	2.5	2
429	Cell-average WENO with progressive order of accuracy close to discontinuities with applications to signal processing. <i>Applied Mathematics and Computation</i> , 2021 , 403, 126131	2.7	0
428	A high order conservative finite difference scheme for compressible two-medium flows. <i>Journal of Computational Physics</i> , 2021 , 445, 110597	4.1	2
427	Multi-resolution HWENO schemes for hyperbolic conservation laws. <i>Journal of Computational Physics</i> , 2021 , 446, 110653	4.1	0
426	Existence and Computation of Solutions of a Model of Traffic Involving Hysteresis. <i>SIAM Journal on Applied Mathematics</i> , 2020 , 80, 2319-2337	1.8	0
425	On moving mesh WENO schemes with characteristic boundary conditions for Hamilton-Jacobi equations. <i>Computers and Fluids</i> , 2020 , 205, 104582	2.8	1
424	On the conservation of finite difference WENO schemes in non-rectangular domains using the inverse Lax-Wendroff boundary treatments. <i>Journal of Computational Physics</i> , 2020 , 415, 109516	4.1	3
423	Preface to the Focused Issue in Honor of Professor Philip Roe on the Occasion of His 80th Birthday. <i>Communications on Applied Mathematics and Computation</i> , 2020 , 2, 319-320	0.9	
422	Well-Balanced Finite-Volume Schemes for Hydrodynamic Equations with General Free Energy. <i>Multiscale Modeling and Simulation</i> , 2020 , 18, 502-541	1.8	7
421	On a new WENO algorithm of order $2r$ with improved accuracy close to discontinuities. <i>Applied Mathematics Letters</i> , 2020 , 105, 106298	3.5	5
420	An Ultra-Weak Discontinuous Galerkin Method with Implicit/Explicit Time-Marching for Generalized Stochastic KdV Equations. <i>Journal of Scientific Computing</i> , 2020 , 82, 1	2.3	2
419	Optimal error estimates of the semidiscrete discontinuous Galerkin methods for two dimensional hyperbolic equations on Cartesian meshes using Pk elements. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2020 , 54, 705-726	1.8	2
418	A New WENO-2 $\frac{r}{s}$ Algorithm with Progressive Order of Accuracy Close to Discontinuities. <i>SIAM Journal on Numerical Analysis</i> , 2020 , 58, 3448-3474	2.4	2
417	Essentially non-oscillatory and weighted essentially non-oscillatory schemes. <i>Acta Numerica</i> , 2020 , 29, 701-762	15.1	12
416	An ultraweak-local discontinuous Galerkin method for PDEs with high order spatial derivatives. <i>Mathematics of Computation</i> , 2020 , 89, 2753-2783	1.6	4
415	High-order Runge-Kutta discontinuous Galerkin methods with a new type of multi-resolution WENO limiters. <i>Journal of Computational Physics</i> , 2020 , 404, 109105	4.1	14
414	A Discontinuous Galerkin Method for Stochastic Conservation Laws. <i>SIAM Journal of Scientific Computing</i> , 2020 , 42, A54-A86	2.6	7

4 ¹³	A new type of third-order finite volume multi-resolution WENO schemes on tetrahedral meshes. <i>Journal of Computational Physics</i> , 2020 , 406, 109212	4.1	13
4 ¹²	Analysis of optimal superconvergence of an ultraweak-local discontinuous Galerkin method for a time dependent fourth-order equation. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2020 , 54, 1797-1820	1.8	2
4 ¹¹	Superconvergence Analysis of the Runge-Kutta Discontinuous Galerkin Methods for a Linear Hyperbolic Equation. <i>Journal of Scientific Computing</i> , 2020 , 84, 1	2.3	4
4 ¹⁰	Entropy Symmetrization and High-Order Accurate Entropy Stable Numerical Schemes for Relativistic MHD Equations. <i>SIAM Journal of Scientific Computing</i> , 2020 , 42, A2230-A2261	2.6	10
4 ⁰⁹	High order conservative Lagrangian schemes for one-dimensional radiation hydrodynamics equations in the equilibrium-diffusion limit. <i>Journal of Computational Physics</i> , 2020 , 421, 109724	4.1	2
4 ⁰⁸	Error Estimate of the Fourth-Order Runge-Kutta Discontinuous Galerkin Methods for Linear Hyperbolic Equations. <i>SIAM Journal on Numerical Analysis</i> , 2020 , 58, 2885-2914	2.4	4
4 ⁰⁷	Local discontinuous Galerkin methods with explicit-implicit-null time discretizations for solving nonlinear diffusion problems. <i>Science China Mathematics</i> , 2020 , 63, 183-204	0.8	11
4 ⁰⁶	Convergence to Steady-State Solutions of the New Type of High-Order Multi-resolution WENO Schemes: a Numerical Study. <i>Communications on Applied Mathematics and Computation</i> , 2020 , 2, 429-460	0.9	6
4 ⁰⁵	Completed repeated Richardson extrapolation for compressible fluid flows. <i>Applied Mathematical Modelling</i> , 2020 , 77, 724-737	4.5	
4 ⁰⁴	High-order Runge-Kutta discontinuous Galerkin methods with a new type of multi-resolution WENO limiters on triangular meshes. <i>Applied Numerical Mathematics</i> , 2020 , 153, 519-539	2.5	8
4 ⁰³	Preface to the Focused Issue on Fractional Derivatives and General Nonlocal Models. <i>Communications on Applied Mathematics and Computation</i> , 2019 , 1, 503-504	0.9	2
4 ⁰²	On the time growth of the error of the DG method for advective problems. <i>IMA Journal of Numerical Analysis</i> , 2019 , 39, 687-712	1.8	1
4 ⁰¹	Strong Stability of Explicit Runge-Kutta Time Discretizations. <i>SIAM Journal on Numerical Analysis</i> , 2019 , 57, 1158-1182	2.4	13
4 ⁰⁰	Bounded and compact weighted essentially nonoscillatory limiters for discontinuous Galerkin schemes: Triangular elements. <i>Journal of Computational Physics</i> , 2019 , 395, 461-488	4.1	5
399	Optimal energy-conserving discontinuous Galerkin methods for linear symmetric hyperbolic systems. <i>Journal of Computational Physics</i> , 2019 , 394, 329-363	4.1	5
398	On New Strategies to Control the Accuracy of WENO Algorithms Close to Discontinuities. <i>SIAM Journal on Numerical Analysis</i> , 2019 , 57, 1205-1237	2.4	5
397	Certified Offline-Free Reduced Basis (COFRB) Methods for Stochastic Differential Equations Driven by Arbitrary Types of Noise. <i>Journal of Scientific Computing</i> , 2019 , 81, 1210-1239	2.3	2
396	Provably positive high-order schemes for ideal magnetohydrodynamics: analysis on general meshes. <i>Numerische Mathematik</i> , 2019 , 142, 995-1047	2.2	17

395	Superconvergence of Energy-Conserving Discontinuous Galerkin Methods for Linear Hyperbolic Equations. <i>Communications on Applied Mathematics and Computation</i> , 2019 , 1, 101-116	0.9	4
394	A new type of multi-resolution WENO schemes with increasingly higher order of accuracy on triangular meshes. <i>Journal of Computational Physics</i> , 2019 , 392, 19-33	4.1	24
393	Foreword by the Editor-in-Chief. <i>Communications on Applied Mathematics and Computation</i> , 2019 , 1, 1-1	0.9	1
392	Stability analysis and error estimates of arbitrary Lagrangian-Eulerian discontinuous Galerkin method coupled with Runge-Kutta time-marching for linear conservation laws. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2019 , 53, 105-144	1.8	6
391	Numerical solutions of stochastic PDEs driven by arbitrary type of noise. <i>Stochastics and Partial Differential Equations: Analysis and Computations</i> , 2019 , 7, 1-39	0.9	
390	A brief review on the convergence to steady state solutions of Euler equations with high-order WENO schemes. <i>Advances in Aerodynamics</i> , 2019 , 1,	2.2	9
389	The L^2 -norm Stability Analysis of Runge-Kutta Discontinuous Galerkin Methods for Linear Hyperbolic Equations. <i>SIAM Journal on Numerical Analysis</i> , 2019 , 57, 1574-1601	2.4	8
388	Assessment of aeroacoustic resolution properties of DG schemes and comparison with DRP schemes. <i>Journal of Computational Physics</i> , 2019 , 399, 108960	4.1	2
387	An entropy stable high-order discontinuous Galerkin method for cross-diffusion gradient flow systems. <i>Kinetic and Related Models</i> , 2019 , 12, 885-908	2.4	6
386	High order finite difference hermite WENO schemes for the Hamilton-Jacobi equations on unstructured meshes. <i>Computers and Fluids</i> , 2019 , 183, 53-65	2.8	4
385	Implicit-Explicit Local Discontinuous Galerkin Methods with Generalized Alternating Numerical Fluxes for Convection-Diffusion Problems. <i>Journal of Scientific Computing</i> , 2019 , 81, 2080-2114	2.3	10
384	A Third-Order Unconditionally Positivity-Preserving Scheme for Production-Destruction Equations with Applications to Non-equilibrium Flows. <i>Journal of Scientific Computing</i> , 2019 , 79, 1015-1056	2.3	8
383	Exponential Scaling and the Time Growth of the Error of DG for Advection-Reaction Problems. <i>Lecture Notes in Computational Science and Engineering</i> , 2019 , 963-971	0.3	
382	Positivity-Preserving Time Discretizations for Production-Destruction Equations with Applications to Non-equilibrium Flows. <i>Journal of Scientific Computing</i> , 2019 , 78, 1811-1839	2.3	13
381	An energy-conserving ultra-weak discontinuous Galerkin method for the generalized Korteweg-de Vries equation. <i>Journal of Computational and Applied Mathematics</i> , 2019 , 349, 41-51	2.4	4
380	Modeling and simulation of urban air pollution from the dispersion of vehicle exhaust: A continuum modeling approach. <i>International Journal of Sustainable Transportation</i> , 2019 , 13, 722-740	3.6	6
379	Bound-preserving modified exponential Runge-Kutta discontinuous Galerkin methods for scalar hyperbolic equations with stiff source terms. <i>Journal of Computational Physics</i> , 2018 , 361, 111-135	4.1	15
378	Optimal Error Estimates of the Semidiscrete Central Discontinuous Galerkin Methods for Linear Hyperbolic Equations. <i>SIAM Journal on Numerical Analysis</i> , 2018 , 56, 520-541	2.4	5

377	Implicit Positivity-Preserving High-Order Discontinuous Galerkin Methods for Conservation Laws. <i>SIAM Journal of Scientific Computing</i> , 2018 , 40, A81-A107	2.6	13
376	Conservative High Order Positivity-Preserving Discontinuous Galerkin Methods for Linear Hyperbolic and Radiative Transfer Equations. <i>Journal of Scientific Computing</i> , 2018 , 77, 1801-1831	2.3	2
375	Superconvergence of Discontinuous Galerkin Method for Scalar Nonlinear Hyperbolic Equations. <i>SIAM Journal on Numerical Analysis</i> , 2018 , 56, 732-765	2.4	20
374	Reprint of: Positivity-preserving and symmetry-preserving Lagrangian schemes for compressible Euler equations in cylindrical coordinates. <i>Computers and Fluids</i> , 2018 , 169, 230-248	2.8	
373	On local conservation of numerical methods for conservation laws. <i>Computers and Fluids</i> , 2018 , 169, 3-9	2.8	8
372	A discontinuous Galerkin method for nonlinear parabolic equations and gradient flow problems with interaction potentials. <i>Journal of Computational Physics</i> , 2018 , 352, 76-104	4.1	25
371	Discontinuous Galerkin methods for Maxwell's equations in Drude metamaterials on unstructured meshes. <i>Journal of Computational and Applied Mathematics</i> , 2018 , 342, 147-163	2.4	9
370	Entropy stable high order discontinuous Galerkin methods for ideal compressible MHD on structured meshes. <i>Journal of Computational Physics</i> , 2018 , 354, 163-178	4.1	24
369	Local discontinuous Galerkin methods with implicit-explicit time-marching for time-dependent incompressible fluid flow. <i>Mathematics of Computation</i> , 2018 , 88, 91-121	1.6	8
368	A Foreword to the Special Issue in Honor of Professor Bernardo Cockburn on His 60th Birthday: A Life Time of Discontinuous Schemings. <i>Journal of Scientific Computing</i> , 2018 , 77, 1303-1309	2.3	
367	A Provably Positive Discontinuous Galerkin Method for Multidimensional Ideal Magnetohydrodynamics. <i>SIAM Journal of Scientific Computing</i> , 2018 , 40, B1302-B1329	2.6	14
366	A new type of multi-resolution WENO schemes with increasingly higher order of accuracy. <i>Journal of Computational Physics</i> , 2018 , 375, 659-683	4.1	43
365	Third order implicit-explicit Runge-Kutta local discontinuous Galerkin methods with suitable boundary treatment for convection-diffusion problems with Dirichlet boundary conditions. <i>Journal of Computational and Applied Mathematics</i> , 2018 , 342, 164-179	2.4	17
364	Discontinuous Galerkin methods for a kinetic model of self-organized dynamics. <i>Mathematical Models and Methods in Applied Sciences</i> , 2018 , 28, 1171-1197	3.5	0
363	Bound-Preserving High-Order Schemes for Hyperbolic Equations: Survey and Recent Developments. <i>Springer Proceedings in Mathematics and Statistics</i> , 2018 , 591-603	0.2	3
362	A phase-based interior penalty discontinuous Galerkin method for the Helmholtz equation with spatially varying wavenumber. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017 , 318, 456-473	5.7	7
361	Finite difference Hermite WENO schemes for the Hamilton-Jacobi equations. <i>Journal of Computational Physics</i> , 2017 , 337, 27-41	4.1	16
360	Runge-Kutta Discontinuous Galerkin Method with a Simple and Compact Hermite WENO Limiter on Unstructured Meshes. <i>Communications in Computational Physics</i> , 2017 , 21, 623-649	2.4	23

359	A second-order asymptotic-preserving and positivity-preserving discontinuous Galerkin scheme for the Kerr-Debye model. <i>Mathematical Models and Methods in Applied Sciences</i> , 2017 , 27, 549-579	3.5	14
358	Discontinuous Galerkin deterministic solvers for a Boltzmann-Poisson model of hot electron transport by averaged empirical pseudopotential band structures. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017 , 321, 209-234	5.7	1
357	A Simple Bound-Preserving Sweeping Technique for Conservative Numerical Approximations. <i>Journal of Scientific Computing</i> , 2017 , 73, 1028-1071	2.3	2
356	Entropy stable high order discontinuous Galerkin methods with suitable quadrature rules for hyperbolic conservation laws. <i>Journal of Computational Physics</i> , 2017 , 345, 427-461	4.1	98
355	Bound-Preserving High Order Finite Volume Schemes for Conservation Laws and Convection-Diffusion Equations. <i>Springer Proceedings in Mathematics and Statistics</i> , 2017 , 3-14	0.2	2
354	Optimal non-dissipative discontinuous Galerkin methods for Maxwell's equations in Drude metamaterials. <i>Computers and Mathematics With Applications</i> , 2017 , 73, 1760-1780	2.7	28
353	Local Discontinuous Galerkin Method for the Keller-Segel Chemotaxis Model. <i>Journal of Scientific Computing</i> , 2017 , 73, 943-967	2.3	30
352	Discontinuous Galerkin Methods for Weakly Coupled Hyperbolic MultiDomain Problems. <i>SIAM Journal of Scientific Computing</i> , 2017 , 39, A2201-A2230	2.6	
351	Runge-Kutta and Lax-Wendroff discontinuous Galerkin methods for linear conservation laws 2017 ,		1
350	Positivity-preserving and symmetry-preserving Lagrangian schemes for compressible Euler equations in cylindrical coordinates. <i>Computers and Fluids</i> , 2017 , 157, 112-130	2.8	5
349	Unconditional Energy Stability Analysis of a Second Order Implicit-Explicit Local Discontinuous Galerkin Method for the Cahn-Hilliard Equation. <i>Journal of Scientific Computing</i> , 2017 , 73, 1178-1203	2.3	16
348	Numerical study on the convergence to steady state solutions of a new class of high order WENO schemes. <i>Journal of Computational Physics</i> , 2017 , 349, 80-96	4.1	15
347	A new troubled-cell indicator for discontinuous Galerkin methods for hyperbolic conservation laws. <i>Journal of Computational Physics</i> , 2017 , 347, 305-327	4.1	25
346	Maximum-principle-satisfying space-time conservation element and solution element scheme applied to compressible multifluids. <i>Journal of Computational Physics</i> , 2017 , 330, 668-692	4.1	28
345	Stability Analysis of the Inverse Lax-Wendroff Boundary Treatment for High Order Central Difference Schemes for Diffusion Equations. <i>Journal of Scientific Computing</i> , 2017 , 70, 576-607	2.3	9
344	Error estimates to smooth solutions of semi-discrete discontinuous Galerkin methods with quadrature rules for scalar conservation laws. <i>Numerical Methods for Partial Differential Equations</i> , 2017 , 33, 467-488	2.5	8
343	Stability analysis and error estimates of Lax-Wendroff discontinuous Galerkin methods for linear conservation laws. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2017 , 51, 1063-1087	1.8	3
342	Superconvergence of discontinuous Galerkin methods for 1-D linear hyperbolic equations with degenerate variable coefficients. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2017 , 51, 2213-2235	1.8	12

341	Stability analysis and error estimates of local discontinuous Galerkin methods with implicit-explicit time-marching for the time-dependent fourth order PDEs. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2017 , 51, 1931-1955	1.8	6
340	Stability of the fourth order Runge-Kutta method for time-dependent partial differential equations. <i>Annals of Mathematical Sciences and Applications</i> , 2017 , 2, 255-284	1.3	14
339	A New Multiscale Discontinuous Galerkin Method for the One-Dimensional Stationary Schrödinger Equation. <i>Journal of Scientific Computing</i> , 2016 , 66, 321-345	2.3	6
338	Stability analysis and error estimates of local discontinuous Galerkin methods with implicit-explicit time-marching for nonlinear convection-diffusion problems. <i>Applied Mathematics and Computation</i> , 2016 , 272, 237-258	2.7	33
337	High Order Fixed-Point Sweeping WENO Methods for Steady State of Hyperbolic Conservation Laws and Its Convergence Study. <i>Communications in Computational Physics</i> , 2016 , 20, 835-869	2.4	14
336	Stability analysis of the inverse Lax-Wendroff boundary treatment for high order upwind-biased finite difference schemes. <i>Journal of Computational and Applied Mathematics</i> , 2016 , 299, 140-158	2.4	15
335	Analysis of the local discontinuous Galerkin method for the drift-diffusion model of semiconductor devices. <i>Science China Mathematics</i> , 2016 , 59, 115-140	0.8	19
334	Positivity-preserving cell-centered Lagrangian schemes for multi-material compressible flows: From first-order to high-orders. Part II: The two-dimensional case. <i>Journal of Computational Physics</i> , 2016 , 312, 416-442	4.1	23
333	Positivity-preserving cell-centered Lagrangian schemes for multi-material compressible flows: From first-order to high-orders. Part I: The one-dimensional case. <i>Journal of Computational Physics</i> , 2016 , 312, 385-415	4.1	21
332	High Order and High Resolution Numerical Schemes for Computational Aeroacoustics and Their Applications. <i>Lecture Notes in Mechanical Engineering</i> , 2016 , 27-32	0.4	1
331	Runge-Kutta Discontinuous Galerkin Method with a Simple and Compact Hermite WENO Limiter. <i>Communications in Computational Physics</i> , 2016 , 19, 944-969	2.4	39
330	A High Order Stable Conservative Method for Solving Hyperbolic Conservation Laws on Arbitrarily Distributed Point Clouds. <i>SIAM Journal of Scientific Computing</i> , 2016 , 38, A3094-A3128	2.6	0
329	H(div) conforming and DG methods for incompressible Euler equations. <i>IMA Journal of Numerical Analysis</i> , 2016 , drw054	1.8	5
328	Local discontinuous Galerkin methods with implicit-explicit time-marching for multi-dimensional convection-diffusion problems. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2016 , 50, 1083-1105	1.8	33
327	Bound-preserving discontinuous Galerkin methods for relativistic hydrodynamics. <i>Journal of Computational Physics</i> , 2016 , 315, 323-347	4.1	37
326	Inverse Lax-Wendroff procedure for numerical boundary conditions of convection-diffusion equations. <i>Journal of Computational Physics</i> , 2016 , 317, 276-300	4.1	23
325	High order WENO and DG methods for time-dependent convection-dominated PDEs: A brief survey of several recent developments. <i>Journal of Computational Physics</i> , 2016 , 316, 598-613	4.1	89
324	High Order Positivity-Preserving Discontinuous Galerkin Methods for Radiative Transfer Equations. <i>SIAM Journal of Scientific Computing</i> , 2016 , 38, A2987-A3019	2.6	11

323	Discontinuous Galerkin Methods for Time-Dependent Convection Dominated Problems: Basics, Recent Developments and Comparison with Other Methods. <i>Lecture Notes in Computational Science and Engineering</i> , 2016 , 371-399	0.3	7
322	An efficient class of WENO schemes with adaptive order. <i>Journal of Computational Physics</i> , 2016 , 326, 780-804	4.1	118
321	Three-dimensional ghost-fluid large-scale numerical investigation on air explosion. <i>Computers and Fluids</i> , 2016 , 137, 70-79	2.8	11
320	Reformulating the Hoogendoorn-Bovy predictive dynamic user-optimal model in continuum space with anisotropic condition. <i>Transportation Research Part B: Methodological</i> , 2015 , 79, 189-217	7.2	7
319	Recovering Exponential Accuracy in Fourier Spectral Methods Involving Piecewise Smooth Functions with Unbounded Derivative Singularities. <i>Journal of Scientific Computing</i> , 2015 , 65, 1145-1165 ^{2.3}		2
318	High-order finite difference WENO schemes with positivity-preserving limiter for correlated random walk with density-dependent turning rates. <i>Mathematical Models and Methods in Applied Sciences</i> , 2015 , 25, 1553-1588	3.5	5
317	High Order Finite Difference Methods with Subcell Resolution for Stiff Multispecies Discontinuity Capturing. <i>Communications in Computational Physics</i> , 2015 , 17, 317-336	2.4	13
316	Superconvergence of Discontinuous Galerkin Methods for Two-Dimensional Hyperbolic Equations. <i>SIAM Journal on Numerical Analysis</i> , 2015 , 53, 1651-1671	2.4	39
315	Parallel adaptive mesh refinement method based on WENO finite difference scheme for the simulation of multi-dimensional detonation. <i>Journal of Computational Physics</i> , 2015 , 298, 161-175	4.1	25
314	A simple weighted essentially non-oscillatory limiter for the correction procedure via reconstruction (CPR) framework. <i>Applied Numerical Mathematics</i> , 2015 , 95, 173-198	2.5	16
313	Development and stability analysis of the inverse Lax-Wendroff boundary treatment for central compact schemes. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2015 , 49, 39-67	1.8	16
312	A priori error estimates to smooth solutions of the third order Runge-Kutta discontinuous Galerkin method for symmetrizable systems of conservation laws. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2015 , 49, 991-1018	1.8	12
311	Convergence of discontinuous Galerkin schemes for front propagation with obstacles. <i>Mathematics of Computation</i> , 2015 , 85, 2131-2159	1.6	2
310	Numerical Solution of the Viscous Surface Wave with Discontinuous Galerkin Method. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2015 , 49, 1019-1046	1.8	1
309	Optimal error estimates for discontinuous Galerkin methods based on upwind-biased fluxes for linear hyperbolic equations. <i>Mathematics of Computation</i> , 2015 , 85, 1225-1261	1.6	52
308	A new class of central compact schemes with spectral-like resolution II: Hybrid weighted nonlinear schemes. <i>Journal of Computational Physics</i> , 2015 , 284, 133-154	4.1	38
307	Stability and Error Estimates of Local Discontinuous Galerkin Methods with Implicit-Explicit Time-Marching for Advection-Diffusion Problems. <i>SIAM Journal on Numerical Analysis</i> , 2015 , 53, 206-227 ^{2.4}		71
306	A simple weighted essentially non-oscillatory limiter for the correction procedure via reconstruction (CPR) framework on unstructured meshes. <i>Applied Numerical Mathematics</i> , 2015 , 90, 146-167 ^{2.5}		14

305	Positivity-preserving Lagrangian scheme for multi-material compressible flow. <i>Journal of Computational Physics</i> , 2014 , 257, 143-168	4.1	50
304	Recovering exponential accuracy from collocation point values of smooth functions with end-point singularities. <i>Journal of Computational and Applied Mathematics</i> , 2014 , 265, 83-95	2.4	3
303	Discontinuous Galerkin Method for Time-Dependent Problems: Survey and Recent Developments. <i>The IMA Volumes in Mathematics and Its Applications</i> , 2014 , 25-62	0.5	17
302	Second order symmetry-preserving conservative Lagrangian scheme for compressible Euler equations in two-dimensional cylindrical coordinates. <i>Journal of Computational Physics</i> , 2014 , 272, 245-265	4.1	15
301	Optimal energy conserving local discontinuous Galerkin methods for second-order wave equation in heterogeneous media. <i>Journal of Computational Physics</i> , 2014 , 272, 88-107	4.1	48
300	Error estimates for the third order explicit Runge-Kutta discontinuous Galerkin method for a linear hyperbolic equation in one-dimension with discontinuous initial data. <i>Numerische Mathematik</i> , 2014 , 126, 703-740	2.2	29
299	A discontinuous Galerkin scheme for front propagation with obstacles. <i>Numerische Mathematik</i> , 2014 , 126, 1-31	2.2	8
298	Multi-scale Discontinuous Galerkin Method for Solving Elliptic Problems with Curvilinear Unidirectional Rough Coefficients. <i>Journal of Scientific Computing</i> , 2014 , 61, 42-60	2.3	7
297	Free-stream preserving finite difference schemes on curvilinear meshes. <i>Methods and Applications of Analysis</i> , 2014 , 21, 1-30	0.3	21
296	Discontinuous Galerkin method for hyperbolic equations involving $(\delta)_-$ -singularities: negative-order norm error estimates and applications. <i>Numerische Mathematik</i> , 2013 , 124, 753-781	2.2	41
295	A homotopy method based on WENO schemes for solving steady state problems of hyperbolic conservation laws. <i>Journal of Computational Physics</i> , 2013 , 250, 332-346	4.1	26
294	Stability analysis and a priori error estimate of explicit Runge-Kutta discontinuous Galerkin methods for correlated random walk with density-dependent turning rates. <i>Science China Mathematics</i> , 2013 , 56, 2645-2676	0.8	3
293	Improvement of convergence to steady state solutions of Euler equations with weighted compact nonlinear schemes. <i>Acta Mathematicae Applicatae Sinica</i> , 2013 , 29, 449-464	0.3	5
292	An Alternative Formulation of Finite Difference Weighted ENO Schemes with Lax-Wendroff Time Discretization for Conservation Laws. <i>SIAM Journal of Scientific Computing</i> , 2013 , 35, A1137-A1160	2.6	51
291	Positivity-preserving method for high-order conservative schemes solving compressible Euler equations. <i>Journal of Computational Physics</i> , 2013 , 242, 169-180	4.1	112
290	High Order Well-Balanced WENO Scheme for the Gas Dynamics Equations Under Gravitational Fields. <i>Journal of Scientific Computing</i> , 2013 , 54, 645-662	2.3	58
289	Discontinuous Galerkin method for Krause consensus models and pressureless Euler equations. <i>Journal of Computational Physics</i> , 2013 , 252, 109-127	4.1	33
288	Revisiting Jiang dynamic continuum model for urban cities. <i>Transportation Research Part B: Methodological</i> , 2013 , 56, 96-119	7.2	23

287	A new class of central compact schemes with spectral-like resolution I: Linear schemes. <i>Journal of Computational Physics</i> , 2013 , 248, 235-256	4.1	42
286	Spurious behavior of shock-capturing methods by the fractional step approach: Problems containing stiff source terms and discontinuities. <i>Journal of Computational Physics</i> , 2013 , 241, 266-291	4.1	31
285	Classification and sound generation of two-dimensional interaction of two Taylor vortices. <i>Physics of Fluids</i> , 2013 , 25, 056103	4.4	9
284	THE ANGULAR DISTRIBUTION OF Ly α -RESONANT PHOTONS EMERGING FROM AN OPTICALLY THICK MEDIUM. <i>Astrophysical Journal</i> , 2013 , 772, 3	4.7	6
283	Runge-Kutta discontinuous Galerkin method using a new type of WENO limiters on unstructured meshes. <i>Journal of Computational Physics</i> , 2013 , 248, 200-220	4.1	104
282	A simple weighted essentially nonoscillatory limiter for Runge-Kutta discontinuous Galerkin methods. <i>Journal of Computational Physics</i> , 2013 , 232, 397-415	4.1	112
281	Maximum-principle-satisfying second order discontinuous Galerkin schemes for convection-diffusion equations on triangular meshes. <i>Journal of Computational Physics</i> , 2013 , 234, 295-316	4.1	67
280	High resolution WENO simulation of 3D detonation waves. <i>Combustion and Flame</i> , 2013 , 160, 447-462	5.3	46
279	TURBULENCE IN THE INTERGALACTIC MEDIUM: SOLENOIDAL AND DILATATIONAL MOTIONS AND THE IMPACT OF NUMERICAL VISCOSITY. <i>Astrophysical Journal</i> , 2013 , 777, 48	4.7	18
278	On high-order accurate weighted essentially non-oscillatory and discontinuous Galerkin schemes for compressible turbulence simulations. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2013 , 371, 20120172	3	5
277	Energy conserving local discontinuous Galerkin methods for wave propagation problems. <i>Inverse Problems and Imaging</i> , 2013 , 7, 967-986	2.1	35
276	Survey on discontinuous Galerkin methods for Hamilton-Jacobi equations. <i>Contemporary Mathematics</i> , 2013 , 323-330	1.6	2
275	Inverse Lax-Wendroff Procedure for Numerical Boundary Conditions of Hyperbolic Equations: Survey and New Developments. <i>Fields Institute Communications</i> , 2013 , 41-63	0.4	5
274	High order finite difference methods with subcell resolution for advection equations with stiff source terms. <i>Journal of Computational Physics</i> , 2012 , 231, 190-214	4.1	40
273	Robust high order discontinuous Galerkin schemes for two-dimensional gaseous detonations. <i>Journal of Computational Physics</i> , 2012 , 231, 653-665	4.1	90
272	Positivity-preserving high order finite difference WENO schemes for compressible Euler equations. <i>Journal of Computational Physics</i> , 2012 , 231, 2245-2258	4.1	118
271	Efficient implementation of high order inverse Lax-Wendroff boundary treatment for conservation laws. <i>Journal of Computational Physics</i> , 2012 , 231, 2510-2527	4.1	65
270	Maximum-Principle-Satisfying and Positivity-Preserving High Order Discontinuous Galerkin Schemes for Conservation Laws on Triangular Meshes. <i>Journal of Scientific Computing</i> , 2012 , 50, 29-62	2.3	121

269	Superconvergence of Discontinuous Galerkin Methods for Scalar Nonlinear Conservation Laws in One Space Dimension. <i>SIAM Journal on Numerical Analysis</i> , 2012 , 50, 2336-2356	2.4	47
268	Optimal Error Estimates of the Semidiscrete Local Discontinuous Galerkin Methods for High Order Wave Equations. <i>SIAM Journal on Numerical Analysis</i> , 2012 , 50, 79-104	2.4	67
267	Analysis of Optimal Superconvergence of Discontinuous Galerkin Method for Linear Hyperbolic Equations. <i>SIAM Journal on Numerical Analysis</i> , 2012 , 50, 3110-3133	2.4	66
266	Maximum-principle-satisfying High Order Finite Volume Weighted Essentially Nonoscillatory Schemes for Convection-diffusion Equations. <i>SIAM Journal of Scientific Computing</i> , 2012 , 34, A627-A658	2.6	19
265	WENO Scheme with Subcell Resolution for Computing Nonconservative Euler Equations with Applications to One-Dimensional Compressible Two-Medium Flows. <i>Journal of Scientific Computing</i> , 2012 , 53, 222-247	2.3	12
264	DISCONTINUOUS GALERKIN METHODS FOR THE MULTI-DIMENSIONAL VLASOV-BOISSON PROBLEM. <i>Mathematical Models and Methods in Applied Sciences</i> , 2012 , 22, 1250042	3.5	26
263	A Conservative Lagrangian Scheme for Solving Compressible Fluid Flows with Multiple Internal Energy Equations. <i>Communications in Computational Physics</i> , 2012 , 12, 1307-1328	2.4	5
262	A minimum entropy principle of high order schemes for gas dynamics equations. <i>Numerische Mathematik</i> , 2012 , 121, 545-563	2.2	29
261	Improvement on Spherical Symmetry in Two-Dimensional Cylindrical Coordinates for a Class of Control Volume Lagrangian Schemes. <i>Communications in Computational Physics</i> , 2012 , 11, 1144-1168	2.4	17
260	Recent developments on the Lagrangian and remapping methods for compressible fluid flows 2012 , 9-19		
259	A brief survey of the discontinuous Galerkin method for the Boltzmann-Poisson equations. <i>Boletín De La Sociedad Española De Matemática Aplicada</i> , 2011 , 54, 47-64		16
258	A Discontinuous Galerkin Solver for Front Propagation. <i>SIAM Journal of Scientific Computing</i> , 2011 , 33, 923-938	2.6	5
257	High Order Finite Difference WENO Schemes for Nonlinear Degenerate Parabolic Equations. <i>SIAM Journal of Scientific Computing</i> , 2011 , 33, 939-965	2.6	43
256	Central local discontinuous galerkin methods on overlapping cells for diffusion equations. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2011 , 45, 1009-1032	1.8	21
255	Local Discontinuous Galerkin Methods for the Degasperis-Procesi Equation. <i>Communications in Computational Physics</i> , 2011 , 10, 474-508	2.4	9
254	Local Discontinuous Galerkin Methods for the Degasperis-Procesi Equation. <i>Communications in Computational Physics</i> , 2011 , 10, 474-508	2.4	19
253	On the Order of Accuracy and Numerical Performance of Two Classes of Finite Volume WENO Schemes. <i>Communications in Computational Physics</i> , 2011 , 9, 807-827	2.4	71
252	EFFECT OF DUST ON LY α PHOTON TRANSFER IN AN OPTICALLY THICK HALO. <i>Astrophysical Journal</i> , 2011 , 739, 91	4.7	5

251	Conservative Semi-Lagrangian Finite Difference WENO Formulations with Applications to the Vlasov Equation. <i>Communications in Computational Physics</i> , 2011 , 10, 979-1000	2.4	40
250	A Conservative Modification to the Ghost Fluid Method for Compressible Multiphase Flows. <i>Communications in Computational Physics</i> , 2011 , 10, 785-806	2.4	12
249	High-Order Computational Scheme for a Dynamic Continuum Model for Bi-Directional Pedestrian Flows. <i>Computer-Aided Civil and Infrastructure Engineering</i> , 2011 , 26, 298-310	8.4	17
248	Positivity preserving semi-Lagrangian discontinuous Galerkin formulation: Theoretical analysis and application to the Vlasov-Boisson system. <i>Journal of Computational Physics</i> , 2011 , 230, 8386-8409	4.1	84
247	High order positivity-preserving finite volume WENO schemes for a hierarchical size-structured population model. <i>Journal of Computational and Applied Mathematics</i> , 2011 , 236, 937-949	2.4	8
246	On the Advantage of Well-Balanced Schemes for Moving-Water Equilibria of the Shallow Water Equations. <i>Journal of Scientific Computing</i> , 2011 , 48, 339-349	2.3	51
245	Improvement of Convergence to Steady State Solutions of Euler Equations with the WENO Schemes. <i>Journal of Scientific Computing</i> , 2011 , 47, 216-238	2.3	23
244	Numerical simulations of compressible mixing layers with a discontinuous Galerkin method. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2011 , 27, 318-329	2	12
243	Construction of low dissipative high-order well-balanced filter schemes for non-equilibrium flows. <i>Journal of Computational Physics</i> , 2011 , 230, 4316-4335	4.1	13
242	Conservative high order semi-Lagrangian finite difference WENO methods for advection in incompressible flow. <i>Journal of Computational Physics</i> , 2011 , 230, 863-889	4.1	76
241	Positivity-preserving high order discontinuous Galerkin schemes for compressible Euler equations with source terms. <i>Journal of Computational Physics</i> , 2011 , 230, 1238-1248	4.1	114
240	A high order moving boundary treatment for compressible inviscid flows. <i>Journal of Computational Physics</i> , 2011 , 230, 6023-6036	4.1	41
239	High-order finite volume WENO schemes for the shallow water equations with dry states. <i>Advances in Water Resources</i> , 2011 , 34, 1026-1038	4.7	47
238	Uniformly Accurate Discontinuous Galerkin Fast Sweeping Methods for Eikonal Equations. <i>SIAM Journal of Scientific Computing</i> , 2011 , 33, 1873-1896	2.6	20
237	Numerical resolution of discontinuous Galerkin methods for time dependent wave equations. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2011 , 200, 2814-2827	5.7	21
236	Point-wise hierarchical reconstruction for discontinuous Galerkin and finite volume methods for solving conservation laws. <i>Journal of Computational Physics</i> , 2011 , 230, 6843-6865	4.1	28
235	A shock-fitting algorithm for the Lighthill-Whitham-Richards model on inhomogeneous highways. <i>Transportmetrica</i> , 2011 , 7, 163-180		4
234	A Macroscopic Approach to the Lane Formation Phenomenon in Pedestrian Counterflow. <i>Chinese Physics Letters</i> , 2011 , 28, 108901	1.8	32

233	Maximum-principle-satisfying and positivity-preserving high-order schemes for conservation laws: survey and new developments. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2011 , 467, 2752-2776	2.4	156
232	Discontinuous Galerkin methods for the Boltzmann-Poisson systems in semiconductor device simulations 2011 ,		2
231	Strong Stability Preserving Runge-Kutta and Multistep Time Discretizations 2011 ,		108
230	Discontinuous Galerkin methods for the one-dimensional Vlasov-Poisson system. <i>Kinetic and Related Models</i> , 2011 , 4, 955-989	2.4	32
229	RESONANT SCATTERING AND Ly α RADIATION EMERGENT FROM NEUTRAL HYDROGEN HALOS. <i>Astrophysical Journal</i> , 2010 , 716, 604-614	4.7	11
228	Discontinuous Galerkin Methods 2010 ,		1
227	Stability Analysis and A Priori Error Estimates of the Third Order Explicit Runge-Kutta Discontinuous Galerkin Method for Scalar Conservation Laws. <i>SIAM Journal on Numerical Analysis</i> , 2010 , 48, 1038-1063	2.4	86
226	Superconvergence of Discontinuous Galerkin and Local Discontinuous Galerkin Schemes for Linear Hyperbolic and Convection-Diffusion Equations in One Space Dimension. <i>SIAM Journal on Numerical Analysis</i> , 2010 , 47, 4044-4072	2.4	89
225	A Genuinely High Order Total Variation Diminishing Scheme for One-Dimensional Scalar Conservation Laws. <i>SIAM Journal on Numerical Analysis</i> , 2010 , 48, 772-795	2.4	31
224	A cell-centered Lagrangian scheme with the preservation of symmetry and conservation properties for compressible fluid flows in two-dimensional cylindrical geometry. <i>Journal of Computational Physics</i> , 2010 , 229, 7191-7206	4.1	40
223	Positivity-preserving high order well-balanced discontinuous Galerkin methods for the shallow water equations. <i>Advances in Water Resources</i> , 2010 , 33, 1476-1493	4.7	190
222	Error analysis of the semi-discrete local discontinuous Galerkin method for semiconductor device simulation models. <i>Science China Mathematics</i> , 2010 , 53, 3255-3278	0.8	7
221	Fast Sweeping Fifth Order WENO Scheme for Static Hamilton-Jacobi Equations with Accurate Boundary Treatment. <i>Journal of Scientific Computing</i> , 2010 , 45, 514-536	2.3	31
220	A Lagrangian scheme with the preservation of symmetry and conservation in cylindrical geometry: Preliminary study. <i>Procedia Computer Science</i> , 2010 , 1, 1903-1911	1.6	3
219	Local discontinuous Galerkin methods for the generalized Zakharov system. <i>Journal of Computational Physics</i> , 2010 , 229, 1238-1259	4.1	27
218	On maximum-principle-satisfying high order schemes for scalar conservation laws. <i>Journal of Computational Physics</i> , 2010 , 229, 3091-3120	4.1	306
217	Inverse Lax-Wendroff procedure for numerical boundary conditions of conservation laws. <i>Journal of Computational Physics</i> , 2010 , 229, 8144-8166	4.1	83
216	An interface treating technique for compressible multi-medium flow with Runge-Kutta discontinuous Galerkin method. <i>Journal of Computational Physics</i> , 2010 , 229, 8823-8843	4.1	24

215	On positivity-preserving high order discontinuous Galerkin schemes for compressible Euler equations on rectangular meshes. <i>Journal of Computational Physics</i> , 2010 , 229, 8918-8934	4.1	309
214	Dynamic continuum pedestrian flow model with memory effect. <i>Physical Review E</i> , 2009 , 79, 066113	2.4	65
213	A Discontinuous Galerkin Solver for Full-Band Boltzmann-Poisson Models 2009 ,		5
212	Hierarchical reconstruction with up to second degree remainder for solving nonlinear conservation laws. <i>Nonlinearity</i> , 2009 , 22, 2799-2812	1.7	8
211	The mechanism of sound generation in the interaction between a shock wave and two counter-rotating vortices. <i>Physics of Fluids</i> , 2009 , 21, 076101	4.4	14
210	The Entropy Solutions for the Lighthill-Whitham-Richards Traffic Flow Model with a Discontinuous Flow-Density Relationship. <i>Transportation Science</i> , 2009 , 43, 511-530	4.4	26
209	On the positivity of linear weights in WENO approximations. <i>Acta Mathematicae Applicatae Sinica</i> , 2009 , 25, 503-538	0.3	22
208	High-order well-balanced schemes and applications to non-equilibrium flow. <i>Journal of Computational Physics</i> , 2009 , 228, 6682-6702	4.1	20
207	High order conservative Lagrangian schemes with Lax-Wendroff type time discretization for the compressible Euler equations. <i>Journal of Computational Physics</i> , 2009 , 228, 8872-8891	4.1	61
206	The WKB Local Discontinuous Galerkin Method for the Simulation of Schrödinger Equation in a Resonant Tunneling Diode. <i>Journal of Scientific Computing</i> , 2009 , 40, 360-374	2.3	14
205	High Order Strong Stability Preserving Time Discretizations. <i>Journal of Scientific Computing</i> , 2009 , 38, 251-289	2.3	210
204	Local Discontinuous Galerkin Method for Surface Diffusion and Willmore Flow of Graphs. <i>Journal of Scientific Computing</i> , 2009 , 40, 375-390	2.3	15
203	Fourier analysis for discontinuous Galerkin and related methods. <i>Science Bulletin</i> , 2009 , 54, 1809-1816	10.6	3
202	A reactive dynamic continuum user equilibrium model for bi-directional pedestrian flows. <i>Acta Mathematica Scientia</i> , 2009 , 29, 1541-1555	0.7	44
201	A WENO algorithm for radiative transfer with resonant scattering and the WouthuysenField coupling. <i>New Astronomy</i> , 2009 , 14, 513-520	1.8	10
200	Hierarchical reconstruction for discontinuous Galerkin methods on unstructured grids with a WENO-type linear reconstruction and partial neighboring cells. <i>Journal of Computational Physics</i> , 2009 , 228, 2194-2212	4.1	259
199	Hierarchical reconstruction for spectral volume method on unstructured grids. <i>Journal of Computational Physics</i> , 2009 , 228, 5787-5802	4.1	223
198	A discontinuous Galerkin solver for Boltzmann-Poisson systems in nano devices. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2009 , 198, 3130-3150	5.7	51

197	Superconvergence of local discontinuous Galerkin methods for one-dimensional convection-diffusion equations. <i>Computers and Structures</i> , 2009 , 87, 630-641	4.5	25
196	Revisiting Hughes's dynamic continuum model for pedestrian flow and the development of an efficient solution algorithm. <i>Transportation Research Part B: Methodological</i> , 2009 , 43, 127-141	7.2	184
195	Numerical Solutions of Partial Differential Equations 2009 ,		5
194	High Order Weighted Essentially Nonoscillatory Schemes for Convection Dominated Problems. <i>SIAM Review</i> , 2009 , 51, 82-126	7.4	520
193	Analysis of a Local Discontinuous Galerkin Method for Linear Time-Dependent Fourth-Order Problems. <i>SIAM Journal on Numerical Analysis</i> , 2009 , 47, 3240-3268	2.4	63
192	Local Discontinuous Galerkin Method for the Hunter-Baxter Equation and Its Zero-Viscosity and Zero-Dispersion Limits. <i>SIAM Journal of Scientific Computing</i> , 2009 , 31, 1249-1268	2.6	12
191	Topological structure of shock induced vortex breakdown. <i>Journal of Fluid Mechanics</i> , 2009 , 639, 343-373	3.7	11
190	TIME EVOLUTION OF WOUTHUYSEN-FIELD COUPLING. <i>Astrophysical Journal</i> , 2009 , 694, 1121-1130	4.7	10
189	WOUTHUYSEN-FIELD COUPLING IN THE 21 cm REGION AROUND HIGH-REDSHIFT SOURCES. <i>Astrophysical Journal</i> , 2009 , 703, 1992-2003	4.7	7
188	Explicit construction of entropy solutions for the Lighthill-Whitham-Richards traffic flow model with a piecewise quadratic flow-density relationship. <i>Transportation Research Part B: Methodological</i> , 2008 , 42, 355-372	7.2	21
187	Convergence of Godunov-Type Schemes for Scalar Conservation Laws under Large Time Steps. <i>SIAM Journal on Numerical Analysis</i> , 2008 , 46, 2211-2237	2.4	19
186	The Discontinuous Galerkin Method for the Multiscale Modeling of Dynamics of Crystalline Solids. <i>Multiscale Modeling and Simulation</i> , 2008 , 7, 294-320	1.8	7
185	Convergence of High Order Finite Volume Weighted Essentially Nonoscillatory Scheme and Discontinuous Galerkin Method for Nonconvex Conservation Laws. <i>SIAM Journal of Scientific Computing</i> , 2008 , 31, 584-607	2.6	12
184	A Local Discontinuous Galerkin Method for the Camassa-Holm Equation. <i>SIAM Journal on Numerical Analysis</i> , 2008 , 46, 1998-2021	2.4	99
183	Postprocessing for the Discontinuous Galerkin Method over Nonuniform Meshes. <i>SIAM Journal of Scientific Computing</i> , 2008 , 30, 272-289	2.6	30
182	L2stability analysis of the central discontinuous Galerkin method and a comparison between the central and regular discontinuous Galerkin methods. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 2008 , 42, 593-607	1.8	56
181	Runge-Kutta discontinuous Galerkin method using WENO limiters II: Unstructured meshes. <i>Journal of Computational Physics</i> , 2008 , 227, 4330-4353	4.1	349
180	A second order discontinuous Galerkin fast sweeping method for Eikonal equations. <i>Journal of Computational Physics</i> , 2008 , 227, 8191-8208	4.1	40

179	Superconvergence and time evolution of discontinuous Galerkin finite element solutions. <i>Journal of Computational Physics</i> , 2008 , 227, 9612-9627	4.1	46
178	Discontinuous Galerkin solver for Boltzmann-Poisson transients. <i>Journal of Computational Electronics</i> , 2008 , 7, 119-123	1.8	16
177	Efficient implementation of the shock-fitting algorithm for the Lighthill-Whitham-Richards traffic flow model. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 74, 554-600	2.4	3
176	An efficient discontinuous Galerkin method on triangular meshes for a pedestrian flow model. <i>International Journal for Numerical Methods in Engineering</i> , 2008 , 76, 337-350	2.4	45
175	Discontinuous Galerkin method for a class of elliptic multi-scale problems. <i>International Journal for Numerical Methods in Fluids</i> , 2008 , 56, 1017-1032	1.9	9
174	Development of nonlinear weighted compact schemes with increasingly higher order accuracy. <i>Journal of Computational Physics</i> , 2008 , 227, 7294-7321	4.1	100
173	A WENO algorithm for the growth of ionized regions at the reionization epoch. <i>New Astronomy</i> , 2008 , 13, 1-11	1.8	10
172	A high order accurate conservative remapping method on staggered meshes. <i>Applied Numerical Mathematics</i> , 2008 , 58, 1042-1060	2.5	22
171	Error estimates of the semi-discrete local discontinuous Galerkin method for nonlinear convection-diffusion and KdV equations. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2007 , 196, 3805-3822	5.7	70
170	Local discontinuous Galerkin methods for moment models in device simulations: Performance assessment and two-dimensional results. <i>Applied Numerical Mathematics</i> , 2007 , 57, 629-645	2.5	18
169	A WENO algorithm of the temperature and ionization profiles around a point source. <i>New Astronomy</i> , 2007 , 12, 398-409	1.8	12
168	A discontinuous Galerkin finite element method for directly solving the Hamilton-Jacobi equations. <i>Journal of Computational Physics</i> , 2007 , 223, 398-415	4.1	72
167	High order residual distribution conservative finite difference WENO schemes for convection-diffusion steady state problems on non-smooth meshes. <i>Journal of Computational Physics</i> , 2007 , 224, 992-1020	4.1	26
166	A discontinuous Galerkin implementation of a domain decomposition method for kinetic-hydrodynamic coupling multiscale problems in gas dynamics and device simulations. <i>Journal of Computational Physics</i> , 2007 , 225, 1314-1330	4.1	12
165	Local discontinuous Galerkin methods for the Cahn-Hilliard type equations. <i>Journal of Computational Physics</i> , 2007 , 227, 472-491	4.1	99
164	A high order ENO conservative Lagrangian type scheme for the compressible Euler equations. <i>Journal of Computational Physics</i> , 2007 , 227, 1567-1596	4.1	103
163	DSMC versus WENO-BTE: A double gate MOSFET example. <i>Journal of Computational Electronics</i> , 2007 , 5, 471-474	1.8	6
162	A New Smoothness Indicator for the WENO Schemes and Its Effect on the Convergence to Steady State Solutions. <i>Journal of Scientific Computing</i> , 2007 , 31, 273-305	2.3	58

161	A High Order WENO Scheme for a Hierarchical Size-Structured Population Model. <i>Journal of Scientific Computing</i> , 2007 , 33, 279-291	2.3	14
160	High-order well-balanced finite volume WENO schemes for shallow water equation with moving water. <i>Journal of Computational Physics</i> , 2007 , 226, 29-58	4.1	158
159	A discontinuous Galerkin finite element method for time dependent partial differential equations with higher order derivatives. <i>Mathematics of Computation</i> , 2007 , 77, 699-731	1.6	84
158	Central Discontinuous Galerkin Methods on Overlapping Cells with a Nonoscillatory Hierarchical Reconstruction. <i>SIAM Journal on Numerical Analysis</i> , 2007 , 45, 2442-2467	2.4	84
157	HIGH ORDER NUMERICAL METHODS FOR TIME DEPENDENT HAMILTON-JACOBI EQUATIONS. <i>Lecture Notes Series, Institute for Mathematical Sciences</i> , 2007 , 47-91	0.1	16
156	Efficient time discretization for local discontinuous Galerkin methods. <i>Discrete and Continuous Dynamical Systems - Series B</i> , 2007 , 8, 677-693	1.3	43
155	Discontinuous Galerkin Solver for the Semiconductor Boltzmann Equation 2007 , 257-260		2
154	Effects of shock waves on Rayleigh-Taylor instability. <i>Physics of Plasmas</i> , 2006 , 13, 062705	2.1	13
153	Interaction of an oblique shock wave with a pair of parallel vortices: Shock dynamics and mechanism of sound generation. <i>Physics of Fluids</i> , 2006 , 18, 126101	4.4	13
152	Low-redshift cosmic baryon fluid on large scales and She-Leveque universal scaling. <i>Physical Review Letters</i> , 2006 , 96, 051302	7.4	19
151	Computational Study of Shock Mitigation and Drag Reduction by Pulsed Energy Lines. <i>AIAA Journal</i> , 2006 , 44, 1720-1731	2.1	73
150	Local discontinuous Galerkin methods for the Kuramoto-Bivashinsky equations and the Ito-type coupled KdV equations. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2006 , 195, 3430-3447	5.7	80
149	A numerical study for the performance of the Runge-Kutta discontinuous Galerkin method based on different numerical fluxes. <i>Journal of Computational Physics</i> , 2006 , 212, 540-565	4.1	81
148	A weighted essentially non-oscillatory numerical scheme for a multi-class traffic flow model on an inhomogeneous highway. <i>Journal of Computational Physics</i> , 2006 , 212, 739-756	4.1	68
147	2D semiconductor device simulations by WENO-Boltzmann schemes: Efficiency, boundary conditions and comparison to Monte Carlo methods. <i>Journal of Computational Physics</i> , 2006 , 214, 55-80	4.1	43
146	High order well-balanced finite volume WENO schemes and discontinuous Galerkin methods for a class of hyperbolic systems with source terms. <i>Journal of Computational Physics</i> , 2006 , 214, 567-598	4.1	155
145	High order residual distribution conservative finite difference WENO schemes for steady state problems on non-smooth meshes. <i>Journal of Computational Physics</i> , 2006 , 214, 698-724	4.1	32
144	Discontinuous Galerkin method based on non-polynomial approximation spaces. <i>Journal of Computational Physics</i> , 2006 , 218, 295-323	4.1	42

143	High-Order Well-Balanced Finite Difference WENO Schemes for a Class of Hyperbolic Systems with Source Terms. <i>Journal of Scientific Computing</i> , 2006 , 27, 477-494	2.3	44
142	Recovering High-Order Accuracy in WENO Computations of Steady-State Hyperbolic Systems. <i>Journal of Scientific Computing</i> , 2006 , 28, 307-318	2.3	16
141	The Heterogeneous Multiscale Method Based on the Discontinuous Galerkin Method for Hyperbolic and Parabolic Problems. <i>Multiscale Modeling and Simulation</i> , 2005 , 3, 871-894	1.8	16
140	Approximation of Hyperbolic Models for Chemosensitive Movement. <i>SIAM Journal of Scientific Computing</i> , 2005 , 27, 850-872	2.6	25
139	A Comparison of Troubled-Cell Indicators for Runge--Kutta Discontinuous Galerkin Methods Using Weighted Essentially Nonoscillatory Limiters. <i>SIAM Journal of Scientific Computing</i> , 2005 , 27, 995-1013	2.6	116
138	Runge--Kutta Discontinuous Galerkin Method Using WENO Limiters. <i>SIAM Journal of Scientific Computing</i> , 2005 , 26, 907-929	2.6	244
137	Multistage interaction of a shock wave and a strong vortex. <i>Physics of Fluids</i> , 2005 , 17, 116101	4.4	47
136	Hermite WENO schemes for Hamilton-Jacobi equations. <i>Journal of Computational Physics</i> , 2005 , 204, 82-99	4.1	48
135	Anti-diffusive flux corrections for high order finite difference WENO schemes. <i>Journal of Computational Physics</i> , 2005 , 205, 458-485	4.1	96
134	Local discontinuous Galerkin methods for two classes of two-dimensional nonlinear wave equations. <i>Physica D: Nonlinear Phenomena</i> , 2005 , 208, 21-58	3.3	60
133	The discontinuous Galerkin method with Lax-Wendroff type time discretizations. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2005 , 194, 4528-4543	5.7	74
132	An analysis of and a comparison between the discontinuous Galerkin and the spectral finite volume methods. <i>Computers and Fluids</i> , 2005 , 34, 581-592	2.8	71
131	Reinterpretation and simplified implementation of a discontinuous Galerkin method for Hamilton-Jacobi equations. <i>Applied Mathematics Letters</i> , 2005 , 18, 1204-1209	3.5	31
130	Hermite WENO schemes and their application as limiters for Runge-Kutta discontinuous Galerkin method II: Two dimensional case. <i>Computers and Fluids</i> , 2005 , 34, 642-663	2.8	170
129	Local discontinuous Galerkin methods for nonlinear Schrödinger equations. <i>Journal of Computational Physics</i> , 2005 , 205, 72-97	4.1	167
128	High order finite difference WENO schemes with the exact conservation property for the shallow water equations. <i>Journal of Computational Physics</i> , 2005 , 208, 206-227	4.1	229
127	Locally Divergence-Free Discontinuous Galerkin Methods for MHD Equations. <i>Journal of Scientific Computing</i> , 2005 , 22-23, 413-442	2.3	84
126	Numerical Simulation of High Mach Number Astrophysical Jets with Radiative Cooling. <i>Journal of Scientific Computing</i> , 2005 , 24, 29-44	2.3	30

125	Numerical Convergence Study of Nearly Incompressible, Inviscid Taylor-Green Vortex Flow. <i>Journal of Scientific Computing</i> , 2005 , 24, 1-27	2.3	76
124	Analysis of the relativistic Vlasov-Maxwell model in an interval. <i>Quarterly of Applied Mathematics</i> , 2005 , 63, 691-714	0.7	5
123	Extension of a Post Processing Technique for the Discontinuous Galerkin Method for Hyperbolic Equations with Application to an Aeroacoustic Problem. <i>SIAM Journal of Scientific Computing</i> , 2005 , 26, 821-843	2.6	53
122	Anti-diffusive High Order WENO Schemes for Hamilton-Jacobi Equations. <i>Methods and Applications of Analysis</i> , 2005 , 12, 169-190	0.3	6
121	INTERGALACTIC MEDIUM IN THE Λ CDM UNIVERSE FROM COSMOLOGICAL SIMULATIONS. <i>Journal of the Korean Astronomical Society</i> , 2005 , 38, 129-133		
120	Hermite WENO schemes and their application as limiters for Runge-Kutta discontinuous Galerkin method: one-dimensional case. <i>Journal of Computational Physics</i> , 2004 , 193, 115-135	4.1	237
119	Local Discontinuous Galerkin Methods for Moment Models in Device Simulations: Formulation and One Dimensional Results. <i>Journal of Computational Electronics</i> , 2004 , 3, 263-267	1.8	16
118	Modeling, numerical methods, and simulation for particle-fluid two-phase flow problems. <i>Computers and Mathematics With Applications</i> , 2004 , 47, 1437-1462	2.7	6
117	Locally divergence-free discontinuous Galerkin methods for the Maxwell equations. <i>Journal of Computational Physics</i> , 2004 , 194, 588-610	4.1	201
116	Local discontinuous Galerkin methods for nonlinear dispersive equations. <i>Journal of Computational Physics</i> , 2004 , 196, 751-772	4.1	97
115	Error Estimates to Smooth Solutions of Runge-Kutta Discontinuous Galerkin Methods for Scalar Conservation Laws. <i>SIAM Journal on Numerical Analysis</i> , 2004 , 42, 641-666	2.4	132
114	The Dynamics of a Plane Diode. <i>SIAM Journal on Mathematical Analysis</i> , 2004 , 35, 1617-1635	1.7	6
113	Comparison of Monte Carlo and Deterministic Simulations of a Silicon Diode. <i>The IMA Volumes in Mathematics and Its Applications</i> , 2004 , 75-84	0.5	4
112	AN ANALYSIS OF THREE DIFFERENT FORMULATIONS OF THE DISCONTINUOUS GALERKIN METHOD FOR DIFFUSION EQUATIONS. <i>Mathematical Models and Methods in Applied Sciences</i> , 2003 , 13, 395-413	3.5	77
111	Resolution of high order WENO schemes and Navier-Stokes simulation of the Rayleigh-Taylor instability problem 2003 , 1216-1218		
110	High-order Finite Difference and Finite Volume WENO Schemes and Discontinuous Galerkin Methods for CFD. <i>International Journal of Computational Fluid Dynamics</i> , 2003 , 17, 107-118	1.2	232
109	Multidomain WENO Finite Difference Method with Interpolation at Subdomain Interfaces. <i>Journal of Scientific Computing</i> , 2003 , 19, 405-438	2.3	50
108	A Direct Solver for 2D Non-Stationary Boltzmann-Poisson Systems for Semiconductor Devices: A MESFET Simulation by WENO-Boltzmann Schemes. <i>Journal of Computational Electronics</i> , 2003 , 2, 375-380	1.8	31

107	On the Conservation and Convergence to Weak Solutions of Global Schemes. <i>Journal of Scientific Computing</i> , 2003 , 18, 111-132	2.3	5
106	Shock capturing, level sets, and PDE based methods in computer vision and image processing: a review of Osher's contributions. <i>Journal of Computational Physics</i> , 2003 , 185, 309-341	4.1	50
105	A WENO-solver for the transients of Boltzmann-Poisson system for semiconductor devices: performance and comparisons with Monte Carlo methods. <i>Journal of Computational Physics</i> , 2003 , 184, 498-525	4.1	101
104	Resolution of high order WENO schemes for complicated flow structures. <i>Journal of Computational Physics</i> , 2003 , 186, 690-696	4.1	188
103	A weighted essentially non-oscillatory numerical scheme for a multi-class Lighthill-Whitham-Richards traffic flow model. <i>Journal of Computational Physics</i> , 2003 , 191, 639-659	4.1	67
102	Finite Difference WENO Schemes with Lax-Wendroff-Type Time Discretizations. <i>SIAM Journal of Scientific Computing</i> , 2003 , 24, 2185-2198	2.6	71
101	High-Order WENO Schemes for Hamilton-Jacobi Equations on Triangular Meshes. <i>SIAM Journal of Scientific Computing</i> , 2003 , 24, 1005-1030	2.6	122
100	Numerical viscosity and resolution of high-order weighted essentially nonoscillatory schemes for compressible flows with high Reynolds numbers. <i>Physical Review E</i> , 2003 , 68, 046709	2.4	47
99	On a One-Sided Post-Processing Technique for the Discontinuous Galerkin Methods. <i>Methods and Applications of Analysis</i> , 2003 , 10, 295-308	0.3	37
98	Discontinuous Galerkin methods for equations with divergence-free solutions 2003 , 1900-1902		
97	An Overview on High Order Numerical Methods for Convection Dominated PDEs 2003 , 79-88		1
96	Third and Fourth Order Weighted ENO Schemes for Hamilton-Jacobi Equations on 2D Unstructured Meshes 2003 , 941-950		1
95	A Technique of Treating Negative Weights in WENO Schemes. <i>Journal of Computational Physics</i> , 2002 , 175, 108-127	4.1	253
94	On the Construction, Comparison, and Local Characteristic Decomposition for High-Order Central WENO Schemes. <i>Journal of Computational Physics</i> , 2002 , 183, 187-209	4.1	173
93	Numerical solution of a virtual internal bond model for material fracture. <i>Physica D: Nonlinear Phenomena</i> , 2002 , 167, 101-121	3.3	5
92	Local Discontinuous Galerkin Methods for Partial Differential Equations with Higher Order Derivatives. <i>Journal of Scientific Computing</i> , 2002 , 17, 27-47	2.3	117
91	A WENO-Solver for the 1D Non-Stationary Boltzmann-Poisson System for Semiconductor Devices. <i>Journal of Computational Electronics</i> , 2002 , 1, 365-370	1.8	15
90	Enhanced accuracy by post-processing for finite element methods for hyperbolic equations. <i>Mathematics of Computation</i> , 2002 , 72, 577-607	1.6	101

89	A Local Discontinuous Galerkin Method for KdV Type Equations. <i>SIAM Journal on Numerical Analysis</i> , 2002 , 40, 769-791	2.4	214
88	Numerical study on Landau damping. <i>Physica D: Nonlinear Phenomena</i> , 2001 , 157, 322-333	3.3	30
87	Numerical Comparison of WENO Finite Volume and Runge-Kutta Discontinuous Galerkin Methods. <i>Journal of Scientific Computing</i> , 2001 , 16, 145-171	2.3	44
86	Runge-Kutta Discontinuous Galerkin Methods for Convection-Dominated Problems. <i>Journal of Scientific Computing</i> , 2001 , 16, 173-261	2.3	1147
85	Strong Stability-Preserving High-Order Time Discretization Methods. <i>SIAM Review</i> , 2001 , 43, 89-112	7.4	1367
84	Analysis of preconditioning and relaxation operators for the discontinuous Galerkin method applied to diffusion 2001 ,		3
83	Simulating Quasi-ballistic Transport in Si Nanotransistors. <i>VLSI Design</i> , 2001 , 13, 5-13		5
82	Approximation of the BTE by a Relaxation-time Operator: Simulations for a 50 nm-channel Si Diode. <i>VLSI Design</i> , 2001 , 13, 349-354		3
81	Monotonicity Preserving Weighted Essentially Non-oscillatory Schemes with Increasingly High Order of Accuracy. <i>Journal of Computational Physics</i> , 2000 , 160, 405-452	4.1	1047
80	A High-Order Discontinuous Galerkin Method for 2D Incompressible Flows. <i>Journal of Computational Physics</i> , 2000 , 160, 577-596	4.1	95
79	Device benchmark comparisons via kinetic, hydrodynamic, and high-field models. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2000 , 181, 381-392	5.7	28
78	Analysis of the discontinuous Galerkin method for Hamilton-Jacobi equations. <i>Applied Numerical Mathematics</i> , 2000 , 33, 423-434	2.5	40
77	Computational macroscopic approximations to the one-dimensional relaxation-time kinetic system for semiconductors. <i>Physica D: Nonlinear Phenomena</i> , 2000 , 146, 289-306	3.3	21
76	The Development of Discontinuous Galerkin Methods. <i>Lecture Notes in Computational Science and Engineering</i> , 2000 , 3-50	0.3	238
75	The Utility of Modeling and Simulation in Determining Transport Performance Properties of Semiconductors. <i>Lecture Notes in Computational Science and Engineering</i> , 2000 , 147-156	0.3	
74	Post-Processing of Galerkin Methods for Hyperbolic Problems. <i>Lecture Notes in Computational Science and Engineering</i> , 2000 , 291-300	0.3	11
73	The Effect of the Least Square Procedure for Discontinuous Galerkin Methods for Hamilton-Jacobi Equations. <i>Lecture Notes in Computational Science and Engineering</i> , 2000 , 343-348	0.3	2
72	A Numerical Example on the Performance of High Order Discontinuous Galerkin Method for 2D Incompressible Flows. <i>Lecture Notes in Computational Science and Engineering</i> , 2000 , 369-374	0.3	1

71	High Order ENO and WENO Schemes for Computational Fluid Dynamics. <i>Lecture Notes in Computational Science and Engineering</i> , 1999 , 439-582	0.3	87
70	Real Gas Computation Using an Energy Relaxation Method and High-Order WENO Schemes. <i>Journal of Computational Physics</i> , 1999 , 148, 59-80	4.1	27
69	Weighted Essentially Non-oscillatory Schemes on Triangular Meshes. <i>Journal of Computational Physics</i> , 1999 , 150, 97-127	4.1	513
68	Analysis of the discontinuous Galerkin method applied to the diffusion operator 1999 ,		7
67	A Discontinuous Galerkin Finite Element Method for Hamilton--Jacobi Equations. <i>SIAM Journal of Scientific Computing</i> , 1999 , 21, 666-690	2.6	129
66	Essentially non-oscillatory and weighted essentially non-oscillatory schemes for hyperbolic conservation laws. <i>Lecture Notes in Mathematics</i> , 1998 , 325-432	0.4	539
65	The Runge-Kutta Discontinuous Galerkin Method for Conservation Laws V. <i>Journal of Computational Physics</i> , 1998 , 141, 199-224	4.1	1425
64	Total variation diminishing Runge-Kutta schemes. <i>Mathematics of Computation</i> , 1998 , 67, 73-85	1.6	1336
63	The Local Discontinuous Galerkin Method for Time-Dependent Convection-Diffusion Systems. <i>SIAM Journal on Numerical Analysis</i> , 1998 , 35, 2440-2463	2.4	1506
62	Quadrature-Free Implementation of Discontinuous Galerkin Method for Hyperbolic Equations. <i>AIAA Journal</i> , 1998 , 36, 775-782	2.1	204
61	Analysis and Simulation of Extended Hydrodynamic Models: The Multi-Valley Gunn Oscillator and MESFET Symmetries. <i>VLSI Design</i> , 1998 , 6, 277-282		2
60	Applicability of the High Field Model: An Analytical Study Via Asymptotic Parameters Defining Domain Decomposition. <i>VLSI Design</i> , 1998 , 8, 135-141		3
59	Applicability of the High Field Model: A Preliminary Numerical Study. <i>VLSI Design</i> , 1998 , 8, 275-282		5
58	Quadrature-free implementation of discontinuous Galerkin method for hyperbolic equations. <i>AIAA Journal</i> , 1998 , 36, 775-782	2.1	5
57	Advanced Numerical Approximation of Nonlinear Hyperbolic Equations. <i>Lecture Notes in Mathematics</i> , 1998 ,	0.4	45
56	Interaction of a shock with a longitudinal vortex. <i>Journal of Fluid Mechanics</i> , 1997 , 337, 129-153	3.7	75
55	On the Gibbs Phenomenon and Its Resolution. <i>SIAM Review</i> , 1997 , 39, 644-668	7.4	481
54	High-order essentially non-oscillatory scheme for viscoelasticity with fading memory. <i>Quarterly of Applied Mathematics</i> , 1997 , 55, 459-484	0.7	15

53	Geometric Shock-Capturing ENO Schemes for Subpixel Interpolation, Computation and Curve Evolution. <i>Graphical Models</i> , 1997 , 59, 278-301		56
52	Preface to the Republication of Uniformly High Order Essentially Non-oscillatory Schemes, III, by Harten, Engquist, Osher, and Chakravarthy. <i>Journal of Computational Physics</i> , 1997 , 131, 1-2	4.1	9
51	Essentially Nonoscillatory Spectral Fourier Methods for Shock Wave Calculations 1997 , 375-396		
50	On the Gibbs Phenomenon III: Recovering Exponential Accuracy in a Sub-Interval From a Spectral Partial Sum of a Piecewise Analytic Function. <i>SIAM Journal on Numerical Analysis</i> , 1996 , 33, 280-290	2.4	44
49	Quadrature-free implementation of the discontinuous Galerkin method for hyperbolic equations 1996 ,		16
48	On positivity preserving finite volume schemes for Euler equations. <i>Numerische Mathematik</i> , 1996 , 73, 119-130	2.2	119
47	Efficient Implementation of Weighted ENO Schemes. <i>Journal of Computational Physics</i> , 1996 , 126, 202-228	4.4	49
46	An Eulerian Approach for Vortex Motion Using a Level Set Regularization Procedure. <i>Journal of Computational Physics</i> , 1996 , 127, 15-26	4.1	23
45	Energy transport systems for semiconductors: Analysis and simulation 1996 , 3835-3846		1
44	A note on the accuracy of spectral method applied to nonlinear conservation laws. <i>Journal of Scientific Computing</i> , 1995 , 10, 357-369	2.3	26
43	Mixed-RKDG Finite Element Methods for the 2-D Hydrodynamic Model for Semiconductor Device Simulation. <i>VLSI Design</i> , 1995 , 3, 145-158		42
42	On the Gibbs Phenomenon IV: Recovering Exponential Accuracy in a Subinterval from a Gegenbauer Partial Sum of a Piecewise Analytic Function. <i>Mathematics of Computation</i> , 1995 , 64, 1081	1.6	52
41	. <i>IEEE Transactions on Computer-Aided Design of Integrated Circuits and Systems</i> , 1995 , 14, 917-923	2.5	16
40	On the Gibbs phenomenon. IV. Recovering exponential accuracy in a subinterval from a Gegenbauer partial sum of a piecewise analytic function. <i>Mathematics of Computation</i> , 1995 , 64, 1081-1081	1.6	5
39	On the Gibbs phenomenon V: recovering exponential accuracy from collocation point values of a piecewise analytic function. <i>Numerische Mathematik</i> , 1995 , 71, 511-526	2.2	47
38	The Response of the Hydrodynamic Model to Heat Conduction, Mobility, and Relaxation Expressions. <i>VLSI Design</i> , 1995 , 3, 131-143		6
37	Comparison of two formulations for high-order accurate essentially nonoscillatory schemes. <i>AIAA Journal</i> , 1994 , 32, 1970-1977	2.1	41
36	On a cell entropy inequality for discontinuous Galerkin methods. <i>Mathematics of Computation</i> , 1994 , 62, 531-531	1.6	129

35	Resolution properties of the Fourier method for discontinuous waves. <i>Computer Methods in Applied Mechanics and Engineering</i> , 1994 , 116, 27-37	5.7	24
34	A Numerical Resolution Study of High Order Essentially Non-oscillatory Schemes Applied to Incompressible Flow. <i>Journal of Computational Physics</i> , 1994 , 110, 39-46	4.1	61
33	Nonlinearly Stable Compact Schemes for Shock Calculations. <i>SIAM Journal on Numerical Analysis</i> , 1994 , 31, 607-627	2.4	88
32	Energy Models for One-Carrier Transport in Semiconductor Devices. <i>The IMA Volumes in Mathematics and Its Applications</i> , 1994 , 185-207	0.5	18
31	A comparison of two formulations for high-order accurate essentially non-oscillatory schemes 1993 ,		3
30	Uniform High-Order Spectral Methods for One- and Two-Dimensional Euler Equations. <i>Journal of Computational Physics</i> , 1993 , 104, 427-443	4.1	20
29	On One-Sided Filters for Spectral Fourier Approximations of Discontinuous Functions. <i>SIAM Journal on Numerical Analysis</i> , 1992 , 29, 905-916	2.4	24
28	. <i>IEEE Electron Device Letters</i> , 1992 , 13, 26-28	4.4	132
27	A numerical method for systems of conservation laws of mixed type admitting hyperbolic flux splitting. <i>Journal of Computational Physics</i> , 1992 , 100, 424-429	4.1	22
26	On the Gibbs phenomenon I: recovering exponential accuracy from the Fourier partial sum of a nonperiodic analytic function. <i>Journal of Computational and Applied Mathematics</i> , 1992 , 43, 81-98	2.4	155
25	High-order ENO schemes applied to two- and three-dimensional compressible flow. <i>Applied Numerical Mathematics</i> , 1992 , 9, 45-71	2.5	58
24	High-Order Essentially Nonoscillatory Schemes for Hamilton-Jacobi Equations. <i>SIAM Journal on Numerical Analysis</i> , 1991 , 28, 907-922	2.4	513
23	The Runge-Kutta local projection P^1 -discontinuous-Galerkin finite element method for scalar conservation laws. <i>ESAIM: Mathematical Modelling and Numerical Analysis</i> , 1991 , 25, 337-361	1.8	346
22	Numerical experiments on the accuracy of ENO and modified ENO schemes. <i>Journal of Scientific Computing</i> , 1990 , 5, 127-149	2.3	129
21	The Runge-Kutta local projection discontinuous Galerkin finite element method for conservation laws. IV. The multidimensional case. <i>Mathematics of Computation</i> , 1990 , 54, 545-545	1.6	18
20	The Runge-Kutta Local Projection Discontinuous Galerkin Finite Element Method for Conservation Laws. IV: The Multidimensional Case. <i>Mathematics of Computation</i> , 1990 , 54, 545	1.6	778
19	High Order Accurate Modern Numerical Methods Applicable to Stellar Pulsations 1990 , 263-267		
18	TVB Runge-Kutta local projection discontinuous Galerkin finite element method for conservation laws. II. General Framework. <i>Mathematics of Computation</i> , 1989 , 52, 411-411	1.6	33

17	TVB Runge-Kutta local projection discontinuous Galerkin finite element method for conservation laws III: One-dimensional systems. <i>Journal of Computational Physics</i> , 1989 , 84, 90-113	4.1	946
16	Efficient implementation of essentially non-oscillatory shock-capturing schemes, II. <i>Journal of Computational Physics</i> , 1989 , 83, 32-78	4.1	1947
15	TVB Runge-Kutta Local Projection Discontinuous Galerkin Finite Element Method for Conservation Laws II: General Framework. <i>Mathematics of Computation</i> , 1989 , 52, 411	1.6	1188
14	Essentially Nonoscillatory Spectral Fourier Method for Shocks Wave Calculations. <i>Mathematics of Computation</i> , 1989 , 52, 389	1.6	4
13	Essentially nonoscillatory spectral Fourier methods for shock wave calculations. <i>Mathematics of Computation</i> , 1989 , 52, 389-389	1.6	56
12	Efficient Implementation of Essentially Non-oscillatory Shock-Capturing Schemes, II 1989 , 328-374		28
11	Efficient implementation of essentially non-oscillatory shock-capturing schemes. <i>Journal of Computational Physics</i> , 1988 , 77, 439-471	4.1	3245
10	Total-Variation-Diminishing Time Discretizations. <i>SIAM Journal on Scientific and Statistical Computing</i> , 1988 , 9, 1073-1084		653
9	TVB boundary treatment for numerical solutions of conservation laws. <i>Mathematics of Computation</i> , 1987 , 49, 123-123	1.6	20
8	TVB uniformly high-order schemes for conservation laws. <i>Mathematics of Computation</i> , 1987 , 49, 105-105	1.6	233
7	Simulating quasi-ballistic transport in Si nanotransistors		4
6	Multi-layer Perceptron Estimator for the Total Variation Bounded Constant in Limiters for Discontinuous Galerkin Methods. <i>La Matematica</i> , 1		0
5	Preface to Focused Issue on Discontinuous Galerkin Methods. <i>Communications on Applied Mathematics and Computation</i> , 1	0.9	
4	High-Resolution Viscous Terms Discretization and ILW Solid Wall Boundary Treatment for the Navier-Stokes Equations. <i>Archives of Computational Methods in Engineering</i> , 1	7.8	1
3	Enforcing Strong Stability of Explicit Runge-Kutta Methods with Superviscosity. <i>Communications on Applied Mathematics and Computation</i> , 1	0.9	0
2	Preface to Focused Section on Efficient High-Order Time Discretization Methods for Partial Differential Equations. <i>Communications on Applied Mathematics and Computation</i> , 1	0.9	
1	Preface to the Focused Issue on WENO Schemes. <i>Communications on Applied Mathematics and Computation</i> , 1	0.9	