

Qi Chen

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1303253/qi-chen-publications-by-citations.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

245
papers

25,295
citations

61
h-index

158
g-index

269
ext. papers

28,878
ext. citations

10.9
avg, IF

7.08
L-index

| # | Paper | IF | Citations |
|-----|---|------|-----------|
| 245 | Photovoltaics. Interface engineering of highly efficient perovskite solar cells. <i>Science</i> , 2014 , 345, 542-6 | 33.3 | 5272 |
| 244 | Planar heterojunction perovskite solar cells via vapor-assisted solution process. <i>Journal of the American Chemical Society</i> , 2014 , 136, 622-5 | 16.4 | 1921 |
| 243 | Improved air stability of perovskite solar cells via solution-processed metal oxide transport layers. <i>Nature Nanotechnology</i> , 2016 , 11, 75-81 | 28.7 | 1614 |
| 242 | Low-temperature solution-processed perovskite solar cells with high efficiency and flexibility. <i>ACS Nano</i> , 2014 , 8, 1674-80 | 16.7 | 1216 |
| 241 | Controllable self-induced passivation of hybrid lead iodide perovskites toward high performance solar cells. <i>Nano Letters</i> , 2014 , 14, 4158-63 | 11.5 | 1143 |
| 240 | Under the spotlight: The organic-inorganic hybrid halide perovskite for optoelectronic applications. <i>Nano Today</i> , 2015 , 10, 355-396 | 17.9 | 700 |
| 239 | Single Crystal Formamidinium Lead Iodide (FAPbI ₃): Insight into the Structural, Optical, and Electrical Properties. <i>Advanced Materials</i> , 2016 , 28, 2253-8 | 24 | 578 |
| 238 | Highly flexible silver nanowire electrodes for shape-memory polymer light-emitting diodes. <i>Advanced Materials</i> , 2011 , 23, 664-8 | 24 | 569 |
| 237 | A Eu-Eu ion redox shuttle imparts operational durability to Pb-I perovskite solar cells. <i>Science</i> , 2019 , 363, 265-270 | 33.3 | 533 |
| 236 | Cation and anion immobilization through chemical bonding enhancement with fluorides for stable halide perovskite solar cells. <i>Nature Energy</i> , 2019 , 4, 408-415 | 62.3 | 511 |
| 235 | High-efficiency robust perovskite solar cells on ultrathin flexible substrates. <i>Nature Communications</i> , 2016 , 7, 10214 | 17.4 | 444 |
| 234 | Multifunctional Fullerene Derivative for Interface Engineering in Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2015 , 137, 15540-7 | 16.4 | 433 |
| 233 | Guanidinium: A Route to Enhanced Carrier Lifetime and Open-Circuit Voltage in Hybrid Perovskite Solar Cells. <i>Nano Letters</i> , 2016 , 16, 1009-16 | 11.5 | 400 |
| 232 | Hole selective NiO contact for efficient perovskite solar cells with carbon electrode. <i>Nano Letters</i> , 2015 , 15, 2402-8 | 11.5 | 357 |
| 231 | The optoelectronic role of chlorine in CH ₃ NH ₃ PbI ₃ (Cl)-based perovskite solar cells. <i>Nature Communications</i> , 2015 , 6, 7269 | 17.4 | 354 |
| 230 | Perovskite solar cells: film formation and properties. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9032-9050 | 10.3 | 327 |
| 229 | Strain engineering in perovskite solar cells and its impacts on carrier dynamics. <i>Nature Communications</i> , 2019 , 10, 815 | 17.4 | 286 |

| | | | |
|-----|--|------|-----|
| 228 | The identification and characterization of defect states in hybrid organic-inorganic perovskite photovoltaics. <i>Physical Chemistry Chemical Physics</i> , 2015 , 17, 112-6 | 3.6 | 285 |
| 227 | Chemical Reduction of Intrinsic Defects in Thicker Heterojunction Planar Perovskite Solar Cells. <i>Advanced Materials</i> , 2017 , 29, 1606774 | 24 | 267 |
| 226 | Exploration of Crystallization Kinetics in Quasi Two-Dimensional Perovskite and High Performance Solar Cells. <i>Journal of the American Chemical Society</i> , 2018 , 140, 459-465 | 16.4 | 248 |
| 225 | Ultra-high open-circuit voltage of tin perovskite solar cells via an electron transporting layer design. <i>Nature Communications</i> , 2020 , 11, 1245 | 17.4 | 243 |
| 224 | Defect Passivation of Organic-Inorganic Hybrid Perovskites by Diammonium Iodide toward High-Performance Photovoltaic Devices. <i>ACS Energy Letters</i> , 2016 , 1, 757-763 | 20.1 | 237 |
| 223 | The Additive Coordination Effect on Hybrids Perovskite Crystallization and High-Performance Solar Cell. <i>Advanced Materials</i> , 2016 , 28, 9862-9868 | 24 | 235 |
| 222 | Tailoring the Interfacial Chemical Interaction for High-Efficiency Perovskite Solar Cells. <i>Nano Letters</i> , 2017 , 17, 269-275 | 11.5 | 223 |
| 221 | Perovskite Solar Cells Employing Dopant-Free Organic Hole Transport Materials with Tunable Energy Levels. <i>Advanced Materials</i> , 2016 , 28, 440-6 | 24 | 217 |
| 220 | A dopant-free organic hole transport material for efficient planar heterojunction perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 11940-11947 | 13 | 182 |
| 219 | Highly stable QLEDs with improved hole injection via quantum dot structure tailoring. <i>Nature Communications</i> , 2018 , 9, 2608 | 17.4 | 175 |
| 218 | Grain-Boundary "Patches" by In Situ Conversion to Enhance Perovskite Solar Cells Stability. <i>Advanced Materials</i> , 2018 , 30, e1800544 | 24 | 170 |
| 217 | Efficient flexible phosphorescent polymer light-emitting diodes based on silver nanowire-polymer composite electrode. <i>Advanced Materials</i> , 2011 , 23, 5563-7 | 24 | 170 |
| 216 | Nickel oxide nanoparticles for efficient hole transport in p-i-n and n-i-p perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 6597-6605 | 13 | 159 |
| 215 | Cost Analysis of Perovskite Tandem Photovoltaics. <i>Joule</i> , 2018 , 2, 1559-1572 | 27.8 | 150 |
| 214 | Multilayer Transparent Top Electrode for Solution Processed Perovskite/Cu(In,Ga)(Se,S) ₂ Four Terminal Tandem Solar Cells. <i>ACS Nano</i> , 2015 , 9, 7714-21 | 16.7 | 139 |
| 213 | Reconfiguration of interfacial energy band structure for high-performance inverted structure perovskite solar cells. <i>Nature Communications</i> , 2019 , 10, 4593 | 17.4 | 130 |
| 212 | Integrated perovskite/bulk-heterojunction toward efficient solar cells. <i>Nano Letters</i> , 2015 , 15, 662-8 | 11.5 | 129 |
| 211 | Ag-Incorporated Organic-Inorganic Perovskite Films and Planar Heterojunction Solar Cells. <i>Nano Letters</i> , 2017 , 17, 3231-3237 | 11.5 | 127 |

| | | | |
|-----|---|------|-----|
| 210 | Manipulation of facet orientation in hybrid perovskite polycrystalline films by cation cascade. <i>Nature Communications</i> , 2018 , 9, 2793 | 17.4 | 127 |
| 209 | Perovskite/polymer monolithic hybrid tandem solar cells utilizing a low-temperature, full solution process. <i>Materials Horizons</i> , 2015 , 2, 203-211 | 14.4 | 127 |
| 208 | Interfacial Residual Stress Relaxation in Perovskite Solar Cells with Improved Stability. <i>Advanced Materials</i> , 2019 , 31, e1904408 | 24 | 126 |
| 207 | Impacts of alkaline on the defects property and crystallization kinetics in perovskite solar cells. <i>Nature Communications</i> , 2019 , 10, 1112 | 17.4 | 124 |
| 206 | The intrinsic properties of FA(1-x)MAxPbI3 perovskite single crystals. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 8537-8544 | 13 | 110 |
| 205 | The Emergence of the Mixed Perovskites and Their Applications as Solar Cells. <i>Advanced Energy Materials</i> , 2017 , 7, 1700491 | 21.8 | 103 |
| 204 | Flexible silver grid/PEDOT:PSS hybrid electrodes for large area inverted polymer solar cells. <i>Nano Energy</i> , 2014 , 10, 259-267 | 17.1 | 103 |
| 203 | Improving the TiO2 electron transport layer in perovskite solar cells using acetylacetonate-based additives. <i>Journal of Materials Chemistry A</i> , 2015 , 3, 9108-9115 | 13 | 94 |
| 202 | Solution-processed small molecules using different electron linkers for high-performance solar cells. <i>Advanced Materials</i> , 2013 , 25, 4657-62 | 24 | 92 |
| 201 | Low-Temperature TiOx Compact Layer for Planar Heterojunction Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 11076-83 | 9.5 | 91 |
| 200 | CsI Pre-Intercalation in the Inorganic Framework for Efficient and Stable FA Cs PbI (Cl) Perovskite Solar Cells. <i>Small</i> , 2017 , 13, 1700484 | 11 | 88 |
| 199 | Congeneric Incorporation of CsPbBr3 Nanocrystals in a Hybrid Perovskite Heterojunction for Photovoltaic Efficiency Enhancement. <i>ACS Energy Letters</i> , 2018 , 3, 30-38 | 20.1 | 86 |
| 198 | Working Mechanism for Flexible Perovskite Solar Cells with Simplified Architecture. <i>Nano Letters</i> , 2015 , 15, 6514-20 | 11.5 | 82 |
| 197 | Robust Fabrication of Hybrid Lead-Free Perovskite Pellets for Stable X-ray Detectors with Low Detection Limit. <i>Advanced Materials</i> , 2020 , 32, e2001981 | 24 | 74 |
| 196 | Interfacial Dipole in Organic and Perovskite Solar Cells. <i>Journal of the American Chemical Society</i> , 2020 , 142, 18281-18292 | 16.4 | 70 |
| 195 | Silane-Capped ZnO Nanoparticles for Use as the Electron Transport Layer in Inverted Organic Solar Cells. <i>ACS Nano</i> , 2018 , 12, 5518-5529 | 16.7 | 68 |
| 194 | An in situ cross-linked 1D/3D perovskite heterostructure improves the stability of hybrid perovskite solar cells for over 3000 h operation. <i>Energy and Environmental Science</i> , 2020 , 13, 4344-4352 | 35.4 | 68 |
| 193 | Locally collective hydrogen bonding isolates lead octahedra for white emission improvement. <i>Nature Communications</i> , 2019 , 10, 5190 | 17.4 | 67 |

| | | | |
|-----|--|------|----|
| 192 | The study of solvent additive effects in efficient polymer photovoltaics via impedance spectroscopy. <i>Solar Energy Materials and Solar Cells</i> , 2014 , 130, 20-26 | 6.4 | 65 |
| 191 | Effect of High Dipole Moment Cation on Layered 2D Organic/Inorganic Halide Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2018 , 9, 1803024 | 21.8 | 65 |
| 190 | Elemental composition of organic aerosol: The gap between ambient and laboratory measurements. <i>Geophysical Research Letters</i> , 2015 , 42, 4182-4189 | 4.9 | 63 |
| 189 | A Thermodynamically Favored Crystal Orientation in Mixed Formamidinium/Methylammonium Perovskite for Efficient Solar Cells. <i>Advanced Materials</i> , 2019 , 31, e1900390 | 24 | 62 |
| 188 | Recent advances toward practical use of halide perovskite nanocrystals. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 21729-21746 | 13 | 62 |
| 187 | Colloidal Indium-Doped Zinc Oxide Nanocrystals with Tunable Work Function: Rational Synthesis and Optoelectronic Applications. <i>Chemistry of Materials</i> , 2014 , 26, 5169-5178 | 9.6 | 62 |
| 186 | Unraveling film transformations and device performance of planar perovskite solar cells. <i>Nano Energy</i> , 2015 , 12, 494-500 | 17.1 | 61 |
| 185 | Fluoroalkyl-substituted fullerene/perovskite heterojunction for efficient and ambient stable perovskite solar cells. <i>Nano Energy</i> , 2016 , 30, 417-425 | 17.1 | 61 |
| 184 | 1000 h Operational Lifetime Perovskite Solar Cells by Ambient Melting Encapsulation. <i>Advanced Energy Materials</i> , 2020 , 10, 1902472 | 21.8 | 60 |
| 183 | Liquid medium annealing for fabricating durable perovskite solar cells with improved reproducibility. <i>Science</i> , 2021 , 373, 561-567 | 33.3 | 60 |
| 182 | Moderate UV Exposure Enhances Learning and Memory by Promoting a Novel Glutamate Biosynthetic Pathway in the Brain. <i>Cell</i> , 2018 , 173, 1716-1727.e17 | 56.2 | 60 |
| 181 | The Spacer Cations Interplay for Efficient and Stable Layered 2D Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2020 , 10, 1901566 | 21.8 | 57 |
| 180 | Synthesis of N,S-Doped Carbon Quantum Dots for Use in Organic Solar Cells as the ZnO Modifier To Eliminate the Light-Soaking Effect. <i>ACS Applied Materials & Interfaces</i> , 2019 , 11, 2243-2253 | 9.5 | 57 |
| 179 | Monolithic perovskite/Si tandem solar cells exceeding 22% efficiency via optimizing top cell absorber. <i>Nano Energy</i> , 2018 , 53, 798-807 | 17.1 | 56 |
| 178 | Quantitative operando visualization of the energy band depth profile in solar cells. <i>Nature Communications</i> , 2015 , 6, 7745 | 17.4 | 52 |
| 177 | Passivation of surface states in the ZnO nanowire with thermally evaporated copper phthalocyanine for hybrid photodetectors. <i>Nanoscale</i> , 2013 , 5, 4162-5 | 7.7 | 51 |
| 176 | Low-temperature-processed inorganic perovskite solar cells via solvent engineering with enhanced mass transport. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 23602-23609 | 13 | 49 |
| 175 | Synthesis of bulk-size transparent gadolinium oxide-polymer nanocomposites for gamma ray spectroscopy. <i>Journal of Materials Chemistry C</i> , 2013 , 1, 1970-1976 | 7.1 | 47 |

| | | | |
|-----|--|------|----|
| 174 | To probe the performance of perovskite memory devices: defects property and hysteresis. <i>Journal of Materials Chemistry C</i> , 2017 , 5, 5810-5817 | 7.1 | 46 |
| 173 | Facile Single-Precursor Synthesis and Surface Modification of Hafnium Oxide Nanoparticles for Nanocomposite E-Ray Scintillators. <i>Advanced Functional Materials</i> , 2015 , 25, 4607-4616 | 15.6 | 45 |
| 172 | Hollow Loofah-Like N, O-Co-Doped Carbon Tube for Electrocatalysis of Oxygen Reduction. <i>Advanced Functional Materials</i> , 2019 , 29, 1900015 | 15.6 | 44 |
| 171 | Precise Composition Tailoring of Mixed-Cation Hybrid Perovskites for Efficient Solar Cells by Mixture Design Methods. <i>ACS Nano</i> , 2017 , 11, 8804-8813 | 16.7 | 44 |
| 170 | Luminescence Properties of Eu(III) Complex/Polyvinylpyrrolidone Electrospun Composite Nanofibers. <i>Journal of Physical Chemistry C</i> , 2010 , 114, 3898-3903 | 3.8 | 44 |
| 169 | Si/PEDOT hybrid core/shell nanowire arrays as photoelectrodes for photoelectrochemical water-splitting. <i>Nanoscale</i> , 2013 , 5, 5257-61 | 7.7 | 42 |
| 168 | Tungsten-Doping-Induced Surface Reconstruction of Porous Ternary Pt-Based Alloy Electrocatalyst for Oxygen Reduction. <i>Advanced Functional Materials</i> , 2019 , 29, 1807070 | 15.6 | 42 |
| 167 | One-step, low-temperature deposited perovskite solar cell utilizing small molecule additive. <i>Journal of Photonics for Energy</i> , 2015 , 5, 057405 | 1.2 | 41 |
| 166 | Unraveling the Growth of Hierarchical Quasi-2D/3D Perovskite and Carrier Dynamics. <i>Journal of Physical Chemistry Letters</i> , 2018 , 9, 1124-1132 | 6.4 | 41 |
| 165 | Synergistically Enhanced Oxygen Reduction Electrocatalysis by Subsurface Atoms in Ternary PdCuNi Alloy Catalysts. <i>Advanced Functional Materials</i> , 2018 , 28, 1707219 | 15.6 | 39 |
| 164 | Ligand engineering on CdTe quantum dots in perovskite solar cells for suppressed hysteresis. <i>Nano Energy</i> , 2018 , 46, 45-53 | 17.1 | 38 |
| 163 | Efficient white polymer light-emitting diodes employing a silver nanowire-polymer composite electrode. <i>Physical Chemistry Chemical Physics</i> , 2012 , 14, 14249-54 | 3.6 | 38 |
| 162 | The Exploration of Carrier Behavior in the Inverted Mixed Perovskite Single-Crystal Solar Cells. <i>Advanced Materials Interfaces</i> , 2018 , 5, 1800224 | 4.6 | 38 |
| 161 | Recent Advances in Improving Phase Stability of Perovskite Solar Cells. <i>Small Methods</i> , 2020 , 4, 1900877 | 12.8 | 35 |
| 160 | Extremely low trap-state energy level perovskite solar cells passivated using NH ₂ -POSS with improved efficiency and stability. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 6806-6814 | 13 | 34 |
| 159 | Efficiency above 12% for 1 cm Flexible Organic Solar Cells with Ag/Cu Grid Transparent Conducting Electrode. <i>Advanced Science</i> , 2019 , 6, 1901490 | 13.6 | 34 |
| 158 | Solution-Processed 8-Hydroquinolitolithium as Effective Cathode Interlayer for High-Performance Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2016 , 8, 9254-61 | 9.5 | 34 |
| 157 | Development of encapsulation strategies towards the commercialization of perovskite solar cells. <i>Energy and Environmental Science</i> , | 35.4 | 33 |

| | | | |
|-----|--|------|----|
| 156 | Vapor-assisted solution process for perovskite materials and solar cells. <i>MRS Bulletin</i> , 2015 , 40, 667-673 | 3.2 | 32 |
| 155 | Tungsten as Adhesive In Pt2CuW0.25 Ternary Alloy for Highly Durable Oxygen Reduction Electrocatalysis. <i>Advanced Functional Materials</i> , 2020 , 30, 1908230 | 15.6 | 32 |
| 154 | Contact Engineering: Electrode Materials for Highly Efficient and Stable Perovskite Solar Cells. <i>Solar Rrl</i> , 2017 , 1, 1700082 | 7.1 | 31 |
| 153 | Mixture interlayer for high performance organic-inorganic perovskite photodetectors. <i>Applied Physics Letters</i> , 2016 , 109, 123301 | 3.4 | 31 |
| 152 | Boosting OrganicMetal Oxide Heterojunction via Conjugated Small Molecules for Efficient and Stable Nonfullerene Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2019 , 9, 1900887 | 21.8 | 30 |
| 151 | Understanding the Defect Properties of Quasi-2D Halide Perovskites for Photovoltaic Applications. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 3521-3528 | 6.4 | 29 |
| 150 | Synergistic Effects of Eu-MOF on Perovskite Solar Cells with Improved Stability. <i>Advanced Materials</i> , 2021 , 33, e2102947 | 24 | 29 |
| 149 | Temporal and spatial pinhole constraints in small-molecule hole transport layers for stable and efficient perovskite photovoltaics. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 7338-7346 | 13 | 28 |
| 148 | Imaging metal-like monoclinic phase stabilized by surface coordination effect in vanadium dioxide nanobeam. <i>Nature Communications</i> , 2017 , 8, 15561 | 17.4 | 27 |
| 147 | New Bichromophoric Triplet Photosensitizer Designs and Their Application in Triplet-Triplet Annihilation Upconversion. <i>Advanced Optical Materials</i> , 2018 , 6, 1700981 | 8.1 | 27 |
| 146 | Energy Transfer Dynamics in Triplet-Triplet Annihilation Upconversion Using a Bichromophoric Heavy-Atom-Free Sensitizer. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 6673-6682 | 2.8 | 27 |
| 145 | Naphtho[1,2-b:4,3-b']dithiophene-based hole transporting materials for high-performance perovskite solar cells: molecular engineering and opto-electronic properties. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 10057-10063 | 13 | 26 |
| 144 | Structure dependence in hybrid Si nanowire/poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) solar cells: Understanding photovoltaic conversion in nanowire radial junctions. <i>Applied Physics Letters</i> , 2012 , 100, 023112 | 3.4 | 26 |
| 143 | Microstructure formation and property of chitosan-poly(acrylic acid) nanoparticles prepared by macromolecular complex. <i>Macromolecular Bioscience</i> , 2005 , 5, 993-1000 | 5.5 | 26 |
| 142 | Promoting Thermodynamic and Kinetic Stabilities of FA-based Perovskite by an in Situ Bilayer Structure. <i>Nano Letters</i> , 2020 , 20, 3864-3871 | 11.5 | 25 |
| 141 | Efficient and visual monitoring of cerium (III) ions by green-fluorescent carbon dots and paper-based sensing. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2019 , 206, 240-245 | 4.4 | 25 |
| 140 | Facile single-component precursor for Cu2ZnSnS4 with enhanced phase and composition controllability. <i>Energy and Environmental Science</i> , 2014 , 7, 998 | 35.4 | 25 |
| 139 | Promoting Energy Transfer via Manipulation of Crystallization Kinetics of Quasi-2D Perovskites for Efficient Green Light-Emitting Diodes. <i>Advanced Materials</i> , 2021 , 33, e2102246 | 24 | 25 |

| | | | |
|-----|---|------|----|
| 138 | External load-dependent degradation of P3HT:PC61BM solar cells: behavior, mechanism, and method of suppression. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 10010-10020 | 13 | 24 |
| 137 | Reduction of intrinsic defects in hybrid perovskite films via precursor purification. <i>Chemical Communications</i> , 2017 , 53, 10548-10551 | 5.8 | 24 |
| 136 | Tuning indium tin oxide work function with solution-processed alkali carbonate interfacial layers for high-efficiency inverted organic photovoltaic cells. <i>Nanotechnology</i> , 2013 , 24, 484011 | 3.4 | 24 |
| 135 | Stacking Effects on Electron-Phonon Coupling in Layered Hybrid Perovskites Microstrain Manipulation. <i>ACS Nano</i> , 2020 , 14, 5806-5817 | 16.7 | 24 |
| 134 | Introducing fluorene into organic hole transport materials to improve mobility and photovoltage for perovskite solar cells. <i>Chemical Communications</i> , 2019 , 55, 13406-13409 | 5.8 | 23 |
| 133 | Interface engineering in solid state Li metal batteries by quasi-2D hybrid perovskites. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 20896-20903 | 13 | 23 |
| 132 | Functional Scanning Force Microscopy for Energy Nanodevices. <i>Advanced Materials</i> , 2018 , 30, e1802490 | 24 | 22 |
| 131 | Contactless Characterization of Electronic Properties of Nanomaterials Using Dielectric Force Microscopy. <i>Journal of Physical Chemistry C</i> , 2012 , 116, 7158-7163 | 3.8 | 22 |
| 130 | Toward Greener Solution Processing of Perovskite Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 13126-13138 | 8.3 | 22 |
| 129 | Energy band alignment in operando inverted structure P3HT:PCBM organic solar cells. <i>Nano Energy</i> , 2017 , 40, 454-461 | 17.1 | 21 |
| 128 | Probing Phase Distribution in 2D Perovskites for Efficient Device Design. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 3127-3133 | 9.5 | 21 |
| 127 | Energy-Level Modulation in Diboron-Modified SnO ₂ for High-Efficiency Perovskite Solar Cells. <i>Solar Rrl</i> , 2020 , 4, 1900217 | 7.1 | 21 |
| 126 | Ambient stable large-area flexible organic solar cells using silver grid hybrid with vapor phase polymerized poly(3,4-Ethylenedioxythiophene) cathode. <i>Solar Energy Materials and Solar Cells</i> , 2015 , 143, 354-359 | 6.4 | 20 |
| 125 | Heterogeneously supported pseudo-single atom Pt as sustainable hydrosilylation catalyst. <i>Nano Research</i> , 2018 , 11, 2544-2552 | 10 | 20 |
| 124 | Processing Halide Perovskite Materials with Semiconductor Technology. <i>Advanced Materials Technologies</i> , 2019 , 4, 1800729 | 6.8 | 19 |
| 123 | The Role of Surface Termination in Halide Perovskites for Efficient Photocatalytic Synthesis. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 12931-12937 | 16.4 | 19 |
| 122 | Cation Diffusion Guides Hybrid Halide Perovskite Crystallization during the Gel Stage. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 5979-5987 | 16.4 | 19 |
| 121 | Propeller-Shaped, Triarylamine-Rich, and Dopant-Free Hole-Transporting Materials for Efficient n-i-p Perovskite Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2018 , 10, 41592-41598 | 9.5 | 19 |

| | | | |
|-----|--|------|----|
| 120 | Rationally Induced Interfacial Dipole in Planar Heterojunction Perovskite Solar Cells for Reduced JV Hysteresis. <i>Advanced Energy Materials</i> , 2018 , 8, 1800568 | 21.8 | 19 |
| 119 | Photon management for efficient hybrid perovskite solar cells via synergetic localized grating and enhanced fluorescence effect. <i>Nano Energy</i> , 2017 , 40, 540-549 | 17.1 | 18 |
| 118 | Bright long-lived luminescence of silicon nanocrystals sensitized by two-photon absorbing antenna. <i>CheM</i> , 2017 , 2, 550-560 | 16.2 | 17 |
| 117 | Effect of multi-walled carbon nanotubes on the morphology evolution, conductivity and rheological behaviors of poly(methyl methacrylate)/poly(styrene-co-acrylonitrile) blends during isothermal annealing. <i>RSC Advances</i> , 2016 , 6, 10099-10113 | 3.7 | 17 |
| 116 | Circular RNA circSnx5 Controls Immunogenicity of Dendritic Cells through the miR-544/SOCS1 Axis and PU.1 Activity Regulation. <i>Molecular Therapy</i> , 2020 , 28, 2503-2518 | 11.7 | 17 |
| 115 | Two Low-Cost and Efficient Hole-Transporting Materials for n-i-p Type Organic-Inorganic Hybrid Perovskite Solar Cells. <i>ACS Omega</i> , 2018 , 3, 10791-10797 | 3.9 | 17 |
| 114 | Effects of CsPbBr ₃ nanocrystals concentration on electronic structure and surface composition of perovskite films. <i>Organic Electronics</i> , 2019 , 73, 327-331 | 3.5 | 16 |
| 113 | An Efficient and Stable Perovskite Solar Cell with Suppressed Defects by Employing Dithizone as a Lead Indicator. <i>Angewandte Chemie - International Edition</i> , 2020 , 59, 21409-21413 | 16.4 | 16 |
| 112 | Efficient X-ray Attenuation Lead-Free AgBiI ₂ Halide Rutherfordite Alternative for Sensitive and Stable X-ray Detection. <i>Journal of Physical Chemistry Letters</i> , 2020 , 11, 7939-7945 | 6.4 | 16 |
| 111 | Using Stretchable PPy@PVA Composites as a High-Sensitivity Strain Sensor To Monitor Minute Motion. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 45373-45382 | 9.5 | 16 |
| 110 | Iridescent graphene/cellulose nanocrystal film with water response and highly electrical conductivity. <i>RSC Advances</i> , 2016 , 6, 93673-93679 | 3.7 | 16 |
| 109 | Stabilizing RbPbBr Perovskite Nanocrystals through Cs Substitution. <i>Chemistry - A European Journal</i> , 2019 , 25, 2597-2603 | 4.8 | 16 |
| 108 | Universal and versatile morphology engineering via hot fluorosulfuric solvent soaking for organic bulk heterojunction. <i>Nature Communications</i> , 2020 , 11, 5585 | 17.4 | 15 |
| 107 | Improved photomultiplication in inverted-structure organic photodetectors via interfacial engineering. <i>Applied Physics Letters</i> , 2018 , 113, 043303 | 3.4 | 15 |
| 106 | Superparamagnetic Reduced Graphene Oxide with Large Magnetoresistance: A Surface Modulation Strategy. <i>Angewandte Chemie - International Edition</i> , 2016 , 55, 3176-80 | 16.4 | 15 |
| 105 | Bismuth ferrite: an abnormal perovskite with electrochemical extraction of ions from A site. <i>Journal of Materials Chemistry A</i> , 2019 , 7, 12176-12190 | 13 | 14 |
| 104 | From Distortion to Disconnection: Linear Alkyl Diammonium Cations Tune Structure and Photoluminescence of Lead Bromide Perovskites. <i>Advanced Optical Materials</i> , 2020 , 8, 1902051 | 8.1 | 14 |
| 103 | Enhanced hot-carrier luminescence in multilayer reduced graphene oxide nanospheres. <i>Scientific Reports</i> , 2013 , 3, 2315 | 4.9 | 14 |

| | | | |
|-----|---|------|----|
| 102 | Improving the efficiency of silicon solar cells using in situ fabricated perovskite quantum dots as luminescence downshifting materials. <i>Nanophotonics</i> , 2019 , 9, 93-100 | 6.3 | 14 |
| 101 | Carrier transport composites with suppressed glass-transition for stable planar perovskite solar cells. <i>Journal of Materials Chemistry A</i> , 2020 , 8, 14106-14113 | 13 | 13 |
| 100 | Partial ligand exchange as a critical approach to the synthesis of transparent ytterbium fluoride-polymer nanocomposite monoliths for gamma ray scintillation. <i>Journal of Materials Chemistry C</i> , 2016 , 4, 3654-3660 | 7.1 | 13 |
| 99 | Surface Sulfuration of NiO Boosts the Performance of Inverted Perovskite Solar Cells. <i>Solar Rrl</i> , 2020 , 4, 2000270 | 7.1 | 13 |
| 98 | Molecular Hinges Stabilize Formamidinium-Based Perovskite Solar Cells with Compressive Strain. <i>Advanced Functional Materials</i> , 2020 , 11, 201193 | 15.6 | 13 |
| 97 | Human Hyperekplexic Mutations in Glycine Receptors Disinhibit the Brainstem by Hijacking GABA Receptors. <i>iScience</i> , 2019 , 19, 634-646 | 6.1 | 12 |
| 96 | Pyrrrolidinium containing perovskites with thermal stability and water resistance for photovoltaics. <i>Journal of Materials Chemistry C</i> , 2019 , 7, 11104-11108 | 7.1 | 12 |
| 95 | Conjugated polymers for radiation detection. <i>Annual Reports on the Progress of Chemistry Section C</i> , 2011 , 107, 298 | | 12 |
| 94 | Fluorescent Recognition of 1,2-Diamines by a 1,1'-Binaphthyl-Based Trifluoromethyl Ketone. <i>Chemistry - A European Journal</i> , 2016 , 22, 12061-7 | 4.8 | 11 |
| 93 | Greatly Enhanced Fluorescence by Increasing the Structural Rigidity of an Imine: Enantioselective Recognition of 1,2-Cyclohexanediamine by a Chiral Aldehyde. <i>Chemistry - A European Journal</i> , 2016 , 22, 5963-8 | 4.8 | 11 |
| 92 | Highly selective ratiometric fluorescent recognition of histidine by tetraphenylethene-terpyridine-Zn(II) complexes. <i>RSC Advances</i> , 2016 , 6, 25319-25329 | 3.7 | 10 |
| 91 | Building a Cocrystal by Using Supramolecular Synthons for Pressure-Accelerated Heteromolecular Azide-Alkyne Cycloaddition. <i>Chemistry - A European Journal</i> , 2019 , 25, 7142-7148 | 4.8 | 9 |
| 90 | Enhanced Triplet Sensitizing Ability of an Iridium Complex by Intramolecular Energy-Transfer Mechanism. <i>Journal of Physical Chemistry A</i> , 2018 , 122, 6963-6969 | 2.8 | 9 |
| 89 | Highly efficient copper halide scintillators for high-performance and dynamic X-ray imaging. <i>Nanoscale</i> , 2021 , | 7.7 | 9 |
| 88 | 9,9-Dimethyl Dihydroacridine-Based Organic Photocatalyst for Atom Transfer Radical Polymerization from Modifying Unstable Electron Donor. <i>Macromolecules</i> , 2020 , 53, 7053-7062 | 5.5 | 9 |
| 87 | Heterojunction-Type Photocatalytic System Based on Inorganic Halide Perovskite CsPbBr ₃ . <i>Chinese Journal of Chemistry</i> , 2020 , 38, 1718-1722 | 4.9 | 9 |
| 86 | Recent Progress in Developing Monolithic Perovskite/Si Tandem Solar Cells. <i>Frontiers in Chemistry</i> , 2020 , 8, 603375 | 5 | 9 |
| 85 | Metabolomic profiling of single enlarged lysosomes. <i>Nature Methods</i> , 2021 , 18, 788-798 | 21.6 | 9 |

| | | | |
|----|---|------|---|
| 84 | Solvent Free Laminated Fabrication of Lead Halide Perovskites for Sensitive and Stable X-ray Detection. <i>Journal of Physical Chemistry Letters</i> , 2021 , 12, 6961-6966 | 6.4 | 9 |
| 83 | Insights into Large-Scale Fabrication Methods in Perovskite Photovoltaics. <i>Advanced Energy and Sustainability Research</i> , 2021 , 2, 2000046 | 1.6 | 9 |
| 82 | High Proton Selectivity Sulfonated Polyimides Ion Exchange Membranes for Vanadium Flow Batteries. <i>Polymers</i> , 2018 , 10, | 4.5 | 9 |
| 81 | Exciton Self-Trapping for White Emission in 100-Oriented Two-Dimensional Perovskites via Halogen Substitution. <i>ACS Energy Letters</i> , 2022 , 7, 453-460 | 20.1 | 9 |
| 80 | Lewis Acid Assisted Diels-Alder Reaction with Regio- and Stereoselectivity: Anti-1,4-Adducts with Rigid Scaffolds and Their Application in Explosives Sensing. <i>Organic Letters</i> , 2015 , 17, 5016-9 | 6.2 | 8 |
| 79 | New Features of Photochemical Decomposition of Hybrid Lead Halide Perovskites by Laser Irradiation. <i>ACS Applied Materials & Interfaces</i> , 2020 , 12, 12755-12762 | 9.5 | 8 |
| 78 | Superparamagnetic Reduced Graphene Oxide with Large Magnetoresistance: A Surface Modulation Strategy. <i>Angewandte Chemie</i> , 2016 , 128, 3228-3232 | 3.6 | 8 |
| 77 | Metabolic reprogramming orchestrates CD4 T-cell immunological status and restores cardiac dysfunction in autoimmune induced-dilated cardiomyopathy mice. <i>Journal of Molecular and Cellular Cardiology</i> , 2019 , 135, 134-148 | 5.8 | 8 |
| 76 | 3D nanomaterial silica aerogel via diffusion of chiral compound driven broadband reflection in chiral nematic liquid crystals. <i>Liquid Crystals</i> , 2019 , 46, 952-962 | 2.3 | 8 |
| 75 | Understanding the effects of the energy band alignment at the donor/acceptor interface on the open circuit voltage of organic photovoltaic devices. <i>Chemical Physics Letters</i> , 2018 , 711, 113-117 | 2.5 | 8 |
| 74 | Efficient Moisture-Resistant Perovskite Solar Cell With Nanostructure Featuring 3D Amine Motif. <i>Solar Rrl</i> , 2018 , 2, 1800069 | 7.1 | 8 |
| 73 | Microstructure variations induced by excess PbX or AX within perovskite thin films. <i>Chemical Communications</i> , 2017 , 53, 12966-12969 | 5.8 | 7 |
| 72 | Frequency up-converted lasing in polymeric composites with two-photon absorbing antenna. <i>Optics Express</i> , 2012 , 20, 9135-43 | 3.3 | 7 |
| 71 | Curing kinetics and structural changes of a of di[(N-m-acetenylphenyl) phthalimide] ether/[(methyl) diphenylacetylene] silane copolymer. <i>Journal of Applied Polymer Science</i> , 2006 , 100, 2126-2130 | 2.9 | 7 |
| 70 | 30% Enhancement of Efficiency in Layered 2D Perovskites Absorbers by Employing Homo-Tandem Structures. <i>Solar Rrl</i> , 2019 , 3, 1900083 | 7.1 | 6 |
| 69 | Effects of Iodine Doping on Carrier Behavior at the Interface of Perovskite Crystals: Efficiency and Stability. <i>Crystals</i> , 2018 , 8, 185 | 2.3 | 6 |
| 68 | In-situ Interfacial Passivation for Stable Perovskite Solar Cells. <i>Frontiers in Materials</i> , 2019 , 6, | 4 | 6 |
| 67 | Fast naked-eye detection of amines with viologen derivatives. <i>Supramolecular Chemistry</i> , 2013 , 25, 344-348 | 3.4 | 6 |

| | | | |
|----|---|------|---|
| 66 | Surface Reconstruction and In Situ Formation of 2D Layer for Efficient and Stable 2D/3D Perovskite Solar Cells.. <i>Small Methods</i> , 2021 , 5, e2101000 | 12.8 | 6 |
| 65 | Operando surface science methodology reveals surface effect in charge storage electrodes. <i>National Science Review</i> , 2021 , 8, nwaa289 | 10.8 | 6 |
| 64 | Perylene-diimide-based cathode interlayer materials for high performance organic solar cells. <i>SusMat</i> , | | 6 |
| 63 | Thermal, morphological, and physicomechanical properties of (chlorinated polyethylene rubber)/(chloroprene rubber) blends. <i>Journal of Vinyl and Additive Technology</i> , 2015 , 21, 18-23 | 2 | 5 |
| 62 | Fabricating Surface-Functionalized CsPbBr/CsPbBr Nanosheets for Visible-Light Photocatalytic Oxidation of Styrene. <i>Frontiers in Chemistry</i> , 2020 , 8, 130 | 5 | 5 |
| 61 | Two-photon-pumped optical gain in dye-polymer composite materials. <i>Applied Physics Letters</i> , 2012 , 100, 133305 | 3.4 | 5 |
| 60 | Rapid mechanochemical preparation of a sandwich-like charge transfer complex. <i>CrystEngComm</i> , 2013 , 15, 4413 | 3.3 | 5 |
| 59 | Rational Design and Facile Synthesis of Dual-State Emission Fluorophores: Expanding Functionality for the Sensitive Detection of Nitroaromatic Compounds. <i>Chemistry - A European Journal</i> , 2021 , | 4.8 | 5 |
| 58 | Heterogeneously integrated, superconducting silicon-photonics platform for measurement-device-independent quantum key distribution. <i>Advanced Photonics</i> , 2021 , 3, | 8.1 | 5 |
| 57 | Rh(III)-Catalyzed Chemodivergent Coupling of α -Phenoxyacetamides and Alkylidenecyclopropanes via C-H Activation. <i>Organic Letters</i> , 2021 , 23, 2927-2932 | 6.2 | 5 |
| 56 | Anions-Exchange-Induced Efficient Carrier Transport at CsPbBr _x Cl _{3-x} /TiO ₂ Interface for Photocatalytic Activation of C(sp ³)-H bond in Toluene Oxidation. <i>ChemCatChem</i> , 2021 , 13, 2592-2598 | 5.2 | 5 |
| 55 | Mobile Media Promotes Orientation of 2D/3D Hybrid Lead Halide Perovskite for Efficient Solar Cells. <i>ACS Nano</i> , 2021 , 15, 8350-8362 | 16.7 | 5 |
| 54 | Thermal Management Enables More Efficient and Stable Perovskite Solar Cells. <i>ACS Energy Letters</i> , 2021 , 6, 3029-3036 | 20.1 | 5 |
| 53 | Visualization of Interfacial Band Bending in Photomultiplying Organic Photodetectors. <i>Nano Letters</i> , 2021 , 21, 8474-8480 | 11.5 | 5 |
| 52 | Strain Modulation for Light-Stable n-i-p Perovskite/Silicon Tandem Solar Cells.. <i>Advanced Materials</i> , 2022 , e2201315 | 24 | 5 |
| 51 | Avoiding Structural Collapse to Reduce Lead Leakage in Perovskite Photovoltaics.. <i>Angewandte Chemie - International Edition</i> , 2022 , | 16.4 | 5 |
| 50 | The effect of trait anxiety on risk-taking: Functional coupling between right hippocampus and left insula. <i>Psychophysiology</i> , 2020 , 57, e13629 | 4.1 | 4 |
| 49 | Effect of Waste Paper Fiber on Properties of Cement-based Mortar and Relative Mechanism. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2018 , 33, 419-426 | 1 | 4 |

| | | | |
|----|---|------|---|
| 48 | Fabrication of chitosan/PEO nanofiber mats with mica by electrospinning. <i>Journal of Polymer Engineering</i> , 2017 , 37, 461-470 | 1.4 | 4 |
| 47 | Simple inorganic base promoted polycyclic construction using mucohalic acid as a C3 synthon: synthesis and AIE probe application of benzo[4,5]imidazo[1,2-a]pyridines. <i>Organic Chemistry Frontiers</i> , | 5.2 | 4 |
| 46 | Circulating Exosomes Control CD4 T Cell Immunometabolic Functions via the Transfer of miR-142 as a Novel Mediator in Myocarditis. <i>Molecular Therapy</i> , 2020 , 28, 2605-2620 | 11.7 | 4 |
| 45 | Optimized MoP with Pseudo-Single-Atom Tungsten for Efficient Hydrogen Electrocatalysis. <i>Chemistry of Materials</i> , 2021 , 33, 3639-3649 | 9.6 | 4 |
| 44 | Optical and dielectric analysis of ZnO nanorods doped polymer dispersed liquid crystal and ethanol gas sensing investigation. <i>Liquid Crystals</i> , 2020 , 47, 2247-2256 | 2.3 | 3 |
| 43 | Applications of fluorene moiety containing polymers for improved scintillation light yield. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2017 , 868, 59-65 | 1.2 | 3 |
| 42 | A Strategy toward New Low-Dimensional Hybrid Halide Perovskites with Anionic Spacers. <i>Small</i> , 2019 , 15, e1804152 | 11 | 3 |
| 41 | Stability evolution of ultrafine Ag nanoparticles prepared by laser ablation in liquids. <i>Journal of Colloid and Interface Science</i> , 2021 , 585, 444-451 | 9.3 | 3 |
| 40 | Recent Progress in Designing Halide-Perovskite-Based System for the Photocatalytic Applications. <i>Frontiers in Chemistry</i> , 2020 , 8, 613174 | 5 | 3 |
| 39 | Protosappanin A protects against experimental autoimmune myocarditis, and induces metabolically reprogrammed tolerogenic DCs. <i>Pharmacological Research</i> , 2019 , 146, 104269 | 10.2 | 2 |
| 38 | Cation Diffusion Guides Hybrid Halide Perovskite Crystallization during the Gel Stage. <i>Angewandte Chemie</i> , 2020 , 132, 6035-6043 | 3.6 | 2 |
| 37 | A general approach for nanoparticle composite transport materials toward efficient perovskite solar cells. <i>Chemical Communications</i> , 2017 , 53, 11028-11031 | 5.8 | 2 |
| 36 | Probe the Effects of Surface Adsorbates on ZnO Nanowire Conductivity using Dielectric Force Microscopy. <i>Chinese Journal of Chemical Physics</i> , 2014 , 27, 582-586 | 0.9 | 2 |
| 35 | Direct observation of contact potential distributions of wafer-bonded p-GaAs/n-GaN and p-GaAs/n-Si by scanning Kelvin probe force microscopy. <i>Japanese Journal of Applied Physics</i> , 2020 , 59, 115502 | 1.4 | 2 |
| 34 | Formation of nanodiamond by pulsed discharge of carbon fiber wires. <i>Applied Physics Letters</i> , 2020 , 117, 081902 | 3.4 | 2 |
| 33 | A new contrast-to-noise ratio for image quality characterization of a coded-aperture camera. <i>Applied Radiation and Isotopes</i> , 2021 , 170, 109592 | 1.7 | 2 |
| 32 | Crown ether-induced supramolecular passivation and two-dimensional crystal interlayer formation in perovskite photovoltaics. <i>Cell Reports Physical Science</i> , 2021 , 2, 100450 | 6.1 | 2 |
| 31 | Long-Lived Triplet Excited-State Bichromophoric Iridium Photocatalysts for Controlled Photo-Mediated Atom-Transfer Radical Polymerization. <i>Macromolecules</i> , 2021 , 54, 6117-6126 | 5.5 | 2 |

| | | | |
|----|--|-----|---|
| 30 | Abnormal brain functional network dynamics in obsessive-compulsive disorder patients and their unaffected first-degree relatives. <i>Human Brain Mapping</i> , 2021 , 42, 4387-4398 | 5.9 | 2 |
| 29 | Zinc Stannate Nanostructures for Energy Conversion <i>Chinese Journal of Chemistry</i> , 2021 , 39, 367-380 | 4.9 | 2 |
| 28 | A Facile Approach towards Fabrication of Electrospun Nanofibrous Mats based Multicompartment Wound Dressing Fabric. <i>Macromolecular Research</i> , 2018 , 26, 1265-1272 | 1.9 | 2 |
| 27 | Simultaneous performance and stability improvement of perovskite solar cells by a sequential twice anti-solvent deposition process. <i>Organic Electronics</i> , 2018 , 59, 358-365 | 3.5 | 2 |
| 26 | Crystal Chemical Insights on Lead Iodide Perovskites Doping from Revised Effective Radii of Metal Ions 2021 , 3, 1377-1384 | | 2 |
| 25 | The neural mechanism of spatial-positional association in working memory: A fMRI study. <i>Brain and Cognition</i> , 2021 , 152, 105756 | 2.7 | 2 |
| 24 | -alkylation briefly constructs tunable multifunctional sensor materials: Multianalyte detection and reversible adsorption. <i>IScience</i> , 2021 , 24, 103126 | 6.1 | 2 |
| 23 | Ultralow contents of AgNbO ₃ fibers induced high energy storage density in ferroelectric polymer nanocomposites. <i>Applied Physics Letters</i> , 2022 , 120, 223904 | 3.4 | 2 |
| 22 | Synthesis of transparent nanocomposite monoliths for gamma scintillation 2015 , | | 1 |
| 21 | The Role of Surface Termination in Halide Perovskites for Efficient Photocatalytic Synthesis. <i>Angewandte Chemie</i> , 2020 , 132, 13031-13037 | 3.6 | 1 |
| 20 | Compositional Engineering for Compact Perovskite Absorber Fabrication Toward Efficient Photovoltaics. <i>IEEE Journal of Photovoltaics</i> , 2020 , 10, 765-770 | 3.7 | 1 |
| 19 | Circuit-level ESD protection simulation using behavior models in 28nm CMOS 2017 , | | 1 |
| 18 | Numerical Modelling and Analysis of Infrared Testing in Delaminations of Pressurepipes Using ANSYS 2012 , | | 1 |
| 17 | Bulky ammonium iodide and in-situ formed 2D Ruddlesden-Popper layer enhances the stability and efficiency of perovskite solar cells.. <i>Journal of Colloid and Interface Science</i> , 2022 , 614, 247-255 | 9.3 | 1 |
| 16 | Interface charge accumulation dynamics in 3D and quasi-2D perovskite solar cells. <i>Journal Physics D: Applied Physics</i> , 2021 , 54, 014004 | 3 | 1 |
| 15 | Tailoring molecular termination for thermally stable perovskite solar cells. <i>Journal of Semiconductors</i> , 2021 , 42, 112201 | 2.3 | 1 |
| 14 | Enhanced domain wall conductivity in photosensitive ferroelectrics Sn ₂ P ₂ S ₆ with full-visible-spectrum absorption. <i>Science China Materials</i> , 1 | 7.1 | 1 |
| 13 | White Matter Alterations of the Goal-Directed System in Patients With Obsessive-Compulsive Disorder and Their Unaffected First-Degree Relatives. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 992-1001 | 3.4 | 1 |

| | | | |
|----|--|------|---|
| 12 | Improving the Photomultiplication in Organic Photodetectors with Narrowband Response by Interfacial Engineering. <i>Acta Chimica Sinica</i> , 2021 , 79, 1030 | 3.3 | 1 |
| 11 | Interface-enhanced thermoelectric output power in CrN/SrTiO ₃ heterostructure. <i>Journal of Energy Chemistry</i> , 2022 , 64, 16-22 | 12 | 1 |
| 10 | Modification of FA _{0.85} MA _{0.15} Pb(I _{0.85} Br _{0.15}) ₃ Films by NH ₂ -POSS. <i>Crystals</i> , 2021 , 11, 1544 | 2.3 | 1 |
| 9 | Neural basis responsible for episodic future thinking effects on procrastination: The interaction between the cognitive control pathway and emotional processing pathway. <i>Cortex</i> , 2021 , 145, 250-263 | 3.8 | 0 |
| 8 | An Efficient and Stable Perovskite Solar Cell with Suppressed Defects by Employing Dithizone as a Lead Indicator. <i>Angewandte Chemie</i> , 2020 , 132, 21593-21597 | 3.6 | 0 |
| 7 | Momentary lapses of attention in multisensory environment. <i>Cortex</i> , 2020 , 131, 195-209 | 3.8 | 0 |
| 6 | Quantitative amplitude-modulation scanning Kelvin probe microscopy via the second eigenmode excitation. <i>Ultramicroscopy</i> , 2021 , 230, 113399 | 3.1 | 0 |
| 5 | Extracellular vesicle-packaged mitochondrial disturbing miRNA exacerbates cardiac injury during acute myocardial infarction.. <i>Clinical and Translational Medicine</i> , 2022 , 12, e779 | 5.7 | 0 |
| 4 | Cost Analysis of Perovskite/Cu(In,Ga)Se ₂ Tandem Photovoltaic with Module Replacement. <i>ACS Energy Letters</i> , 1920-1925 | 20.1 | 0 |
| 3 | Experimental Demonstration of Superconducting Series Nanowire Photon-Number-Resolving Detector at 660 nm Wavelength. <i>IEEE Photonics Journal</i> , 2019 , 11, 1-8 | 1.8 | |
| 2 | The enthalpies and kinetic of dissolution of diterpenoid derivative paclitaxel in aqueous NaCl solutions at 309.5 K. <i>Russian Journal of Physical Chemistry A</i> , 2013 , 87, 1276-1279 | 0.7 | |
| 1 | Bright future of polymerizing small-molecule acceptors in realizing high performance all-polymer solar cells. <i>Frontiers of Chemical Science and Engineering</i> , 1 | 4.5 | |