Sang Wook Bai

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/1304661/sang-wook-bai-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71	1,063	19	29
papers	citations	h-index	g-index
73 ext. papers	1,172 ext. citations	2.5 avg, IF	3.67 L-index

#	Paper	IF	Citations
71	Impact of Body Mass Index on Postoperative Urinary Symptoms after Miduretheral Sling Surgery in Female Patients <i>Journal of Menopausal Medicine</i> , 2021 , 27, 162-167	1.6	O
70	Impact of age on outcomes of midurethral sling procedures in women. <i>International Urogynecology Journal</i> , 2020 , 31, 785-789	2	5
69	Manchester Operation: An Effective Treatment for Uterine Prolapse Caused by True Cervical Elongation. <i>Yonsei Medical Journal</i> , 2019 , 60, 1074-1080	3	8
68	Postoperative urinary symptoms after transobturator tape in normal-weight compared with overweight and obese woman. <i>Obstetrics and Gynecology Science</i> , 2018 , 61, 374-378	1.9	
67	Surgical treatments for vaginal apical prolapse. Obstetrics and Gynecology Science, 2016, 59, 253-60	1.9	7
66	MicroRNA-30d and microRNA-181a regulate HOXA11 expression in the uterosacral ligaments and are overexpressed in pelvic organ prolapse. <i>Journal of Cellular and Molecular Medicine</i> , 2015 , 19, 501-9	5.6	14
65	NGF and HB-EGF: potential biomarkers that reflect the effects of fesoterodine in patients with overactive bladder syndrome. <i>Yonsei Medical Journal</i> , 2015 , 56, 204-11	3	14
64	Two-year urinary outcomes of sacrocolpopexy with or without transobturator tape: results of a prolapse-reduction stress test-based approach. <i>International Urogynecology Journal</i> , 2014 , 25, 1517-22	2	10
63	Changes in sexual function and comparison of questionnaires following surgery for pelvic organ prolapse. <i>Yonsei Medical Journal</i> , 2014 , 55, 170-7	3	7
62	Comparison of midurethral sling outcomes with and without concomitant prolapse repair. <i>Obstetrics and Gynecology Science</i> , 2014 , 57, 50-8	1.9	1
61	The significance and factors related to bladder outlet obstruction in pelvic floor dysfunction in preoperative urodynamic studies: A retrospective cohort study. <i>Obstetrics and Gynecology Science</i> , 2014 , 57, 59-65	1.9	2
60	Association between the poly(ADP-ribose) polymerase-1 gene polymorphism and advanced pelvic organ prolapse. <i>Menopause</i> , 2014 , 21, 177-81	2.5	3
59	Estrogen-related genome-based expression profiling study of uterosacral ligaments in women with pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2013 , 24, 1961-7	2	7
58	Involvement of oxidative stress and mitochondrial apoptosis in the pathogenesis of pelvic organ prolapse. <i>Journal of Urology</i> , 2013 , 189, 588-94	2.5	36
57	Translation and linguistic validation of Korean version of short form of pelvic floor distress inventory-20, pelvic floor impact questionnaire-7. <i>Obstetrics and Gynecology Science</i> , 2013 , 56, 330-2	1.9	18
56	Effective parameters of urodynamic study before pelvic organ prolapse surgery and validation of concomitant surgery on urinary outcomes: Retrospective cohort study. <i>Korean Journal of Obstetrics & Gynecology</i> , 2012 , 55, 237		
55	Correlation analysis about effect of cardiovascular risk factors and disease in women on overactive bladder and stress urinary incontinence. <i>Korean Journal of Obstetrics & Gynecology</i> , 2012 , 55, 730		

Comparison of perioperative, long-term complications and recurrence rates after vaginal prolapse 54 surgery by considering ICS POP-Q stage. Korean Journal of Obstetrics & Gynecology, 2012, 55, 564 Alteration of elastin metabolism in women with pelvic organ prolapse. Journal of Urology, 2011, 2.5 24 53 185, 1786-92 Comparison of Burch colposuspension and transobturator tape when combined with abdominal 52 9 sacrocolpopexy. International Journal of Gynecology and Obstetrics, 2011, 112, 122-5 Predicting risk factors of postoperative voiding dysfunction after abdominal sacrocolpopexy in the treatment of pelvic organ prolapse. Korean Journal of Obstetrics & Gynecology, 2011, 54, 93 Perioperative and long-term complications among obese women undergoing vaginal surgery. 50 4 14 International Journal of Gynecology and Obstetrics, **2010**, 108, 244-6 Risk factors associated with voiding dysfunction after anti-incontinence surgery. International 2 49 13 *Urogynecology Journal*, **2010**, 21, 1505-9 48 A long-term treatment outcome of abdominal sacrocolpopexy. Yonsei Medical Journal, 2009, 50, 807-13 3 21 Polymorphism of a COLIA1 gene Sp1 binding site in Korean women with pelvic organ prolapse. 47 13 Yonsei Medical Journal, 2009, 50, 564-8 Changes in expression of fibulin-5 and lysyl oxidase-like 1 associated with pelvic organ prolapse. 46 2.4 35 European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 145, 117-22 Mass spectrometry based metabolomic approaches in urinary biomarker study of women according to the content of 6.2 45 144 Clinica Chimica Acta, 2009, 400, 63-9 The relationship between COL3A1 exon 31 polymorphism and pelvic organ prolapse. Journal of 44 2.5 21 Urology, 2009, 181, 1213-6 Surgical therapeutic index of tension-free vaginal tape and transobturator tape for stress urinary 2.5 9 43 incontinence. Gynecologic and Obstetric Investigation, 2008, 65, 41-6 Risk factors for the recurrence of pelvic organ prolapse. *Gynecologic and Obstetric Investigation*, 42 2.5 30 2008, 66, 268-73 Hormone-dependent aging problems in women. Yonsei Medical Journal, 2008, 49, 345-51 41 11 Quantitative analysis of 17 amino acids in the connective tissue of patients with pelvic organ prolapse using capillary electrophoresis-tandem mass spectrometry. Journal of Chromatography B: 40 3.2 30 Analytical Technologies in the Biomedical and Life Sciences, 2008, 865, 18-24 Is hysterectomy or the use of graft necessary for the reconstructive surgery for uterine prolapse?. 39 19 International Urogynecology Journal, 2008, 19, 351-5 Quantitative determination of progesterones and corticosteroids in human urine using gas chromatography/mass spectrometry: application to pelvic organ prolapse patients. Rapid 38 8 2.2 Communications in Mass Spectrometry, 2008, 22, 959-64 Treatment and Management of Sexually Transmitted Diseases in Sexually Assaulted Women. 37 0.5

Journal of the Korean Medical Association, **2008**, 51, 905

36	Black cohosh and St. Johnß wort (GYNO-Plus) for climacteric symptoms. <i>Yonsei Medical Journal</i> , 2007 , 48, 289-94	3	30
35	Use of grafts in pelvic reconstructive surgery. Yonsei Medical Journal, 2007, 48, 147-56	3	5
34	Leiomyomas of the female urethra and bladder: a report of five cases and review of the literature. <i>International Urogynecology Journal</i> , 2007 , 18, 913-7	2	18
33	Treatment outcome of tension-free vaginal tape in stress urinary incontinence: comparison of intrinsic sphincter deficiency and nonintrinsic sphincter deficiency patients. <i>International Urogynecology Journal</i> , 2007 , 18, 1431-4	2	24
32	Roles of sex steroid receptors and cell cycle regulation in pathogenesis of pelvic organ prolapse. <i>Current Opinion in Obstetrics and Gynecology</i> , 2006 , 18, 551-4	2.4	28
31	Differences in urodynamic study, perineal sonography and treatment outcome according to urethrovesical junction hypermobility in stress urinary incontinence. <i>Journal of Obstetrics and Gynaecology Research</i> , 2006 , 32, 206-11		8
30	Urinary tract injuries during pelvic surgery: incidence rates and predisposing factors. <i>International Urogynecology Journal</i> , 2006 , 17, 360-4	2	54
29	Survey of the characteristics and satisfaction degree of the patients using a pessary. <i>International Urogynecology Journal</i> , 2005 , 16, 182-6; discussion 186	2	35
28	Roles of estrogen receptor, progesterone receptor, p53 and p21 in pathogenesis of pelvic organ prolapse. <i>International Urogynecology Journal</i> , 2005 , 16, 492-6	2	21
27	The relationship between maximal urethral closure pressure and functional urethral length in anterior vaginal wall prolapse patients according to stage and age. <i>Yonsei Medical Journal</i> , 2005 , 46, 408	3 ³ 13	4
26	The significance of bladder trabeculation in the female lower urinary system: an objective evaluation by urodynamic studies. <i>Yonsei Medical Journal</i> , 2005 , 46, 673-8	3	18
25	A comparison of different pelvic reconstruction surgeries using mesh for pelvic organ prolapse patients. <i>Yonsei Medical Journal</i> , 2005 , 46, 112-8	3	13
24	Analysis of the success rates of Burch colposuspension in relation to Valsalva leak-point pressure. Journal of reproductive medicine, The, 2005 , 50, 189-92		5
23	Comparison of perioperative complications between reconstructive pelvic surgery and general gynecologic surgery. <i>Yonsei Medical Journal</i> , 2004 , 45, 281-6	3	3
22	The predictive values of various parameters in the diagnosis of stress urinary incontinence. <i>Yonsei Medical Journal</i> , 2004 , 45, 287-92	3	13
21	Comparison of outcomes between Burch colposuspension with and without concomitant abdominal hysterectomy. <i>Yonsei Medical Journal</i> , 2004 , 45, 665-70	3	2
20	The role of estrogen receptor, progesterone receptor and p53 in development of stress urinary incontinence. <i>Yonsei Medical Journal</i> , 2004 , 45, 885-90	3	12
19	Hysteroscopic endometrial ablation as a treatment for abnormal uterine bleeding in patients with renal transplants. <i>Journal of Minimally Invasive Gynecology</i> , 2004 , 11, 252-5		3

(1999-2003)

18	Treatment outcomes of uterine artery embolization and laparoscopic uterine artery ligation for uterine myoma. <i>Yonsei Medical Journal</i> , 2003 , 44, 694-702	3	48
17	The effect of pelvic organ prolapse on lower urinary tract function. <i>Yonsei Medical Journal</i> , 2003 , 44, 94-8	3	15
16	Relationship between urinary endogenous steroid metabolites and lower urinary tract function in postmenopausal women. <i>Yonsei Medical Journal</i> , 2003 , 44, 279-87	3	2
15	Outcomes and surgical therapeutic index of Burch colposuspension in stress urinary incontinence. <i>Journal of reproductive medicine, The</i> , 2003 , 48, 102-6		1
14	Peripartum hysterectomy and associated factors. <i>Journal of reproductive medicine, The</i> , 2003 , 48, 148-	52	22
13	Correlation between urodynamic test results, perineal ultrasound and degree of stress urinary incontinence. <i>Journal of reproductive medicine, The</i> , 2003 , 48, 718-22		6
12	Surgical outcome of female genital fistula in Korea. Yonsei Medical Journal, 2002, 43, 315-9	3	6
11	Endometriosis in an adolescent population: the severance hospital in Korean experience. <i>Yonsei Medical Journal</i> , 2002 , 43, 48-52	3	22
10	Uterine arterial embolization for the treatment of uterine leiomyomas. <i>Yonsei Medical Journal</i> , 2002 , 43, 346-50	3	6
9	Relationship between obesity and the risk of gynecologic laparoscopy in Korean women. <i>Journal of Minimally Invasive Gynecology</i> , 2002 , 9, 165-9		11
8	Pelvic organ prolapse and connective tissue abnormalities in Korean women. <i>Journal of reproductive medicine, The</i> , 2002 , 47, 231-4		26
7	Steroid hormone metabolism in women with pelvic organ prolapse. <i>Journal of reproductive medicine, The</i> , 2002 , 47, 303-8		3
6	Failed methotrexate treatment of cervical pregnancy. Predictive factors. <i>Journal of reproductive medicine, The</i> , 2002 , 47, 483-8		19
5	Relationship of urodynamic parameters and obesity in women with stress urinary incontinence. <i>Journal of reproductive medicine, The</i> , 2002 , 47, 559-63		23
4	Triple marker screening for fetal chromosomal abnormalities in Korean women of advanced maternal age. <i>Yonsei Medical Journal</i> , 2001 , 42, 199-203	3	4
3	A case with balanced chromosome rearrangement involving chromosomes 9, 14, and 13 in a woman with recurrent abortion. <i>Yonsei Medical Journal</i> , 2001 , 42, 345-8	3	3
2	Torsion of the pregnant uterus. Yonsei Medical Journal, 2001, 42, 267-9	3	9
1	A concomitant decrease in cortical and trabecular bone mass in isolated hypogonadotropic hypogonadism and gonadal dysgenesis. <i>Yonsei Medical Journal</i> , 1999 , 40, 444-9	3	6