
## Hirofumi Inoue

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1304974/publications.pdf Version: 2024-02-01



HIDOEUMIINOUE

#	Article	IF	CITATIONS
1	Erucin inhibits osteoclast formation via suppressing cell–cell fusion molecule DC-STAMP without influencing mineralization by osteoblasts. BMC Research Notes, 2022, 15, 105.	1.4	5
2	Shotgun proteomic investigation of methyltransferase and methylation profiles in lipopolysaccharide stimulated RAW264.7 murine macrophages. Biomedical Research, 2022, 43, 73-80.	0.9	1
3	Dietary magnesium deficiency induces the expression of neuroinflammationâ€related genes in mouse brain. Neuropsychopharmacology Reports, 2021, 41, 230-236.	2.3	7
4	Upregulation and stabilization of senescence marker protein-30 by epigallocatechin gallate against <i>tert</i> -butyl hydroperoxide-induced liver injury <i>in vitro</i> and <i>in vivo</i> . Journal of Clinical Biochemistry and Nutrition, 2021, 68, 51-57.	1.4	3
5	Iron deficiency negatively regulates protein methylation via the downregulation of protein arginine methyltransferase. Heliyon, 2020, 6, e05059.	3.2	1
6	Dietary magnesium deficiency impairs hippocampus-dependent memories without changes in the spine density and morphology of hippocampal neurons in mice. Brain Research Bulletin, 2019, 144, 149-157.	3.0	11
7	Down-regulation of senescence marker protein 30 by iron-specific chelator deferoxamine drives cell senescence. Bioscience, Biotechnology and Biochemistry, 2018, 82, 900-903.	1.3	5
8	Sulforaphene attenuates multinucleation of pre-osteoclasts by suppressing expression of cell–cell fusion-associated genes <i>DC</i> - <i>STAMP</i> , <i>OC</i> - <i>STAMP,</i> and <i>Atp6v0d2</i> . Bioscience, Biotechnology and Biochemistry, 2017, 81, 1220-1223.	1.3	9
9	Sulforaphane inhibits osteoclast differentiation by suppressing the cell-cell fusion molecules DC-STAMP and OC-STAMP. Biochemical and Biophysical Research Communications, 2017, 483, 718-724.	2.1	18
10	Extracts of black and brown rice powders improve hepatic lipid accumulation via the activation of PPARα in obese and diabetic model mice. Bioscience, Biotechnology and Biochemistry, 2017, 81, 2209-2211.	1.3	10
11	<b>Iron deficiency induces autophagy and activates Nrf2 signal through modulating p62/SQSTM </b> . Biomedical Research, 2017, 38, 343-350.	0.9	21
12	A combination of soy isoflavones and cello-oligosaccharides changes equol/ <i>O</i> -desmethylangolensin production ratio and attenuates bone fragility in ovariectomized mice. Bioscience, Biotechnology and Biochemistry, 2016, 80, 1632-1635.	1.3	12
13	Metabolic abnormalities induced by mitochondrial dysfunction in skeletal muscle of the renal carcinoma Eker (TSC2+/â^') rat model. Bioscience, Biotechnology and Biochemistry, 2016, 80, 1513-1519.	1.3	3
14	The tuberous sclerosis complex model Eker (TSC2+/â^') rat exhibits hyperglycemia and hyperketonemia due to decreased glycolysis in the liver. Archives of Biochemistry and Biophysics, 2016, 590, 48-55.	3.0	8
15	Activation of Nrf2/Keap1 signaling and autophagy induction against oxidative stress in heart in iron deficiency. Bioscience, Biotechnology and Biochemistry, 2015, 79, 1366-1368.	1.3	21
16	Phosphorylated hamartin–Hsp70 complex regulates apoptosis via mitochondrial localization. Biochemical and Biophysical Research Communications, 2010, 391, 1148-1153.	2.1	6
17	N-Formyl-3,4-methylenedioxy-benzylidene-γ-butyrolaetam, KNK437 induces caspase-3 activation through inhibition of mTORC1 activity in Cos-1 cells. Biochemical and Biophysical Research Communications, 2010, 395, 56-60.	2.1	6
18	( <i>S</i> )-Equol Is More Effective than ( <i>R</i> )-Equol in Inhibiting Osteoclast Formation and Enhancing Osteoclast Apoptosis, and Reduces Estrogen Deficiency–Induced Bone Loss in Mice. Journal of Nutrition, 0, , .	2.9	3