

Tadeusz Gorecki

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1306133/tadeusz-gorecki-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

141
papers

4,892
citations

37
h-index

65
g-index

146
ext. papers

5,268
ext. citations

5.4
avg, IF

5.75
L-index

#	Paper	IF	Citations
141	Green approaches to comprehensive two-dimensional liquid chromatography (LC [LC]). <i>Journal of Chromatography Open</i> , 2022 , 100046		1
140	Comparison of Thermal and Flow-Based Modulation in Comprehensive Two-Dimensional Gas Chromatography-Time-of-Flight Mass Spectrometry (GC [GC-TOFMS) for the Analysis of Base Oils. <i>Separations</i> , 2020 , 7, 70	3.1	1
139	Evaluation of the Performance of Cryogen-Free Thermal Modulation-Based Comprehensive Two-Dimensional Gas Chromatography-Time-of-Flight Mass Spectrometry (GC [GC-TOFMS) for the Qualitative Analysis of a Complex Bitumen Sample. <i>Separations</i> , 2020 , 7, 13	3.1	1
138	Green Approaches to Sample Preparation Based on Extraction Techniques. <i>Molecules</i> , 2020 , 25,	4.8	20
137	Modulators. <i>Separation Science and Technology</i> , 2020 , 89-140	1.7	1
136	Parallel gradients in comprehensive multidimensional liquid chromatography enhance utilization of the separation space and the degree of orthogonality when the separation mechanisms are correlated. <i>Journal of Chromatography A</i> , 2020 , 1628, 461452	4.5	4
135	Theory and modelling approaches to passive sampling. <i>Environmental Sciences: Processes and Impacts</i> , 2019 , 21, 1618-1641	4.3	17
134	New applications of the mathematical model of a permeation passive sampler: prediction of the effective uptake rate and storage stability. <i>Environmental Sciences: Processes and Impacts</i> , 2019 , 21, 113-123	4.3	4
133	Modelling permeation passive sampling: intra-particle resistance to mass transfer and comprehensive sensitivity analysis. <i>Environmental Sciences: Processes and Impacts</i> , 2019 , 21, 469-484	4.3	4
132	Green Chromatography and Related Techniques. <i>Green Chemistry and Sustainable Technology</i> , 2019 , 241-298	2.98	6
131	Comprehensive two-dimensional gas chromatography in environmental analysis. <i>TrAC - Trends in Analytical Chemistry</i> , 2018 , 106, 225-245	14.6	48
130	Organic matter in sediment layers of an acidic mining lake as assessed by lipid analysis. Part II: Neutral lipids. <i>Science of the Total Environment</i> , 2017 , 578, 219-227	10.2	7
129	Evaluation of the suitability of the Waterloo Membrane Sampler for sample preconcentration before compound-specific isotope analysis. <i>Environmental Technology and Innovation</i> , 2017 , 7, 141-151	7	4
128	Efficacy of botanical extracts from Brazilian savannah against <i>Diabrotica speciosa</i> and associated bacteria. <i>Ecological Research</i> , 2017 , 32, 435-444	1.9	4
127	Analysis of honeybush tea (<i>Cyclopia</i> spp.) volatiles by comprehensive two-dimensional gas chromatography using a single-stage thermal modulator. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 4127-4138	4.4	9
126	The quantification of short-chain chlorinated paraffins in sediment samples using comprehensive two-dimensional gas chromatography with ECD detection. <i>Analytical and Bioanalytical Chemistry</i> , 2017 , 409, 2065-2074	4.4	14
125	Experimentally validated mathematical model of analyte uptake by permeation passive samplers. <i>Environmental Sciences: Processes and Impacts</i> , 2017 , 19, 1363-1373	4.3	5

124	Green Gas and Liquid Capillary Chromatography 2017 , 453-482		2
123	Temperature Programming of the Second Dimension in Comprehensive Two-Dimensional Gas Chromatography. <i>Analytical Chemistry</i> , 2017 , 89, 8207-8211	7.8	6
122	Evaluation of a miniaturised single-stage thermal modulator for comprehensive two-dimensional gas chromatography of petroleum contaminated soils. <i>Journal of Chromatography A</i> , 2016 , 1463, 162-8	4.5	15
121	Development and Design of a Single-Stage Cryogenic Modulator for Comprehensive Two-Dimensional Gas Chromatography. <i>Analytical Chemistry</i> , 2016 , 88, 5414-23	7.8	12
120	Inlet backflushing device for the improvement of comprehensive two dimensional gas chromatographic separations. <i>Journal of Chromatography A</i> , 2015 , 1402, 110-23	4.5	7
119	Evaluation of a single-stage consumable-free modulator for comprehensive two-dimensional gas chromatography: analysis of polychlorinated biphenyls, organochlorine pesticides and chlorobenzenes. <i>Journal of Chromatography A</i> , 2015 , 1391, 93-101	4.5	26
118	Current trends in green liquid chromatography for the analysis of pharmaceutically active compounds in the environmental water compartments. <i>Talanta</i> , 2015 , 132, 739-52	6.2	65
117	Identification of oxidative coupling products of xylenols arising from laboratory-scale phytoremediation. <i>Chemosphere</i> , 2015 , 119, 184-189	8.4	1
116	Passive sampling for volatile organic compounds in indoor air-controlled laboratory comparison of four sampler types. <i>Environmental Sciences: Processes and Impacts</i> , 2015 , 17, 896-905	4.3	12
115	Multidimensional Liquid Chromatography Applied to the Analysis of Pesticides. <i>Chromatographic Science</i> , 2015 , 393-410		1
114	Quantitative passive soil vapor sampling for VOCs--part 2: laboratory experiments. <i>Environmental Sciences: Processes and Impacts</i> , 2014 , 16, 491-500	4.3	10
113	Quantitative passive soil vapor sampling for VOCs--part 1: theory. <i>Environmental Sciences: Processes and Impacts</i> , 2014 , 16, 482-90	4.3	9
112	Quantitative passive soil vapor sampling for VOCs--part 3: field experiments. <i>Environmental Sciences: Processes and Impacts</i> , 2014 , 16, 501-10	4.3	13
111	Quantitative passive soil vapor sampling for VOCs--Part 4: Flow-through cell. <i>Environmental Sciences: Processes and Impacts</i> , 2014 , 16, 1103-11	4.3	6
110	Green chromatography. <i>Journal of Chromatography A</i> , 2013 , 1307, 1-20	4.5	160
109	Green ultra-fast high-performance liquid chromatographic method using a short narrow-bore column packed with fully porous sub-2 μ m particles for the simultaneous determination of selected pharmaceuticals as surface water and wastewater pollutants. <i>Journal of Separation Science</i> , 2013 , 36, 252-61	3.4	15
108	Botanical and Geographical Origin Characterization of Polish Honeys by Headspace SPME-GC× GC-TOFMS. <i>Current Organic Chemistry</i> , 2013 , 17, 853-870	1.7	13
107	Organic matter in sediments of an acidic mining lake as assessed by lipid analysis. Part I: fatty acids. <i>Science of the Total Environment</i> , 2012 , 414, 614-23	10.2	9

106	Optimization and validation of a fast ultrahigh-pressure liquid chromatographic method for simultaneous determination of selected sulphonamides in water samples using a fully porous sub-2 μm column at elevated temperature. <i>Journal of Separation Science</i> , 2012 , 35, 216-24	3.4	20
105	Fused core particles as an alternative to fully porous sub-2 μm particles in pharmaceutical analysis using coupled columns at elevated temperature. <i>Analytical Methods</i> , 2012 , 4, 2735	3.2	12
104	Fast ultrahigh performance liquid chromatographic method for the simultaneous determination of 25 emerging contaminants in surface water and wastewater samples using superficially porous sub-3 μm particles as an alternative to fully porous sub-2 μm particles. <i>Talanta</i> , 2012 , 100, 80-9	6.2	22
103	Applications of polydimethylsiloxane in analytical chemistry: a review. <i>Analytica Chimica Acta</i> , 2012 , 750, 48-62	6.6	159
102	Optimization aspects of comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2012 , 1255, 38-55	4.5	66
101	Thermal Desorption Comprehensive Two-Dimensional Gas Chromatography: An Improved Instrument for In-Situ Speciated Measurements of Organic Aerosols. <i>Aerosol Science and Technology</i> , 2012 , 46, 380-393	3.4	34
100	High-Efficiency Liquid Chromatography Using Sub-2 μm Columns at Elevated Temperature for the Analysis of Sulfonamides in Wastewater. <i>Chromatographia</i> , 2011 , 74, 9-17	2.1	13
99	Modulation in comprehensive two-dimensional gas chromatography: 20 years of innovation. <i>Analytical and Bioanalytical Chemistry</i> , 2011 , 401, 2335-49	4.4	77
98	Polydimethylsiloxane-based permeation passive air sampler. Part I: Calibration constants and their relation to retention indices of the analytes. <i>Journal of Chromatography A</i> , 2011 , 1218, 143-55	4.5	21
97	Development of a new consumable-free thermal modulator for comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2011 , 1218, 3070-9	4.5	29
96	Investigation of the volatile composition of pinotage wines fermented with different malolactic starter cultures using comprehensive two-dimensional gas chromatography coupled to time-of-flight mass spectrometry (GC-TOF-MS). <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 12732-44	5.7	21
95	Solid phase extraction in combination with comprehensive two-dimensional gas chromatography coupled to time-of-flight mass spectrometry for the detailed investigation of volatiles in South African red wines. <i>Analytica Chimica Acta</i> , 2011 , 701, 98-111	6.6	59
94	High temperature-high efficiency liquid chromatography using sub-2 μm coupled columns for the analysis of selected non-steroidal anti-inflammatory drugs and veterinary antibiotics in environmental samples. <i>Analytica Chimica Acta</i> , 2011 , 702, 136-43	6.6	25
93	Characterisation of volatile components of Pinotage wines using comprehensive two-dimensional gas chromatography coupled to time-of-flight mass spectrometry (GC-TOFMS). <i>Food Chemistry</i> , 2011 , 129, 188-199	8.5	66
92	Determination of atmospheric pollutants in wet deposition. <i>Environmental Reviews</i> , 2011 , 19, 185-213	4.5	8
91	Protocol for solid-phase microextraction method development. <i>Nature Protocols</i> , 2010 , 5, 122-39	18.8	207
90	Spatial and seasonal patterns of benzene, toluene, ethylbenzene, and xylenes in the Gdansk, Poland and surrounding areas determined using radiello passive samplers. <i>Journal of Environmental Quality</i> , 2010 , 39, 896-906	3.4	14
89	Determination of Estrogenic Endocrine Disruptors in Environmental Samples—A Review of Chromatographic Methods. <i>Critical Reviews in Analytical Chemistry</i> , 2010 , 40, 194-201	5.2	24

88	Aromatic intermediate formation during oxidative degradation of Bisphenol A by homogeneous sub-stoichiometric Fenton reaction. <i>Chemosphere</i> , 2010 , 79, 975-86	8.4	101
87	Polydimethylsiloxane-based permeation passive air sampler. Part II: Effect of temperature and humidity on the calibration constants. <i>Journal of Chromatography A</i> , 2010 , 1217, 7907-13	4.5	23
86	Fatty acid patterns of genetically modified Cry3Bb1 expressing Bt-maize MON88017 and its near-isogenic line. <i>Journal of Agricultural and Food Chemistry</i> , 2009 , 57, 127-32	5.7	15
85	Formation of chlorinated biphenyls, diphenyl ethers and benzofurans as a result of Fenton-driven oxidation of 2-chlorophenol. <i>Chemosphere</i> , 2009 , 75, 772-80	8.4	51
84	Evaluation of the suitability of sampling on Tenax TA and polydimethylsiloxane for the analysis of combustion gases. <i>Talanta</i> , 2009 , 79, 967-70	6.2	2
83	Pesticides in rain and roof runoff waters from an urban region. <i>Urban Water Journal</i> , 2009 , 6, 441-448	2.3	9
82	Complexation-flocculation of organic contaminants by the application of oxyhumolite-based humic organic matter. <i>Chemosphere</i> , 2008 , 70, 1228-37	8.4	4
81	Domestic sampling: exposure assessment to moth repellent products using ultrasonic extraction and capillary GC-MS. <i>Chemosphere</i> , 2008 , 71, 711-6	8.4	8
80	Profiling the spatial concentration of allethrin and piperonyl butoxide using passive sorptive sampling and thermal desorption capillary GC-MS. <i>Chemosphere</i> , 2008 , 71, 2193-8	8.4	5
79	Molecular level lignin patterns of genetically modified Bt-maize MON88017 and three conventional varieties using tetramethylammonium hydroxide (TMAH)-induced thermochemolysis. <i>Journal of Agricultural and Food Chemistry</i> , 2008 , 56, 11906-13	5.7	19
78	Stop-flow comprehensive two-dimensional gas chromatography with pneumatic switching. <i>Journal of Separation Science</i> , 2008 , 31, 3375-84	3.4	20
77	Passive sampling in environmental analysis. <i>Journal of Chromatography A</i> , 2008 , 1184, 234-53	4.5	215
76	Thermal desorption comprehensive two-dimensional gas chromatography for in-situ measurements of organic aerosols. <i>Journal of Chromatography A</i> , 2008 , 1186, 340-7	4.5	74
75	Non-discriminating flash pyrolysis and thermochemolysis of heavily contaminated sediments from the Hamilton Harbor (Canada). <i>Journal of Chromatography A</i> , 2008 , 1186, 211-21	4.5	6
74	Corona-charged aerosol detection in supercritical fluid chromatography for pharmaceutical analysis. <i>Analytical Chemistry</i> , 2007 , 79, 2472-82	7.8	57
73	Determination of polydimethylsiloxane-air partition coefficients using headspace sorptive extraction. <i>Journal of Chromatography A</i> , 2007 , 1150, 183-9	4.5	14
72	Improving the universal response of evaporative light scattering detection by mobile phase compensation. <i>Journal of Chromatography A</i> , 2007 , 1161, 183-91	4.5	50
71	Analytical pyrolysis as a tool for the characterization of natural organic matter: a comparison of different approaches. <i>Journal of Analytical and Applied Pyrolysis</i> , 2007 , 79, 9-15	6	46

70	Combined application of non-discriminated conventional pyrolysis and tetramethylammonium hydroxide-induced thermochemolysis for the characterization of the molecular structure of humic acid isolated from polluted sediments from the Ravenna Lagoon. <i>Chemosphere</i> , 2007 , 70, 196-205	8.4	12
69	Investigation of the solvent extracts of humic organic matter (HOM) isolated from the Ravenna Lagoon to study environmental pollution and microbial communities. <i>Chemosphere</i> , 2007 , 70, 206-14	8.4	6
68	Comprehensive two-dimensional gas chromatography (GC x GC) in environmental analysis and monitoring. <i>Analytical and Bioanalytical Chemistry</i> , 2006 , 386, 1013-23	4.4	72
67	Microwave-assisted extraction of trichloroethylene from clay samples. <i>International Journal of Environmental Analytical Chemistry</i> , 2006 , 86, 1113-1125	1.8	7
66	Recent Advances in Comprehensive Two-Dimensional Gas Chromatography (GC ₂ C). <i>Journal of Liquid Chromatography and Related Technologies</i> , 2006 , 29, 1077-1104	1.3	48
65	Universal response in liquid chromatography using charged aerosol detection. <i>Analytical Chemistry</i> , 2006 , 78, 3186-92	7.8	181
64	Volatile organohalogen compounds in human urine: the effect of environmental exposure. <i>Chemosphere</i> , 2006 , 62, 626-40	8.4	12
63	Effect of first-dimension column film thickness on comprehensive two-dimensional gas chromatographic separation. <i>Journal of Chromatography A</i> , 2006 , 1105, 17-24	4.5	14
62	Comparison of comprehensive two-dimensional gas chromatography in conventional and stop-flow modes. <i>Journal of Chromatography A</i> , 2006 , 1105, 159-67	4.5	22
61	Separation of technical 4-nonylphenols and their biodegradation products by comprehensive two-dimensional gas chromatography coupled to time-of-flight mass spectrometry. <i>Journal of Chromatography A</i> , 2006 , 1107, 233-9	4.5	33
60	Application of the chromatographic retention index system for the estimation of the calibration constants of permeation passive samplers with polydimethylsiloxane membranes. <i>Journal of Chromatography A</i> , 2006 , 1117, 19-30	4.5	16
59	Identification of isomeric 4-nonylphenol structures by gas chromatography-tandem mass spectrometry combined with cluster analysis. <i>Journal of Chromatography A</i> , 2006 , 1102, 245-55	4.5	32
58	Determination of ergosterol as an indicator of fungal biomass in various samples using non-discriminating flash pyrolysis. <i>Journal of Chromatography A</i> , 2006 , 1130, 145-50	4.5	36
57	Formaldehyde in Various Forms of Atmospheric Precipitation and Deposition from Highly Urbanized Regions. <i>Journal of Atmospheric Chemistry</i> , 2006 , 53, 211-236	3.2	12
56	Overloading of the second-dimension column in comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2005 , 1071, 21-7	4.5	35
55	Characterization of non-discriminating tetramethylammonium hydroxide-induced thermochemolysis-capillary gas chromatography-mass spectrometry as a method for profiling fatty acids in bacterial biomasses. <i>Journal of Chromatography A</i> , 2005 , 1071, 99-109	4.5	28
54	Flow model for coupled-column gas chromatography systems. <i>Journal of Chromatography A</i> , 2005 , 1086, 135-40	4.5	28
53	Chemometric analysis of rainwater and throughfall at several sites in Poland. <i>Atmospheric Environment</i> , 2005 , 39, 837-855	5.3	62

52	Advances in non-discriminating pyrolysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2005 , 74, 11-18	6	13
51	Molecular composition of leaves and stems of genetically modified Bt and near-isogenic non-Bt maize--characterization of lignin patterns. <i>Journal of Environmental Quality</i> , 2005 , 34, 1508-18	3-4	85
50	Comprehensive two-dimensional gas chromatography in stop-flow mode. <i>Journal of Separation Science</i> , 2004 , 27, 431-41	3-4	39
49	The evolution of comprehensive two-dimensional gas chromatography (GC x GC). <i>Journal of Separation Science</i> , 2004 , 27, 359-79	3-4	157
48	Pesticides in Precipitation from an urban region in Poland (Gdańsk-Sopot-Gdynia Tricity) between 1998 and 2000. <i>Water, Air, and Soil Pollution</i> , 2003 , 149, 3-16	2.6	18
47	New liquid nitrogen cryogenic modulator for comprehensive two-dimensional gas chromatography. <i>Journal of Chromatography A</i> , 2003 , 1019, 53-63	4-5	71
46	Optimized conditions for hydrocarbon group type analysis of base oils by thin-layer chromatography-flame ionisation detection. <i>Journal of Chromatography A</i> , 2003 , 991, 255-66	4-5	20
45	Calibration of permeation passive samplers with silicone membranes based on physicochemical properties of the analytes. <i>Analytical Chemistry</i> , 2003 , 75, 3182-92	7.8	19
44	A novel technique for rapid extraction of volatile organohalogen compounds from low permeability media. <i>Environmental Science & Technology</i> , 2003 , 37, 3978-84	10.3	18
43	Relationship between volatile organohalogen compounds in drinking water and human urine in Poland. <i>Chemosphere</i> , 2003 , 53, 899-909	8.4	15
42	A laboratory technique for investigation of diffusion and transformation of volatile organic compounds in low permeability media. <i>Journal of Contaminant Hydrology</i> , 2002 , 57, 223-40	3.9	8
41	Permeation passive sampling as a tool for the evaluation of indoor air quality. <i>Atmospheric Environment</i> , 2002 , 36, 2907-2916	5.3	46
40	Design considerations for a GC/IC system. <i>Journal of Separation Science</i> , 2002 , 25, 304-310	3.4	25
39	Passive sampling. <i>TrAC - Trends in Analytical Chemistry</i> , 2002 , 21, 276-291	14.6	256
38	Studies on Intercorrelation between Ions Co-Occurring in Precipitation in the Gdańsk-Sopot-Gdynia Tricity (Poland). <i>Journal of Atmospheric Chemistry</i> , 2002 , 41, 239-264	3.2	6
37	Quality of roof runoff waters from an urban region (Gdańsk, Poland). <i>Chemosphere</i> , 2002 , 49, 1275-83	8.4	32
36	Design considerations for a GC/IC system 2002 , 25, 304		1
35	VOLATILE ORGANOCHLORINE COMPOUNDS AND PESTICIDES IN PRECIPITATION FROM AN URBAN REGION (GDAŃSK, POLAND). <i>Analytical Letters</i> , 2001 , 34, 1503-1515	2.2	3

34	Pesticides in precipitation in the Gdańk region (Poland). <i>Chemosphere</i> , 2001 , 43, 303-12	8.4	22
33	Levels of lead in atmospheric deposition in a large urban agglomeration in Poland. <i>Journal of Environmental Monitoring</i> , 2001 , 3, 146-9		3
32	In-column pyrolysis: a new approach to an old problem. <i>Analytical Chemistry</i> , 2001 , 73, 2012-7	7.8	27
31	Development of membrane extraction with a sorbent interface-micro gas chromatography system for field analysis. <i>Journal of Chromatography A</i> , 2000 , 873, 13-27	4.5	66
30	Sorption of Very Hydrophobic Organic Compounds onto Poly(dimethylsiloxane) and Dissolved Humic Organic Matter. 1. Adsorption or Partitioning of VHOC on PDMS-Coated Solid-Phase Microextraction Fibers A Never-Ending Story?. <i>Environmental Science & Technology</i> , 2000 , 34, 3824-3830	10.3	72
29	Determination of volatile organohalogen compounds in human urine. <i>Journal of Occupational and Environmental Hygiene</i> , 1999 , 14, 240-5		6
28	Optimization of the SPME device design for field applications. <i>Fresenius Journal of Analytical Chemistry</i> , 1999 , 364, 610-616		40
27	Theory of analyte extraction by selected porous polymer SPME fibres. <i>Analyst, The</i> , 1999 , 124, 643-649	5	248
26	Determination of lead in blood and urine by SPME/GC. <i>Analytical Chemistry</i> , 1999 , 71, 2998-3002	7.8	58
25	Theoretical principles of thin layer headspace analysis. <i>Toxicological and Environmental Chemistry</i> , 1999 , 68, 1-42	1.4	9
24	Surface water preparation procedure for chromatographic determination of polycyclic aromatic hydrocarbons and polychlorinated biphenyls. <i>Talanta</i> , 1999 , 50, 985-91	6.2	22
23	Sample preparation for GC analysis of selected pesticides in surface water. <i>Chemosphere</i> , 1999 , 39, 1477-86	8.6	10
22	Strategies for the analysis of polar solvents in liquid matrixes. <i>Analytical Chemistry</i> , 1998 , 70, 19-27	7.8	101
21	The effect of sample volume on quantitative analysis by solid phase microextraction Part 2. Experimental verification. <i>Analyst, The</i> , 1998 , 123, 2819-2824	5	68
20	Field-portable solid-phase microextraction/fast GC system for trace analysis. <i>Field Analytical Chemistry and Technology</i> , 1997 , 1, 277-284		35
19	1995 McBryde Medal Award Lecture Solid phase microextraction – a unique tool for chemical measurements. <i>Canadian Journal of Chemistry</i> , 1996 , 74, 1297-1308	0.9	21
18	Pesticides by solid-phase microextraction. Results of a round robin test. <i>Analyst, The</i> , 1996 , 121, 1381-1386	8.6	54
17	Sample Introduction Approaches for Solid Phase Microextraction/Rapid GC. <i>Analytical Chemistry</i> , 1995 , 67, 3265-3274	7.8	94

16	Solid phase microextraction/isothermal GC for rapid analysis of complex organic samples. <i>Journal of High Resolution Chromatography</i> , 1995 , 18, 161-166		36
15	New solvent-free sample preparation techniques based on fiber and polymer technologies. <i>Environmental Science & Technology</i> , 1994 , 28, 569A-574A	10.3	37
14	Investigations on the Applicability of some Commercial Polyethylene Films to Permeation-type Passive Samplers for Organic Vapours. <i>Indoor Air</i> , 1992 , 2, 115-120	5.4	13
13	Indoor air quality (IAQ), pollutants, their sources and concentration levels. <i>Building and Environment</i> , 1992 , 27, 339-356	6.5	60
12	Continuous flow thin layer headspace (TLHS) analysis. <i>Fresenius Journal of Analytical Chemistry</i> , 1992 , 342, 20-25		4
11	Continuous flow thin-layer headspace (TLHS) analysis. <i>Fresenius Journal of Analytical Chemistry</i> , 1992 , 342, 401-404		7
10	Continuous flow thin layer headspace (TLHS) analysis. <i>Fresenius Journal of Analytical Chemistry</i> , 1991 , 340, 773-776		8
9	Continuous flow thin-layer headspace (TLHS) analysis. <i>Fresenius Journal of Analytical Chemistry</i> , 1991 , 339, 882-885		12
8	Continuous flow thin layer headspace (TLHS) analysis. <i>Fresenius Journal of Analytical Chemistry</i> , 1991 , 340, 454-458		9
7	Continuous flow thin-layer headspace (TLHS) analysis. <i>Fresenius Journal of Analytical Chemistry</i> , 1991 , 339, 19-25		17
6	Isolation and preconcentration of volatile organic compounds from water. <i>Analytica Chimica Acta</i> , 1990 , 237, 1-60	6.6	67
5	Determination of Selected Organic Pollutants in Indoor Air using Permeation Passive Samplers. <i>International Journal of Environmental Analytical Chemistry</i> , 1989 , 37, 139-147	1.8	6
4	New high-temperature palladium detectors for oxygen determination. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1986 , 323, 249-253		1
3	New high-temperature palladium detectors for oxygen determination. <i>Fresenius Zeitschrift für Analytische Chemie</i> , 1985 , 320, 757-761		3
2	Passive dosimeters: an approach to atmospheric pollutants analysis. <i>Science of the Total Environment</i> , 1984 , 38, 225-258	10.2	34
1	History, Evolution, and Optimization Aspects of Comprehensive Two-Dimensional Gas Chromatography	93-144	4