## Amparo SantamarÃ-a Ortiz

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1306194/publications.pdf

Version: 2024-02-01

101 papers

1,481 citations

331670 21 h-index 35 g-index

104 all docs

104 docs citations

104 times ranked 1955 citing authors

#	Article	IF	Citations
1	Ultrasound evaluation of joint damage and disease activity in adult patients with severe haemophilia A using the HEADâ€US system. Haemophilia, 2021, 27, 479-487.	2.1	8
2	The factor VIII treatment history of nonâ€severe hemophilia A: COMMENT. Joint damage in adult patients with mild or moderate hemophilia A evaluated with the HEADâ€US system. Journal of Thrombosis and Haemostasis, 2021, 19, 2638-2641.	3.8	7
3	Is there a procoagulant state long-term after lung transplantation? A prospective study. Respiratory Medicine, 2021, 188, 106584.	2.9	1
4	Recomendaciones de la Sociedad Española de ReumatologÃa sobre sÃndrome antifosfolÃpido primario. Parte I: Diagnóstico, evaluación y tratamiento. ReumatologÃa ClÃnica, 2020, 16, 71-86.	0.5	10
5	Recomendaciones de la Sociedad Española de ReumatologÃa sobre sÃndrome antifosfolÃpido primario. Parte II: sÃndrome antifosfolÃpido obstétrico y situaciones especiales. ReumatologÃa ClÂnica, 2020, 16, 133-148.	0.5	4
6	Rivaroxaban compared with standard anticoagulants for the treatment of acute venous thromboembolism in children: a randomised, controlled, phase 3 trial. Lancet Haematology,the, 2020, 7, e18-e27.	4.6	173
7	Recommendations of the Spanish Rheumatology Society for primary antiphospholipid syndrome. Part I: Diagnosis, evaluation and treatment. ReumatologÃa ClAnica (English Edition), 2020, 16, 71-86.	0.3	О
8	Recommendations of the Spanish Rheumatology Society for primary antiphospholipid syndrome. Part II: Obstetric antiphospholipid syndrome and special situations. ReumatologÃa ClÃnica (English Edition), 2020, 16, 133-148.	0.3	2
9	Elderly patients with atrial fibrillation in routine clinical practiceâ€"peri-procedural management of edoxaban oral anticoagulation therapy is associated with a low risk of bleeding and thromboembolic complications: a subset analysis of the prospective, observational, multinational EMIT-AF study. BMC Cardiovascular Disorders. 2020. 20. 504.	1.7	2
10	Quality of electronic treatment records and adherence to prophylaxis in haemophilia and von Willebrand disease: Systematic assessments from an electronic diary. Haemophilia, 2020, 26, 999-1008.	2.1	7
11	Use of edoxaban in clinical practice: Comparison of data from the Spanish population in the ETNA-AF-Europe registry. Future Cardiology, 2020, 16, 469-480.	1.2	2
12	Routine clinical practice in the periprocedural management of edoxaban therapy is associated with low risk of bleeding and thromboembolic complications: The prospective, observational, and multinational <scp>EMITâ€AF</scp> / <scp>VTE</scp> study. Clinical Cardiology, 2020, 43, 769-780.	1.8	20
13	Rivaroxaban for treatment of pediatric venous thromboembolism. An Einsteinâ€Jr phase 3 doseâ€exposureâ€response evaluation. Journal of Thrombosis and Haemostasis, 2020, 18, 1672-1685.	3.8	52
14	Safety and efficacy of rivaroxaban in pediatric cerebral venous thrombosis (EINSTEIN-Jr CVT). Blood Advances, 2020, 4, 6250-6258.	5.2	49
15	Efectos anticancerÃgenos de las heparinas. Medicina ClÃnica, 2020, 154, 398-399.	0.6	2
16	The association between coagulopathies such as thrombophilia or rare bleeding disorders with the development of gestational vascular complications. Blood Coagulation and Fibrinolysis, 2020, 31, S25-S27.	1.0	0
17	Periprocedural Interruption of Edoxaban in Real World Setting: Results from the Emit AF/VTE Study. Blood, 2020, 136, 13-14.	1.4	0
18	Thrombosis and hemostasis health in pregnancy: Registries from the International Society on Thrombosis and Haemostasis. Research and Practice in Thrombosis and Haemostasis, 2019, 3, 607-614.	2.3	11

#	Article	IF	Citations
19	Determining the value contribution of emicizumab (Hemlibra < sup > $\hat{A}^{\otimes}$ < /sup >) for the prophylaxis of haemophilia A with inhibitors in Spain by multi-criteria decision analysis. Global & Regional Health Technology Assessment, 2019, 2019, 228424031988053.	0.1	5
20	Bodyweight-adjusted rivaroxaban for children with venous thromboembolism (EINSTEIN-Jr): results from three multicentre, single-arm, phase 2 studies. Lancet Haematology,the, 2019, 6, e500-e509.	4.6	51
21	Facing real-life with direct oral anticoagulants in patients with nonvalvular atrial fibrillation: outcomes from the first observational and prospective study in a Spanish population. Journal of Comparative Effectiveness Research, 2019, 8, 165-178.	1.4	21
22	Off-pump technique and replacement therapy for coronary artery bypass surgery in a patient with hemophilia B. Journal of Thrombosis and Thrombolysis, 2019, 48, 299-302.	2.1	5
23	Acquired von Willebrand syndrome in a patient with small lymphocytic lymphoma and Sjögren's syndrome. Blood Coagulation and Fibrinolysis, 2019, 30, 239-242.	1.0	2
24	Facing Deep Venous Thrombosis (DVT) in University Tertiary Hospital: Role of Conventional Thrombophilia Testing in Idiopathic DVT Treatment. Blood, 2019, 134, 4958-4958.	1.4	0
25	Approaching Venous Thromboembolism Disease (DVT) from Another Perspective: Better Management in a Multidisciplinary DVT Unit Improves Clinical Outcomes and Post Thrombotic Syndrome. One-Year Experience in Our Hospital. Blood, 2019, 134, 2431-2431.	1.4	O
26	Recomendaciones del Grupo Catalán de Trombosis (Tromboc@t Working Group) para el tratamiento de los pacientes que reciben anticoagulantes orales directos. Medicina ClAnica, 2018, 151, 210.e1-210.e13.	0.6	2
27	A Prospective Study of Coagulation Profile in Lung Transplantation. Journal of Heart and Lung Transplantation, 2018, 37, S111.	0.6	O
28	PSY155 - DETERMINING THE VALUE OF EMICIZUMAB (HEMLIBRA®) FOR THE PROPHYLAXIS TREATMENT OF HAEMOPHILIA A PATIENTS WITH INHIBITORS IN SPAIN BY MULTI-CRITERIA DECISION ANALYSIS (MCDA). Value in Health, 2018, 21, S462-S463.	0.3	1
29	Clinical presentation and therapeutic management of venous thrombosis in young children: a retrospective analysis. Thrombosis Journal, 2018, 16, 29.	2.1	14
30	Progressive Primary Multiple Sclerosis (PPMS): Where Disability is Growing and Treatment is Absent. Value in Health, 2018, 21, S205.	0.3	0
31	Clinical Impact of Bleeding in Cancer-Associated Venous Thromboembolism: Results from the Hokusai VTE Cancer Study. Thrombosis and Haemostasis, 2018, 118, 1439-1449.	3.4	154
32	Coagulation Screening. , 2018, , 45-51.		0
33	Edoxaban Management in Diagnostic and Therapeutic Procedures (EMITâ€AF/VTE)â€"Trial design. Clinical Cardiology, 2018, 41, 1123-1129.	1.8	9
34	"To bridge or not to bridge― Is it still the question?. Medicina ClÃnica (English Edition), 2017, 149, 303-304.	0.2	0
35	Terapia puente en los pacientes anticoagulados: ¿todavÃa esa es la cuestión?. Medicina ClÃnica, 2017, 149, 303-304.	0.6	O
36	Prophylaxis with enoxaparin for prevention of venous thromboembolism after lung transplantation: a retrospective study. Transplant International, 2017, 30, 1266-1274.	1.6	7

#	Article	IF	Citations
37	Analytical parameters and vital signs in patients subjected to dental extraction. Journal of Clinical and Experimental Dentistry, 2017, 9, 0-0.	1.2	2
38	Beyond hemostasis: the challenge of treating plasminogen deficiency. A report of three cases. Journal of Thrombosis and Thrombolysis, 2016, 41, 544-547.	2.1	7
39	TETIS study: evaluation of new topical hemostatic agent TT-173 in tooth extraction. Clinical Oral Investigations, 2016, 20, 1055-1063.	3.0	9
40	Women's values and preferences and health state valuations for thromboprophylaxis during pregnancy: A cross-sectional interview study. Thrombosis Research, 2016, 140, 22-29.	1.7	23
41	Acute Ischemic Events in Patient Receiving Direct Oral Anticoagulants for Atrial Fibrilation: Incidence, Outcome and Clinical Profile. Blood, 2016, 128, 1442-1442.	1.4	1
42	Are Direct Oral Anticoagulants Plasma Concentrations Associated with the Risk of Postoperative Bleeding? Results from the Real Life Cohort. Blood, 2016, 128, 3819-3819.	1.4	1
43	A Spin-Off in Non Valvular Atrial Fibrilation (NVAF) and Cancer: Doacs As a Safe and Effective Alternative to the Convencional Avks. Blood, 2016, 128, 5021-5021.	1.4	O
44	Women's Values and Preferences for Thromboprophylaxis during Pregnancy: A Comparison of Direct-choice and Decision Analysis using Patient Specific Utilities. Thrombosis Research, 2015, 136, 341-347.	1.7	23
45	Deep vein thrombosis and pulmonary embolism after solid organ transplantation: an unresolved problem. Transplantation Reviews, 2015, 29, 85-92.	2.9	45
46	Utilizaci $\tilde{A}^3$ n de heparinas de bajo peso molecular para la profilaxis y el tratamiento de la enfermedad tromboemb $\tilde{A}^3$ lica en pacientes embarazadas. Progresos En Obstetricia Y Ginecologia, 2015, 58, 257-263.	0.0	1
47	C0155: Spanish Registry of Thromboembolic Disease (TD) Related with Hormonal Therapy, Pregnancy, Obstetrics Complications or Assisted Reproductive Techniques in Women (ARP): Preliminary Results of the Team Project (Trombosis En El Āmbito De La Mujer). Thrombosis Research, 2014, 133, S26.	1.7	1
48	C0375: Preventive and Acute Treatment of Prosthetic Cardiac Valve Thrombosis: An Unresolved Problem. Thrombosis Research, 2014, 133, S17-S18.	1.7	0
49	Making Decisions about Thromboprophylaxis in Pregnancy: Women's Values and Preferences. Blood, 2014, 124, 4833-4833.	1.4	0
50	Bemiparin Versus Unfractionated Heparin as Bridging Therapy in the Perioperative Management of Patients on VitaminÂK Antagonists: The BERTA Study. Clinical Drug Investigation, 2013, 33, 921-928.	2.2	8
51	P-020 Tinzaparin use in pregnancy: a national, retrospective study of the safety and efficacy profile. Thrombosis Research, 2013, 131, S81.	1.7	0

52

#	Article	IF	Citations
55	In Vitro Evidences of Heparin's Effects on Embryo Implantation and Trophoblast Development. Reproductive Sciences, 2012, 19, 454-462.	2.5	29
56	P.30 Monitoring Anti-Xa activity of tinzaparin and bemiparin [low-molecular-weight-heparins (LMWHs)] at therapeutic dosages during pregnancy. Thrombosis Research, 2011, 127, S136.	1.7	0
57	P.32 The TEAM project: Spanish Registry of Thromboembolic Disease (TD) related with hormonal treatments, pregnancy, obstetrics complications or assisted reproductive procedures in women (ARP). Thrombosis Research, 2011, 127, S136-S137.	1.7	O
58	P.33 Study of variability in the management of thromboembolic disease (TD) in women in Spain: national multicenter study. Thrombosis Research, 2011, 127, S137.	1.7	0
59	Does medicine still show an unresolved discrimination against women? Experience in two European university hospitals. Journal of Medical Ethics, 2009, 35, 104-106.	1.8	19
60	Carotid thrombosis after inÂvitro fertilization: a relatively new thrombotic complication in women. British Journal of Haematology, 2008, 141, 897-899.	2.5	11
61	Endothelial protein C receptor polymorphisms and risk of myocardial infarction. Haematologica, 2008, 93, 1358-1363.	3.5	34
62	IgM anti-protein S antibodies as a risk factor for venous thrombosis. Haematologica, 2008, 93, 1115-1117.	3.5	10
63	Antithrombin Cambridge II mutation as a risk factor to develop cerebral venous thrombosis. Thrombosis and Haemostasis, 2008, 99, 443-444.	3.4	2
64	Clopidogrel in Secondary Ischemic Stroke Prevention. Recent Patents on Cardiovascular Drug Discovery, 2008, 3, 119-125.	1.5	3
65	Patent foramen ovale and prothrombotic markers in young stroke patients. Blood Coagulation and Fibrinolysis, 2007, 18, 537-542.	1.0	23
66	Quantitative Trait Locus on Chromosome 12q14.1 Influences Variation in Plasma Plasminogen Levels in the San Antonio Family Heart Study. Human Biology, 2007, 79, 515-523.	0.2	8
67	70 Clinical management using low-molecular-weight heparin (LMWH) in pregnant women with thrombophilia, thromboembolic disease (DVT) or thrombophilia-related maternoplacental syndrome: experience in one center. Thrombosis Research, 2007, 119, S116.	1.7	1
68	What is the clinical impact of low plasminogen activator inhibitor-1 (PAI-1) activity? A case report and study of the incidence of low PAI-1 antigen in a healthy population. Journal of Thrombosis and Haemostasis, 2007, 5, 1565-1566.	3.8	14
69	Low-molecular-weight heparin as bridging therapy during interruption of oral anticoagulation in patients undergoing colonoscopy or gastroscopy. International Journal of Clinical Practice, 2007, 61, 212-217.	1.7	35
70	Higher risk of ischaemic stroke associated with factor XI levels in dyslipidaemic patients. International Journal of Clinical Practice, 2007, 61, 1819-1823.	1.7	11
71	Low-molecular-weight heparin, bemiparin, in the outpatient treatment and secondary prophylaxis of venous thromboembolism in standard clinical practice: the ESFERA Study. International Journal of Clinical Practice, 2006, 60, 518-525.	1.7	24
72	Diagnostic yield of prothrombotic state studies in cryptogenic stroke. Acta Neurologica Scandinavica, 2006, 114, 250-253.	2.1	11

#	Article	IF	CITATIONS
73	Stroke and pulmonary thromboembolism after a long flight. European Journal of Neurology, 2005, 12, 732-734.	3.3	13
74	Complexity of the genetic contribution of different thrombotic risk factors in a Spanish thrombophilic family. Thrombosis and Haemostasis, 2005, 93, 997-998.	3.4	2
75	Double heterozygosity for Factor V Leiden and Factor V Cambridge mutations associated with low levels of activated protein C resistance in a Spanish thrombophilic family. Thrombosis and Haemostasis, 2005, 93, 1193-1195.	3.4	6
76	Complexity of the genetic contribution of different thrombotic risk factors in a Spanish thrombophilic family. Thrombosis and Haemostasis, 2005, 93, 997-8.	3.4	1
77	Double heterozygosity for Factor V Leiden and Factor V Cambridge mutations associated with low levels of activated protein C resistance in a Spanish thrombophilic family. Thrombosis and Haemostasis, 2005, 93, 1193-5.	3.4	2
78	Association after linkage analysis indicates that homozygosity for the 46Câ†'T polymorphism in the F12 gene is a genetic risk factor for venous thrombosis. Thrombosis and Haemostasis, 2004, 91, 899-904.	3.4	68
79	Homozygosity of the $\langle i \rangle T \langle i \rangle$ Allele of the 46 C→T Polymorphism in the $\langle i \rangle F12 \langle i \rangle$ Gene Is a Risk Factor for Ischemic Stroke in the Spanish Population. Stroke, 2004, 35, 1795-1799.	2.0	54
80	Association of functional thrombin-activatable fibrinolysis inhibitor (TAFI) with conventional cardiovascular risk factors and its correlation with other hemostatic factors in a Spanish population. American Journal of Hematology, 2004, 76, 348-352.	4.1	12
81	Effect of F7 Gene Promoter Polymorphisms on Factor VII Antigenic Levels Blood, 2004, 104, 3962-3962.	1.4	О
82	Homozygosity of the T allele of the 46 C>T polymorphism in the F12 gene is a risk factor for acute coronary artery disease in the Spanish population. Haematologica, 2004, 89, 878-9.	3.5	14
83	Risk of acute coronary artery disease associated with functional thrombin activatable fibrinolysis inhibitor plasma level. Haematologica, 2004, 89, 880-1.	3.5	31
84	Risk of Ischemic Stroke Associated With Functional Thrombin-Activatable Fibrinolysis Inhibitor Plasma Levels. Stroke, 2003, 34, 2387-2391.	2.0	72
85	Efecto del tratamiento antirretroviral de gran actividad en la carga viral del virus de la hepatitis C en los primeros tres años de seguimiento. Medicina ClÃnica, 2003, 121, 408-409.	0.6	О
86	Risk of thrombosis associated with oral contraceptives of women from 97 families with inherited thrombophilia: high risk of thrombosis in carriers of the G20210A mutation of the prothrombin gene. Haematologica, 2001, 86, 965-71.	3.5	21
87	Mobilization kinetics of peripheral blood progenitor cells after IAPVP-16 salvage chemotherapy plus G-CSF in lymphoproliferative disorders. Bone Marrow Transplantation, 2000, 26, 127-132.	2.4	6
88	Platelet function during cardiopulmonary bypass not changed by two different doses of aprotinin. Haematologica, 2000, 85, 381-5.	3.5	6
89	Bronchoscopy guided by high-resolution computed tomography for the diagnosis of pulmonary infections in patients with hematologic malignancies and normal plain chest X-ray. Haematologica, 2000, 85, 961-6.	3.5	32
90	The effect of two different doses of aprotinin on hemostasis in cardiopulmonary bypass surgery: similar transfusion requirements and blood loss. Haematologica, 2000, 85, 1277-84.	3.5	10

#	Article	IF	CITATIONS
91	Bacteremia by Gram-Negative Bacilli in Patients with Hematologic Malignancies. Acta Haematologica, 1999, 102, 7-11.	1.4	18
92	Inappropriate secretion of antidiuretic hormone as the initial sign of central nervous system progression of nocardiosis in a patient with chronic lymphocytic leukemia. Haematologica, 1999, 84, 1155-6.	3.5	5
93	Skin Necrosis at the Injection Site Induced by Low-Molecular-Weight Heparin: Case Report and Review. Dermatology, 1998, 196, 264-265.	2.1	24
94	Transfusion-related acute lung injury associated with an NA1-specific antigranulocyte antibody. Haematologica, 1998, 83, 951-2.	3.5	17
95	Successful treatment of pure red cell aplasia after major ABO-incompatible T cell-depleted bone marrow transplantation with erythropoietin. Bone Marrow Transplantation, 1997, 20, 1105-1107.	2.4	40
96	Reticulocyte recovery is faster in allogeneic and autologous peripheral blood stem cell transplantation than in bone marrow transplantation. European Journal of Haematology, 1997, 58, 362-364.	2.2	6
97	Serum erythropoietin in the diagnosis of polycythemia vera. A follow-up study. Haematologica, 1997, 82, 406-10.	3.5	10
98	Bone marrow involvement in lymphoblastic lymphoma and small non-cleaved cell lymphoma: the role of trephine biopsy. Haematologica, 1997, 82, 594-5.	3.5	4
99	Acute rhabdomyolysis and myonecrosis complicating aeromonas bacteremia in neutropenic patients with hematologic malignancies: report of two cases. Haematologica, 1997, 82, 692-4.	3.5	22
100	Institutionalizing fertility management/human sexuality training in Colombian nursing schools. Advances in Contraception: the Official Journal of the Society for the Advancement of Contraception, $1995, 11, 325-334$ .	0.3	0
101	Role of telemedicine in the management of oral anticoagulation in atrial fibrillation: a practical clinical approach. Future Cardiology, 0, , .	1.2	4