

Amparo Santamaría-a Ortiz

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1306194/publications.pdf>

Version: 2024-02-01

100
papers

1,481
citations

331259

21
h-index

360668

35
g-index

104
all docs

104
docs citations

104
times ranked

1955
citing authors

#	ARTICLE	IF	CITATIONS
1	Ultrasound evaluation of joint damage and disease activity in adult patients with severe haemophilia A using the HEADUS system. Haemophilia, 2021, 27, 479-487.	1.0	8
2	The factor VIII treatment history of non-severe hemophilia A: COMMENT. Joint damage in adult patients with mild or moderate hemophilia A evaluated with the HEADUS system. Journal of Thrombosis and Haemostasis, 2021, 19, 2638-2641.	1.9	7
3	Is there a procoagulant state long-term after lung transplantation? A prospective study. Respiratory Medicine, 2021, 188, 106584.	1.3	1
4	Recomendaciones de la Sociedad Española de Reumatología sobre síndrome antifosfolípido primario. Parte I: Diagnóstico, evaluación y tratamiento. Reumatología Clínica, 2020, 16, 71-86.	0.2	10
5	Recomendaciones de la Sociedad Española de Reumatología sobre síndrome antifosfolípido primario. Parte II: síndrome antifosfolípido obstétrico y situaciones especiales. Reumatología Clínica, 2020, 16, 133-148.	0.2	4
6	Rivaroxaban compared with standard anticoagulants for the treatment of acute venous thromboembolism in children: a randomised, controlled, phase 3 trial. Lancet Haematology, 2020, 7, e18-e27.	2.2	173
7	Recommendations of the Spanish Rheumatology Society for primary antiphospholipid syndrome. Part I: Diagnosis, evaluation and treatment. Reumatología Clínica (English Edition), 2020, 16, 71-86.	0.2	0
8	Recommendations of the Spanish Rheumatology Society for primary antiphospholipid syndrome. Part II: Obstetric antiphospholipid syndrome and special situations. Reumatología Clínica (English Edition), 2020, 16, 133-148.	0.2	2
9	Elderly patients with atrial fibrillation in routine clinical practice—peri-procedural management of edoxaban oral anticoagulation therapy is associated with a low risk of bleeding and thromboembolic complications: a subset analysis of the prospective, observational, multinational EMIT-AF study. BMC Cardiovascular Disorders, 2020, 20, 504.	0.7	2
10	Quality of electronic treatment records and adherence to prophylaxis in haemophilia and von Willebrand disease: Systematic assessments from an electronic diary. Haemophilia, 2020, 26, 999-1008.	1.0	7
11	Use of edoxaban in clinical practice: Comparison of data from the Spanish population in the ETNA-AF-Europe registry. Future Cardiology, 2020, 16, 469-480.	0.5	2
12	Routine clinical practice in the periprocedural management of edoxaban therapy is associated with low risk of bleeding and thromboembolic complications: The prospective, observational, and multinational EMIT-AF/VTE study. Clinical Cardiology, 2020, 43, 769-780.	0.7	20
13	Rivaroxaban for treatment of pediatric venous thromboembolism. An Einstein-Jr phase 3 dose-exposure-response evaluation. Journal of Thrombosis and Haemostasis, 2020, 18, 1672-1685.	1.9	52
14	Safety and efficacy of rivaroxaban in pediatric cerebral venous thrombosis (EINSTEIN-Jr CVT). Blood Advances, 2020, 4, 6250-6258.	2.5	49
15	Efectos anticancerígenos de las heparinas. Medicina Clínica, 2020, 154, 398-399.	0.3	2
16	The association between coagulopathies such as thrombophilia or rare bleeding disorders with the development of gestational vascular complications. Blood Coagulation and Fibrinolysis, 2020, 31, S25-S27.	0.5	0
17	Periprocedural Interruption of Edoxaban in Real World Setting: Results from the Emit AF/VTE Study. Blood, 2020, 136, 13-14.	0.6	0
18	Thrombosis and hemostasis health in pregnancy: Registries from the International Society on Thrombosis and Haemostasis. Research and Practice in Thrombosis and Haemostasis, 2019, 3, 607-614.	1.0	11

#	ARTICLE	IF	CITATIONS
19	Determining the value contribution of emicizumab (Hemlibra [®]) for the prophylaxis of haemophilia A with inhibitors in Spain by multi-criteria decision analysis. Global & Regional Health Technology Assessment, 2019, 2019, 228424031988053.	0.2	5
20	Bodyweight-adjusted rivaroxaban for children with venous thromboembolism (EINSTEIN-Jr): results from three multicentre, single-arm, phase 2 studies. Lancet Haematology, 2019, 6, e500-e509.	2.2	51
21	Facing real-life with direct oral anticoagulants in patients with nonvalvular atrial fibrillation: outcomes from the first observational and prospective study in a Spanish population. Journal of Comparative Effectiveness Research, 2019, 8, 165-178.	0.6	21
22	Off-pump technique and replacement therapy for coronary artery bypass surgery in a patient with hemophilia B. Journal of Thrombosis and Thrombolysis, 2019, 48, 299-302.	1.0	5
23	Acquired von Willebrand syndrome in a patient with small lymphocytic lymphoma and Sjögren's syndrome. Blood Coagulation and Fibrinolysis, 2019, 30, 239-242.	0.5	2
24	Facing Deep Venous Thrombosis (DVT) in University Tertiary Hospital: Role of Conventional Thrombophilia Testing in Idiopathic DVT Treatment. Blood, 2019, 134, 4958-4958.	0.6	0
25	Approaching Venous Thromboembolism Disease (DVT) from Another Perspective: Better Management in a Multidisciplinary DVT Unit Improves Clinical Outcomes and Post Thrombotic Syndrome. One-Year Experience in Our Hospital. Blood, 2019, 134, 2431-2431.	0.6	0
26	Recomendaciones del Grupo Catalán de Trombosis (Tromboc@t Working Group) para el tratamiento de los pacientes que reciben anticoagulantes orales directos. Medicina Clínica, 2018, 151, 210.e1-210.e13.	0.3	2
27	A Prospective Study of Coagulation Profile in Lung Transplantation. Journal of Heart and Lung Transplantation, 2018, 37, S111.	0.3	0
28	PSY155 - DETERMINING THE VALUE OF EMICIZUMAB (HEMLIBRA [®]) FOR THE PROPHYLAXIS TREATMENT OF HAEMOPHILIA A PATIENTS WITH INHIBITORS IN SPAIN BY MULTI-CRITERIA DECISION ANALYSIS (MCDA). Value in Health, 2018, 21, S462-S463.	0.1	1
29	Clinical presentation and therapeutic management of venous thrombosis in young children: a retrospective analysis. Thrombosis Journal, 2018, 16, 29.	0.9	14
30	Progressive Primary Multiple Sclerosis (PPMS): Where Disability is Growing and Treatment is Absent. Value in Health, 2018, 21, S205.	0.1	0
31	Clinical Impact of Bleeding in Cancer-Associated Venous Thromboembolism: Results from the Hokusai VTE Cancer Study. Thrombosis and Haemostasis, 2018, 118, 1439-1449.	1.8	154
32	Coagulation Screening , 2018, , 45-51.		0
33	Edoxaban Management in Diagnostic and Therapeutic Procedures (EMIT [®] /VTE) [®] Trial design. Clinical Cardiology, 2018, 41, 1123-1129.	0.7	9
34	“To bridge or not to bridge”: Is it still the question?. Medicina Clínica (English Edition), 2017, 149, 303-304.	0.1	0
35	Terapia puente en los pacientes anticoagulados: ¿todavía esa es la cuestión?. Medicina Clínica, 2017, 149, 303-304.	0.3	0
36	Prophylaxis with enoxaparin for prevention of venous thromboembolism after lung transplantation: a retrospective study. Transplant International, 2017, 30, 1266-1274.	0.8	7

#	ARTICLE	IF	CITATIONS
37	Analytical parameters and vital signs in patients subjected to dental extraction. Journal of Clinical and Experimental Dentistry, 2017, 9, 0-0.	0.5	2
38	Beyond hemostasis: the challenge of treating plasminogen deficiency. A report of three cases. Journal of Thrombosis and Thrombolysis, 2016, 41, 544-547.	1.0	7
39	TETIS study: evaluation of new topical hemostatic agent TT-173 in tooth extraction. Clinical Oral Investigations, 2016, 20, 1055-1063.	1.4	9
40	Women's values and preferences and health state valuations for thromboprophylaxis during pregnancy: A cross-sectional interview study. Thrombosis Research, 2016, 140, 22-29.	0.8	23
41	Acute Ischemic Events in Patient Receiving Direct Oral Anticoagulants for Atrial Fibrillation: Incidence, Outcome and Clinical Profile. Blood, 2016, 128, 1442-1442.	0.6	1
42	Are Direct Oral Anticoagulants Plasma Concentrations Associated with the Risk of Postoperative Bleeding? Results from the Real Life Cohort. Blood, 2016, 128, 3819-3819.	0.6	1
43	A Spin-Off in Non Valvular Atrial Fibrillation (NVAf) and Cancer : Doacs As a Safe and Effective Alternative to the Convencional Avks. Blood, 2016, 128, 5021-5021.	0.6	0
44	Women's Values and Preferences for Thromboprophylaxis during Pregnancy: A Comparison of Direct-choice and Decision Analysis using Patient Specific Utilities. Thrombosis Research, 2015, 136, 341-347.	0.8	23
45	Deep vein thrombosis and pulmonary embolism after solid organ transplantation: an unresolved problem. Transplantation Reviews, 2015, 29, 85-92.	1.2	45
46	Utilización de heparinas de bajo peso molecular para la profilaxis y el tratamiento de la enfermedad tromboembólica en pacientes embarazadas. Progresos En Obstetricia Y Ginecología, 2015, 58, 257-263.	0.0	1
47	C0155: Spanish Registry of Thromboembolic Disease (TD) Related with Hormonal Therapy, Pregnancy, Obstetrics Complications or Assisted Reproductive Techniques in Women (ARP): Preliminary Results of the Team Project (Trombosis En El Ámbito De La Mujer). Thrombosis Research, 2014, 133, S26.	0.8	1
48	C0375: Preventive and Acute Treatment of Prosthetic Cardiac Valve Thrombosis: An Unresolved Problem. Thrombosis Research, 2014, 133, S17-S18.	0.8	0
49	Making Decisions about Thromboprophylaxis in Pregnancy: Women's Values and Preferences. Blood, 2014, 124, 4833-4833.	0.6	0
50	Bemiparin Versus Unfractionated Heparin as Bridging Therapy in the Perioperative Management of Patients on Vitamin K Antagonists: The BERTA Study. Clinical Drug Investigation, 2013, 33, 921-928.	1.1	8
51	P-020 Tinzaparin use in pregnancy: a national, retrospective study of the safety and efficacy profile. Thrombosis Research, 2013, 131, S81.	0.8	0
52			

#	ARTICLE	IF	CITATIONS
55	In Vitro Evidences of Heparin's Effects on Embryo Implantation and Trophoblast Development. <i>Reproductive Sciences</i> , 2012, 19, 454-462.	1.1	29
56	P.30 Monitoring Anti-Xa activity of tinzaparin and bemiparin [low-molecular-weight-heparins (LMWHs)] at therapeutic dosages during pregnancy. <i>Thrombosis Research</i> , 2011, 127, S136.	0.8	0
57	P.32 The TEAM project: Spanish Registry of Thromboembolic Disease (TD) related with hormonal treatments, pregnancy, obstetrics complications or assisted reproductive procedures in women (ARP). <i>Thrombosis Research</i> , 2011, 127, S136-S137.	0.8	0
58	P.33 Study of variability in the management of thromboembolic disease (TD) in women in Spain: national multicenter study. <i>Thrombosis Research</i> , 2011, 127, S137.	0.8	0
59	Does medicine still show an unresolved discrimination against women? Experience in two European university hospitals. <i>Journal of Medical Ethics</i> , 2009, 35, 104-106.	1.0	19
60	Carotid thrombosis after in vitro fertilization: a relatively new thrombotic complication in women. <i>British Journal of Haematology</i> , 2008, 141, 897-899.	1.2	11
61	Endothelial protein C receptor polymorphisms and risk of myocardial infarction. <i>Haematologica</i> , 2008, 93, 1358-1363.	1.7	34
62	IgM anti-protein S antibodies as a risk factor for venous thrombosis. <i>Haematologica</i> , 2008, 93, 1115-1117.	1.7	10
63	Antithrombin Cambridge II mutation as a risk factor to develop cerebral venous thrombosis. <i>Thrombosis and Haemostasis</i> , 2008, 99, 443-444.	1.8	2
64	Clopidogrel in Secondary Ischemic Stroke Prevention. <i>Recent Patents on Cardiovascular Drug Discovery</i> , 2008, 3, 119-125.	1.5	3
65	Patent foramen ovale and prothrombotic markers in young stroke patients. <i>Blood Coagulation and Fibrinolysis</i> , 2007, 18, 537-542.	0.5	23
66	Quantitative Trait Locus on Chromosome 12q14.1 Influences Variation in Plasma Plasminogen Levels in the San Antonio Family Heart Study. <i>Human Biology</i> , 2007, 79, 515-523.	0.4	8
67	70 Clinical management using low-molecular-weight heparin (LMWH) in pregnant women with thrombophilia, thromboembolic disease (DVT) or thrombophilia-related maternoplacental syndrome: experience in one center. <i>Thrombosis Research</i> , 2007, 119, S116.	0.8	1
68	What is the clinical impact of low plasminogen activator inhibitor-1 (PAI-1) activity? A case report and study of the incidence of low PAI-1 antigen in a healthy population. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 1565-1566.	1.9	14
69	Low-molecular-weight heparin as bridging therapy during interruption of oral anticoagulation in patients undergoing colonoscopy or gastroscopy. <i>International Journal of Clinical Practice</i> , 2007, 61, 212-217.	0.8	35
70	Higher risk of ischaemic stroke associated with factor XI levels in dyslipidaemic patients. <i>International Journal of Clinical Practice</i> , 2007, 61, 1819-1823.	0.8	11
71	Low-molecular-weight heparin, bemiparin, in the outpatient treatment and secondary prophylaxis of venous thromboembolism in standard clinical practice: the ESFERA Study. <i>International Journal of Clinical Practice</i> , 2006, 60, 518-525.	0.8	24
72	Diagnostic yield of prothrombotic state studies in cryptogenic stroke. <i>Acta Neurologica Scandinavica</i> , 2006, 114, 250-253.	1.0	11

#	ARTICLE	IF	CITATIONS
73	Stroke and pulmonary thromboembolism after a long flight. <i>European Journal of Neurology</i> , 2005, 12, 732-734.	1.7	13
74	Complexity of the genetic contribution of different thrombotic risk factors in a Spanish thrombophilic family. <i>Thrombosis and Haemostasis</i> , 2005, 93, 997-998.	1.8	2
75	Double heterozygosity for Factor V Leiden and Factor V Cambridge mutations associated with low levels of activated protein C resistance in a Spanish thrombophilic family. <i>Thrombosis and Haemostasis</i> , 2005, 93, 1193-1195.	1.8	6
76	Complexity of the genetic contribution of different thrombotic risk factors in a Spanish thrombophilic family. <i>Thrombosis and Haemostasis</i> , 2005, 93, 997-8.	1.8	1
77	Double heterozygosity for Factor V Leiden and Factor V Cambridge mutations associated with low levels of activated protein C resistance in a Spanish thrombophilic family. <i>Thrombosis and Haemostasis</i> , 2005, 93, 1193-5.	1.8	2
78	Association after linkage analysis indicates that homozygosity for the 46C→T polymorphism in the F12 gene is a genetic risk factor for venous thrombosis. <i>Thrombosis and Haemostasis</i> , 2004, 91, 899-904.	1.8	68
79	Homozygosity of the T Allele of the 46 C→T Polymorphism in the F12 Gene Is a Risk Factor for Ischemic Stroke in the Spanish Population. <i>Stroke</i> , 2004, 35, 1795-1799.	1.0	54
80	Association of functional thrombin-activatable fibrinolysis inhibitor (TAFI) with conventional cardiovascular risk factors and its correlation with other hemostatic factors in a Spanish population. <i>American Journal of Hematology</i> , 2004, 76, 348-352.	2.0	12
81	Effect of F7 Gene Promoter Polymorphisms on Factor VII Antigenic Levels. <i>Blood</i> , 2004, 104, 3962-3962.	0.6	0
82	Homozygosity of the T allele of the 46 C→T polymorphism in the F12 gene is a risk factor for acute coronary artery disease in the Spanish population. <i>Haematologica</i> , 2004, 89, 878-9.	1.7	14
83	Risk of acute coronary artery disease associated with functional thrombin activatable fibrinolysis inhibitor plasma level. <i>Haematologica</i> , 2004, 89, 880-1.	1.7	31
84	Risk of Ischemic Stroke Associated With Functional Thrombin-Activatable Fibrinolysis Inhibitor Plasma Levels. <i>Stroke</i> , 2003, 34, 2387-2391.	1.0	72
85	Risk of thrombosis associated with oral contraceptives of women from 97 families with inherited thrombophilia: high risk of thrombosis in carriers of the G20210A mutation of the prothrombin gene. <i>Haematologica</i> , 2001, 86, 965-71.	1.7	21
86	Mobilization kinetics of peripheral blood progenitor cells after IAPVP-16 salvage chemotherapy plus G-CSF in lymphoproliferative disorders. <i>Bone Marrow Transplantation</i> , 2000, 26, 127-132.	1.3	6
87	Platelet function during cardiopulmonary bypass not changed by two different doses of aprotinin. <i>Haematologica</i> , 2000, 85, 381-5.	1.7	6
88	Bronchoscopy guided by high-resolution computed tomography for the diagnosis of pulmonary infections in patients with hematologic malignancies and normal plain chest X-ray. <i>Haematologica</i> , 2000, 85, 961-6.	1.7	32
89	The effect of two different doses of aprotinin on hemostasis in cardiopulmonary bypass surgery: similar transfusion requirements and blood loss. <i>Haematologica</i> , 2000, 85, 1277-84.	1.7	10
90	Bacteremia by Gram-Negative Bacilli in Patients with Hematologic Malignancies. <i>Acta Haematologica</i> , 1999, 102, 7-11.	0.7	18

#	ARTICLE	IF	CITATIONS
91	Inappropriate secretion of antidiuretic hormone as the initial sign of central nervous system progression of nocardiosis in a patient with chronic lymphocytic leukemia. <i>Haematologica</i> , 1999, 84, 1155-6.	1.7	5
92	Skin Necrosis at the Injection Site Induced by Low-Molecular-Weight Heparin: Case Report and Review. <i>Dermatology</i> , 1998, 196, 264-265.	0.9	24
93	Transfusion-related acute lung injury associated with an NA1-specific antigranulocyte antibody. <i>Haematologica</i> , 1998, 83, 951-2.	1.7	17
94	Successful treatment of pure red cell aplasia after major ABO-incompatible T cell-depleted bone marrow transplantation with erythropoietin. <i>Bone Marrow Transplantation</i> , 1997, 20, 1105-1107.	1.3	40
95	Reticulocyte recovery is faster in allogeneic and autologous peripheral blood stem cell transplantation than in bone marrow transplantation. <i>European Journal of Haematology</i> , 1997, 58, 362-364.	1.1	6
96	Serum erythropoietin in the diagnosis of polycythemia vera. A follow-up study. <i>Haematologica</i> , 1997, 82, 406-10.	1.7	10
97	Bone marrow involvement in lymphoblastic lymphoma and small non-cleaved cell lymphoma: the role of trephine biopsy. <i>Haematologica</i> , 1997, 82, 594-5.	1.7	4
98	Acute rhabdomyolysis and myonecrosis complicating aeromonas bacteremia in neutropenic patients with hematologic malignancies: report of two cases. <i>Haematologica</i> , 1997, 82, 692-4.	1.7	22
99	Institutionalizing fertility management/human sexuality training in Colombian nursing schools. <i>Advances in Contraception: the Official Journal of the Society for the Advancement of Contraception</i> , 1995, 11, 325-334.	0.3	0
100	Role of telemedicine in the management of oral anticoagulation in atrial fibrillation: a practical clinical approach. <i>Future Cardiology</i> , 0, , .	0.5	4