

# Angelo Giovanni Icro Maremmani

## List of Publications by Year in Descending Order

**Source:**

<https://exaly.com/author-pdf/1306435/angelo-giovanni-icro-maremmani-publications-by-year.pdf>

**Version:** 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

68

papers

739

citations

16

h-index

21

g-index

78

ext. papers

891

ext. citations

3.8

avg, IF

3.67

L-index

| #  | Paper   | IF  | Citations |
|----|---|-----|-----------|
| 68 | Different dissociation and alexithymia domains specifically relate to patients with psychogenic non-epileptic seizures (PNES) and with PNES and comorbid epilepsy (PNES+EP). <i>Journal of Affective Disorders Reports</i> , <b>2022</b> , 7, 100296  | 1.4 | 0         |
| 67 | Does Cannabis, Cocaine and Alcohol Use Impact Differently on Adult Attention Deficit/Hyperactivity Disorder Clinical Picture?. <i>Journal of Clinical Medicine</i> , <b>2021</b> , 10,  | 5.1 | 1         |
| 66 | Can the migration process influence the clinical expression of heroin use disorder in migrants to Italy?. <i>CNS Spectrums</i> , <b>2021</b> , 26, 62-70  | 1.8 | 1         |
| 65 | Aggressive Behavior and Substance Use Disorder: The Heroin Use Disorder as a Case Study. <i>Addictive Disorders and Their Treatment</i> , <b>2020</b> , 19, 161-173   | 0.5 | 1         |
| 64 | Substance Use Disorder in Adult-Attention Deficit Hyperactive Disorder Patients: Patterns of Use and Related Clinical Features. <i>International Journal of Environmental Research and Public Health</i> , <b>2020</b> , 17,  | 4.6 | 3         |
| 63 | Exploring the Role of Caffeine Use in Adult-ADHD Symptom Severity of US Army Soldiers. <i>Journal of Clinical Medicine</i> , <b>2020</b> , 9,   | 5.1 | 3         |
| 62 | What we have learned from the Methadone Maintenance Treatment of Dual Disorder Heroin Use Disorder patients. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,   | 4.6 | 13        |
| 61 | Children's DAT1 Polymorphism Moderates the Relationship Between Parents' Psychological Profiles, Children's DAT Methylation, and Their Emotional/Behavioral Functioning in a Normative Sample. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16, | 4.6 | 15        |
| 60 | Remarkable Reduction of Cocaine Use in Dual Disorder (Adult Attention Deficit Hyperactive Disorder/Cocaine Use Disorder) Patients Treated with Medications for ADHD. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,                           | 4.6 | 6         |
| 59 | Is Trazodone Contramid Useful in Inducing Patients to Refrain From Using Cocaine After Detoxification, so Avoiding Early Relapse? A Case Series. <i>Addictive Disorders and Their Treatment</i> , <b>2019</b> , 18, 105-112   | 0.5 | 1         |
| 58 | Non-Medical Use of Novel Synthetic Opioids: A New Challenge to Public Health. <i>International Journal of Environmental Research and Public Health</i> , <b>2019</b> , 16,  | 4.6 | 20        |
| 57 | Pharmacotherapeutic strategies for the treatment of attention-deficit hyperactivity (ADHD) disorder with comorbid substance-use disorder (SUD). <i>Expert Opinion on Pharmacotherapy</i> , <b>2019</b> , 20, 343-355  | 4   | 12        |
| 56 | Towards a psychopathology specific to Substance Use Disorder: Should emotional responses to life events be included?. <i>Comprehensive Psychiatry</i> , <b>2018</b> , 80, 132-139   | 7.3 | 7         |
| 55 | Non-medical Cannabis Self-Exposure as a Dimensional Predictor of Opioid Dependence Diagnosis: A Propensity Score Matched Analysis. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 283  | 5   | 11        |
| 54 | Psychopathology of addiction: Can the SCL90-based five-dimensional structure differentiate Heroin Use Disorder from a non-substance-related addictive disorder such as Gambling Disorder?. <i>Annals of General Psychiatry</i> , <b>2018</b> , 17, 3  | 3.4 | 5         |
| 53 | The long-term outcome of patients with heroin use disorder/dual disorder (chronic psychosis) after admission to enhanced methadone maintenance. <i>Annals of General Psychiatry</i> , <b>2018</b> , 17, 14  | 3.4 | 7         |
| 52 | Substance Dependence Among Bipolar, Unipolar Depression and Psychotic Homeless: A Canadian National Study. <i>Frontiers in Psychiatry</i> , <b>2018</b> , 9, 701  | 5   | 5         |

|    |   |     |    |
|----|---|-----|----|
| 51 | Substance Use Among Homeless Individuals With Schizophrenia and Bipolar Disorder. <i>Journal of Nervous and Mental Disease</i> , <b>2017</b> , 205, 173-177   | 1.8 | 21 |
| 50 | Opposed effects of hyperthymic and cyclothymic temperament in substance use disorder (heroin- or alcohol-dependent patients). <i>Journal of Affective Disorders</i> , <b>2017</b> , 218, 339-345  | 6.6 | 12 |
| 49 | Nalmefene in Alcohol Use Disorder Subjects with Psychiatric Comorbidity: A Naturalistic Study. <i>Advances in Therapy</i> , <b>2017</b> , 34, 1636-1649   | 4.1 | 8  |
| 48 | Can a rapid measure of self-exposure to drugs of abuse provide dimensional information on depression comorbidity?. <i>American Journal on Addictions</i> , <b>2017</b> , 26, 632-639  | 3.7 | 4  |
| 47 | Toward the Identification of a Specific Psychopathology of Substance Use Disorders. <i>Frontiers in Psychiatry</i> , <b>2017</b> , 8, 68  | 5   | 6  |
| 46 | Further Evidence of a Specific Psychopathology of Addiction. Differentiation from Other Psychiatric Psychopathological Dimensions (Such as Obesity). <i>International Journal of Environmental Research and Public Health</i> , <b>2017</b> , 14, | 4.6 | 5  |
| 45 | Joint statement on dual disorders: Addiction and other mental disorders. <i>Salud Mental</i> , <b>2017</b> , 40, 245-247.5  | 7.5 | 8  |
| 44 | Is bipolar disorder associated with traumatic brain injury in the homeless?. <i>Rivista Di Psichiatria</i> , <b>2017</b> , 52, 40-46  | 3.1 | 8  |
| 43 | The newer Opioid Agonist Treatment with lower substitutive opiate doses is associated with better toxicology outcome than the older Harm Reduction Treatment. <i>Annals of General Psychiatry</i> , <b>2016</b> , 15, 34                          | 3.4 | 5  |
| 42 | The impact of psychopathological subtypes on retention rate of patients with substance use disorder entering residential therapeutic community treatment. <i>Annals of General Psychiatry</i> , <b>2016</b> , 15, 29                              | 3.4 | 14 |
| 41 | Psychopathology of addiction: May a SCL-90-based five dimensions structure be applied irrespectively of the involved drug?. <i>Annals of General Psychiatry</i> , <b>2016</b> , 15, 13  | 3.4 | 7  |
| 40 | Sodium oxybate plus nalmefene for the treatment of alcohol use disorder: A case series. <i>Journal of Psychopharmacology</i> , <b>2016</b> , 30, 402-9  | 4.6 | 6  |
| 39 | Psychic Structure of Opioid Addiction. <i>Addictive Disorders and Their Treatment</i> , <b>2016</b> , 15, 6-16  | 0.5 | 10 |
| 38 | Differentiating between the course of illness in bipolar 1 and chronic-psychotic heroin-dependent patients at their first agonist opioid treatment. <i>Journal of Addictive Diseases</i> , <b>2015</b> , 34, 43-54                                | 1.7 | 1  |
| 37 | The impact of mood symptomatology on pattern of substance use among homeless. <i>Journal of Affective Disorders</i> , <b>2015</b> , 176, 164-70   | 6.6 | 10 |
| 36 | Chronology of illness in dual diagnosis heroin addicts: The role of mood disorders. <i>Journal of Affective Disorders</i> , <b>2015</b> , 179, 156-60   | 6.6 | 7  |
| 35 | Challenges and Opportunities for the Use of Medications to Treat Opioid Addiction in the United States and Other Nations of the World. <i>Journal of Addictive Diseases</i> , <b>2015</b> , 34, 255-62  | 1.7 | 6  |
| 34 | Sodium Oxybate as Off-label Treatment for Anxiety Disorder. <i>Addictive Disorders and Their Treatment</i> , <b>2015</b> , 14, 198-202  | 0.5 | 2  |

|    |  |     |    |
|----|--|-----|----|
| 33 | Anti-AMPA-Receptor Encephalitis Presenting as a Rapid-Cycling Bipolar Disorder in a Young Woman with Turner Syndrome. <i>Case Reports in Psychiatry</i> , <b>2015</b> , 2015, 273192   | 0.6 | 12 |
| 32 | Former Heroin-Dependent Alcohol Use Disorder Patients. Prevalence, Addiction History and Clinical Features. <i>Alcohol and Alcoholism</i> , <b>2015</b> , 50, 451-7  | 3.5 | 6  |
| 31 | Towards a unitary perspective between post-traumatic stress disorder and substance use disorder. Heroin use disorder as case study. <i>Comprehensive Psychiatry</i> , <b>2014</b> , 55, 1244-51                              | 7.3 | 10 |
| 30 | Six-month outcome in bipolar spectrum alcoholics treated with acamprosate after detoxification: a retrospective study. <i>International Journal of Environmental Research and Public Health</i> , <b>2014</b> , 11, 12983-96 | 4.6 | 8  |
| 29 | Psychopathological symptoms of patients with heroin addiction entering opioid agonist or therapeutic community treatment. <i>Annals of General Psychiatry</i> , <b>2014</b> , 13, 35   | 3.4 | 17 |
| 28 | Who are Resistant Patients? Quality of Treatment and Disease Control. <i>Addictive Disorders and Their Treatment</i> , <b>2014</b> , 13, 116-124   | 0.5 |    |
| 27 | Does dual diagnosis affect violence and moderate/superficial self-harm in heroin addiction at treatment entry?. <i>Journal of Addiction Medicine</i> , <b>2014</b> , 8, 116-22   | 3.8 | 12 |
| 26 | Temperamental traits and results of psychoaptitude tests in applicants to become a cadet officer in the Italian Navy. <i>Journal of Affective Disorders</i> , <b>2013</b> , 150, 634-8                                       | 6.6 | 6  |
| 25 | The long-term outcomes of heroin dependent-treatment-resistant patients with bipolar 1 comorbidity after admission to enhanced methadone maintenance. <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 582-589     | 6.6 | 20 |
| 24 | Discriminant and convergent validity of TEMPS-A[P]. Correlation with Occupational Personality Questionnaire (OPQ32) during a stressful situation. <i>Journal of Affective Disorders</i> , <b>2013</b> , 146, 142-5           | 6.6 | 3  |
| 23 | TEMPS-A[P] temperament profile related to professional choice. Differences between applicants to become a cadet officer in the Italian Air Force or Navy. <i>Journal of Affective Disorders</i> , <b>2013</b> , 145, 106-10  | 6.6 | 11 |
| 22 | Natural History of Addiction in Psychotic Heroin-addicted Patients at Their First Agonist Opioid Treatment. <i>Addictive Disorders and Their Treatment</i> , <b>2013</b> , 12, 31-39   | 0.5 | 3  |
| 21 | Clonazepam as agonist substitution treatment for benzodiazepine dependence: a case report. <i>Case Reports in Psychiatry</i> , <b>2013</b> , 2013, 367594  | 0.6 | 6  |
| 20 | Negative dimension in psychiatry. Amotivational syndrome as a paradigm of negative symptoms in substance abuse. <i>Rivista Di Psichiatria</i> , <b>2013</b> , 48, 1-9  | 3.1 | 18 |
| 19 | Clinical presentations of substance abuse in bipolar heroin addicts at time of treatment entry. <i>Annals of General Psychiatry</i> , <b>2012</b> , 11, 23   | 3.4 | 18 |
| 18 | Correlations between awareness of illness (insight) and history of addiction in heroin-addicted patients. <i>Frontiers in Psychiatry</i> , <b>2012</b> , 3, 61   | 5   | 18 |
| 17 | Symptomatological features of patients with and without Ecstasy use during their first psychotic episode. <i>International Journal of Environmental Research and Public Health</i> , <b>2012</b> , 9, 2283-92                | 4.6 | 14 |
| 16 | A case of severe oral self-injurious Tourette's syndrome alleviated by pregabalin. <i>General Hospital Psychiatry</i> , <b>2012</b> , 34, 321.e1-4   | 5.6 | 5  |

|    |   |     |    |
|----|---|-----|----|
| 15 | Long-term Usefulness of Cabergoline to Patients in Refraining From Cocaine Use After Detoxification. <i>Addictive Disorders and Their Treatment</i> , <b>2012</b> , 11, 1-5   | 0.5 | 2  |
| 14 | Can ropinirole modulate reinforcing subjective effects of cocaine in humans?. <i>Frontiers in Psychiatry</i> , <b>2011</b> , 2, 50  | 5   | 5  |
| 13 | Long-term Hydroxybutyric acid (GHB) and disulfiram combination therapy in GHB treatment-resistant chronic alcoholics. <i>International Journal of Environmental Research and Public Health</i> , <b>2011</b> , 8, 2816-27 | 4.6 | 16 |
| 12 | Discriminant and convergent validity of TEMPS-A[P] correlation with MMPI and the emotional-affective state following a stressful situation. <i>Journal of Affective Disorders</i> , <b>2011</b> , 129, 27-33              | 6.6 | 15 |
| 11 | Temperamental traits of women applying for a type of job that has been characterized historically by male identity: the military career as case study. <i>Journal of Affective Disorders</i> , <b>2011</b> , 130, 275-9   | 6.6 | 7  |
| 10 | Are "social drugs" (tobacco, coffee and chocolate) related to the bipolar spectrum?. <i>Journal of Affective Disorders</i> , <b>2011</b> , 133, 227-33  | 6.6 | 13 |
| 9  | Do methadone and buprenorphine have the same impact on psychopathological symptoms of heroin addicts?. <i>Annals of General Psychiatry</i> , <b>2011</b> , 10, 17   | 3.4 | 32 |
| 8  | Adult separation anxiety in patients with complicated grief versus healthy control subjects: relationships with lifetime depressive and hypomanic symptoms. <i>Annals of General Psychiatry</i> , <b>2011</b> , 10, 29    | 3.4 | 21 |
| 7  | Effect of psychiatric severity on the outcome of methadone maintenance treatment. <i>European Addiction Research</i> , <b>2011</b> , 17, 80-9   | 4.6 | 30 |
| 6  | Dual diagnosis and chronology of illness in treatment-seeking Italian patients dependent on heroin. <i>Journal of Addictive Diseases</i> , <b>2011</b> , 30, 123-35   | 1.7 | 24 |
| 5  | Differential substance abuse patterns distribute according to gender in heroin addicts. <i>Journal of Psychoactive Drugs</i> , <b>2010</b> , 42, 89-95  | 3.6 | 25 |
| 4  | TEMPS-A[p] temperament profile related to professional choice: A study in 1548 applicants to become a cadet officer in the Italian air force. <i>Journal of Affective Disorders</i> , <b>2010</b> , 124, 314-8            | 6.6 | 16 |
| 3  | Subtyping patients with heroin addiction at treatment entry: factor derived from the Self-Report Symptom Inventory (SCL-90). <i>Annals of General Psychiatry</i> , <b>2010</b> , 9, 15                                    | 3.4 | 30 |
| 2  | Use of street methadone in italian heroin addicts presenting for opioid agonist treatment. <i>Journal of Addictive Diseases</i> , <b>2009</b> , 28, 382-8   | 1.7 | 13 |
| 1  | Affective temperaments in heroin addiction. <i>Journal of Affective Disorders</i> , <b>2009</b> , 117, 186-92   | 6.6 | 49 |