

Prashant S Kulkarni

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1307579/publications.pdf>

Version: 2024-02-01

61
papers

2,896
citations

185998

28
h-index

168136

53
g-index

62
all docs

62
docs citations

62
times ranked

3813
citing authors

#	ARTICLE	IF	CITATIONS
1	Annealing Temperature- and Morphology-Controlled Development of Nickel Cobaltite Nanoneedles for Photocatalytic Degradation of Nitroaromatics. <i>Industrial & Engineering Chemistry Research</i> , 2022, 61, 4273-4285.	1.8	4
2	Improved photocatalytic efficiency of TiO ₂ by doping with tungsten and synthesizing in ionic liquid: precise kinetics-mechanism and effect of oxidizing agents. <i>Environmental Science and Pollution Research</i> , 2021, 28, 17532-17545.	2.7	3
3	Photodegradation of an ammonium ionic liquid: spiking in urban wastewater and comparison with aromatic ionic liquids. <i>Environmental Science: Water Research and Technology</i> , 2021, 7, 1723-1736.	1.2	1
4	Microwave Assisted Preparation of Poly(ethylene glycol)/Lignin Blends for Thermal Energy Storage. <i>Journal of Energy Storage</i> , 2021, 35, 102338.	3.9	8
5	Screening of zero valent mono/bimetallic catalysts and recommendation of Raney Ni (without) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf	4.2	18
6	Separation of nitroaromatics from wastewater by using supported ionic liquid membranes. <i>Journal of Water Process Engineering</i> , 2019, 32, 100925.	2.6	15
7	Ignition study of amine borane/cyanoborane based green hypergolic fuels. <i>Combustion and Flame</i> , 2019, 210, 1-8.	2.8	17
8	Dioxins. , 2019, , 125-134.		4
9	Removal of Phenol from Organic System by Using Ionic Liquids. <i>Current Environmental Engineering</i> , 2019, 6, 126-133.	0.6	9
10	Crosslinked polymer networks of poly(ethylene glycol) (PEG) and hydroxyl terminated poly(dimethyl) Tj ETQq0 0 0 rgBT /Overlock 10 Tf	2.9	28
11	Studies on conversion of waste nitramine and fuel-rich-based propellants into liquid fertilizer. <i>Environmental Technology (United Kingdom)</i> , 2019, 40, 1035-1042.	1.2	3
12	Poly(ethylene glycol) (PEG)-modified epoxy phase-change polymer with dual properties of thermal storage and vibration damping. <i>Sustainable Energy and Fuels</i> , 2018, 2, 688-697.	2.5	41
13	Ionic liquid (IL) capped MnO ₂ nanoparticles as an electrode material and IL as electrolyte for supercapacitor application. <i>Renewable Energy</i> , 2018, 126, 437-444.	4.3	16
14	Extraction of toluene and <i>n</i> -heptane mixture using ionic liquid Aliquat 336 and mathematical modeling for solvent selection. <i>Separation Science and Technology</i> , 2018, 53, 61-70.	1.3	11
15	Enhanced Photocatalytic Activity of Magnetic BaFe ₁₂ O ₁₉ Nanoplatelets than TiO ₂ with Emphasis on Reaction Kinetics, Mechanism, and Reusability. <i>Industrial & Engineering Chemistry Research</i> , 2018, 57, 16192-16200.	1.8	18
16	Synthesis and characterization of poly(ethylene glycol) acrylate (PEGA) copolymers for application as polymeric phase change materials (PCMs). <i>Reactive and Functional Polymers</i> , 2018, 130, 43-50.	2.0	29
17	Photocatalytic Degradation of Pharmaceuticals Pollutants Using N-Doped TiO ₂ Photocatalyst: Identification of CFX Degradation Intermediates. <i>Indian Chemical Engineer</i> , 2017, 59, 177-199.	0.9	35
18	Shape-stabilized poly(ethylene glycol) (PEG)-cellulose acetate blend preparation with superior PEG loading via microwave-assisted blending. <i>Solar Energy</i> , 2017, 144, 32-39.	2.9	71

#	ARTICLE	IF	CITATIONS
19	Selective nanomolar detection of mercury using coumarin based fluorescent Hg(II) ion imprinted polymer. <i>Sensors and Actuators B: Chemical</i> , 2017, 246, 597-605.	4.0	54
20	An Efficient Method for Determination of the Diphenylamine (Stabilizer) in Propellants by Molecularly Imprinted Polymer based Carbon Paste Electrochemical Sensor. <i>Propellants, Explosives, Pyrotechnics</i> , 2017, 42, 376-380.	1.0	32
21	Synthesis and characterization of poly(ethylene glycol) (PEG) based hyperbranched polyurethanes as thermal energy storage materials. <i>Thermochimica Acta</i> , 2017, 650, 114-122.	1.2	31
22	Proline Functionalized Dicationic Framework of Bifunctional Mesoporous Organosilica for the Simultaneous Removal of Lead and Nitrate Ions. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 4188-4196.	3.2	35
23	Ultrafast igniting, imidazolium based hypergolic ionic liquids with enhanced hydrophobicity. <i>New Journal of Chemistry</i> , 2017, 41, 1250-1258.	1.4	29
24	Versatility of polyethylene glycol (PEG) in designing solid phase change materials (PCMs) for thermal management and their application to innovative technologies. <i>Journal of Materials Chemistry A</i> , 2017, 5, 18379-18396.	5.2	182
25	Theoretical performance evaluation of hypergolic ionic liquid fuels with storable oxidizers. <i>New Journal of Chemistry</i> , 2017, 41, 9889-9896.	1.4	12
26	Thermal Energy Storage Using Poly(ethylene glycol) Incorporated Hyperbranched Polyurethane as Solid Phase Change Material. <i>Industrial & Engineering Chemistry Research</i> , 2017, 56, 14401-14409.	1.8	27
27	A diamino based resin modified silica composite for the selective recovery of tungsten from wastewater. <i>Polymer International</i> , 2016, 65, 1387-1394.	1.6	4
28	Insight into the PEG-linked bis-imidazolium bridged framework of mesoporous organosilicas as ion exchangers. <i>Microporous and Mesoporous Materials</i> , 2016, 230, 145-153.	2.2	17
29	Ionic Liquid and Biofuel Blend: A Low-cost and High Performance Hypergolic Fuel for Propulsion Application. <i>ChemistrySelect</i> , 2016, 1, 1921-1925.	0.7	25
30	Hypergolic Behavior of Pyridinium Salts Containing Cyanoborohydride and Dicyanamide Anions with Oxidizer RFNA. <i>Propellants, Explosives, Pyrotechnics</i> , 2016, 41, 1013-1019.	1.0	16
31	Efficacy of zero-valent copper (Cu ⁰) nanoparticles and reducing agents for dechlorination of mono chloroaromatics. <i>Chemosphere</i> , 2016, 159, 359-366.	4.2	38
32	Interpenetrating phase change polymer networks based on crosslinked polyethylene glycol and poly(hydroxyethyl methacrylate). <i>Solar Energy Materials and Solar Cells</i> , 2016, 149, 266-274.	3.0	40
33	Chitosan-Based Lead Ion-Imprinted Interpenetrating Polymer Network by Simultaneous Polymerization for Selective Extraction of Lead(II). <i>Industrial & Engineering Chemistry Research</i> , 2016, 55, 3668-3678.	1.8	52
34	STUDIES ON CURING OF GLYCIDYL AZIDE POLYMER USING ISOCYANATE, ACRYLATE AND PROCESSING OF GAP-BORON-BASED, FUEL-RICH PROPELLANTS. <i>International Journal of Energetic Materials and Chemical Propulsion</i> , 2016, 15, 215-230.	0.2	1
35	Recent Advances in Silica-Based Materials for the Removal of Hexavalent Chromium: A Review. <i>Journal of Chemical & Engineering Data</i> , 2015, 60, 2521-2540.	1.0	108
36	Treatment of energetic material contaminated wastewater using ionic liquids. <i>RSC Advances</i> , 2015, 5, 20503-20510.	1.7	10

#	ARTICLE	IF	CITATIONS
37	Highly selective monitoring of metals by using ion-imprinted polymers. Environmental Science and Pollution Research, 2015, 22, 7375-7404.	2.7	76
38	Temperature based adsorption studies of Cr(VI) using p-toluidine formaldehyde resin coated silica material. New Journal of Chemistry, 2015, 39, 3687-3697.	1.4	13
39	Selective recovery of tungsten from printed circuit board recycling unit wastewater by using emulsion liquid membrane process. Journal of Water Process Engineering, 2015, 8, 75-81.	2.6	33
40	A molecularly imprinted polymer with flash column chromatography for the selective and continuous extraction of diphenyl amine. RSC Advances, 2015, 5, 73434-73443.	1.7	14
41	Polyethylene glycol grafted cotton as phase change polymer. Cellulose, 2014, 21, 685-696.	2.4	33
42	Emulsion ionic liquid membranes (EILMs) for removal of Pb(II) from aqueous solutions. RSC Advances, 2014, 4, 52316-52323.	1.7	23
43	Supported Ionic Liquid Membranes for Removal of Dioxins from High-Temperature Vapor Streams. Environmental Science & Technology, 2012, 46, 462-468.	4.6	23
44	Deep desulfurization of diesel fuel using ionic liquids: current status and future challenges. Green Chemistry, 2010, 12, 1139.	4.6	406
45	Shear-induced lamellar ionic liquid-crystal foam. Liquid Crystals, 2010, 37, 377-382.	0.9	7
46	Selective extraction of natural products with benign solvents and recovery by organophilic pervaporation: fractionation of d-limonene from orange peels. Green Chemistry, 2010, 12, 1990.	4.6	25
47	Liquid Membrane Process for the Selective Recovery of Uranium from Industrial Leach Solutions. Industrial & Engineering Chemistry Research, 2009, 48, 3118-3125.	1.8	23
48	Toxicological evaluation on human colon carcinoma cell line (CaCo-2) of ionic liquids based on imidazolium, guanidinium, ammonium, phosphonium, pyridinium and pyrrolidinium cations. Green Chemistry, 2009, 11, 1660.	4.6	124
49	Capture of Dioxins by Ionic Liquids. Environmental Science & Technology, 2008, 42, 2570-2574.	4.6	31
50	Shear-induced lamellar phase of an ionic liquid crystal at room temperature. Liquid Crystals, 2008, 35, 103-107.	0.9	26
51	Dioxins sources and current remediation technologies – A review. Environment International, 2008, 34, 139-153.	4.8	380
52	How foam-like is the shear-induced lamellar phase of an ionic liquid crystal?. Philosophical Magazine Letters, 2008, 88, 741-747.	0.5	4
53	Removal of Hexavalent Chromium by Membrane-Based Hybrid Processes. Industrial & Engineering Chemistry Research, 2007, 46, 8176-8182.	1.8	41
54	A Comparative Study on Absorption and Selectivity of Organic Vapors by Using Ionic Liquids Based on Imidazolium, Quaternary Ammonium, and Guanidinium Cations. Chemistry - A European Journal, 2007, 13, 8470-8477.	1.7	32

#	ARTICLE	IF	CITATIONS
55	Comparison of Physicochemical Properties of New Ionic Liquids Based on Imidazolium, Quaternary Ammonium, and Guanidinium Cations. <i>Chemistry - A European Journal</i> , 2007, 13, 8478-8488.	1.7	207
56	Extraction of titanium (IV) from acidic media by 2-ethylhexyl phosphonic acid mono-2-ethylhexyl ester. <i>Hydrometallurgy</i> , 2005, 77, 219-225.	1.8	29
57	Recovery of uranium(VI) from acidic wastes using tri-n-octylphosphine oxide and sodium carbonate based liquid membranes. <i>Chemical Engineering Journal</i> , 2003, 92, 209-214.	6.6	67
58	Membrane-liquid emulsion membrane process using a liquid emulsion membrane process using methane sulfonic acid as a strippant. <i>Canadian Journal of Chemical Engineering</i> , 2002, 80, 402-409.	0.9	4
59	Application of liquid emulsion membrane (LEM) process for enrichment of molybdenum from aqueous solutions. <i>Journal of Membrane Science</i> , 2002, 201, 123-135.	4.1	82
60	Studies on membrane stability and recovery of uranium (VI) from aqueous solutions using a liquid emulsion membrane process. <i>Hydrometallurgy</i> , 2002, 64, 49-58.	1.8	112
61	Membrane stability and enrichment of nickel in the liquid emulsion membrane process. <i>Journal of Chemical Technology and Biotechnology</i> , 2000, 75, 553-560.	1.6	35