

Jayanta Chattopadhyay

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1307968/publications.pdf>

Version: 2024-02-01

90
papers

1,231
citations

361413

20
h-index

434195

31
g-index

90
all docs

90
docs citations

90
times ranked

356
citing authors

#	ARTICLE	IF	CITATIONS
1	Closed-Form Collapse Moment Equations of Elbows Under Combined Internal Pressure and In-Plane Bending Moment. <i>Journal of Pressure Vessel Technology, Transactions of the ASME</i> , 2000, 122, 431-436.	0.6	92
2	Experimental and analytical study of three point bend specimen and throughwall circumferentially cracked straight pipe. <i>International Journal of Pressure Vessels and Piping</i> , 2000, 77, 455-471.	2.6	67
3	New plastic collapse moment equations of defect-free and throughwall circumferentially cracked elbows subjected to combined internal pressure and in-plane bending moment. <i>Engineering Fracture Mechanics</i> , 2006, 73, 829-854.	4.3	58
4	Closed-Form Collapse Moment Equations of Throughwall Circumferentially Cracked Elbows Subjected to In-Plane Bending Moment. <i>Journal of Pressure Vessel Technology, Transactions of the ASME</i> , 2004, 126, 307-317.	0.6	54
5	Fracture experiments on through wall cracked elbows under in-plane bending moment: Test results and theoretical/numerical analyses. <i>Engineering Fracture Mechanics</i> , 2005, 72, 1461-1497.	4.3	47
6	Transferability of specimen J - R curve to straight pipes with throughwall circumferential flaws. <i>International Journal of Pressure Vessels and Piping</i> , 2002, 79, 127-134.	2.6	44
7	Tensile and fracture properties evaluation of PHT system piping material of PHWR. <i>International Journal of Pressure Vessels and Piping</i> , 1998, 75, 271-280.	2.6	39
8	Leak-before-break qualification of primary heat transport piping of 500MWe Tarapur atomic power plant. <i>International Journal of Pressure Vessels and Piping</i> , 1999, 76, 221-243.	2.6	35
9	Transferability of fracture parameters from specimens to component level. <i>International Journal of Pressure Vessels and Piping</i> , 2005, 82, 386-399.	2.6	33
10	Derivation of \hat{J} parameter from limit load expression of cracked component to evaluate J - R curve. <i>International Journal of Pressure Vessels and Piping</i> , 2001, 78, 401-427.	2.6	32
11	Improved J and COD estimation by GE/EPRI method in elastic to fully plastic transition zone. <i>Engineering Fracture Mechanics</i> , 2006, 73, 1959-1979.	4.3	31
12	The effect of internal pressure on in-plane collapse moment of elbows. <i>Nuclear Engineering and Design</i> , 2002, 212, 133-144.	1.7	28
13	Investigation on fracture parameters of concrete through optical crack profile and size effect studies. <i>Engineering Fracture Mechanics</i> , 2015, 147, 119-139.	4.3	28
14	Some recent developments on integrity assessment of pipes and elbows. Part II: Experimental investigations. <i>International Journal of Solids and Structures</i> , 2006, 43, 2932-2958.	2.7	27
15	Improved integrity assessment equations of pipe bends. <i>International Journal of Pressure Vessels and Piping</i> , 2009, 86, 454-473.	2.6	26
16	Limit load of throughwall cracked elbows: comparison of test results with theoretical predictions. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2004, 27, 1091-1103.	3.4	25
17	Elastic-plastic J and COD estimation schemes for throughwall circumferentially cracked elbow under in-plane closing moment. <i>Engineering Fracture Mechanics</i> , 2005, 72, 2186-2217.	4.3	25
18	A database to evaluate stress intensity factors of elbows with throughwall flaws under combined internal pressure and bending moment. <i>International Journal of Pressure Vessels and Piping</i> , 1994, 60, 71-83.	2.6	24

#	ARTICLE	IF	CITATIONS
19	Some recent developments on integrity assessment of pipes and elbows. Part I: Theoretical investigations. <i>International Journal of Solids and Structures</i> , 2006, 43, 2904-2931.	2.7	24
20	Development of new critical plane model for assessment of fatigue life under multi-axial loading conditions. <i>International Journal of Fatigue</i> , 2019, 129, 105209.	5.7	24
21	Estimation of fracture toughness of 20MnMoNi55 steel in the ductile to brittle transition region using master curve method. <i>Nuclear Engineering and Design</i> , 2011, 241, 2831-2838.	1.7	20
22	New $\hat{\Gamma}_{pl}$ and $\hat{\Gamma}_3$ functions to evaluate $J\hat{R}$ curve from cracked pipes and elbows. Part I: theoretical derivation. <i>Engineering Fracture Mechanics</i> , 2004, 71, 2635-2660.	4.3	18
23	On the correlation between minimum thickness and central deflection during small punch test. <i>Journal of Nuclear Materials</i> , 2016, 475, 37-45.	2.7	18
24	Numerical investigations of crack-tip constraint parameters in two-dimensional geometries. <i>International Journal of Pressure Vessels and Piping</i> , 2000, 77, 345-355.	2.6	17
25	Plastic collapse moment equations of throughwall axially cracked elbows subjected to in-plane bending moment. <i>Engineering Fracture Mechanics</i> , 2008, 75, 2260-2275.	4.3	17
26	A comparative study on three approaches to investigate the size independent fracture energy of concrete. <i>Engineering Fracture Mechanics</i> , 2015, 138, 49-62.	4.3	17
27	Limit load analysis and safety assessment of an elbow with a circumferential crack under a bending moment. <i>International Journal of Pressure Vessels and Piping</i> , 1995, 62, 109-116.	2.6	16
28	Evaluation and effect of loss of constraint on master curve reference temperature of 20MnMoNi55 steel. <i>Engineering Fracture Mechanics</i> , 2015, 136, 142-157.	4.3	16
29	Proposing an improved cyclic plasticity material model for assessment of multiaxial response of low C-Mn steel. <i>International Journal of Fatigue</i> , 2021, 142, 105888.	5.7	15
30	Development of new correlations for improved integrity assessment of pipes and pipe bends. <i>Nuclear Engineering and Design</i> , 2014, 269, 108-115.	1.7	13
31	Determination of reference transition temperature of In-RAFMS in ductile brittle transition regime using numerically corrected Master Curve approach. <i>Engineering Fracture Mechanics</i> , 2015, 142, 79-92.	4.3	13
32	Validating generality of recently developed critical plane model for fatigue life assessments using multiaxial test database on seventeen different materials. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2020, 43, 1327-1352.	3.4	13
33	Analysis of p-SPT specimens using Gurson parameters ascertained by Artificial Neural Network. <i>Engineering Fracture Mechanics</i> , 2020, 240, 107324.	4.3	12
34	New $\hat{\Gamma}_{pl}$ and $\hat{\Gamma}_3$ functions to evaluate $J\hat{R}$ curve from cracked pipes and elbows. Part II: experimental and numerical validation. <i>Engineering Fracture Mechanics</i> , 2004, 71, 2661-2675.	4.3	11
35	Numerical evaluation of J-R curve using small punch test data. <i>Theoretical and Applied Fracture Mechanics</i> , 2016, 86, 292-300.	4.7	11
36	Numerical development of a new correlation between biaxial fracture strain and material fracture toughness for small punch test. <i>Journal of Nuclear Materials</i> , 2017, 486, 332-338.	2.7	11

#	ARTICLE	IF	CITATIONS
37	Fracture toughness prediction of reactor grade materials using pre-notched small punch test specimens. Journal of Nuclear Materials, 2017, 495, 351-362.	2.7	11
38	Effect of deuterium content on fracture toughness of Zr-2.5Nb pressure tube material in the temperature range of ambient to 300°C. Journal of Nuclear Materials, 2017, 496, 182-192.	2.7	10
39	J-R Curves From Through-Wall Cracked Elbow Subjected to In-Plane Bending Moment. Journal of Pressure Vessel Technology, Transactions of the ASME, 2003, 125, 36-45.	0.6	9
40	Load bearing capacity of flawed piping components-comparison of experiment with calculation. International Journal of Pressure Vessels and Piping, 2004, 81, 599-608.	2.6	9
41	On the equivalence of slip-line fields and work principles for rigid plastic body in plane strain. International Journal of Solids and Structures, 2008, 45, 6416-6435.	2.7	9
42	Application of failure assessment diagram methods to cracked straight pipes and elbows. International Journal of Pressure Vessels and Piping, 2016, 148, 26-35.	2.6	9
43	Deterministic assessment of reactor pressure vessel integrity under pressurised thermal shock. International Journal of Pressure Vessels and Piping, 1998, 75, 1055-1064.	2.6	8
44	A proposal on cyclic tearing based stability assurance for LBB demonstration of nuclear piping. International Journal of Pressure Vessels and Piping, 2014, 119, 69-86.	2.6	8
45	Fracture studies of straight pipes subjected to internal pressure and bending moment. International Journal of Pressure Vessels and Piping, 2015, 134, 56-71.	2.6	8
46	Phenomenological modelling of flow behaviour of 20MnMoNi55 reactor pressure vessel steel at cryogenic temperature with different strain rates. Defence Technology, 2019, 15, 326-337.	4.2	8
47	Detection of embrittlement in low alloy steels due to thermal aging by small punch test. Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing, 2019, 759, 181-194.	5.6	8
48	Evaluation of critical fracture energy parameter G_{fr} and assessment of its transferrability. Engineering Fracture Mechanics, 2008, 75, 253-274.	4.3	7
49	Size independent fracture energy evaluation for plain cement concrete. Fatigue and Fracture of Engineering Materials and Structures, 2015, 38, 789-798.	3.4	7
50	New \hat{I} -factor equation for evaluation of J-integral of shallow cracked CT specimen considering R-O material strain hardening. Theoretical and Applied Fracture Mechanics, 2018, 97, 98-107.	4.7	7
51	Elastic-plastic J and COD estimation schemes for 90° elbow with throughwall circumferential crack at intrados under in-plane opening moment. International Journal of Fracture, 2007, 144, 227-245.	2.2	6
52	Limit Load Equations for Miniature Single Edge Notched Tensile Specimens. Transactions of the Indian Institute of Metals, 2016, 69, 641-646.	1.5	6
53	New load-line-displacement based \hat{I} -factor equation to evaluate J-integral for SE(B) specimen considering material strain hardening and no-crack displacement effect. Engineering Fracture Mechanics, 2017, 179, 165-176.	4.3	6
54	Assessment of fracture resistance data using p-SPT specimens. Theoretical and Applied Fracture Mechanics, 2018, 98, 167-177.	4.7	6

#	ARTICLE	IF	CITATIONS
55	Stress triaxiality based transferability of cohesive zone parameters. <i>Engineering Fracture Mechanics</i> , 2020, 224, 106789.	4.3	6
56	On the transfer of specimen J-R curve to piping components with throughwall circumferential flaw. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2005, 28, 779-794.	3.4	5
57	An insight of the structure of stress fields for stationary crack in strength mismatch weld under plane strain mode-I loading "Part I: Pure bending specimen. <i>International Journal of Mechanical Sciences</i> , 2012, 62, 89-102.	6.7	5
58	Transferability of specimen J-R curve to straight pipe with circumferential surface flaw. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2012, 35, 476-487.	3.4	5
59	An insight of the structure of stress fields for stationary crack in strength mismatch weld under plane strain mode-I loading " Part II: Compact tension and middle tension specimens. <i>International Journal of Mechanical Sciences</i> , 2014, 87, 281-296.	6.7	5
60	Determination of Fatigue Properties Using Miniaturized Specimens. <i>Transactions of the Indian Institute of Metals</i> , 2016, 69, 609-615.	1.5	5
61	Determination of J-initiation toughness using pre-cracked small punch test specimens. <i>Procedia Structural Integrity</i> , 2019, 14, 529-536.	0.8	5
62	Plastic collapse moment equations of throughwall axially cracked elbows subjected to combined internal pressure and in-plane bending moment. <i>Engineering Fracture Mechanics</i> , 2009, 76, 1380-1385.	4.3	4
63	Application of R6 failure assessment method to obtain fracture toughness. <i>Theoretical and Applied Fracture Mechanics</i> , 2016, 81, 67-75.	4.7	4
64	Experimental evaluation of orientation and temperature dependent material stress-strain curves of Zr2.5%Nb Indian pressure tube material and development of a suitable anisotropic material model. <i>Journal of Nuclear Materials</i> , 2020, 530, 151970.	2.7	4
65	A study of hydride precipitation in zirconium. <i>Mechanics of Materials</i> , 2021, 155, 103773.	3.2	4
66	The effect of non-crack component on critical fracture energy of ductile material. <i>International Journal of Pressure Vessels and Piping</i> , 2004, 81, 345-353.	2.6	3
67	Effect of constraint on fracture parameters of piping materials. <i>Transactions of the Indian Institute of Metals</i> , 2010, 63, 541-545.	1.5	3
68	Displacement based calculation of fracture toughness for cracked pipes using R6 method. <i>Theoretical and Applied Fracture Mechanics</i> , 2018, 93, 211-221.	4.7	3
69	New CMOD based \hat{I} -factor equations considering R-O strain hardening for circumferential through-wall cracked pipe under bending moment. <i>Theoretical and Applied Fracture Mechanics</i> , 2019, 103, 102264.	4.7	3
70	Fracture toughness evaluation of axially-cracked tubular thin-walled specimens of Zircaloy-4 and its implications for integrity analysis of nuclear fuel clad. <i>Theoretical and Applied Fracture Mechanics</i> , 2020, 106, 102449.	4.7	3
71	New unloading compliance correlation for throughwall circumferentially cracked pipe to measure crack growth during fracture tests. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2014, 37, 928-936.	3.4	2
72	Implementation of Theory of Plasticity for Parametric Study on the Relation Between Thickness Change and Central Deflection and Fracture Point Location During Small Punch Test. <i>Procedia Engineering</i> , 2017, 173, 1101-1107.	1.2	2

#	ARTICLE	IF	CITATIONS
73	Effect of Dynamic Strain Aging on Tensile Deformation of 20MnMoNi55 Alloy. Journal of Materials Engineering and Performance, 2018, 27, 6468-6478.	2.5	2
74	Fracture toughness behavior of dissimilar metal (SA508 Gr.3 Class 1 and SA312 Type 304LN) weld joint: With and without stress relieving treatment. Fatigue and Fracture of Engineering Materials and Structures, 2021, 44, 2462-2474.	3.4	2
75	New J-CTOD empirical correlations for p-SPT specimens. Engineering Fracture Mechanics, 2021, 254, 107934.	4.3	2
76	Assessment of Cyclic Plasticity Behaviour of Primary Piping Material of Indian PHWRs Under Multiaxial Loading Scenario. Lecture Notes in Mechanical Engineering, 2021, , 227-247.	0.4	2
77	Characterisation of crack tip stresses in elastic-perfectly plastic material under mode-I loading. International Journal of Mechanical Sciences, 2011, 53, 207-216.	6.7	1
78	Characterization of concrete specimen fracture response: 2D numerical study. Structures, 2015, 1, 39-50.	3.6	1
79	Unloading compliance correlations for throughwall circumferentially cracked elbow to measure crack growth during fracture tests. Engineering Fracture Mechanics, 2015, 147, 1-12.	4.3	1
80	Fracture studies on carbon steel elbows having part-through notch with and without internal pressure. International Journal of Pressure Vessels and Piping, 2016, 138, 19-30.	2.6	1
81	Development of new $\hat{\sigma}_p$, $\hat{\sigma}_2$ and limit load equations to evaluate fracture parameters of pre-cracked small punch test specimens. Engineering Fracture Mechanics, 2018, 195, 80-91.	4.3	1
82	To Study the Effect of Loss of Constraint on Reference Temperature (T) With the Help of Q-Stress, Triaxiality Ratio and T-Stress. Materials Today: Proceedings, 2018, 5, 27260-27268.	1.8	1
83	Plastic eta factor and blunting line for characterization of fracture toughness of dissimilar metal weld. Fatigue and Fracture of Engineering Materials and Structures, 2019, 42, 1191-1202.	3.4	1
84	Review of Various Hypotheses Used to Correct Notch Elastic Stress/Strain for Local Plasticity. Lecture Notes in Mechanical Engineering, 2021, , 121-134.	0.4	1
85	Validation of notch stress estimation schemes for low C-Mn steel. Fatigue and Fracture of Engineering Materials and Structures, 0, , .	3.4	1
86	Master Curve of 20MnMoNi55 Steel From Miniature CT Specimens. Procedia Structural Integrity, 2019, 14, 403-409.	0.8	0
87	Determination and verification of triaxiality dependent cohesive zone parameters of SA333 Grade 6 steel. Procedia Structural Integrity, 2019, 14, 521-528.	0.8	0
88	Material modelling for dynamic strain ageing phenomenon of alloy 20MnMoNi55. Materials Science and Technology, 2019, 35, 2200-2210.	1.6	0
89	Hybrid approach for calculation of J-R curve using R6. Engineering Fracture Mechanics, 2019, 215, 16-35.	4.3	0
90	Eta plastic correlation to evaluate crack tip opening displacement of pre-cracked small punch test specimen using experimental data. Fatigue and Fracture of Engineering Materials and Structures, 0, , .	3.4	0