
## David Kimhy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1310078/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An integrative study of the microbiome gut-brain-axis and hippocampal inflammation in psychosis: Persistent effects from mode of birth. Schizophrenia Research, 2022, 247, 101-115.	1.1	7
2	The Impact of Sleep on Neurocognition and Functioning in Schizophrenia—Is It Time to Wake-Up?. Journal of Psychiatry and Brain Science, 2022, 7, .	0.3	1
3	Social Isolation-Mediated Exacerbation of Negative Affect in Young Drinkers during the COVID-19 Pandemic. Brain Sciences, 2022, 12, 214.	1.1	0
4	Exercise Intervention in Individuals at Clinical High Risk for Psychosis: Benefits to Fitness, Symptoms, Hippocampal Volumes, and Functional Connectivity. Schizophrenia Bulletin, 2022, 48, 1394-1405.	2.3	12
5	Enhancement of aerobic fitness improves social functioning in individuals with schizophrenia. European Archives of Psychiatry and Clinical Neuroscience, 2021, 271, 367-376.	1.8	14
6	Alexithymia, Affective Lability, Impulsivity, and Childhood Adversity in Borderline Personality Disorder. Journal of Personality Disorders, 2021, 35, 114-131.	0.8	12
7	Psychosis risk individuals show poor fitness and discrepancies with objective and subjective measures. Scientific Reports, 2021, 11, 9851.	1.6	8
8	Relationships among inflammation, social cognition, and social functioning in schizophrenia. Schizophrenia Research, 2021, , .	1.1	2
9	The impact of inflammation on neurocognition and risk for psychosis: a critical review. European Archives of Psychiatry and Clinical Neuroscience, 2020, 270, 793-802.	1.8	20
10	Lexical analysis of emotional responses to "real-world―experiences in individuals with schizophrenia. Schizophrenia Research, 2020, 216, 272-278.	1.1	8
11	The characteristics of cognitive neuroscience tests in a schizophrenia cognition clinical trial: Psychometric properties and correlations with standard measures. Schizophrenia Research: Cognition, 2020, 19, 100161.	0.7	2
12	Suicide Reduction in Schizophrenia via Exercise (SUnRISE): study protocol for a multi-site, single-blind, randomized clinical trial of aerobic exercise for suicide risk reduction in individuals with schizophrenia. Trials, 2020, 21, 871.	0.7	3
13	Combating the Dangers of Sedentary Activity on Child and Adolescent Mental Health During the Time of COVID-19. Journal of the American Academy of Child and Adolescent Psychiatry, 2020, 59, 1197-1198.	0.3	25
14	The impact of emotion awareness and regulation on psychotic symptoms during daily functioning. NPJ Schizophrenia, 2020, 6, 7.	2.0	32
15	Cognitive insight and autonomic regulation during daily functioning in individuals with schizophrenia. Schizophrenia Research, 2020, 218, 300-301.	1.1	1
16	Considering the Microbiome in Stress-Related and Neurodevelopmental Trajectories to Schizophrenia. Frontiers in Psychiatry, 2020, 11, 629.	1.3	15
17	Trait emotional experience in individuals with schizophrenia and youth at clinical high risk for psychosis. BJPsych Open, 2019, 5, e78.	0.3	6
18	Features of schizophrenia following premorbid eating disorders. Psychiatry Research, 2019, 278, 275-280.	1.7	12

**ΔΑνί** Κίμην

#	Article	IF	CITATIONS
19	Improving Cognition via Exercise (ICE): Study Protocol for a Multi-Site, Parallel-Group, Single-Blind, Randomized Clinical Trial Examining the Efficacy of Aerobic Exercise to Improve Neurocognition, Daily Functioning, and Biomarkers of Cognitive Change in Individuals with Schizophrenia. Journal of Psychiatry and Brain Science, 2019, 4, .	0.3	9
20	Experience sampling in the study of psychosis. , 2019, , 38-52.		5
21	The Impact of Hypomania on Aerobic Capacity and Cardiopulmonary Functioning—A Case Report. Frontiers in Psychiatry, 2018, 9, 729.	1.3	0
22	11.2 THE IMPACT OF AEROBIC EXERCISE ON COGNITIVE FUNCTIONING AND BIOMARKERS OF COGNITIVE CHANGE IN INDIVIDUALS WITH SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S17-S17.	2.3	3
23	Inflammation in individuals with schizophrenia – Implications for neurocognition and daily function. Brain, Behavior, and Immunity, 2018, 74, 296-299.	2.0	33
24	Self-esteem and Symptoms in Individuals at Clinical High Risk for Psychosis. Journal of Nervous and Mental Disease, 2018, 206, 433-438.	0.5	7
25	F36. SELF-ESTEEM AND SYMPTOMS IN INDIVIDUALS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S233-S233.	2.3	Ο
26	Various neurocognitive deficits and conversion risk in individuals at clinical high risk for psychosis. Microbial Biotechnology, 2017, 11, 250-254.	0.9	4
27	Baseline demographics, clinical features and predictors of conversion among 200 individuals in a longitudinal prospective psychosis-risk cohort. Psychological Medicine, 2017, 47, 1923-1935.	2.7	52
28	Autonomic Regulation and Auditory Hallucinations in Individuals With Schizophrenia: An Experience Sampling Study. Schizophrenia Bulletin, 2017, 43, 754-763.	2.3	38
29	Effects of early trauma on psychosis development in clinical high-risk individuals and stability of trauma assessment across studies: a review. Archives of Psychology (Chicago, Ill ), 2017, 1, .	0.6	5
30	Cognitive-Behavioral Therapy for Olfactory Hallucinations and Associated Delusions: A Case Report. American Journal of Psychotherapy, 2016, 70, 117-123.	0.4	2
31	The impact of aerobic exercise training on cardiopulmonary functioning in individuals with schizophrenia. Schizophrenia Research, 2016, 173, 116-117.	1.1	20
32	The impact of emotion awareness and regulation on social functioning in individuals at clinical high risk for psychosis. Psychological Medicine, 2016, 46, 2907-2918.	2.7	53
33	Aerobic Exercise in People with Schizophrenia: Neural and Neurocognitive Benefits. Current Behavioral Neuroscience Reports, 2016, 3, 165-175.	0.6	40
34	Aerobic exercise for cognitive deficits in schizophrenia — The impact of frequency, duration, and fidelity with target training intensity. Schizophrenia Research, 2016, 172, 213-215.	1.1	43
35	Use of Active-Play Video Games to Enhance Aerobic Fitness in Schizophrenia: Feasibility, Safety, and Adherence. Psychiatric Services, 2016, 67, 240-243.	1.1	26
36	Vagal Recovery From Cognitive Challenge Moderates Age-Related Deficits in Executive Functioning. Research on Aging, 2016, 38, 504-525.	0.9	8

**ΔΑνΙ** ΤΟ ΚΙΜΗΥ

#	Article	IF	CITATIONS
37	Depressed mood in individuals with schizophrenia: A comparison of retrospective and real-time measures. Psychiatry Research, 2015, 227, 318-323.	1.7	30
38	The Impact of Aerobic Exercise on Brain-Derived Neurotrophic Factor and Neurocognition in Individuals With Schizophrenia: A Single-Blind, Randomized Clinical Trial. Schizophrenia Bulletin, 2015, 41, 859-868.	2.3	164
39	Cognitive insight in individuals at clinical high risk for psychosis. Microbial Biotechnology, 2014, 8, 130-137.	0.9	34
40	Aerobic fitness and body mass index in individuals with schizophrenia: Implications for neurocognition and daily functioning. Psychiatry Research, 2014, 220, 784-791.	1.7	80
41	A case report of cognitive behavioural therapy for social anxiety in an ultraâ€high risk patient. Microbial Biotechnology, 2014, 8, 176-180.	0.9	3
42	Use of mobile assessment technologies in inpatient psychiatric settings. Asian Journal of Psychiatry, 2014, 10, 90-95.	0.9	29
43	Emotional granularity and social functioning in individuals with schizophrenia: An experience sampling study. Journal of Psychiatric Research, 2014, 53, 141-148.	1.5	60
44	Attributional style among youth at clinical risk for psychosis. Microbial Biotechnology, 2013, 7, 84-88.	0.9	28
45	The association of cardiac vagal control and executive functioning – Findings from the MIDUS study. Journal of Psychiatric Research, 2013, 47, 628-635.	1.5	62
46	Temporal association of stress sensitivity and symptoms in individuals at clinical high risk for psychosis. Psychological Medicine, 2013, 43, 259-268.	2.7	89
47	Cognitive behavioral therapy for psychosis – training practices and dissemination in the United States. Psychosis, 2013, 5, 296-305.	0.4	31
48	Mobile Assessment Guide for Research in Schizophrenia and Severe Mental Disorders. Schizophrenia Bulletin, 2012, 38, 386-395.	2.3	65
49	Emotion awareness and regulation in individuals with schizophrenia: Implications for social functioning. Psychiatry Research, 2012, 200, 193-201.	1.7	137
50	Effect of the neuroprotective peptide davunetide (AL-108) on cognition and functional capacity in schizophrenia. Schizophrenia Research, 2012, 136, 25-31.	1.1	110
51	A Randomized Clinical Trial of MK-0777 for the Treatment of Cognitive Impairments in People with Schizophrenia. Biological Psychiatry, 2011, 69, 442-449.	0.7	155
52	Paternal age related schizophrenia and cardiac autonomic regulation profiles. Schizophrenia Research, 2011, 127, 273-275.	1.1	6
53	The relationship of social function to depressive and negative symptoms in individuals at clinical high risk for psychosis. Psychological Medicine, 2011, 41, 251-261.	2.7	133
54	Concurrent Measurement of "Real-World" Stress and Arousal in Individuals With Psychosis: Assessing the Feasibility and Validity of a Novel Methodology. Schizophrenia Bulletin, 2010, 36, 1131-1139.	2.3	59

**ΔΑνί** Κίμην

#	Article	IF	CITATIONS
55	Childhood Onset Diagnoses in a Case Series of Teens at Clinical High Risk for Psychosis. Journal of Child and Adolescent Psychopharmacology, 2009, 19, 771-776.	0.7	10
56	Incidence of Schizophrenia Among Second-Generation Immigrants in the Jerusalem Perinatal Cohort. Schizophrenia Bulletin, 2009, 35, 596-602.	2.3	38
57	Effect of socioeconomic status and parents' education at birth on risk of schizophrenia in offspring. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 265-271.	1.6	40
58	Childhood trauma and prodromal symptoms among individuals at clinical high risk for psychosis. Schizophrenia Research, 2009, 108, 176-181.	1.1	107
59	Cannabis and Psychosis: What Can Daily Diaries Tell Us About Who is Vulnerable?. Primary Psychiatry First in Applied Psychiatric Medicine, 2009, 16, 44-48.	1.0	2
60	Use of Palm computer as an adjunct to cognitive–behavioural therapy with an ultraâ€highâ€risk patient: a case report. Microbial Biotechnology, 2008, 2, 234-241.	0.9	30
61	Temporal association of cannabis use with symptoms in individuals at clinical high risk for psychosis. Schizophrenia Research, 2008, 106, 286-293.	1.1	71
62	Validity of a â€~proxy' for the deficit syndrome derived from the Positive And Negative Syndrome Scale (PANSS). Schizophrenia Research, 2007, 93, 169-177.	1.1	39
63	Visual form perception: A comparison of individuals at high risk for psychosis, recent onset schizophrenia and chronic schizophrenia. Schizophrenia Research, 2007, 97, 25-34.	1.1	40
64	Maternal household crowding during pregnancy and the offspring's risk of schizophrenia. Schizophrenia Research, 2006, 86, 23-29.	1.1	12
65	Computerized experience sampling method (ESMc): Assessing feasibility and validity among individuals with schizophrenia. Journal of Psychiatric Research, 2006, 40, 221-230.	1.5	127
66	The Factorial Structure of the Schedule for the Deficit Syndrome in Schizophrenia. Schizophrenia Bulletin, 2006, 32, 274-278.	2.3	96
67	Delusions in Individuals with Schizophrenia: Factor Structure, Clinical Correlates, and Putative Neurobiology. Psychopathology, 2005, 38, 338-344.	1.1	58
68	Identifying Life Stressors of Patients With Schizophrenia at Hospital Discharge. Psychiatric Services, 2004, 55, 1444-a-1445.	1.1	5
69	The Utility of Mandatory Depression Screening of Dementia Patients in Nursing Homes. American Journal of Psychiatry, 2003, 160, 2012-2017.	4.0	51
70	Suicide Attempts in Schizophrenia. Journal of Clinical Psychiatry, 2003, 64, 871-874.	1.1	101
71	Suicide attempts in schizophrenia: the role of command auditory hallucinations for suicide. Journal of Clinical Psychiatry, 2003, 64, 871-4.	1.1	30