

Der-Yuan Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1310225/publications.pdf>

Version: 2024-02-01

126
papers

3,513
citations

159358

30
h-index

161609

54
g-index

127
all docs

127
docs citations

127
times ranked

5377
citing authors

#	ARTICLE	IF	CITATIONS
1	Genetic Variants Associated With Phenytoin-Related Severe Cutaneous Adverse Reactions. <i>JAMA - Journal of the American Medical Association</i> , 2014, 312, 525.	3.8	256
2	Proinflammatory cytokine profiles in sera and pathological tissues of patients with active untreated adult onset Still's disease. <i>Journal of Rheumatology</i> , 2004, 31, 2189-98.	1.0	194
3	Increasing levels of circulating Th17 cells and interleukin-17 in rheumatoid arthritis patients with an inadequate response to anti-TNF- α therapy. <i>Arthritis Research and Therapy</i> , 2011, 13, R126.	1.6	183
4	Kinetics of viral loads and risk of hepatitis B virus reactivation in hepatitis B core antibody-positive rheumatoid arthritis patients undergoing anti-tumour necrosis factor alpha therapy. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 1719-1725.	0.5	159
5	Use of HLA-B*58:01 genotyping to prevent allopurinol induced severe cutaneous adverse reactions in Taiwan: national prospective cohort study. <i>BMJ, The</i> , 2015, 351, h4848.	3.0	148
6	Hydroxychloroquine reduces risk of incident diabetes mellitus in lupus patients in a dose-dependent manner: a population-based cohort study. <i>Rheumatology</i> , 2015, 54, 1244-1249.	0.9	101
7	The phosphatase JKAP/DUSP22 inhibits T-cell receptor signalling and autoimmunity by inactivating Lck. <i>Nature Communications</i> , 2014, 5, 3618.	5.8	100
8	Management of gout and hyperuricemia: Multidisciplinary consensus in Taiwan. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 772-787.	0.9	95
9	Significant associations of antidrug antibody levels with serum drug trough levels and therapeutic response of adalimumab and etanercept treatment in rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e16-e16.	0.5	90
10	Proinflammatory Cytokine Profiles of Patients with Elderly-Onset Rheumatoid Arthritis: A Comparison with Younger-Onset Disease. <i>Gerontology</i> , 2009, 55, 250-258.	1.4	82
11	Potential role of Th17 cells in the pathogenesis of adult-onset Still's disease. <i>Rheumatology</i> , 2010, 49, 2305-2312.	0.9	76
12	Impact of the HLA-B58:01 Allele and Renal Impairment on Allopurinol-Induced Cutaneous Adverse Reactions. <i>Journal of Investigative Dermatology</i> , 2016, 136, 1373-1381.	0.3	75
13	Reactivation of hepatitis B virus infection in patients with rheumatoid arthritis receiving tofacitinib: a real-world study. <i>Annals of the Rheumatic Diseases</i> , 2018, 77, 780-782.	0.5	64
14	Naringenin inhibits dendritic cell maturation and has therapeutic effects in a murine model of collagen-induced arthritis. <i>Journal of Nutritional Biochemistry</i> , 2015, 26, 1467-1478.	1.9	56
15	Rheumatoid Arthritis Risk Associated with Periodontitis Exposure: A Nationwide, Population-Based Cohort Study. <i>PLoS ONE</i> , 2015, 10, e0139693.	1.1	56
16	Significant effects of biologic therapy on lipid profiles and insulin resistance in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2015, 17, 52.	1.6	53
17	Elevated Expression of the NLRP3 Inflammasome and Its Correlation with Disease Activity in Adult-onset Still Disease. <i>Journal of Rheumatology</i> , 2017, 44, 1142-1150.	1.0	53
18	Randomized, Double-blind, Placebo-controlled, Comparative Study of Human Anti-TNF Antibody Adalimumab in Combination with Methotrexate and Methotrexate Alone in Taiwanese Patients with Active Rheumatoid Arthritis. <i>Journal of the Formosan Medical Association</i> , 2009, 108, 310-319.	0.8	51

#	ARTICLE	IF	CITATIONS
19	The risk of tuberculosis disease in rheumatoid arthritis patients on biologics and targeted therapy: A 15-year real world experience in Taiwan. PLoS ONE, 2017, 12, e0178035.	1.1	51
20	Polymyositis/dermatomyositis and nasopharyngeal carcinoma: The Epstein-Barr virus connection?. Journal of Clinical Virology, 2010, 49, 290-295.	1.6	48
21	Adult atopic dermatitis and exposure to air pollutants—a nationwide population-based study. Annals of Allergy, Asthma and Immunology, 2017, 118, 351-355.	0.5	48
22	Risk and severity of herpes zoster in patients with rheumatoid arthritis receiving different immunosuppressive medications: a case-control study in Asia. BMJ Open, 2017, 7, e014032.	0.8	47
23	Tocilizumab potentially prevents bone loss in patients with anticitrullinated protein antibody-positive rheumatoid arthritis. PLoS ONE, 2017, 12, e0188454.	1.1	47
24	Downregulation of the phosphatase JKAP/DUSP22 in T cells as a potential new biomarker of systemic lupus erythematosus nephritis. Oncotarget, 2016, 7, 57593-57605.	0.8	47
25	Different Risk of Tuberculosis and Efficacy of Isoniazid Prophylaxis in Rheumatoid Arthritis Patients with Biologic Therapy: A Nationwide Retrospective Cohort Study in Taiwan. PLoS ONE, 2016, 11, e0153217.	1.1	40
26	Risk of Atrial Fibrillation or Flutter Associated with Periodontitis: A Nationwide, Population-Based, Cohort Study. PLoS ONE, 2016, 11, e0165601.	1.1	40
27	Drug trough levels predict therapeutic responses to dose reduction of adalimumab for rheumatoid arthritis patients during 24 weeks of follow-up. Rheumatology, 2016, 55, 143-148.	0.9	40
28	Risk Factors and Outcomes of Nontuberculous Mycobacterial Disease among Rheumatoid Arthritis Patients: A Case-Control study in a TB Endemic Area. Scientific Reports, 2016, 6, 29443.	1.6	38
29	Association between autophagy and inflammation in patients with rheumatoid arthritis receiving biologic therapy. Arthritis Research and Therapy, 2018, 20, 268.	1.6	38
30	The associations of circulating CD4 ⁺ CD25 ^{high} regulatory T cells and TGF- β ² with disease activity and clinical course in patients with adult-onset Still's disease. Connective Tissue Research, 2010, 51, 370-377.	1.1	36
31	MicroRNA-889 Inhibits Autophagy To Maintain Mycobacterial Survival in Patients with Latent Tuberculosis Infection by Targeting TWEAK. MBio, 2020, 11, .	1.8	32
32	Germinal center kinase-like kinase (GLK/MAP4K3) expression is increased in adult-onset Still's disease and may act as an activity marker. BMC Medicine, 2012, 10, 84.	2.3	31
33	Immunogenicity, drug trough levels and therapeutic response in patients with rheumatoid arthritis or ankylosing spondylitis after 24-week golimumab treatment. Annals of the Rheumatic Diseases, 2015, 74, 2261-2264.	0.5	30
34	Reactivation of hepatitis B virus infection following rituximab treatment in HBsAg-negative, HBcAb-positive rheumatoid arthritis patients: A long-term, real-world observation. International Journal of Rheumatic Diseases, 2019, 22, 1145-1151.	0.9	30
35	A comparison of safety profiles of tumour necrosis factor inhibitors and rituximab therapy in patients with rheumatoid arthritis and chronic hepatitis C. Annals of the Rheumatic Diseases, 2015, 74, 626-627.	0.5	28
36	Rituximab May Cause Increased Hepatitis C Virus Viremia in Rheumatoid Arthritis Patients Through Declining Exosomal MicroRNA-155. Arthritis and Rheumatology, 2018, 70, 1209-1219.	2.9	28

#	ARTICLE	IF	CITATIONS
37	Functional Association of Interleukin 18 Gene δ^{607} (C/A) Promoter Polymorphisms with Disease Course in Chinese Patients with Adult-onset Still's Disease. <i>Journal of Rheumatology</i> , 2009, 36, 2284-2289.	1.0	27
38	Upregulation of circulating microRNA-134 in adult-onset Still's disease and its use as potential biomarker. <i>Scientific Reports</i> , 2017, 7, 4214.	1.6	26
39	Risk-stratified management strategies for HBV reactivation in RA patients receiving biological and targeted therapy: A narrative review. <i>Journal of Microbiology, Immunology and Infection</i> , 2019, 52, 1-8.	1.5	26
40	Safety and effectiveness of tocilizumab in treating patients with rheumatoid arthritis – A three-year study in Taiwan. <i>Journal of Microbiology, Immunology and Infection</i> , 2019, 52, 141-150.	1.5	25
41	Increased Risk of Herpes Zoster in Diabetic Patients Comorbid with Coronary Artery Disease and Microvascular Disorders: A Population-Based Study in Taiwan. <i>PLoS ONE</i> , 2016, 11, e0146750.	1.1	25
42	Significant association of past parvovirus B19 infection with cytopenia in both adult-onset Still's disease and systemic lupus erythematosus patients. <i>Clinica Chimica Acta</i> , 2012, 413, 855-860.	0.5	24
43	The potential role of advanced glycation end products (AGEs) and soluble receptors for AGEs (sRAGE) in the pathogenesis of adult-onset still's disease. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 111.	0.8	24
44	Health-related quality of life and utility: comparison of ankylosing spondylitis, rheumatoid arthritis, and systemic lupus erythematosus patients in Taiwan. <i>Clinical Rheumatology</i> , 2017, 36, 133-142.	1.0	24
45	Rice Bran Feruloylated Oligosaccharides Activate Dendritic Cells via Toll-Like Receptor 2 and 4 Signaling. <i>Molecules</i> , 2014, 19, 5325-5347.	1.7	23
46	Formulated extract from multiple citrus peels impairs dendritic cell functions and attenuates allergic contact hypersensitivity. <i>International Immunopharmacology</i> , 2014, 20, 12-23.	1.7	23
47	Consensus recommendations on managing the selected comorbidities including cardiovascular disease, osteoporosis, and interstitial lung disease in rheumatoid arthritis. <i>Medicine (United States)</i> , 2022, 101, e28501.	0.4	23
48	Clinical manifestations, disease course, and complications of adult-onset Still's disease in Taiwan. <i>Journal of the Formosan Medical Association</i> , 2004, 103, 844-52.	0.8	23
49	Effect of the Herbal Drug Guilu Erxian Jiao on Muscle Strength, Articular Pain, and Disability in Elderly Men with Knee Osteoarthritis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-9.	0.5	22
50	The Incidence and Prevalence of Common Variable Immunodeficiency Disease in Taiwan, A Population-Based Study. <i>PLoS ONE</i> , 2015, 10, e0140473.	1.1	22
51	Falls and Atrial Fibrillation in Elderly Patients. <i>Acta Cardiologica Sinica</i> , 2013, 29, 436-43.	0.1	21
52	The Prediction of Influenza-like Illness and Respiratory Disease Using LSTM and ARIMA. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1858.	1.2	21
53	Risk of interstitial lung disease in patients with newly diagnosed systemic autoimmune rheumatic disease: A nationwide, population-based cohort study. <i>Seminars in Arthritis and Rheumatism</i> , 2020, 50, 840-845.	1.6	20
54	Association between a history of periodontitis and the risk of systemic lupus erythematosus in Taiwan: A nationwide, population-based, case-control study. <i>PLoS ONE</i> , 2017, 12, e0187075.	1.1	18

#	ARTICLE	IF	CITATIONS
55	A Potential Role of Myeloid DAP12-Associating Lectin (MDL)-1 in the Regulation of Inflammation in Rheumatoid Arthritis Patients. <i>PLoS ONE</i> , 2014, 9, e86105.	1.1	18
56	Th17-Related Cytokines in Systemic Lupus Erythematosus Patients with Dilated Cardiomyopathies: A Possible Linkage to Parvovirus B19 Infection. <i>PLoS ONE</i> , 2014, 9, e113889.	1.1	17
57	Human parvovirus B19 nonstructural protein NS1 activates NLRP3 inflammasome signaling in adult-onset Still's disease. <i>Molecular Medicine Reports</i> , 2018, 17, 3364-3371.	1.1	17
58	Association between use of disease-modifying antirheumatic drugs and diabetes in patients with ankylosing spondylitis, rheumatoid arthritis, or psoriasis/psoriatic arthritis: a nationwide, population-based cohort study of 84,989 patients. <i>Therapeutics and Clinical Risk Management</i> , 2017, Volume 13, 583-592.	0.9	16
59	Reduced frontal activity during a verbal fluency test in fibromyalgia: A near-infrared spectroscopy study. <i>Journal of Clinical Neuroscience</i> , 2018, 50, 35-40.	0.8	16
60	Genetic variants of PPAR-gamma coactivator 1B augment NLRP3-mediated inflammation in gouty arthritis. <i>Rheumatology</i> , 2017, 56, kew337.	0.9	15
61	Methotrexate is not associated with increased liver cirrhosis in a population-based cohort of rheumatoid arthritis patients with chronic hepatitis B. <i>Scientific Reports</i> , 2016, 6, 22387.	1.6	15
62	The association of anti-parvovirus B19-VP1 unique region antibodies with antiphospholipid antibodies in patients with antiphospholipid syndrome. <i>Clinica Chimica Acta</i> , 2010, 411, 1084-1089.	0.5	14
63	Acarbose Decreases the Rheumatoid Arthritis Risk of Diabetic Patients and Attenuates the Incidence and Severity of Collagen-induced Arthritis in Mice. <i>Scientific Reports</i> , 2016, 5, 18288.	1.6	14
64	Significant Associations of Neurological Complications of Herpes Zoster With Stroke in Rheumatoid Arthritis Patients. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	14
65	The clinical application of tumor markers in the screening of malignancies and interstitial lung disease of dermatomyositis/polymyositis patients: A retrospective study. <i>SAGE Open Medicine</i> , 2018, 6, 205031211878189.	0.7	14
66	One-Year Tuberculosis Risk in Rheumatoid Arthritis Patients Starting Their First Tumor Necrosis Factor Inhibitor Therapy from 2008 to 2012 in Taiwan: A Nationwide Population-Based Cohort Study. <i>PLoS ONE</i> , 2016, 11, e0166339.	1.1	14
67	Oral administration of acarbose ameliorates imiquimod-induced psoriasis-like dermatitis in a mouse model. <i>International Immunopharmacology</i> , 2016, 33, 70-82.	1.7	13
68	Dextromethorphan Exhibits Anti-inflammatory and Immunomodulatory Effects in a Murine Model of Collagen-Induced Arthritis and in Human Rheumatoid Arthritis. <i>Scientific Reports</i> , 2017, 7, 11353.	1.6	13
69	Association between Negatively Charged Low-Density Lipoprotein L5 and Subclinical Atherosclerosis in Rheumatoid Arthritis Patients. <i>Journal of Clinical Medicine</i> , 2019, 8, 177.	1.0	13
70	An Update on the Pathogenic Role of Macrophages in Adult-Onset Still's Disease and Its Implication in Clinical Manifestations and Novel Therapeutics. <i>Journal of Immunology Research</i> , 2021, 2021, 1-11.	0.9	12
71	Suicide Attempts in Patients With Systemic Lupus Erythematosus: A Single-Center Experience and Literature Review. <i>Psychosomatics</i> , 2015, 56, 190-195.	2.5	11
72	MTHFR C677T polymorphism increases MTX sensitivity via the inhibition of S-adenosylmethionine and de novo purine synthesis. <i>Clinical Science</i> , 2019, 133, 253-267.	1.8	11

#	ARTICLE	IF	CITATIONS
73	Association of Electronegative LDL with Macrophage Foam Cell Formation and CD11c Expression in Rheumatoid Arthritis Patients. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5883.	1.8	11
74	Determinants and effects of medical students'™ core self-evaluation tendencies on clinical competence and workplace well-being in clerkship. <i>PLoS ONE</i> , 2017, 12, e0188651.	1.1	11
75	rs2841277 (<i>PLD4</i>) is associated with susceptibility and rs4672495 is associated with disease activity in rheumatoid arthritis. <i>Oncotarget</i> , 2017, 8, 64180-64190.	0.8	11
76	Potential benefits of biologics on stroke and mortality in patients with rheumatoid arthritis: A nationwide population-based cohort study in Taiwan. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 1544-1552.	0.9	10
77	Elevated Expression of C-Type Lectin Domain Family 5-Member A (CLEC5A) and Its Relation to Inflammatory Parameters and Disease Course in Adult-Onset Still's™ Disease. <i>Journal of Immunology Research</i> , 2020, 2020, 1-11.	0.9	10
78	Elevated plasma galectin-3 levels and their correlation with disease activity in adult-onset Still's™ disease. <i>Clinical Rheumatology</i> , 2020, 39, 1945-1952.	1.0	10
79	Metabolic Disturbances in Adult-Onset Still's™ Disease Evaluated Using Liquid Chromatography/Mass Spectrometry-Based Metabolomic Analysis. <i>PLoS ONE</i> , 2016, 11, e0168147.	1.1	9
80	The Incidence and Prevalence of Thromboangiitis Obliterans in Taiwan: A Nationwide, Population-based Analysis of Data Collected from 2002 to 2011. <i>Clinics</i> , 2016, 71, 399-403.	0.6	9
81	Methotrexate is not associated with increased liver cirrhosis in a population-based cohort of rheumatoid arthritis patients with chronic hepatitis C. <i>Scientific Reports</i> , 2016, 6, 33104.	1.6	9
82	Risk of autoimmune rheumatic diseases in patients with palindromic rheumatism: A nationwide, population-based, cohort study. <i>PLoS ONE</i> , 2018, 13, e0201340.	1.1	9
83	Plasma levels of high-mobility group box 1 and soluble receptor for advanced glycation end products in primary antiphospholipid antibody syndrome patients. <i>PLoS ONE</i> , 2017, 12, e0178404.	1.1	8
84	Dosing down and then discontinuing biologic therapy in rheumatoid arthritis: a review of the literature. <i>International Journal of Rheumatic Diseases</i> , 2018, 21, 362-372.	0.9	8
85	Tocilizumab-associated cutaneous reactive endotheliomatosis in a patient with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2015, 82, 132-134.	0.8	7
86	Apoptosis in patients with primary antiphospholipid antibody syndrome. <i>International Journal of Rheumatic Diseases</i> , 2019, 22, 677-685.	0.9	7
87	Folate Supplementation Ameliorates Methotrexate Induced Mitochondrial Formate Depletion In Vitro and In Vivo. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1350.	1.8	7
88	Factors associated with incident severe pulmonary arterial hypertension in systemic autoimmune rheumatic diseases: a nationwide study. <i>Rheumatology</i> , 2021, 60, 5351-5361.	0.9	7
89	The effectiveness of tocilizumab in treating refractory adult-onset Still's™ disease with dichotomous phenotypes: IL-18 is a potential predictor of therapeutic response. <i>Clinical Rheumatology</i> , 2022, 41, 557-566.	1.0	7
90	Factors associated with the risk of gingival disease in patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2017, 12, e0186346.	1.1	7

#	ARTICLE	IF	CITATIONS
91	Elevated levels of soluble Fas (APO-1, CD95), soluble Fas ligand, and matrix metalloproteinase-3 in sera from patients with active untreated adult onset Still's disease. <i>Clinical Rheumatology</i> , 2007, 26, 393-400.	1.0	6
92	Elevated Neopterin Levels Are Associated with Increased Tuberculosis Risk in Rheumatoid Arthritis Patients with QuantiFERON Conversion during Biologic Therapy. <i>PLoS ONE</i> , 2016, 11, e0166301.	1.1	6
93	What does power Doppler signal indicate in rheumatoid synovitis? A point of view from synovial histopathology. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 383-386.	0.6	6
94	Association of C-type lectin 18 levels with extrahepatic manifestations in chronic HCV infection. <i>Scientific Reports</i> , 2018, 8, 17287.	1.6	6
95	Genetic Association and Expression Correlation between Colony-Stimulating Factor 1 Gene Encoding M-CSF and Adult-Onset Still's Disease. <i>Journal of Immunology Research</i> , 2020, 2020, 1-11.	0.9	6
96	Impaired autophagic flux and its related inflammation in patients with adult-onset Still's disease. <i>Oncotarget</i> , 2018, 9, 110-121.	0.8	6
97	Autoimmune Rheumatic Diseases: An Update on the Role of Atherogenic Electronegative LDL and Potential Therapeutic Strategies. <i>Journal of Clinical Medicine</i> , 2021, 10, 1992.	1.0	5
98	Association between periodontitis and the risk of palindromic rheumatism: A nationwide, population-based, case-control study. <i>PLoS ONE</i> , 2017, 12, e0182284.	1.1	5
99	A multicenter open-label phase I/II study to assess the safety, tolerability, and efficacy of three dose levels of TuNEX in patients with rheumatoid arthritis. <i>Journal of the Chinese Medical Association</i> , 2011, 74, 544-551.	0.6	4
100	Serum brain-derived neurotrophic factor predicting reduction in pulse pressure after a one-hour rest in nurses working night shifts. <i>Scientific Reports</i> , 2018, 8, 5485.	1.6	4
101	Increased Lipid Peroxidation May Be Linked to Ferritin Levels Elevation in Adult-Onset Still's Disease. <i>Biomedicines</i> , 2021, 9, 1508.	1.4	4
102	Expression signature of inflammation-associated long non-coding RNAs in adult-onset Still's disease. <i>Clinical and Experimental Rheumatology</i> , 2021, 39, 67-74.	0.4	4
103	Is drug discontinuation risk of adalimumab compared with etanercept affected by concomitant methotrexate dose in patients with rheumatoid arthritis?. <i>Patient Preference and Adherence</i> , 2016, 10, 123.	0.8	3
104	Betahistine attenuates murine collagen-induced arthritis by suppressing both inflammatory and Th17 cell responses. <i>International Immunopharmacology</i> , 2016, 39, 236-245.	1.7	3
105	Effects of Job Burnout and Emotional Labor on Objective Structured Clinical Examination Performance Among Interns and Residents in Taiwan. <i>Evaluation and the Health Professions</i> , 2019, 42, 233-257.	0.9	3
106	Herpes Zoster in rheumatoid arthritis patients receiving tofacitinib, a single center experience from Taiwan. <i>Medicine (United States)</i> , 2020, 99, e22504.	0.4	3
107	Interleukin-18: a biomarker with therapeutic potential in adult-onset Still's disease. <i>Expert Review of Clinical Immunology</i> , 2022, 18, 823-833.	1.3	3
108	Measuring serum levels of high-mobility group box 1 by enzyme-linked immunosorbent assay does not identify bacterial infections in patients with systemic lupus erythematosus. <i>Lupus</i> , 2014, 23, 926-934.	0.8	2

#	ARTICLE	IF	CITATIONS
109	Inhibitory effects of propofol on Th17 cell differentiation. <i>Immunopharmacology and Immunotoxicology</i> , 2017, 39, 211-218.	1.1	2
110	Association between periodontitis and the risk of inadequate disease control in patients with rheumatoid arthritis under biological treatment. <i>Journal of Clinical Periodontology</i> , 2020, 47, 148-159.	2.3	2
111	The Potential Role of Electronegative High-Density Lipoprotein H5 Subfraction in RA-Related Atherosclerosis. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11419.	1.8	2
112	Expression signature of inflammation-associated long non-coding RNAs in adult-onset Still's disease. <i>Clinical and Experimental Rheumatology</i> , 2021, 39 Suppl 132, 67-74.	0.4	2
113	Recent advances in the treatment of adult-onset Still's disease. <i>Expert Opinion on Orphan Drugs</i> , 2013, 1, 103-113.	0.5	1
114	Bilateral nephrocalcinosis, distal renal tubular acidosis and interstitial nephritis in primary Sjögren's syndrome. <i>Joint Bone Spine</i> , 2014, 81, 542.	0.8	1
115	Recommendation of using systemic anti-tumor necrosis factor-alpha for the treatment of noninfectious uveitis in Taiwan. <i>Taiwan Journal of Ophthalmology</i> , 2018, 8, 117.	0.3	1
116	Dumbbell-shaped cervical spine schwannoma causing myelopathy in a patient with rheumatoid arthritis. <i>Joint Bone Spine</i> , 2014, 81, 454.	0.8	0
117	Response to: "Towards optimal cut-off trough levels of adalimumab and etanercept for a good therapeutic response in rheumatoid arthritis. Results of the INMUNOREMAR study" by Sanmartiet al. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, e43-e43.	0.5	0
118	Factors affecting discontinuation of adalimumab and etanercept therapy in anti-TNF-naïve patients with ankylosing spondylitis: Nationwide population-based cohort study. <i>Modern Rheumatology</i> , 2015, 25, 903-907.	0.9	0
119	Increased mRNA expressions of atheroprotective proteins in the peripheral blood mononuclear cells of humans taking low-dose methotrexate. <i>FASEB Journal</i> , 2012, 26, 126.5.	0.2	0
120	Title is missing!. , 2019, 14, e0222860.		0
121	Title is missing!. , 2019, 14, e0222860.		0
122	Title is missing!. , 2019, 14, e0222860.		0
123	Title is missing!. , 2019, 14, e0222860.		0
124	Title is missing!. , 2019, 14, e0222860.		0
125	Title is missing!. , 2019, 14, e0222860.		0
126	Dextromethorphan Exhibits Anti-Inflammatory and Immunomodulatory Effects in a Murine Model: Therapeutic Implication in Psoriasis. <i>Life</i> , 2022, 12, 696.	1.1	0