Der-Yuan Chen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1310225/publications.pdf

Version: 2024-02-01

126 papers 3,513 citations

30 h-index 54 g-index

127 all docs

127 docs citations

127 times ranked

5377 citing authors

#	Article	IF	CITATIONS
1	The effectiveness of tocilizumab in treating refractory adult-onset Still $\hat{a} \in \mathbb{N}$ s disease with dichotomous phenotypes: IL-18 is a potential predictor of therapeutic response. Clinical Rheumatology, 2022, 41, 557-566.	1.0	7
2	Consensus recommendations on managing the selected comorbidities including cardiovascular disease, osteoporosis, and interstitial lung disease in rheumatoid arthritis. Medicine (United States), 2022, 101, e28501.	0.4	23
3	The Prediction of Influenza-like Illness and Respiratory Disease Using LSTM and ARIMA. International Journal of Environmental Research and Public Health, 2022, 19, 1858.	1.2	21
4	Dextromethorphan Exhibits Anti-Inflammatory and Immunomodulatory Effects in a Murine Model: Therapeutic Implication in Psoriasis. Life, 2022, 12, 696.	1.1	0
5	Interleukin-18: a biomarker with therapeutic potential in adult-onset Still's disease. Expert Review of Clinical Immunology, 2022, 18, 823-833.	1.3	3
6	Folinate Supplementation Ameliorates Methotrexate Induced Mitochondrial Formate Depletion In Vitro and In Vivo. International Journal of Molecular Sciences, 2021, 22, 1350.	1.8	7
7	Factors associated with incident severe pulmonary arterial hypertension in systemic autoimmune rheumatic diseases: a nationwide study. Rheumatology, 2021, 60, 5351-5361.	0.9	7
8	Autoimmune Rheumatic Diseases: An Update on the Role of Atherogenic Electronegative LDL and Potential Therapeutic Strategies. Journal of Clinical Medicine, 2021, 10, 1992.	1.0	5
9	An Update on the Pathogenic Role of Macrophages in Adult-Onset Still's Disease and Its Implication in Clinical Manifestations and Novel Therapeutics. Journal of Immunology Research, 2021, 2021, 1-11.	0.9	12
10	Increased Lipid Peroxidation May Be Linked to Ferritin Levels Elevation in Adult-Onset Still's Disease. Biomedicines, 2021, 9, 1508.	1.4	4
11	The Potential Role of Electronegative High-Density Lipoprotein H5 Subfraction in RA-Related Atherosclerosis. International Journal of Molecular Sciences, 2021, 22, 11419.	1.8	2
12	Expression signature of inflammation-associated long non-coding RNAs in adult-onset Still's disease. Clinical and Experimental Rheumatology, 2021, 39 Suppl 132, 67-74.	0.4	2
13	Expression signature of inflammation-associated long non-coding RNAs in adult-onset Still's disease. Clinical and Experimental Rheumatology, 2021, 39, 67-74.	0.4	4
14	Association between periodontitis and the risk of inadequate disease control in patients with rheumatoid arthritis under biological treatment. Journal of Clinical Periodontology, 2020, 47, 148-159.	2.3	2
15	Herpes Zoster in rheumatoid arthritis patients receiving tofacitinib, a single center experience from Taiwan. Medicine (United States), 2020, 99, e22504.	0.4	3
16	Risk of interstitial lung disease in patients with newly diagnosed systemic autoimmune rheumatic disease: A nationwide, population-based cohort study. Seminars in Arthritis and Rheumatism, 2020, 50, 840-845.	1.6	20
17	Association of Electronegative LDL with Macrophage Foam Cell Formation and CD11c Expression in Rheumatoid Arthritis Patients. International Journal of Molecular Sciences, 2020, 21, 5883.	1.8	11
18	Elevated Expression of C-Type Lectin Domain Family 5-Member A (CLEC5A) and Its Relation to Inflammatory Parameters and Disease Course in Adult-Onset Still's Disease. Journal of Immunology Research, 2020, 2020, 1-11.	0.9	10

#	Article	IF	Citations
19	Genetic Association and Expression Correlation between Colony-Stimulating Factor 1 Gene Encoding M-CSF and Adult-Onset Still's Disease. Journal of Immunology Research, 2020, 2020, 1-11.	0.9	6
20	Elevated plasma galectin-3 levels and their correlation with disease activity in adult-onset Still's disease. Clinical Rheumatology, 2020, 39, 1945-1952.	1.0	10
21	MicroRNA-889 Inhibits Autophagy To Maintain Mycobacterial Survival in Patients with Latent Tuberculosis Infection by Targeting TWEAK. MBio, 2020, 11, .	1.8	32
22	Potential benefits of biologics on stroke and mortality in patients with rheumatoid arthritis: A nationwide populationâ€based cohort study in Taiwan. International Journal of Rheumatic Diseases, 2019, 22, 1544-1552.	0.9	10
23	Reactivation of hepatitis B virus infection following rituximab treatment in HBsAgâ€negative, HBcAbâ€positive rheumatoid arthritis patients: A longâ€term, realâ€world observation. International Journal of Rheumatic Diseases, 2019, 22, 1145-1151.	0.9	30
24	Association between Negatively Charged Low-Density Lipoprotein L5 and Subclinical Atherosclerosis in Rheumatoid Arthritis Patients. Journal of Clinical Medicine, 2019, 8, 177.	1.0	13
25	Apoptosis in patients with primary antiphospholipid antibody syndrome. International Journal of Rheumatic Diseases, 2019, 22, 677-685.	0.9	7
26	<i>MTHFR</i> C677T polymorphism increases MTX sensitivity via the inhibition of <i>S</i> -adenosylmethionine and <i>de novo</i> -purine synthesis. Clinical Science, 2019, 133, 253-267.	1.8	11
27	Effects of Job Burnout and Emotional Labor on Objective Structured Clinical Examination Performance Among Interns and Residents in Taiwan. Evaluation and the Health Professions, 2019, 42, 233-257.	0.9	3
28	Safety and effectiveness of tocilizumab in treating patients with rheumatoid arthritis – A three-year study in Taiwan. Journal of Microbiology, Immunology and Infection, 2019, 52, 141-150.	1.5	25
29	Risk-stratified management strategies for HBV reactivation in RA patients receiving biological and targeted therapy: A narrative review. Journal of Microbiology, Immunology and Infection, 2019, 52, 1-8.	1.5	26
30	Title is missing!. , 2019, 14, e0222860.		0
31	Title is missing!. , 2019, 14, e0222860.		0
32	Title is missing!. , 2019, 14, e0222860.		0
33	Title is missing!. , 2019, 14, e0222860.		0
34	Title is missing!. , 2019, 14, e0222860.		0
35	Title is missing!. , 2019, 14, e0222860.		0
36	Human parvovirus B19 nonstructural protein NS1 activates NLRP3 inflammasome signaling in adultâ€onset Still's disease. Molecular Medicine Reports, 2018, 17, 3364-3371.	1.1	17

#	Article	IF	Citations
37	Rituximab May Cause Increased Hepatitis C Virus Viremia in Rheumatoid Arthritis Patients Through Declining Exosomal MicroRNAâ€155. Arthritis and Rheumatology, 2018, 70, 1209-1219.	2.9	28
38	Reduced frontal activity during a verbal fluency test in fibromyalgia: A near-infrared spectroscopy study. Journal of Clinical Neuroscience, 2018, 50, 35-40.	0.8	16
39	Management of gout and hyperuricemia: Multidisciplinary consensus in Taiwan. International Journal of Rheumatic Diseases, 2018, 21, 772-787.	0.9	95
40	What does power Doppler signal indicate in rheumatoid synovitis? A point of view from synovial histopathology. Journal of the Chinese Medical Association, 2018, 81, 383-386.	0.6	6
41	Reactivation of hepatitis B virus infection in patients with rheumatoid arthritis receiving tofacitinib: a real-world study. Annals of the Rheumatic Diseases, 2018, 77, 780-782.	0.5	64
42	Dosing down and then discontinuing biologic therapy in rheumatoid arthritis: a review of the literature. International Journal of Rheumatic Diseases, 2018, 21, 362-372.	0.9	8
43	Association of C-type lectin 18 levels with extrahepatic manifestations in chronic HCV infection. Scientific Reports, 2018, 8, 17287.	1.6	6
44	Association between autophagy and inflammation in patients with rheumatoid arthritis receiving biologic therapy. Arthritis Research and Therapy, 2018, 20, 268.	1.6	38
45	The clinical application of tumor markers in the screening of malignancies and interstitial lung disease of dermatomyositis/polymyositis patients: A retrospective study. SAGE Open Medicine, 2018, 6, 205031211878189.	0.7	14
46	Risk of autoimmune rheumatic diseases in patients with palindromic rheumatism: A nationwide, population-based, cohort study. PLoS ONE, 2018, 13, e0201340.	1.1	9
47	Serum brain-derived neurotrophic factor predicting reduction in pulse pressure after a one-hour rest in nurses working night shifts. Scientific Reports, 2018, 8, 5485.	1.6	4
48	Impaired autophagic flux and its related inflammation in patients with adult-onset Still's disease. Oncotarget, 2018, 9, 110-121.	0.8	6
49	Recommendation of using systemic anti-tumor necrosis factor-alpha for the treatment of noninfectious uveitis in Taiwan. Taiwan Journal of Ophthalmology, 2018, 8, 117.	0.3	1
50	Genetic variants of PPAR-gamma coactivator 1B augment NLRP3-mediated inflammation in gouty arthritis. Rheumatology, 2017, 56, kew337.	0.9	15
51	Adult atopic dermatitis and exposure to air pollutants—a nationwide population-based study. Annals of Allergy, Asthma and Immunology, 2017, 118, 351-355.	0.5	48
52	Elevated Expression of the NLRP3 Inflammasome and Its Correlation with Disease Activity in Adult-onset Still Disease. Journal of Rheumatology, 2017, 44, 1142-1150.	1.0	53
53	Inhibitory effects of propofol on Th17 cell differentiation. Immunopharmacology and Immunotoxicology, 2017, 39, 211-218.	1.1	2
54	Dextromethorphan Exhibits Anti-inflammatory and Immunomodulatory Effects in a Murine Model of Collagen-Induced Arthritis and in Human Rheumatoid Arthritis. Scientific Reports, 2017, 7, 11353.	1.6	13

#	Article	IF	CITATIONS
55	Risk and severity of herpes zoster in patients with rheumatoid arthritis receiving different immunosuppressive medications: a case–control study in Asia. BMJ Open, 2017, 7, e014032.	0.8	47
56	Significant Associations of Neurological Complications of Herpes Zoster With Stroke in Rheumatoid Arthritis Patients. Journal of the American Heart Association, 2017, 6, .	1.6	14
57	Upregulation of circulating microRNA-134 in adult-onset Still's disease and its use as potential biomarker. Scientific Reports, 2017, 7, 4214.	1.6	26
58	Health-related quality of life and utility: comparison of ankylosing spondylitis, rheumatoid arthritis, and systemic lupus erythematosus patients in Taiwan. Clinical Rheumatology, 2017, 36, 133-142.	1.0	24
59	Association between use of disease-modifying antirheumatic drugs and diabetes in patients with ankylosing spondylitis, rheumatoid arthritis, or psoriasis/psoriatic arthritis: a nationwide, population-based cohort study of 84,989 patients. Therapeutics and Clinical Risk Management, 2017, Volume 13, 583-592.	0.9	16
60	Plasma levels of high-mobility group box 1 and soluble receptor for advanced glycation end products in primary antiphospholipid antibody syndrome patients. PLoS ONE, 2017, 12, e0178404.	1.1	8
61	Association between a history of periodontitis and the risk of systemic lupus erythematosus in Taiwan: A nationwide, population-based, case-control study. PLoS ONE, 2017, 12, e0187075.	1.1	18
62	Tocilizumab potentially prevents bone loss in patients with anticitrullinated protein antibody-positive rheumatoid arthritis. PLoS ONE, 2017, 12, e0188454.	1.1	47
63	The risk of tuberculosis disease in rheumatoid arthritis patients on biologics and targeted therapy: A 15-year real world experience in Taiwan. PLoS ONE, 2017, 12, e0178035.	1.1	51
64	Association between periodontitis and the risk of palindromic rheumatism: A nationwide, population-based, case-control study. PLoS ONE, 2017, 12, e0182284.	1,1	5
65	Factors associated with the risk of gingival disease in patients with rheumatoid arthritis. PLoS ONE, 2017, 12, e0186346.	1.1	7
66	Determinants and effects of medical students' core self-evaluation tendencies on clinical competence and workplace well-being in clerkship. PLoS ONE, 2017, 12, e0188651.	1,1	11
67	rs2841277 (<i>PLD4</i>) is associated with susceptibility and rs4672495 is associated with disease activity in rheumatoid arthritis. Oncotarget, 2017, 8, 64180-64190.	0.8	11
68	Is drug discontinuation risk of adalimumab compared with etanercept affected by concomitant methotrexate dose in patients with rheumatoid arthritis?. Patient Preference and Adherence, 2016, 10, 123.	0.8	3
69	Different Risk of Tuberculosis and Efficacy of Isoniazid Prophylaxis in Rheumatoid Arthritis Patients with Biologic Therapy: A Nationwide Retrospective Cohort Study in Taiwan. PLoS ONE, 2016, 11, e0153217.	1.1	40
70	Risk of Atrial Fibrillation or Flutter Associated with Periodontitis: A Nationwide, Population-Based, Cohort Study. PLoS ONE, 2016, 11, e0165601.	1.1	40
71	Elevated Neopterin Levels Are Associated with Increased Tuberculosis Risk in Rheumatoid Arthritis Patients with QuantiFERON Conversion during Biologic Therapy. PLoS ONE, 2016, 11, e0166301.	1.1	6
72	Metabolic Disturbances in Adult-Onset Still's Disease Evaluated Using Liquid Chromatography/Mass Spectrometry-Based Metabolomic Analysis. PLoS ONE, 2016, 11, e0168147.	1.1	9

#	Article	IF	CITATIONS
73	The Incidence and Prevalence of Thromboangiitis Obliterans in Taiwan: A Nationwide, Population-based Analysis of Data Collected from 2002 to 2011. Clinics, 2016, 71, 399-403.	0.6	9
74	Risk Factors and Outcomes of Nontuberculous Mycobacterial Disease among Rheumatoid Arthritis Patients: A Case-Control study in a TB Endemic Area. Scientific Reports, 2016, 6, 29443.	1.6	38
75	Methotrexate is not associated with increased liver cirrhosis in a population-based cohort of rheumatoid arthritis patients with chronic hepatitis C. Scientific Reports, 2016, 6, 33104.	1.6	9
76	Methotrexate is not associated with increased liver cirrhosis in a population-based cohort of rheumatoid arthritis patients with chronic hepatitis B. Scientific Reports, 2016, 6, 22387.	1.6	15
77	Impact of the HLA-B58:01 Allele and Renal Impairment on Allopurinol-Induced Cutaneous Adverse Reactions. Journal of Investigative Dermatology, 2016, 136, 1373-1381.	0.3	75
78	Betahistine attenuates murine collagen-induced arthritis by suppressing both inflammatory and Th17 cell responses. International Immunopharmacology, 2016, 39, 236-245.	1.7	3
79	Acarbose Decreases the Rheumatoid Arthritis Risk of Diabetic Patients and Attenuates the Incidence and Severity of Collagen-induced Arthritis in Mice. Scientific Reports, 2016, 5, 18288.	1.6	14
80	Oral administration of acarbose ameliorates imiquimod-induced psoriasis-like dermatitis in a mouse model. International Immunopharmacology, 2016, 33, 70-82.	1.7	13
81	Drug trough levels predict therapeutic responses to dose reduction of adalimumab for rheumatoid arthritis patients during 24 weeks of follow-up. Rheumatology, 2016, 55, 143-148.	0.9	40
82	Increased Risk of Herpes Zoster in Diabetic Patients Comorbid with Coronary Artery Disease and Microvascular Disorders: A Population-Based Study in Taiwan. PLoS ONE, 2016, 11, e0146750.	1.1	25
83	One-Year Tuberculosis Risk in Rheumatoid Arthritis Patients Starting Their First Tumor Necrosis Factor Inhibitor Therapy from 2008 to 2012 in Taiwan: A Nationwide Population-Based Cohort Study. PLoS ONE, 2016, 11, e0166339.	1.1	14
84	Downregulation of the phosphatase JKAP/DUSP22 in T cells as a potential new biomarker of systemic lupus erythematosus nephritis. Oncotarget, 2016, 7, 57593-57605.	0.8	47
85	Response to: †Towards optimal cut-off trough levels of adalimumab and etanercept for a good therapeutic response in rheumatoid arthritis. Results of the INMUNOREMAR study' by Sanmartiet al. Annals of the Rheumatic Diseases, 2015, 74, e43-e43.	0.5	0
86	The Incidence and Prevalence of Common Variable Immunodeficiency Disease in Taiwan, A Population-Based Study. PLoS ONE, 2015, 10, e0140473.	1.1	22
87	A comparison of safety profiles of tumour necrosis factor \hat{l}_{\pm} inhibitors and rituximab therapy in patients with rheumatoid arthritis and chronic hepatitis C. Annals of the Rheumatic Diseases, 2015, 74, 626-627.	0.5	28
88	Factors affecting discontinuation of adalimumab and etanercept therapy in anti-TNF-na \tilde{A} -ve patients with ankylosing spondylitis: Nationwide population-based cohort study. Modern Rheumatology, 2015, 25, 903-907.	0.9	0
89	Suicide Attempts in Patients With Systemic Lupus Erythematosus: A Single-Center Experience and Literature Review. Psychosomatics, 2015, 56, 190-195.	2.5	11
90	Significant effects of biologic therapy on lipid profiles and insulin resistance in patients with rheumatoid arthritis. Arthritis Research and Therapy, 2015, 17, 52.	1.6	53

#	Article	IF	Citations
91	Hydroxychloroquine reduces risk of incident diabetes mellitus in lupus patients in a dose-dependent manner: a population-based cohort study. Rheumatology, 2015, 54, 1244-1249.	0.9	101
92	Tocilizumab-associated cutaneous reactive endotheliomatosis in a patient with rheumatoid arthritis. Joint Bone Spine, 2015, 82, 132-134.	0.8	7
93	Naringenin inhibits dendritic cell maturation and has therapeutic effects in a murine model of collagen-induced arthritis. Journal of Nutritional Biochemistry, 2015, 26, 1467-1478.	1.9	56
94	The potential role of advanced glycation end products (AGEs) and soluble receptors for AGEs (sRAGE) in the pathogenesis of adult-onset still's disease. BMC Musculoskeletal Disorders, 2015, 16, 111.	0.8	24
95	Use of HLA-B*58:01 genotyping to prevent allopurinol induced severe cutaneous adverse reactions in Taiwan: national prospective cohort study. BMJ, The, 2015, 351, h4848.	3.0	148
96	Immunogenicity, drug trough levels and therapeutic response in patients with rheumatoid arthritis or ankylosing spondylitis after 24-week golimumab treatment. Annals of the Rheumatic Diseases, 2015, 74, 2261-2264.	0.5	30
97	Significant associations of antidrug antibody levels with serum drug trough levels and therapeutic response of adalimumab and etanercept treatment in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2015, 74, e16-e16.	0.5	90
98	Rheumatoid Arthritis Risk Associated with Periodontitis Exposure: A Nationwide, Population-Based Cohort Study. PLoS ONE, 2015, 10, e0139693.	1.1	56
99	Th17-Related Cytokines in Systemic Lupus Erythematosus Patients with Dilated Cardiomyopathies: A Possible Linkage to Parvovirus B19 Infection. PLoS ONE, 2014, 9, e113889.	1.1	17
100	Rice Bran Feruloylated Oligosaccharides Activate Dendritic Cells via Toll-Like Receptor 2 and 4 Signaling. Molecules, 2014, 19, 5325-5347.	1.7	23
101	Effect of the Herbal Drug Guilu Erxian Jiao on Muscle Strength, Articular Pain, and Disability in Elderly Men with Knee Osteoarthritis. Evidence-based Complementary and Alternative Medicine, 2014, 2014, 1-9.	0.5	22
102	Genetic Variants Associated With Phenytoin-Related Severe Cutaneous Adverse Reactions. JAMA - Journal of the American Medical Association, 2014, 312, 525.	3.8	256
103	The phosphatase JKAP/DUSP22 inhibits T-cell receptor signalling and autoimmunity by inactivating Lck. Nature Communications, 2014, 5, 3618.	5.8	100
104	Measuring serum levels of high-mobility group box 1 by enzyme-linked immunosorbent assay does not identify bacterial infections in patients with systemic lupus erythematosus. Lupus, 2014, 23, 926-934.	0.8	2
105	Dumbbell-shaped cervical spine schwannoma causing myelopathy in a patient with rheumatoid arthritis. Joint Bone Spine, 2014, 81, 454.	0.8	0
106	Bilateral nephrocalcinosis, distal renal tubular acidosis and interstitial nephritis in primary Sjögren's syndrome. Joint Bone Spine, 2014, 81, 542.	0.8	1
107	Formulated extract from multiple citrus peels impairs dendritic cell functions and attenuates allergic contact hypersensitivity. International Immunopharmacology, 2014, 20, 12-23.	1.7	23
108	A Potential Role of Myeloid DAP12-Associating Lectin (MDL)-1 in the Regulation of Inflammation in Rheumatoid Arthritis Patients. PLoS ONE, 2014, 9, e86105.	1.1	18

#	Article	IF	Citations
109	Recent advances in the treatment of adult-onset Still's disease. Expert Opinion on Orphan Drugs, 2013, 1, 103-113.	0.5	1
110	Falls and Atrial Fibrillation in Elderly Patients. Acta Cardiologica Sinica, 2013, 29, 436-43.	0.1	21
111	Significant association of past parvovirus B19 infection with cytopenia in both adult-onset Still's disease and systemic lupus erythematosus patients. Clinica Chimica Acta, 2012, 413, 855-860.	0.5	24
112	Germinal center kinase-like kinase (GLK/MAP4K3) expression is increased in adult-onset Still's disease and may act as an activity marker. BMC Medicine, 2012, 10, 84.	2.3	31
113	Increased mRNA expressions of atheroprotective proteins in the peripheral blood mononuclear cells of humans taking lowâ€dose methotrexate. FASEB Journal, 2012, 26, 126.5.	0.2	0
114	A multicenter open-label phase I/II study to assess the safety, tolerability, and efficacy of three dose levels of TuNEX in patients with rheumatoid arthritis. Journal of the Chinese Medical Association, 2011, 74, 544-551.	0.6	4
115	Increasing levels of circulating Th17 cells and interleukin-17 in rheumatoid arthritis patients with an inadequate response to anti-TNF- \hat{l}_{\pm} therapy. Arthritis Research and Therapy, 2011, 13, R126.	1.6	183
116	Kinetics of viral loads and risk of hepatitis B virus reactivation in hepatitis B core antibody-positive rheumatoid arthritis patients undergoing anti-tumour necrosis factor alpha therapy. Annals of the Rheumatic Diseases, 2011, 70, 1719-1725.	0.5	159
117	Potential role of Th17 cells in the pathogenesis of adult-onset Still's disease. Rheumatology, 2010, 49, 2305-2312.	0.9	76
118	Polymyositis/dermatomyositis and nasopharyngeal carcinoma: The Epstein–Barr virus connection?. Journal of Clinical Virology, 2010, 49, 290-295.	1.6	48
119	The association of anti-parvovirus B19-VP1 unique region antibodies with antiphospholipid antibodies in patients with antiphospholipid syndrome. Clinica Chimica Acta, 2010, 411, 1084-1089.	0.5	14
120	The associations of circulating CD4 $<$ sup $>+sup>CD25<sup>highsup>regulatory T cells and TGF-\hat{l}^2 with disease activity and clinical course in patients with adult-onset Still's disease. Connective Tissue Research, 2010, 51, 370-377.$	1.1	36
121	Functional Association of Interleukin 18 Gene â°'607 (C/A) Promoter Polymorphisms with Disease Course in Chinese Patients with Adult-onset Still's Disease. Journal of Rheumatology, 2009, 36, 2284-2289.	1.0	27
122	Proinflammatory Cytokine Profiles of Patients with Elderly-Onset Rheumatoid Arthritis: A Comparison with Younger-Onset Disease. Gerontology, 2009, 55, 250-258.	1.4	82
123	Randomized, Double-blind, Placebo-controlled, Comparative Study of Human Anti-TNF Antibody Adalimumab in Combination with Methotrexate and Methotrexate Alone in Taiwanese Patients with Active Rheumatoid Arthritis. Journal of the Formosan Medical Association, 2009, 108, 310-319.	0.8	51
124	Elevated levels of soluble Fas (APO-1, CD95), soluble Fas ligand, and matrix metalloproteinase-3 in sera from patients with active untreated adult onset Still's disease. Clinical Rheumatology, 2007, 26, 393-400.	1.0	6
125	Proinflammatory cytokine profiles in sera and pathological tissues of patients with active untreated adult onset Still's disease. Journal of Rheumatology, 2004, 31, 2189-98.	1.0	194
126	Clinical manifestations, disease course, and complications of adult-onset Still's disease in Taiwan. Journal of the Formosan Medical Association, 2004, 103, 844-52.	0.8	23