

Shifeng Pan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1311154/publications.pdf>

Version: 2024-02-01

10
papers

163
citations

1478505

6
h-index

1372567

10
g-index

10
all docs

10
docs citations

10
times ranked

264
citing authors

#	ARTICLE	IF	CITATIONS
1	Microvesicle-shuttled miR-130b Reduces Fat Deposition in Recipient Primary Cultured Porcine Adipocytes by Inhibiting PPAR γ Expression. <i>Journal of Cellular Physiology</i> , 2014, 229, 631-639.	4.1	88
2	MicroRNA-128 is involved in dexamethasone-induced lipid accumulation via repressing SIRT1 expression in cultured pig preadipocytes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2019, 186, 185-195.	2.5	16
3	A potential mechanism associated with lead-induced spermatogonia and Leydig cell toxicity and mitigative effect of selenium in chicken. <i>Ecotoxicology and Environmental Safety</i> , 2021, 209, 111671.	6.0	15
4	Selenium-Alleviated Testicular Toxicity by Modulating Inflammation, Heat Shock Response, and Autophagy Under Oxidative Stress in Lead-Treated Chickens. <i>Biological Trace Element Research</i> , 2021, 199, 4700-4712.	3.5	11
5	MicroRNA-130b attenuates dexamethasone-induced increase of lipid accumulation in porcine preadipocytes by suppressing PPAR γ expression. <i>Oncotarget</i> , 2017, 8, 87928-87943.	1.8	10
6	Myostatin suppresses adipogenic differentiation and lipid accumulation by activating crosstalk between ERK1/2 and PKA signaling pathways in porcine subcutaneous preadipocytes. <i>Journal of Animal Science</i> , 2021, 99, .	0.5	7
7	Curcumin represses lipid accumulation through inhibiting ERK1/2-PPAR γ signaling pathway and triggering apoptosis in porcine subcutaneous preadipocytes. <i>Animal Bioscience</i> , 2022, 35, 763-777.	2.0	6
8	Transplantation of IL-1 β siRNA-modified bone marrow mesenchymal stem cells ameliorates type II collagen-induced rheumatoid arthritis in rats. <i>Experimental and Therapeutic Medicine</i> , 2021, 23, 139.	1.8	5
9	Expression of hepatic miRNAs targeting porcine glucocorticoid receptor (GR) 3'UTR in the neonatal piglets under a maternal gestational betaine supplementation. <i>Data in Brief</i> , 2016, 6, 4-7.	1.0	4
10	Maternal protein restriction depresses the duodenal expression of iron transporters and serum iron level in male weaning piglets. <i>British Journal of Nutrition</i> , 2017, 117, 923-929.	2.3	1