
## Jan Olav Johannessen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1312488/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Reducing the Duration of Untreated First-Episode Psychosis. Archives of General Psychiatry, 2004, 61, 143.	12.3	384
2	Early Detection and Intervention With Schizophrenia: Rationale. Schizophrenia Bulletin, 1996, 22, 201-222.	4.3	377
3	Early detection strategies for untreated first-episode psychosis. Schizophrenia Research, 2001, 51, 39-46.	2.0	208
4	The Key to Reducing Duration of Untreated First Psychosis: Information Campaigns. Schizophrenia Bulletin, 2007, 34, 466-472.	4.3	169
5	Shortened Duration of Untreated First Episode of Psychosis: Changes in Patient Characteristics at Treatment. American Journal of Psychiatry, 2001, 158, 1917-1919.	7.2	151
6	Premorbid adjustment in first-episode non-affective psychosis: Distinct patterns of pre-onset course. British Journal of Psychiatry, 2004, 185, 108-115.	2.8	140
7	Predictors of involuntary hospitalizations to acute psychiatry. International Journal of Law and Psychiatry, 2013, 36, 136-143.	0.9	91
8	Early Detection of First-Episode Psychosis: The Effect on 1-Year Outcome. Schizophrenia Bulletin, 2005, 32, 758-764.	4.3	90
9	Neurocognition and Duration of Psychosis: A 10-year Follow-up of First-Episode Patients. Schizophrenia Bulletin, 2016, 42, sbv083.	4.3	77
10	Impact of Interpersonal Trauma on the Social Functioning of Adults With First-Episode Psychosis. Schizophrenia Bulletin, 2014, 40, 1491-1498.	4.3	72
11	Pathways to care for first-episode psychosis in an early detection healthcare sector. British Journal of Psychiatry, 2005, 187, s24-s28.	2.8	56
12	Subjective quality of life in first-episode psychosis. A ten year follow-up study. Schizophrenia Research, 2016, 172, 23-28.	2.0	56
13	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. Schizophrenia Bulletin, 2017, 43, 843-851.	4.3	55
14	Treatment and violent behavior in persons with first episode psychosis during a 10-year prospective follow-up study. Schizophrenia Research, 2014, 156, 272-276.	2.0	42
15	Early detection, early symptom progression and symptomatic remission after ten years in a first episode of psychosis study. Schizophrenia Research, 2013, 143, 337-343.	2.0	41
16	Depressive symptoms in firstâ€episode psychosis: a 10â€year followâ€up study. Microbial Biotechnology, 2016, 10, 227-233.	1.7	35
17	"With a little help from my friends―social predictors of clinical recovery in first-episode psychosis. Psychiatry Research, 2017, 255, 209-214.	3.3	33
18	Verbal working memory deficits predict levels of auditory hallucination in first-episode psychosis. Schizophrenia Research, 2014, 153, 38-41.	2.0	31

JAN OLAV JOHANNESSEN

#	Article	IF	CITATIONS
19	Primary prevention of psychosis through interventions in the symptomatic prodromal phase, a pragmatic Norwegian Ultra High Risk study. BMC Psychiatry, 2015, 15, 89.	2.6	29
20	Treated incidence and baseline characteristics of substance induced psychosis in a Norwegian catchment area. BMC Psychiatry, 2013, 13, 319.	2.6	28
21	Relation between premorbid adjustment, duration of untreated psychosis and close interpersonal trauma in firstâ€episode psychosis. Microbial Biotechnology, 2018, 12, 316-323.	1.7	26
22	Gender differences in suicidal behaviour in patients with firstâ€episode psychosis. Microbial Biotechnology, 2015, 9, 300-307.	1.7	24
23	User participation and shared decision-making in adolescent mental healthcare: a qualitative study of healthcare professionals' perspectives. Child and Adolescent Psychiatry and Mental Health, 2020, 14, 2.	2.5	23
24	Visual Hallucinations in First-Episode Psychosis: Association with Childhood Trauma. PLoS ONE, 2016, 11, e0153458.	2.5	22
25	The central role of self-agency in clinical recovery from first episode psychosis. Psychosis, 2017, 9, 140-148.	0.8	22
26	10 year course of IQ in first-episode psychosis: Relationship between duration of psychosis and long-term intellectual trajectories. Psychiatry Research, 2015, 225, 515-521.	3.3	19
27	Antipsychotic treatment: experiences of fully recovered service users. Journal of Mental Health, 2017, 26, 264-270.	1.9	19
28	Personality disorders in firstâ€episode psychosis. Personality and Mental Health, 2008, 2, 230-239.	1.2	18
29	Experiences of antipsychotic use in patients with early psychosis: a two-year follow-up study. BMC Psychiatry, 2017, 17, 299.	2.6	18
30	DSMâ€5 and the â€~Psychosis Risk Syndrome': The need for a broader perspective. Psychosis, 2010, 2, 93-96.	0.8	17
31	Public attitudes towards involuntary admission and treatment by mental health services in Norway. International Journal of Law and Psychiatry, 2017, 55, 1-7.	0.9	15
32	Parsing the impact of early detection on duration of untreated psychosis (DUP): Applying quantile regression to data from the Scandinavian TIPS study. Schizophrenia Research, 2019, 210, 128-134.	2.0	15
33	Social Media and Social Functioning in Psychosis: A Systematic Review. Journal of Medical Internet Research, 2019, 21, e13957.	4.3	15
34	"Service user involvement in practice― The evaluation of an intervention program for service providers and inpatients in Norwegian Community Mental Health Centers. Psychosis, 2011, 3, 29-40.	0.8	13
35	Cognitive Profile in Ultra High Risk for Psychosis and Schizophrenia: A Comparison Using Coordinated Norms. Frontiers in Psychiatry, 2019, 10, 695.	2.6	13
36	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course, outcome and health service use during first 2 years. Microbial Biotechnology, 2007, 1, 40-48.	1.7	12

#	Article	IF	CITATIONS
37	Typologies in GPs' referral practice. BMC Family Practice, 2016, 17, 76.	2.9	12
38	Structural and functional alterations in the brain during working memory in medication-naÃ⁻ve patients at clinical high-risk for psychosis. PLoS ONE, 2018, 13, e0196289.	2.5	12
39	Psychiatrists' reflections on a medication-free program for patients with psychosis. Journal of Psychopharmacology, 2019, 33, 459-465.	4.0	12
40	Early Detection of Ultra High Risk for Psychosis in a Norwegian Catchment Area: The Two Year Follow-Up of the Prevention of Psychosis Study. Frontiers in Psychiatry, 2021, 12, 573905.	2.6	12
41	Effects on referral patterns of reducing intensive informational campaigns about firstâ€episode psychosis. Microbial Biotechnology, 2007, 1, 340-345.	1.7	11
42	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course and health service use during 5 years. Microbial Biotechnology, 2011, 5, 70-75.	1.7	10
43	Job―and schoolprescription: A local adaptation to individual placement and support for first episode psychosis. Microbial Biotechnology, 2019, 13, 859-866.	1.7	10
44	One-Year Outcome and Adherence to Pharmacological Guidelines in First-Episode Schizophrenia. Journal of Clinical Psychopharmacology, 2020, 40, 534-540.	1.4	10
45	A 10-year follow-up study of violent victimization in first episode psychosis: Risk and protective factors. Psychiatry Research, 2018, 259, 545-549.	3.3	9
46	Language Lateralization and Auditory Attention Impairment in Young Adults at Ultra-High Risk for Psychosis: A Dichotic Listening Study. Frontiers in Psychology, 2018, 9, 608.	2.1	9
47	Preventing Suicide among Psychiatric Inpatients with Psychotic Depression. Psychiatric Quarterly, 2020, 91, 223-236.	2.1	9
48	Schizofreni-forekomst i et norsk fylke, Rogaland. Nordic Journal of Psychiatry, 1985, 39, 217-223.	0.1	8
49	Use of medication algorithms in first episode psychosis: a naturalistic observational study. Microbial Biotechnology, 2016, 10, 503-510.	1.7	8
50	Is going into stable symptomatic remission associated with a more positive development of life satisfaction? A 10-year follow-up study of first episode psychosis. Schizophrenia Research, 2018, 193, 364-369.	2.0	8
51	Voluntary or involuntary acute psychiatric hospitalization in Norway: A 24 h follow up study. International Journal of Law and Psychiatry, 2018, 56, 27-34.	0.9	8
52	Psychiatric outpatients' experiences with specialized health care delivery. A Norwegian national survey. Journal of Mental Health, 2007, 16, 271-279.	1.9	7
53	Preventing Poor Vocational Functioning in Psychosis Through Early Intervention. Psychiatric Services, 2017, 68, 100-103.	2.0	7
54	Psychotherapy in Psychosis: Experiences of Fully Recovered Service Users. Frontiers in Psychology, 2018, 9, 1675.	2.1	7

#	Article	IF	CITATIONS
55	The Effect of Intensive Implementation Support on Fidelity for Four Evidence-Based Psychosis Treatments: A Cluster Randomized Trial. Administration and Policy in Mental Health and Mental Health Services Research, 2021, 48, 909-920.	2.1	7
56	Review: lifetime prevalence of schizophrenia and related disorders is about 5.5 per 1000, but there is significant variation between regions. Evidence-Based Mental Health, 2003, 6, 74-74.	4.5	6
57	Depression and functioning are important to subjective quality of life after a first episode psychosis. Comprehensive Psychiatry, 2018, 86, 107-114.	3.1	6
58	Early Substance Use Cessation Improves Cognition—10 Years Outcome in First-Episode Psychosis Patients. Frontiers in Psychiatry, 2019, 10, 495.	2.6	6
59	Parents' perspectives on user participation and shared decisionâ€making in adolescents' inpatient mental healthcare. Health Expectations, 2022, 25, 994-1003.	2.6	6
60	"We all have a responsibilityâ€: a narrative discourse analysis of an information campaign targeting help-seeking in first episode psychosis. International Journal of Mental Health Systems, 2019, 13, 32.	2.7	5
61	Exploring specific predictors of psychosis onset over a 2â€year period: A decisionâ€tree model. Microbial Biotechnology, 2022, 16, 363-370.	1.7	5
62	Childhood interpersonal trauma and premorbid social adjustment as predictors of symptom remission in first episode psychosis. Schizophrenia Research, 2021, 232, 87-94.	2.0	4
63	Modern understanding of psychosis: from brain disease to stress disorder. And some other important aspects of psychosis…. Psychosis, 2021, 13, 289-301.	0.8	4
64	"Psychosis―is 10 years old. Congratulations and celebrations. Psychosis, 2019, 11, 1-2.	0.8	3
65	Frontline leadership for implementing clinical guidelines inÂNorwegian mental health services: a qualitative study. Journal of Health Organization and Management, 2022, 36, 617-632.	1.3	3
66	110. "With a Little Help from My Friends―Social Predictors of Clinical Recovery in First-Episode Psychosis. Schizophrenia Bulletin, 2017, 43, S57-S57.	4.3	2
67	Cognitive predictors of longitudinal positive symptom course in clinical high risk for psychosis. Schizophrenia Research: Cognition, 2021, 26, 100210.	1.3	2
68	Childhood trauma, antipsychotic medication, and symptom remission in first-episode psychosis. Psychological Medicine, 0, , 1-10.	4.5	2
69	O3.5. IMPROVED COGNITION WITH EARLY SUBSTANCE USE CESSATION IN FIRST-EPISODE PSYCHOSIS – 10 YEARS OUTCOME IN THE TIPS SAMPLE PATIENTS. Schizophrenia Bulletin, 2019, 45, S167-S167.	4.3	1
70	Reduced Expression of Emotion: A Red Flag Signalling Conversion to Psychosis in Clinical High Risk for Psychosis (CHR-P) Populations. Psychiatry (New York), 2022, 85, 282-292.	0.7	1
71	S234. ONE-YEAR OUTCOME AND USE OF CLOZAPINE IN FIRST-EPISODE SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S417-S418.	4.3	0
72	F163. STRUCTURAL AND FUNCTIONAL ALTERATIONS IN THE BRAIN DURING WORKING MEMORY IN MEDICATION-NAÃ־VE PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S284-S284.	4.3	0

#	Article	IF	CITATIONS
73	F136. PARSING DUP TO REFINE EARLY DETECTION: QUANTILE REGRESSION OF RESULTS FROM THE SCANDINAVIAN TIPS STUDY. Schizophrenia Bulletin, 2018, 44, S272-S273.	4.3	Ο
74	T98. THE EFFECT OF SUBSTANCE USE ON 10-YEAR OUTCOME IN FIRST EPISODE PSYCHOSIS – EARLY CESSATION RESULTS IN BETTER OUTCOMES. Schizophrenia Bulletin, 2018, 44, S153-S154.	4.3	0
75	T60. SOCIAL MEDIA AND SOCIAL FUNCTIONING IN PSYCHOSIS: A SYSTEMATIC REVIEW. Schizophrenia Bulletin, 2019, 45, S226-S227.	4.3	Ο
76	An exploratory study of the experiences of being both a mental health professional and carer in mental health services in Norway. Journal of Psychiatric and Mental Health Nursing, 2020, 27, 563-571.	2.1	0
77	Associations between symptom and neurocognitive dimensions in clinical high risk for psychosis. Schizophrenia Research: Cognition, 2022, 29, 100260.	1.3	0