

# Jan Olav Johannessen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1312488/publications.pdf>

Version: 2024-02-01

77  
papers

2,689  
citations

304743

22  
h-index

189892

50  
g-index

81  
all docs

81  
docs citations

81  
times ranked

2448  
citing authors

#	ARTICLE	IF	CITATIONS
1	Exploring specific predictors of psychosis onset over a 2-year period: A decision-tree model. <i>Microbial Biotechnology</i> , 2022, 16, 363-370.	1.7	5
2	Parents' perspectives on user participation and shared decision-making in adolescents' inpatient mental healthcare. <i>Health Expectations</i> , 2022, 25, 994-1003.	2.6	6
3	Reduced Expression of Emotion: A Red Flag Signalling Conversion to Psychosis in Clinical High Risk for Psychosis (CHR-P) Populations. <i>Psychiatry (New York)</i> , 2022, 85, 282-292.	0.7	1
4	Frontline leadership for implementing clinical guidelines in Norwegian mental health services: a qualitative study. <i>Journal of Health Organization and Management</i> , 2022, 36, 617-632.	1.3	3
5	Associations between symptom and neurocognitive dimensions in clinical high risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2022, 29, 100260.	1.3	0
6	Early Detection of Ultra High Risk for Psychosis in a Norwegian Catchment Area: The Two Year Follow-Up of the Prevention of Psychosis Study. <i>Frontiers in Psychiatry</i> , 2021, 12, 573905.	2.6	12
7	The Effect of Intensive Implementation Support on Fidelity for Four Evidence-Based Psychosis Treatments: A Cluster Randomized Trial. <i>Administration and Policy in Mental Health and Mental Health Services Research</i> , 2021, 48, 909-920.	2.1	7
8	Childhood interpersonal trauma and premorbid social adjustment as predictors of symptom remission in first episode psychosis. <i>Schizophrenia Research</i> , 2021, 232, 87-94.	2.0	4
9	Cognitive predictors of longitudinal positive symptom course in clinical high risk for psychosis. <i>Schizophrenia Research: Cognition</i> , 2021, 26, 100210.	1.3	2
10	Modern understanding of psychosis: from brain disease to stress disorder. And some other important aspects of psychosis. <i>Psychosis</i> , 2021, 13, 289-301.	0.8	4
11	Preventing Suicide among Psychiatric Inpatients with Psychotic Depression. <i>Psychiatric Quarterly</i> , 2020, 91, 223-236.	2.1	9
12	One-Year Outcome and Adherence to Pharmacological Guidelines in First-Episode Schizophrenia. <i>Journal of Clinical Psychopharmacology</i> , 2020, 40, 534-540.	1.4	10
13	An exploratory study of the experiences of being both a mental health professional and carer in mental health services in Norway. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 563-571.	2.1	0
14	User participation and shared decision-making in adolescent mental healthcare: a qualitative study of healthcare professionals' perspectives. <i>Child and Adolescent Psychiatry and Mental Health</i> , 2020, 14, 2.	2.5	23
15	Job and school prescription: A local adaptation to individual placement and support for first episode psychosis. <i>Microbial Biotechnology</i> , 2019, 13, 859-866.	1.7	10
16	Parsing the impact of early detection on duration of untreated psychosis (DUP): Applying quantile regression to data from the Scandinavian TIPS study. <i>Schizophrenia Research</i> , 2019, 210, 128-134.	2.0	15
17	Early Substance Use Cessation Improves Cognition 10 Years Outcome in First-Episode Psychosis Patients. <i>Frontiers in Psychiatry</i> , 2019, 10, 495.	2.6	6
18	Cognitive Profile in Ultra High Risk for Psychosis and Schizophrenia: A Comparison Using Coordinated Norms. <i>Frontiers in Psychiatry</i> , 2019, 10, 695.	2.6	13

#	ARTICLE	IF	CITATIONS
19	T60. SOCIAL MEDIA AND SOCIAL FUNCTIONING IN PSYCHOSIS: A SYSTEMATIC REVIEW. Schizophrenia Bulletin, 2019, 45, S226-S227.	4.3	0
20	Psychiatristsâ€™ reflections on a medication-free program for patients with psychosis. Journal of Psychopharmacology, 2019, 33, 459-465.	4.0	12
21	â€œWe all have a responsibilityâ€: a narrative discourse analysis of an information campaign targeting help-seeking in first episode psychosis. International Journal of Mental Health Systems, 2019, 13, 32.	2.7	5
22	â€œPsychosisâ€ is 10 years old. Congratulations and celebrations. Psychosis, 2019, 11, 1-2.	0.8	3
23	O3.5. IMPROVED COGNITION WITH EARLY SUBSTANCE USE CESSATION IN FIRST-EPISEODE PSYCHOSIS â€“ 10 YEARS OUTCOME IN THE TIPS SAMPLE PATIENTS. Schizophrenia Bulletin, 2019, 45, S167-S167.	4.3	1
24	Social Media and Social Functioning in Psychosis: A Systematic Review. Journal of Medical Internet Research, 2019, 21, e13957.	4.3	15
25	S234. ONE-YEAR OUTCOME AND USE OF CLOZAPINE IN FIRST-EPISEODE SCHIZOPHRENIA. Schizophrenia Bulletin, 2018, 44, S417-S418.	4.3	0
26	Relation between premorbid adjustment, duration of untreated psychosis and close interpersonal trauma in firstâ€episode psychosis. Microbial Biotechnology, 2018, 12, 316-323.	1.7	26
27	Is going into stable symptomatic remission associated with a more positive development of life satisfaction? A 10-year follow-up study of first episode psychosis. Schizophrenia Research, 2018, 193, 364-369.	2.0	8
28	Voluntary or involuntary acute psychiatric hospitalization in Norway: A 24 h follow up study. International Journal of Law and Psychiatry, 2018, 56, 27-34.	0.9	8
29	A 10-year follow-up study of violent victimization in first episode psychosis: Risk and protective factors. Psychiatry Research, 2018, 259, 545-549.	3.3	9
30	F163. STRUCTURAL AND FUNCTIONAL ALTERATIONS IN THE BRAIN DURING WORKING MEMORY IN MEDICATION-NAËVE PATIENTS AT CLINICAL HIGH-RISK FOR PSYCHOSIS. Schizophrenia Bulletin, 2018, 44, S284-S284.	4.3	0
31	F136. PARSING DUP TO REFINE EARLY DETECTION: QUANTILE REGRESSION OF RESULTS FROM THE SCANDINAVIAN TIPS STUDY. Schizophrenia Bulletin, 2018, 44, S272-S273.	4.3	0
32	T98. THE EFFECT OF SUBSTANCE USE ON 10-YEAR OUTCOME IN FIRST EPISODE PSYCHOSIS â€“ EARLY CESSATION RESULTS IN BETTER OUTCOMES. Schizophrenia Bulletin, 2018, 44, S153-S154.	4.3	0
33	Psychotherapy in Psychosis: Experiences of Fully Recovered Service Users. Frontiers in Psychology, 2018, 9, 1675.	2.1	7
34	Language Lateralization and Auditory Attention Impairment in Young Adults at Ultra-High Risk for Psychosis: A Dichotic Listening Study. Frontiers in Psychology, 2018, 9, 608.	2.1	9
35	Structural and functional alterations in the brain during working memory in medication-naËve patients at clinical high-risk for psychosis. PLoS ONE, 2018, 13, e0196289.	2.5	12
36	Depression and functioning are important to subjective quality of life after a first episode psychosis. Comprehensive Psychiatry, 2018, 86, 107-114.	3.1	6

#	ARTICLE	IF	CITATIONS
37	Antipsychotic treatment: experiences of fully recovered service users. <i>Journal of Mental Health</i> , 2017, 26, 264-270.	1.9	19
38	The Effect of Substance Use on 10-Year Outcome in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, 843-851.	4.3	55
39	Public attitudes towards involuntary admission and treatment by mental health services in Norway. <i>International Journal of Law and Psychiatry</i> , 2017, 55, 1-7.	0.9	15
40	Preventing Poor Vocational Functioning in Psychosis Through Early Intervention. <i>Psychiatric Services</i> , 2017, 68, 100-103.	2.0	7
41	The central role of self-agency in clinical recovery from first episode psychosis. <i>Psychosis</i> , 2017, 9, 140-148.	0.8	22
42	110. "With a Little Help from My Friends" Social Predictors of Clinical Recovery in First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2017, 43, S57-S57.	4.3	2
43	Experiences of antipsychotic use in patients with early psychosis: a two-year follow-up study. <i>BMC Psychiatry</i> , 2017, 17, 299.	2.6	18
44	"With a little help from my friends" social predictors of clinical recovery in first-episode psychosis. <i>Psychiatry Research</i> , 2017, 255, 209-214.	3.3	33
45	Neurocognition and Duration of Psychosis: A 10-year Follow-up of First-Episode Patients. <i>Schizophrenia Bulletin</i> , 2016, 42, sbv083.	4.3	77
46	Visual Hallucinations in First-Episode Psychosis: Association with Childhood Trauma. <i>PLoS ONE</i> , 2016, 11, e0153458.	2.5	22
47	Typologies in GPs' referral practice. <i>BMC Family Practice</i> , 2016, 17, 76.	2.9	12
48	Depressive symptoms in first-episode psychosis: a 10-year follow-up study. <i>Microbial Biotechnology</i> , 2016, 10, 227-233.	1.7	35
49	Use of medication algorithms in first episode psychosis: a naturalistic observational study. <i>Microbial Biotechnology</i> , 2016, 10, 503-510.	1.7	8
50	Subjective quality of life in first-episode psychosis. A ten year follow-up study. <i>Schizophrenia Research</i> , 2016, 172, 23-28.	2.0	56
51	Gender differences in suicidal behaviour in patients with first-episode psychosis. <i>Microbial Biotechnology</i> , 2015, 9, 300-307.	1.7	24
52	Primary prevention of psychosis through interventions in the symptomatic prodromal phase, a pragmatic Norwegian Ultra High Risk study. <i>BMC Psychiatry</i> , 2015, 15, 89.	2.6	29
53	10 year course of IQ in first-episode psychosis: Relationship between duration of psychosis and long-term intellectual trajectories. <i>Psychiatry Research</i> , 2015, 225, 515-521.	3.3	19
54	Impact of Interpersonal Trauma on the Social Functioning of Adults With First-Episode Psychosis. <i>Schizophrenia Bulletin</i> , 2014, 40, 1491-1498.	4.3	72

#	ARTICLE	IF	CITATIONS
55	Treatment and violent behavior in persons with first episode psychosis during a 10-year prospective follow-up study. <i>Schizophrenia Research</i> , 2014, 156, 272-276.	2.0	42
56	Verbal working memory deficits predict levels of auditory hallucination in first-episode psychosis. <i>Schizophrenia Research</i> , 2014, 153, 38-41.	2.0	31
57	Early detection, early symptom progression and symptomatic remission after ten years in a first episode of psychosis study. <i>Schizophrenia Research</i> , 2013, 143, 337-343.	2.0	41
58	Predictors of involuntary hospitalizations to acute psychiatry. <i>International Journal of Law and Psychiatry</i> , 2013, 36, 136-143.	0.9	91
59	Treated incidence and baseline characteristics of substance induced psychosis in a Norwegian catchment area. <i>BMC Psychiatry</i> , 2013, 13, 319.	2.6	28
60	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course and health service use during 5 years. <i>Microbial Biotechnology</i> , 2011, 5, 70-75.	1.7	10
61	Service user involvement in practice: The evaluation of an intervention program for service providers and inpatients in Norwegian Community Mental Health Centers. <i>Psychosis</i> , 2011, 3, 29-40.	0.8	13
62	DSM-5 and the "Psychosis Risk Syndrome": The need for a broader perspective. <i>Psychosis</i> , 2010, 2, 93-96.	0.8	17
63	Personality disorders in first-episode psychosis. <i>Personality and Mental Health</i> , 2008, 2, 230-239.	1.2	18
64	Psychiatric outpatients' experiences with specialized health care delivery. A Norwegian national survey. <i>Journal of Mental Health</i> , 2007, 16, 271-279.	1.9	7
65	The Key to Reducing Duration of Untreated First Psychosis: Information Campaigns. <i>Schizophrenia Bulletin</i> , 2007, 34, 466-472.	4.3	169
66	First-episode psychosis patients recruited into treatment via early detection teams versus ordinary pathways: course, outcome and health service use during first 2 years. <i>Microbial Biotechnology</i> , 2007, 1, 40-48.	1.7	12
67	Effects on referral patterns of reducing intensive informational campaigns about first-episode psychosis. <i>Microbial Biotechnology</i> , 2007, 1, 340-345.	1.7	11
68	Pathways to care for first-episode psychosis in an early detection healthcare sector. <i>British Journal of Psychiatry</i> , 2005, 187, s24-s28.	2.8	56
69	Early Detection of First-Episode Psychosis: The Effect on 1-Year Outcome. <i>Schizophrenia Bulletin</i> , 2005, 32, 758-764.	4.3	90
70	Premorbid adjustment in first-episode non-affective psychosis: Distinct patterns of pre-onset course. <i>British Journal of Psychiatry</i> , 2004, 185, 108-115.	2.8	140
71	Reducing the Duration of Untreated First-Episode Psychosis. <i>Archives of General Psychiatry</i> , 2004, 61, 143.	12.3	384
72	Review: lifetime prevalence of schizophrenia and related disorders is about 5.5 per 1000, but there is significant variation between regions. <i>Evidence-Based Mental Health</i> , 2003, 6, 74-74.	4.5	6

#	ARTICLE	IF	CITATIONS
73	Early detection strategies for untreated first-episode psychosis. Schizophrenia Research, 2001, 51, 39-46.	2.0	208
74	Shortened Duration of Untreated First Episode of Psychosis: Changes in Patient Characteristics at Treatment. American Journal of Psychiatry, 2001, 158, 1917-1919.	7.2	151
75	Early Detection and Intervention With Schizophrenia: Rationale. Schizophrenia Bulletin, 1996, 22, 201-222.	4.3	377
76	Schizofreni-forekomst i et norsk fylke, Rogaland. Nordic Journal of Psychiatry, 1985, 39, 217-223.	0.1	8
77	Childhood trauma, antipsychotic medication, and symptom remission in first-episode psychosis. Psychological Medicine, 0, , 1-10.	4.5	2