

Ariela Hoxha

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1312893/publications.pdf>

Version: 2024-02-01

56
papers

2,174
citations

257357

24
h-index

233338

45
g-index

59
all docs

59
docs citations

59
times ranked

2208
citing authors

#	ARTICLE	IF	CITATIONS
1	Rivaroxaban vs warfarin in high-risk patients with antiphospholipid syndrome. <i>Blood</i> , 2018, 132, 1365-1371.	0.6	573
2	Risk factors for pregnancy failure in patients with anti-phospholipid syndrome treated with conventional therapies: a multicentre, case-control study. <i>Rheumatology</i> , 2011, 50, 1684-1689.	0.9	193
3	Antiphospholipid antibody profile based obstetric outcomes of primary antiphospholipid syndrome: the APREGNANTS study. <i>American Journal of Obstetrics and Gynecology</i> , 2017, 216, 525.e1-525.e12.	0.7	131
4	The European Registry on Obstetric Antiphospholipid Syndrome (EUROAPS): A survey of 1000 consecutive cases. <i>Autoimmunity Reviews</i> , 2019, 18, 406-414.	2.5	106
5	Detection of lupus anticoagulant in the era of direct oral anticoagulants. <i>Autoimmunity Reviews</i> , 2017, 16, 173-178.	2.5	71
6	Effect of Additional Treatments Combined with Conventional Therapies in Pregnant Patients with High-Risk Antiphospholipid Syndrome: A Multicentre Study. <i>Thrombosis and Haemostasis</i> , 2018, 47, 639-646.	1.8	62
7	Treatment of 139 Pregnancies in Antiphospholipid-positive Women Not Fulfilling Criteria for Antiphospholipid Syndrome: A Retrospective Study. <i>Journal of Rheumatology</i> , 2013, 40, 425-429.	1.0	54
8	Comparative study of obstetric antiphospholipid syndrome (OAPS) and non-criteria obstetric APS (NC-OAPS): report of 1640 cases from the EUROAPS registry. <i>Rheumatology</i> , 2020, 59, 1306-1314.	0.9	53
9	Longterm Outcome of Patients with Primary Antiphospholipid Syndrome: A Retrospective Multicenter Study. <i>Journal of Rheumatology</i> , 2017, 44, 1165-1172.	1.0	51
10	Apheresis and intravenous immunoglobulins used in addition to conventional therapy to treat high-risk pregnant antiphospholipid antibody syndrome patients. A prospective study. <i>Journal of Reproductive Immunology</i> , 2016, 115, 14-19.	0.8	49
11	Antiphosphatidylserine/prothrombin antibodies as biomarkers to identify severe primary antiphospholipid syndrome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2017, 55, 890-898.	1.4	49
12	A combination therapy protocol of plasmapheresis, intravenous immunoglobulins and betamethasone to treat anti-Ro/La-related congenital atrioventricular block. A case series and review of the literature. <i>Autoimmunity Reviews</i> , 2013, 12, 768-773.	2.5	41
13	Trial of Rivaroxaban in AntiPhospholipid Syndrome (TRAPS): Two-year outcomes after the study closure. <i>Journal of Thrombosis and Haemostasis</i> , 2021, 19, 531-535.	1.9	40
14	First Report of the Italian Registry on Immune-Mediated Congenital Heart Block (Lu.Ne Registry). <i>Frontiers in Cardiovascular Medicine</i> , 2019, 6, 11.	1.1	39
15	Detection of IgG anti-Domain I beta2 Glycoprotein I antibodies by chemiluminescence immunoassay in primary antiphospholipid syndrome. <i>Clinica Chimica Acta</i> , 2015, 446, 201-205.	0.5	38
16	The growing role of precision medicine for the treatment of autoimmune diseases; results of a systematic review of literature and Experts' Consensus. <i>Autoimmunity Reviews</i> , 2021, 20, 102738.	2.5	38
17	Platelet and endothelial activation in catastrophic and quiescent antiphospholipid syndrome. <i>Thrombosis and Haemostasis</i> , 2013, 109, 901-908.	1.8	37
18	Plasma exchange and immunoadsorption effectively remove antiphospholipid antibodies in pregnant patients with antiphospholipid syndrome. <i>Journal of Clinical Apheresis</i> , 2012, 27, 200-204.	0.7	32

#	ARTICLE	IF	CITATIONS
19	The clinical performance of a chemiluminescent immunoassay in detecting anti-cardiolipin and anti-β ₂ glycoprotein I antibodies. A comparison with a homemade ELISA method. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1083-9.	1.4	32
20	IgG phosphatidylserine/prothrombin antibodies as a risk factor of thrombosis in antiphospholipid antibody carriers. <i>Thrombosis Research</i> , 2019, 177, 157-160.	0.8	30
21	Relationship between antiphosphatidylserine/prothrombin and conventional antiphospholipid antibodies in primary antiphospholipid syndrome. <i>Clinical Chemistry and Laboratory Medicine</i> , 2015, 53, 1265-70.	1.4	27
22	Catastrophic antiphospholipid syndrome: Lessons from 14 cases successfully treated in a single center. A narrative report. <i>Journal of Autoimmunity</i> , 2018, 93, 124-130.	3.0	26
23	Pregnancy and foetal outcomes following anti-tumor necrosis factor alpha therapy: A prospective multicentre study. <i>Joint Bone Spine</i> , 2017, 84, 169-173.	0.8	25
24	Plasma exchange effectively removes 52kDa and 60kDa anti-β ₂ GP1/SSA and anti-β ₂ GP1/SSB antibodies in pregnant women with congenital heart block. <i>Transfusion</i> , 2015, 55, 1782-1786.	0.8	24
25	Antiphosphatidylserine/prothrombin Antibodies in Antiphospholipid Syndrome with Intrauterine Growth Restriction and Preeclampsia. <i>Journal of Rheumatology</i> , 2018, 45, 1263-1272.	1.0	24
26	Therapeutic apheresis during pregnancy: A single center experience. <i>Transfusion and Apheresis Science</i> , 2019, 58, 652-658.	0.5	23
27	Obstetrical outcome and treatments in seronegative primary APS: data from European retrospective study. <i>RMD Open</i> , 2020, 6, e001340.	1.8	23
28	Plasmapheresis, intravenous immunoglobulins and bethametasone - a combined protocol to treat autoimmune congenital heart block: a prospective cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016, 34, 706-13.	0.4	23
29	Late development of complete atrioventricular block may be immune mediated and congenital in origin. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2014, 103, 275-281.	0.7	22
30	The clinical relevance of early anti-adalimumab antibodies detection in rheumatoid arthritis, ankylosing spondylitis and psoriatic arthritis: A prospective multicentre study. <i>Joint Bone Spine</i> , 2016, 83, 167-171.	0.8	22
31	The efficacy and safety of second-line treatments of refractory and/or high risk pregnant antiphospholipid syndrome patients. A systematic literature review analyzing 313 pregnancies. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 28-35.	1.6	18
32	Apheresis in high risk antiphospholipid syndrome pregnancy and autoimmune congenital heart block. <i>Transfusion and Apheresis Science</i> , 2015, 53, 269-278.	0.5	17
33	Maternal autoantibody profiles at risk for autoimmune congenital heart block: a prospective study in high-risk patients. <i>Lupus Science and Medicine</i> , 2016, 3, e000129.	1.1	16
34	The prevalence of monosodium urate and calcium pyrophosphate crystals in synovial fluid from wrist and finger joints. <i>Rheumatology International</i> , 2016, 36, 443-446.	1.5	16
35	Additional Treatments for High-Risk Obstetric Antiphospholipid Syndrome: a Comprehensive Review. <i>Clinical Reviews in Allergy and Immunology</i> , 2017, 53, 28-39.	2.9	16
36	The clinical relevance of the IgM isotype of antiphospholipid antibodies in the vascular antiphospholipid syndrome. <i>Thrombosis Research</i> , 2015, 136, 883-886.	0.8	15

#	ARTICLE	IF	CITATIONS
37	Diagnosis and therapy of antiphospholipid syndrome. Polish Archives of Internal Medicine, 2015, 125, 672-677.	0.3	15
38	Effect of an oral preparation containing hyaluronic acid, chondroitin sulfate, hydrolyzed collagen type II and hydrolyzed keratin on synovial fluid features and clinical indices in knee osteoarthritis. A pilot study. Reumatismo, 2020, 72, 125-130.	0.4	13
39	Impact of COVID-19 and COVID-19 vaccination on high-risk patients with antiphospholipid syndrome: a nationwide survey. Rheumatology, 2022, 61, SI136-SI142.	0.9	13
40	Upgrading Therapy Strategy Improves Pregnancy Outcome in Antiphospholipid Syndrome: A Cohort Management Study. Thrombosis and Haemostasis, 2020, 120, 036-043.	1.8	11
41	The efficacy of adalimumab in psoriatic arthritis concomitant to overlapping primary biliary cholangitis and primary sclerosing cholangitis: a case report. BMC Musculoskeletal Disorders, 2016, 17, 485.	0.8	9
42	Low titer, isolated anti Ro/SSA 60 kd antibodies is correlated with positive pregnancy outcomes in women at risk of congenital heart block. Clinical Rheumatology, 2017, 36, 1155-1160.	1.0	9
43	An observational multicentre study on the efficacy and safety of assisted reproductive technologies in women with rheumatic diseases. Rheumatology Advances in Practice, 2019, 3, rkz005.	0.3	9
44	A contribution to detection of anticardiolipin and anti- β_2 glycoprotein I antibodies: Comparison between a home-made ELISA and a fluorescence enzyme immunoassay. Clinica Chimica Acta, 2015, 446, 93-96.	0.5	6
45	European families reveal MHC class I and II associations with autoimmune-mediated congenital heart block. Annals of the Rheumatic Diseases, 2018, 77, 1381-1382.	0.5	6
46	Erosive osteoarthritis, psoriatic arthritis and pseudogout; a casual association?. Clinical Rheumatology, 2016, 35, 1885-1889.	1.0	5
47	Efficacy and Safety of Ultrasound-Guided Intra-articular Glucocorticoid Injection in Erosive Hand Osteoarthritis. Pain Medicine, 2021, 22, 1229-1232.	0.9	5
48	Fluorinated steroids are not superior to any treatment to ameliorate the outcome of autoimmune mediated congenital heart block: a systematic review of the literature and meta-analysis. Clinical and Experimental Rheumatology, 2020, 38, 783-791.	0.4	5
49	Markers of complement activation in plasma during quiescent phases in patients with catastrophic antiphospholipid syndrome. Blood, 2021, 137, 2989-2992.	0.6	4
50	Detection of autoantibodies to the p200-epitope of SSA/Ro52 antigen. A comparison of two laboratory assays. Clinical Chemistry and Laboratory Medicine, 2018, 56, 927-932.	1.4	2
51	Impact of disease duration and gender on the sensitivity and specificity of 2015 ACR/EULAR classification criteria for gout. Cross-sectional results from an Italian multicentric study on the management of crystal-induced arthritis (ATTACKr). Clinical and Experimental Rheumatology, 0, , .	0.4	2
52	Diagnosis and therapy of antiphospholipid syndrome. Author's reply.. Polish Archives of Internal Medicine, 2015, 125, 786-786.	0.3	1
53	Psychosocial burden in young patients with primary anti-phospholipid syndrome: an Italian nationwide survey (The AQUEOUS study). Clinical and Experimental Rheumatology, 2021, 39, 938-946.	0.4	1
54	High plasma C5a and C5b-9 levels during quiescent phases are associated to severe antiphospholipid syndrome subsets. Clinical and Experimental Rheumatology, 0, , .	0.4	1

#	ARTICLE	IF	CITATIONS
55	Obstetric Antiphospholipid Syndrome. , 0, , .		0
56	Clinical Delphi on aPL Negativization: Report from the APS Study Group of the Italian Society for Rheumatology (SIR-APS). Thrombosis and Haemostasis, 2022, 122, 1612-1620.	1.8	0