

Tansu Degirmenci

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1315600/tansu-degirmenci-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

71
papers

583
citations

14
h-index

20
g-index

92
ext. papers

703
ext. citations

1.5
avg, IF

3.52
L-index

#	Paper	IF	Citations
71	The comparison of perioperative outcomes between percutaneous nephrolithotomy and retrograde intrarenal surgery in elderly patients. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14221	2.9	0
70	Predictive Value of Additional Clinical and Radiological Parameters for Discrimination of Malignancy in Bosniak 3 Cysts. <i>Urologia Internationalis</i> , 2021 , 105, 118-123	1.9	
69	Effect of Renal Function on Success and Complications of Percutaneous Nephrolithotomy. <i>Yeni Tıbbi Dergisi</i> , 2021 , 68-73	0	0
68	Retrospective Analysis of the Factors Affecting Intraoperative and Immediate Postoperative Complications of Retrograde Intrarenal Surgery Classified by the Clavien and Satava Grading Systems. <i>Journal of Endourology</i> , 2021 , 35, 1764-1772	2.7	
67	External validation of the T.O.HO. score and derivation of the modified T.O.HO. score for predicting stone-free status after flexible ureteroscopy in ureteral and renal stones. <i>International Journal of Clinical Practice</i> , 2021 , 75, e14653	2.9	1
66	The course of alterations in ureteral jet dynamics following kidney transplantation: a prospective observational cohort study. <i>Revista Da Associação Médica Brasileira</i> , 2020 , 66, 153-159	1.4	
65	The significance of preoperative estimated glomerular filtration rate on survival outcomes in patients who underwent radical cystectomy and non-continent urinary diversion. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2020 , 46, 566-574	2	1
64	The depressive effects of androgen deprivation therapy in locally advanced or metastatic prostate cancer: a comparative study. <i>Aging Male</i> , 2020 , 23, 733-739	2.1	8
63	The Histopathologic Correlation of Bosniak 3 Cyst Subclassification. <i>Urology</i> , 2019 , 129, 126-131	1.6	2
62	Does leaving residual fragments after percutaneous nephrolithotomy in patients with positive stone culture and/or renal pelvic urine culture increase the risk of infectious complications?. <i>Urolithiasis</i> , 2019 , 47, 371-375	3.2	8
61	Effects of the transobturator tape procedure on overactive bladder symptoms and quality of life: a prospective study. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2019 , 45, 1186-1195	2	4
60	Influence of preoperative hydronephrosis and ureteral orifice involvement in the survival of patients undergoing radical cystectomy: A retrospective comparative study. <i>Turkish Journal of Urology</i> , 2019 , 45, S49-S55	1.3	
59	Re: "Monopolar vs. bipolar transurethral resection for nonmuscle invasive bladder carcinoma: A post hoc analysis from a randomized controlled trial". <i>Urologic Oncology: Seminars and Original Investigations</i> , 2019 , 37, 177-178	2.8	1
58	A novel use of attenuation value (Hounsfield unit) in non-contrast CT: diagnosis of urinary tract infection. <i>International Urology and Nephrology</i> , 2018 , 50, 1557-1562	2.3	3
57	A novel method for prediction of stone composition: the average and difference of Hounsfield units and their cut-off values. <i>International Urology and Nephrology</i> , 2018 , 50, 1397-1405	2.3	5
56	Predictive role of neutrophil-to-lymphocyte ratio on upstaging of organ-confined invasive urothelial bladder cancer to non-organ-confined disease. <i>Turkish Journal of Urology</i> , 2018 , 44, 119-124	1.3	2
55	Assessment of the quality of life and sexual functions of patients followed-up for non-muscle invasive bladder cancer: preliminary results of the prospective-descriptive study. <i>Turkish Journal of Urology</i> , 2018 , 44, 393-398	1.3	3

54	Hydronephrosis due to a Migrated Intrauterine Device into the Ureter: A Very Rare Case. <i>Eurasian Journal of Medicine</i> , 2018 , 50, 137-138	1.3	1
53	Can Doppler ultrasonography twinkling artifact be used as an alternative imaging modality to non-contrast-enhanced computed tomography in patients with ureteral stones? A prospective clinical study. <i>Urolithiasis</i> , 2017 , 45, 215-219	3.2	8
52	Cognitive Effects of Androgen Deprivation Therapy in Men With Advanced Prostate Cancer. <i>Urology</i> , 2017 , 103, 167-172	1.6	23
51	Reply by the Authors. <i>Urology</i> , 2017 , 104, 244-245	1.6	
50	External validation and comparison of the scoring systems (S.T.O.N.E, GUY, CROES, S-ReSC) for predicting percutaneous nephrolithotomy outcomes for staghorn stones: A single center experience with 160 cases. <i>Kaohsiung Journal of Medical Sciences</i> , 2017 , 33, 516-522	2.4	10
49	External Validation and Comparisons of the Scoring Systems for Predicting Percutaneous Nephrolithotomy Outcomes: A Single Center Experience with 506 Cases. <i>Journal of Laparoendoscopic and Advanced Surgical Techniques - Part A</i> , 2017 , 27, 1284-1289	2.1	3
48	Comparison of S.T.O.N.E and CROES nephrolithometry scoring systems for predicting stone-free status and complication rates after percutaneous nephrolithotomy: a single center study with 262 cases. <i>Urolithiasis</i> , 2017 , 45, 489-494	3.2	11
47	Significance of preoperative neutrophil-lymphocyte count ratio on predicting postoperative sepsis after percutaneous nephrolithotomy. <i>Kaohsiung Journal of Medical Sciences</i> , 2016 , 32, 507-513	2.4	25
46	Evaluation of the Relationship between Pathology Results and Pain Scores in Patients Who Underwent Transrectal Ultrasound-Guided Prostate. <i>Uroonkoloji Bülteni</i> , 2016 , 15, 86-89	1.3	2
45	Pararectal Migration of a Malleable Rod: An Unusual Late Complication. <i>World Journal of Men's Health</i> , 2016 , 34, 145-7	6.8	1
44	A Novel Pain Alternative for Patients with Anorectal Pathologies: The Comparison of Transperineal Prostatic Blockage Technique with Periprostatic Nerve Blockage and Rectal Gel Technique in Initial Transrectal Ultrasound-Guided Prostate Biopsy - A Prospective, Randomized Trial. <i>Urologia Internationalis</i> , 2016 , 97, 416-420	1.9	4
43	The potential effect of age on the natural behavior of bladder cancer: Does urothelial cell carcinoma progress differently in various age groups?. <i>Kaohsiung Journal of Medical Sciences</i> , 2016 , 32, 261-6	2.4	2
42	Long-term outcomes of transobturator tape procedure in women with stress and mixed urinary incontinence: 5-year follow-up. <i>Minerva Urologica E Nefrologica = the Italian Journal of Urology and Nephrology</i> , 2016 , 68, 444-50	4.4	1
41	Comparing the short-term outcomes and complications of monopolar and bipolar transurethral resection of non-muscle invasive bladder cancers: a prospective, randomized, controlled study. <i>Archivos Espanoles De Urologia</i> , 2016 , 69, 225-33	0.4	11
40	Effectiveness of Transobturator Tape Procedure in Obese and Severely Obese Women: 3-Year Follow-up. <i>Urology</i> , 2015 , 86, 244-8	1.6	5
39	Predictive Value of Leukocytosis for Infectious Complications After Percutaneous Nephrolithotomy. <i>Urology</i> , 2015 , 86, 25-9	1.6	18
38	Is new visual prostate symptom score useful as International Prostate Symptom Score in the evaluation of men with lower urinary tract symptoms? A prospective comparison of 2 symptom scores in Turkish society. <i>Urology</i> , 2015 , 85, 653-7	1.6	15
37	Outcomes of two different incision techniques for surgical treatment of stress urinary incontinence with concomitant anterior vaginal wall prolapse. <i>World Journal of Urology</i> , 2015 , 33, 1045-9	4	4

36	Risk factors for postoperative infectious complications following percutaneous nephrolithotomy: a prospective clinical study. <i>Urolithiasis</i> , 2015 , 43, 55-60	3.2	66
35	The use of prophylactic single-dose fosfomycin in patients who undergo transrectal ultrasound-guided prostate biopsy: A prospective, randomized, and controlled clinical study. <i>Canadian Urological Association Journal</i> , 2015 , 9, E863-7	1.2	14
34	Do severe obese patients with stress urinary incontinence benefit from transobturator tape procedure? 3-year surgical outcome. <i>Canadian Urological Association Journal</i> , 2015 , 9, E546-50	1.2	2
33	Patient and partner outcome of inflatable and semi-rigid penile prosthesis in a single institution. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015 , 41, 535-41	2	23
32	Forgotten and fragmented ureteral j stent with stone formation: combined endoscopic management. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2015 , 41, 602-3; discussion 603	2	3
31	Minimally invasive surgical treatment for large impacted upper ureteral stones: Ureteroscopic lithotripsy or percutaneous nephrolithotomy?. <i>Canadian Urological Association Journal</i> , 2015 , 9, E122-5	1.2	21
30	Urothelial bladder cancer in young adults: Diagnosis, treatment and clinical behaviour. <i>Canadian Urological Association Journal</i> , 2015 , 9, E727-30	1.2	8
29	Comparison of Guy and Clinical Research Office of the Endourological Society Nephrolithometry Scoring Systems for Predicting Stone-Free Status and Complication Rates After Percutaneous Nephrolithotomy: A Single Center Study with 437 Cases. <i>Journal of Endourology</i> , 2015 , 29, 1006-10	2.7	35
28	Clinical features and outcomes of nontransitional cell carcinomas of the urinary bladder: Analysis of 125 cases. <i>Urology Annals</i> , 2015 , 7, 177-82	1	10
27	Laparoscopic adrenalectomy for large adrenal masses: Is it really more complicated?. <i>Kaohsiung Journal of Medical Sciences</i> , 2015 , 31, 644-8	2.4	13
26	Reply: To PMID 26199159. <i>Urology</i> , 2015 , 86, 249	1.6	
25	Use of a microdebrider for corporeal excavation and penile prosthesis implantation in men with severely fibrosed corpora cavernosa: a new minimal invasive surgical technique. <i>Turkish Journal of Urology</i> , 2015 , 41, 119-24	1.3	2
24	Anatomy of the dorsal nerve of the penis, clinical implications. <i>Urology</i> , 2014 , 83, 121-4	1.6	18
23	Does concomitant vaginal prolapse repair affect the outcomes of the transobturator tape procedure in the long term?. <i>International Urogynecology Journal</i> , 2014 , 25, 1419-23	2	5
22	Does the etiology affect the outcome and satisfaction rates of penile prosthesis implantation surgery?. <i>Kaohsiung Journal of Medical Sciences</i> , 2014 , 30, 570-3	2.4	3
21	Supracostal Approach for PCNL: Is 10th and 11th Intercostal Space Safe According to Clavien Classification System?. <i>International Surgery</i> , 2014 , 99, 857-62	0.1	6
20	Spontaneous bilateral rod fracture of malleable penile prosthesis. <i>Canadian Urological Association Journal</i> , 2014 , 8, E739-40	1.2	2
19	Nefron Koruyucu Cerrahi Sonrası Cerrahi Sıradaki Pozitifli Olan Hastalara Yaklaşım. <i>Uroonkoloji Bülteni</i> , 2014 , 13, 165-168	1.3	

18	Are the outcomes of transobturator tape procedure for female stress urinary incontinence durable in long-term follow-up?. <i>International Urology and Nephrology</i> , 2014 , 46, 1295-300	2.3	13
17	Comparison of Ho:YAG laser and pneumatic lithotripsy in the treatment of impacted ureteral stones: an analysis of risk factors. <i>Kaohsiung Journal of Medical Sciences</i> , 2014 , 30, 153-8	2.4	6
16	Reply by the authors. <i>Urology</i> , 2013 , 81, 1386	1.6	
15	Re: Lee et al.: Longitudinal stone diameter on coronal reconstruction of computed tomography as a predictor of ureteral stone expulsion in medical expulsive therapy (Urology 2012;80:784-789). <i>Urology</i> , 2013 , 81, 213	1.6	
14	Re: Huang et al.: Bipolar transurethral resection of the prostate causes deeper coagulation depth and less bleeding than monopolar transurethral prostatectomy (Urology 2012;80:1116-1120). <i>Urology</i> , 2013 , 81, 471-2	1.6	1
13	Re: Degirmenci et al.: Outcomes of ureteroscopy for the management of impacted ureteral calculi with different localizations (Urology 2012;80:811-815). Reply by the authors. <i>Urology</i> , 2013 , 81, 215-6	1.6	
12	Utilization of a modified Clavien Classification System in reporting complications after ultrasound-guided percutaneous nephrostomy tube placement: comparison to standard Society of Interventional Radiology practice guidelines. <i>Urology</i> , 2013 , 81, 1161-7	1.6	17
11	Ureterocutaneostomy: for whom and when?. <i>Turk Uroloji Dergisi</i> , 2013 , 39, 143-6		7
10	Factors affecting the complications of pneumatic lithotripsy for the treatment of ureteral stones with different localizations: a multivariate analysis of complications. <i>Urologia Internationalis</i> , 2013 , 91, 357-62	1.9	8
9	Changing surgical approaches for laparoscopic adrenalectomy: single-surgeon data of a 6-year experience. <i>Urologia Internationalis</i> , 2013 , 91, 304-9	1.9	9
8	Effect of tunical defect size after Peyronie's plaque excision on postoperative erectile function: do centimeters matter?. <i>Urology</i> , 2012 , 80, 1051-5	1.6	20
7	Outcomes of ureteroscopy for the management of impacted ureteral calculi with different localizations. <i>Urology</i> , 2012 , 80, 811-5	1.6	22
6	Is bilateral ureterorenoscopy the first choice for the treatment of bilateral ureteral stones? An updated study. <i>Urologia Internationalis</i> , 2012 , 89, 412-7	1.9	11
5	Long-term significance of the number of hours until surgical repair of penile fractures. <i>Urologia Internationalis</i> , 2011 , 87, 75-9	1.9	21
4	Bilateral single-session ureteroscopy with pneumatic lithotripsy for bilateral ureter stones: feasible and safe. <i>Urologia Internationalis</i> , 2008 , 81, 202-5	1.9	14
3	Is ureteral catheterization necessary after ureteroscopic lithotripsy for uncomplicated upper ureteral stones?. <i>Journal of Endourology</i> , 2008 , 22, 1645-8	2.7	9
2	Ureteroscopic pneumatic lithotripsy: is the location of the stone important in decision making? Analysis of 1296 patients. <i>Journal of Endourology</i> , 2008 , 22, 291-4	2.7	11
1	Perkutan Nefrolitotomi Tedavi Bařınđıve Komplıkyonlarđıgđmek iđn Kullanđan Croes Tađ Skorlama Sisteminin Validasyonu. <i>Yeni đoloji Dergisi</i> , 81-90	0	

