

Xiaosu Zhao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/1316793/publications.pdf>

Version: 2024-02-01

551
papers

14,136
citations

31976

53
h-index

45317

90
g-index

614
all docs

614
docs citations

614
times ranked

8795
citing authors

#	ARTICLE	IF	CITATIONS
1	Conditioning including antithymocyte globulin followed by unmanipulated HLA-mismatched/haploidentical blood and marrow transplantation can achieve comparable outcomes with HLA-identical sibling transplantation. <i>Blood</i> , 2006, 107, 3065-3073.	1.4	482
2	Haploidentical vs identical-sibling transplant for AML in remission: a multicenter, prospective study. <i>Blood</i> , 2015, 125, 3956-3962.	1.4	387
3	Manganese Increases the Sensitivity of the cGAS-STING Pathway for Double-Stranded DNA and Is Required for the Host Defense against DNA Viruses. <i>Immunity</i> , 2018, 48, 675-687.e7.	14.3	369
4	Who is the best donor for a related HLA haplotype-mismatched transplant?. <i>Blood</i> , 2014, 124, 843-850.	1.4	285
5	Treatment of Acute Leukemia with Unmanipulated HLA-Mismatched/Haploidentical Blood and Bone Marrow Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 257-265.	2.0	278
6	MRD-directed risk stratification treatment may improve outcomes of t(8;21) AML in the first complete remission: results from the AML05 multicenter trial. <i>Blood</i> , 2013, 121, 4056-4062.	1.4	277
7	Risk stratification-directed donor lymphocyte infusion could reduce relapse of standard-risk acute leukemia patients after allogeneic hematopoietic stem cell transplantation. <i>Blood</i> , 2012, 119, 3256-3262.	1.4	264
8	The consensus on indications, conditioning regimen, and donor selection of allogeneic hematopoietic cell transplantation for hematological diseases in China recommendations from the Chinese Society of Hematology. <i>Journal of Hematology and Oncology</i> , 2018, 11, 33.	17.0	233
9	A distinct glucose metabolism signature of acute myeloid leukemia with prognostic value. <i>Blood</i> , 2014, 124, 1645-1654.	1.4	232
10	Long-term follow-up of haploidentical hematopoietic stem cell transplantation without in vitro T cell depletion for the treatment of leukemia. <i>Cancer</i> , 2013, 119, 978-985.	4.1	224
11	Sorafenib maintenance in patients with FLT3-ITD acute myeloid leukaemia undergoing allogeneic haematopoietic stem-cell transplantation: an open-label, multicentre, randomised phase 3 trial. <i>Lancet Oncology</i> , 2020, 21, 1201-1212.	10.7	209
12	A CTLA-4 gene polymorphism at position -318 in the promoter region affects the expression of protein. <i>Genes and Immunity</i> , 2002, 3, 233-234.	4.1	173
13	The European Society for Blood and Marrow Transplantation (EBMT) Consensus Guidelines for the Detection and Treatment of Donor-specific Anti-HLA Antibodies (DSA) in Haploidentical Hematopoietic Cell Transplantation. <i>Bone Marrow Transplantation</i> , 2018, 53, 521-534.	2.4	168
14	Donor-specific anti-human leukocyte antigen antibodies were associated with primary graft failure after unmanipulated haploidentical blood and marrow transplantation: a prospective study with randomly assigned training and validation sets. <i>Journal of Hematology and Oncology</i> , 2015, 8, 84.	17.0	160
15	Upfront haploidentical transplant for acquired severe aplastic anemia: registry-based comparison with matched related transplant. <i>Journal of Hematology and Oncology</i> , 2017, 10, 25.	17.0	151
16	Donor lymphocyte infusion for the treatment of leukemia relapse after HLA-mismatched/haploidentical T-cell-replete hematopoietic stem cell transplantation. <i>Haematologica</i> , 2007, 92, 414-417.	3.5	147
17	Haploidentical versus Matched-Sibling Transplant in Adults with Philadelphia-Negative High-Risk Acute Lymphoblastic Leukemia: A Biologically Phase III Randomized Study. <i>Clinical Cancer Research</i> , 2016, 22, 3467-3476.	7.0	142
18	Haploidentical allograft is superior to matched sibling donor allograft in eradicating pre-transplantation minimal residual disease of AML patients as determined by multiparameter flow cytometry: a retrospective and prospective analysis. <i>Journal of Hematology and Oncology</i> , 2017, 10, 134.	17.0	132

#	ARTICLE	IF	CITATIONS
19	The consensus from The Chinese Society of Hematology on indications, conditioning regimens and donor selection for allogeneic hematopoietic stem cell transplantation: 2021 update. <i>Journal of Hematology and Oncology</i> , 2021, 14, 145.	17.0	124
20	The consensus on the monitoring, treatment, and prevention of leukemia relapse after allogeneic hematopoietic stem cell transplantation in China. <i>Cancer Letters</i> , 2018, 438, 63-75.	7.2	116
21	Oral arsenic plus retinoic acid versus intravenous arsenic plus retinoic acid for non-high-risk acute promyelocytic leukaemia: a non-inferiority, randomised phase 3 trial. <i>Lancet Oncology</i> , The, 2018, 19, 871-879.	10.7	110
22	Haploidentical transplantation for acquired severe aplastic anaemia in a multicentre prospective study. <i>British Journal of Haematology</i> , 2016, 175, 265-274.	2.5	109
23	The superiority of haploidentical related stem cell transplantation over chemotherapy alone as postremission treatment for patients with intermediate- or high-risk acute myeloid leukemia in first complete remission. <i>Blood</i> , 2012, 119, 5584-5590.	1.4	107
24	In adults with t(8;21)AML, posttransplant RUNX1/RUNX1T1-based MRD monitoring, rather than c-KIT mutations, allows further risk stratification. <i>Blood</i> , 2014, 124, 1880-1886.	1.4	106
25	Monitoring MRD with flow cytometry: an effective method to predict relapse for ALL patients after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2012, 91, 183-192.	1.8	103
26	Controlled, Randomized, Open-Label Trial of Risk-Stratified Corticosteroid Prevention of Acute Graft-Versus-Host Disease After Haploidentical Transplantation. <i>Journal of Clinical Oncology</i> , 2016, 34, 1855-1863.	1.6	100
27	The European Society for Blood and Marrow Transplantation (EBMT) consensus recommendations for donor selection in haploidentical hematopoietic cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 12-24.	2.4	94
28	Immune Reconstitution after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 440-449.	2.0	88
29	Combined use of WT1 and flow cytometry monitoring can promote sensitivity of predicting relapse after allogeneic HSCT without affecting specificity. <i>Annals of Hematology</i> , 2013, 92, 1111-1119.	1.8	87
30	Donor-derived CD19-targeted T cell infusion induces minimal residual disease-negative remission in relapsed B-cell acute lymphoblastic leukaemia with no response to donor lymphocyte infusions after haploidentical haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2017, 179, 598-605.	2.5	87
31	Cytomegalovirus-Specific T-Cell Transfer for Refractory Cytomegalovirus Infection After Haploidentical Stem Cell Transplantation: The Quantitative and Qualitative Immune Recovery for Cytomegalovirus. <i>Journal of Infectious Diseases</i> , 2017, 216, 945-956.	4.0	82
32	Immune Reconstitution Following Unmanipulated HLA-Mismatched/Haploidentical Transplantation Compared with HLA-Identical Sibling Transplantation. <i>Journal of Clinical Immunology</i> , 2012, 32, 268-280.	3.8	81
33	Epidemiology, Management, and Outcome of Invasive Fungal Disease in Patients Undergoing Hematopoietic Stem Cell Transplantation in China: A Multicenter Prospective Observational Study. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1117-1126.	2.0	81
34	How do we choose the best donor for T-cell-replete, HLA-haploidentical transplantation?. <i>Journal of Hematology and Oncology</i> , 2016, 9, 35.	17.0	78
35	Low-dose post-transplant cyclophosphamide and anti-thymocyte globulin as an effective strategy for GVHD prevention in haploidentical patients. <i>Journal of Hematology and Oncology</i> , 2019, 12, 88.	17.0	76
36	Expression patterns of WT1 and PRAME in acute myeloid leukemia patients and their usefulness for monitoring minimal residual disease. <i>Leukemia Research</i> , 2009, 33, 384-390.	0.8	73

#	ARTICLE	IF	CITATIONS
37	Atorvastatin enhances endothelial cell function in posttransplant poor graft function. <i>Blood</i> , 2016, 128, 2988-2999.	1.4	73
38	Haploidentical transplantation might have superior graft-versus-leukemia effect than HLA-matched sibling transplantation for high-risk acute myeloid leukemia in first complete remission: a prospective multicentre cohort study. <i>Leukemia</i> , 2020, 34, 1433-1443.	7.2	73
39	Treatment and unmet needs in steroid-refractory acute graft-versus-host disease. <i>Leukemia</i> , 2020, 34, 1229-1240.	7.2	73
40	Effects of the NK Cell Recovery on Outcomes of Unmanipulated Haploidentical Blood and Marrow Transplantation for Patients with Hematologic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2008, 14, 323-334.	2.0	72
41	Multicenter, Randomized, Open-Label Study Comparing the Efficacy and Safety of Micafungin versus Itraconazole for Prophylaxis of Invasive Fungal Infections in Patients undergoing Hematopoietic Stem Cell Transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2012, 18, 1509-1516.	2.0	72
42	Haploidentical Hematopoietic Stem Cell Transplantation: A Global Overview Comparing Asia, the European Union, and the United States. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 23-26.	2.0	70
43	Haploidentical transplantation compared with matched sibling and unrelated donor transplantation for adults with standard-risk acute lymphoblastic leukaemia in first complete remission. <i>British Journal of Haematology</i> , 2017, 179, 120-130.	2.5	70
44	Myeloid-derived suppressor cells in hematological malignancies: friends or foes. <i>Journal of Hematology and Oncology</i> , 2019, 12, 105.	17.0	70
45	Antithymocyte Globulin for Matched Sibling Donor Transplantation in Patients With Hematologic Malignancies: A Multicenter, Open-Label, Randomized Controlled Study. <i>Journal of Clinical Oncology</i> , 2020, 38, 3367-3376.	1.6	69
46	Efficacy and Safety of CD28- or 4-1BB-Based CD19 CAR-T Cells in B Cell Acute Lymphoblastic Leukemia. <i>Molecular Therapy - Oncolytics</i> , 2020, 18, 272-281.	4.4	68
47	Modified Donor Lymphocyte Infusion after HLA-Mismatched/Haploidentical T Cell-replete Hematopoietic Stem Cell Transplantation for Prophylaxis of Relapse of Leukemia in Patients with Advanced Leukemia. <i>Journal of Clinical Immunology</i> , 2008, 28, 276-283.	3.8	66
48	Prophylactic Donor Lymphocyte Infusion (DLI) Followed by Minimal Residual Disease and Graft-versus-Host Disease-Guided Multiple DLIs Could Improve Outcomes after Allogeneic Hematopoietic Stem Cell Transplantation in Patients with Refractory/Relapsed Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1311-1319.	2.0	66
49	Prevalence and Incidence of Multiple Myeloma in Urban Area in China: A National Population-Based Analysis. <i>Frontiers in Oncology</i> , 2019, 9, 1513.	2.8	65
50	Prevalence and prognostic significance of c-KIT mutations in core binding factor acute myeloid leukemia: A comprehensive large-scale study from a single Chinese center. <i>Leukemia Research</i> , 2014, 38, 1435-1440.	0.8	63
51	Optimal dose of rabbit thymoglobulin in conditioning regimens for unmanipulated, haploidentical, hematopoietic stem cell transplantation: Long-term outcomes of a prospective randomized trial. <i>Cancer</i> , 2017, 123, 2881-2892.	4.1	63
52	The mystery of chronic lymphocytic leukemia (CLL): Why is it absent in Asians and what does this tell us about etiology, pathogenesis and biology?. <i>Blood Reviews</i> , 2015, 29, 205-213.	5.7	59
53	Unmanipulated HLA-Mismatched/Haploidentical Blood and Marrow Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 197-204.	2.0	58
54	Platelet-Derived Growth Factor-BB Protects Mesenchymal Stem Cells (MSCs) Derived From Immune Thrombocytopenia Patients Against Apoptosis and Senescence and Maintains MSC-Mediated Immunosuppression. <i>Stem Cells Translational Medicine</i> , 2016, 5, 1631-1643.	3.3	57

#	ARTICLE	IF	CITATIONS
55	Minimal residual disease- and graft-vs.-host disease-guided multiple consolidation chemotherapy and donor lymphocyte infusion prevent second acute leukemia relapse after allotransplant. <i>Journal of Hematology and Oncology</i> , 2016, 9, 87.	17.0	57
56	Multicenter phase ii study of a combination of cyclosporine a, methotrexate and mycophenolate mofetil for GVHD prophylaxis: results of the Chinese Bone Marrow Transplant Cooperative Group (CBMTCCG). <i>Journal of Hematology and Oncology</i> , 2014, 7, 59.	17.0	56
57	Interferon- γ : A Potentially Effective Treatment for Minimal Residual Disease in Acute Leukemia/Myelodysplastic Syndrome after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1939-1947.	2.0	56
58	Two dose levels of rabbit antithymocyte globulin as graft-versus-host disease prophylaxis in haploidentical stem cell transplantation: a multicenter randomized study. <i>BMC Medicine</i> , 2019, 17, 156.	5.5	55
59	Dynamic immune profiling identifies the stronger graft-versus-leukemia (GVL) effects with haploidentical allografts compared to HLA-matched stem cell transplantation. <i>Cellular and Molecular Immunology</i> , 2021, 18, 1172-1185.	10.5	55
60	Donor age determines outcome in acute leukemia patients over 40 undergoing haploidentical hematopoietic cell transplantation. <i>American Journal of Hematology</i> , 2018, 93, 246-253.	4.1	52
61	Nucleophosmin mutations in Chinese adults with acute myelogenous leukemia. <i>Annals of Hematology</i> , 2009, 88, 159-166.	1.8	51
62	The dynamics of RUNX1-RUNX1T1 transcript levels after allogeneic hematopoietic stem cell transplantation predict relapse in patients with t(8;21) acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2017, 10, 44.	17.0	51
63	Effect of sorafenib on the outcomes of patients with FLT3 Δ acute myeloid leukemia undergoing allogeneic hematopoietic stem cell transplantation. <i>Cancer</i> , 2018, 124, 1954-1963.	4.1	51
64	Minimal residual disease status determined by multiparametric flow cytometry pretransplantation predicts the outcome of patients with ALL receiving unmanipulated haploidentical allografts. <i>American Journal of Hematology</i> , 2019, 94, 512-521.	4.1	51
65	Clinical applications of donor lymphocyte infusion from an HLA-haploidentical donor: consensus recommendations from the Acute Leukemia Working Party of the EBMT. <i>Haematologica</i> , 2020, 105, 47-58.	3.5	51
66	Strategies for Enhancing and Preserving Anti-leukemia Effects Without Aggravating Graft-Versus-Host Disease. <i>Frontiers in Immunology</i> , 2018, 9, 3041.	4.8	50
67	Association between an Impaired Bone Marrow Vascular Microenvironment and Prolonged Isolated Thrombocytopenia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1190-1197.	2.0	49
68	Unmanipulated haploidentical versus matched unrelated donor allogeneic stem cell transplantation in adult patients with acute myelogenous leukemia in first remission: a retrospective pair-matched comparative study of the Beijing approach with the EBMT database. <i>Haematologica</i> , 2016, 101, e352-e354.	3.5	49
69	Hepatocyte Growth Factor Gene-Modified Adipose-Derived Mesenchymal Stem Cells Ameliorate Radiation Induced Liver Damage in a Rat Model. <i>PLoS ONE</i> , 2014, 9, e114670.	2.5	49
70	Haploidentical stem cell transplantation: anti-thymocyte globulin-based experience. <i>Seminars in Hematology</i> , 2016, 53, 82-89.	3.4	48
71	Haploidentical donor is preferred over matched sibling donor for pre-transplantation MRD positive ALL: a phase 3 genetically randomized study. <i>Journal of Hematology and Oncology</i> , 2020, 13, 27.	17.0	48
72	Increased reactive oxygen species and exhaustion of quiescent CD34-positive bone marrow cells may contribute to poor graft function after allotransplants. <i>Oncotarget</i> , 2016, 7, 30892-30906.	1.8	48

#	ARTICLE	IF	CITATIONS
73	Current status of haploidentical stem cell transplantation for leukemia. <i>Journal of Hematology and Oncology</i> , 2008, 1, 27.	17.0	47
74	Comparison of outcomes after umbilical cord blood and unmanipulated haploidentical hematopoietic stem cell transplantation in children with high-risk acute lymphoblastic leukemia. <i>International Journal of Cancer</i> , 2016, 139, 2106-2115.	5.1	47
75	Reprint of: Haploidentical Hematopoietic Stem Cell Transplantation: A Global Overview Comparing Asia, the European Union, and the United States. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, S15-S18.	2.0	47
76	LncRNA H19 regulates ID2 expression through competitive binding to hsa-miR-19a/b in acute myelocytic leukemia. <i>Molecular Medicine Reports</i> , 2017, 16, 3687-3693.	2.4	47
77	Epstein-Barr Virus-Related Post-Transplantation Lymphoproliferative Disorder after Unmanipulated Human Leukocyte Antigen Haploidentical Hematopoietic Stem Cell Transplantation: Incidence, Risk Factors, Treatment, and Clinical Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 2185-2191.	2.0	46
78	Haploidentical Hematopoietic Stem Cell Transplantation without In Vitro T Cell Depletion for the Treatment of Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2015, 21, 1110-1116.	2.0	44
79	Optimizing antithymocyte globulin dosing in haploidentical hematopoietic cell transplantation: long-term follow-up of a multicenter, randomized controlled trial. <i>Science Bulletin</i> , 2021, 66, 2498-2505.	9.0	44
80	Prophylactic oral NAC reduced poor hematopoietic reconstitution by improving endothelial cells after haploidentical transplantation. <i>Blood Advances</i> , 2019, 3, 1303-1317.	5.2	43
81	Hematopoietic stem cell transplantation activity in China 2019: a report from the Chinese Blood and Marrow Transplantation Registry Group. <i>Bone Marrow Transplantation</i> , 2021, 56, 2940-2947.	2.4	43
82	Recipient expression of ligands for donor inhibitory KIRs enhances NK cell function to control leukemic relapse after haploidentical transplantation. <i>European Journal of Immunology</i> , 2015, 45, 2396-2408.	2.9	42
83	Impact of ABO incompatibility on patients' outcome after haploidentical hematopoietic stem cell transplantation for acute myeloid leukemia - a report from the Acute Leukemia Working Party of the EBMT. <i>Haematologica</i> , 2017, 102, 1066-1074.	3.5	40
84	IFN- γ Is Effective for Treatment of Minimal Residual Disease in Patients with Acute Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation: Results of a Registry Study. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1303-1310.	2.0	40
85	Preventing relapse after haematopoietic stem cell transplantation for acute leukaemia: the role of post-transplantation minimal residual disease (MRD) monitoring and MRD-directed intervention. <i>British Journal of Haematology</i> , 2017, 179, 184-197.	2.5	40
86	Atorvastatin enhances bone marrow endothelial cell function in corticosteroid-resistant immune thrombocytopenia patients. <i>Blood</i> , 2018, 131, 1219-1233.	1.4	40
87	G-CSF-induced macrophage polarization and mobilization may prevent acute graft-versus-host disease after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1419-1433.	2.4	40
88	Cytomegalovirus is a potential risk factor for late-onset hemorrhagic cystitis following allogeneic hematopoietic stem cell transplantation. <i>American Journal of Hematology</i> , 2014, 89, 55-61.	4.1	39
89	Comparison of outcomes after donor lymphocyte infusion with or without prior chemotherapy for minimal residual disease in acute leukemia/myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2017, 96, 829-838.	1.8	39
90	Reversal of T Cell Exhaustion by the First Donor Lymphocyte Infusion Is Associated with the Persistently Effective Antileukemic Responses in Patients with Relapsed AML after Allo-HSCT. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1350-1359.	2.0	39

#	ARTICLE	IF	CITATIONS
91	ANGPTL7 regulates the expansion and repopulation of human hematopoietic stem and progenitor cells. <i>Haematologica</i> , 2015, 100, 585-594.	3.5	38
92	Oral all-trans retinoic acid plus danazol versus danazol as second-line treatment in adults with primary immune thrombocytopenia: a multicentre, randomised, open-label, phase 2 trial. <i>Lancet Haematology</i> , 2017, 4, e487-e496.	4.6	38
93	Eltrombopag is an effective and safe therapy for refractory thrombocytopenia after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1310-1318.	2.4	38
94	Salvage chemotherapy followed by granulocyte colony-stimulating factor-primed donor leukocyte infusion with graft-versus-host disease control for minimal residual disease in acute leukemia/myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation: prognostic factors and clinical outcomes. <i>European Journal of Haematology</i> , 2016, 96, 297-308.	2.2	37
95	MiR-125a-5p decreases after long non-coding RNA HOTAIR knockdown to promote cancer cell apoptosis by releasing caspase 2. <i>Cell Death and Disease</i> , 2016, 7, e2137-e2137.	6.3	37
96	M2 macrophages, but not M1 macrophages, support megakaryopoiesis by upregulating PI3K-AKT pathway activity. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 234.	17.1	37
97	Superior Survival of Unmanipulated Haploidentical Hematopoietic Stem Cell Transplantation Compared with Chemotherapy Alone Used as Post-Remission Therapy in Adults with Standard-Risk Acute Lymphoblastic Leukemia in First Complete Remission. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1314-1321.	2.0	36
98	Impaired Function of Bone Marrow Mesenchymal Stem Cells from Immune Thrombocytopenia Patients in Inducing Regulatory Dendritic Cell Differentiation Through the Notch-1/Jagged-1 Signaling Pathway. <i>Stem Cells and Development</i> , 2017, 26, 1648-1661.	2.1	36
99	Oral arsenic and all-trans retinoic acid for high-risk acute promyelocytic leukemia. <i>Blood</i> , 2018, 131, 2987-2989.	1.4	36
100	Allogeneic Stem Cell Transplantation versus Tyrosine Kinase Inhibitors Combined with Chemotherapy in Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 741-750.	2.0	36
101	Incidence, Risk Factors, Microbiology and Outcomes of Pre-engraftment Bloodstream Infection After Haploidentical Hematopoietic Stem Cell Transplantation and Comparison With HLA-identical Sibling Transplantation. <i>Clinical Infectious Diseases</i> , 2018, 67, S162-S173.	5.8	36
102	An unbalanced monocyte macrophage polarization in the bone marrow microenvironment of patients with poor graft function after allogeneic haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2018, 182, 679-692.	2.5	36
103	Granulocyte Colony-Stimulating Factor-Primed Unmanipulated Haploidentical Blood and Marrow Transplantation. <i>Frontiers in Immunology</i> , 2019, 10, 2516.	4.8	36
104	Haploidentical versus HLA-matched sibling transplantation for refractory acute leukemia undergoing sequential intensified conditioning followed by DLI: an analysis from two prospective data. <i>Journal of Hematology and Oncology</i> , 2020, 13, 18.	17.0	36
105	Naturally Selected CD7 CAR-T Therapy without Genetic Manipulations for T-ALL/LBL: First-in-human Phase I Clinical Trial. <i>Blood</i> , 2022, , .	1.4	36
106	Immunosuppressive therapy versus haploidentical transplantation in adults with acquired severe aplastic anemia. <i>Bone Marrow Transplantation</i> , 2019, 54, 1319-1326.	2.4	35
107	Early myeloid-derived suppressor cells (HLA-DR ^{low} /CD33 ⁺ CD16 ⁺) expanded by granulocyte colony-stimulating factor prevent acute graft-versus-host disease (GVHD) in humanized mouse and might contribute to lower GVHD in patients post allo-HSCT. <i>Journal of Hematology and Oncology</i> , 2019, 12, 31.	17.0	35
108	Hemorrhagic cystitis following hematopoietic stem cell transplantation: incidence, risk factors and association with CMV reactivation and graft-versus-host disease. <i>Chinese Medical Journal</i> , 2007, 120, 1666-1671.	2.3	34

#	ARTICLE	IF	CITATIONS
109	Desialylation is associated with apoptosis and phagocytosis of platelets in patients with prolonged isolated thrombocytopenia after allo-HSCT. <i>Journal of Hematology and Oncology</i> , 2015, 8, 116.	17.0	34
110	Switching to nilotinib versus imatinib dose escalation in patients with chronic myeloid leukaemia in chronic phase with suboptimal response to imatinib (LASOR): a randomised, open-label trial. <i>Lancet Haematology</i> , 2016, 3, e581-e591.	4.6	34
111	Increased Type 1 Immune Response in the Bone Marrow Immune Microenvironment of Patients with Poor Graft Function after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1376-1382.	2.0	33
112	Long-term follow-up of CD19 chimeric antigen receptor T-cell therapy for relapsed/refractory acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation. <i>Cytotherapy</i> , 2020, 22, 755-761.	0.7	33
113	Aberrant T cell responses in the bone marrow microenvironment of patients with poor graft function after allogeneic hematopoietic stem cell transplantation. <i>Journal of Translational Medicine</i> , 2017, 15, 57.	4.4	32
114	Ibrutinib versus rituximab in relapsed or refractory chronic lymphocytic leukemia or small lymphocytic lymphoma: a randomized, open-label phase 3 study. <i>Cancer Medicine</i> , 2018, 7, 1043-1055.	2.8	32
115	Mesenchymal stem cell deficiency influences megakaryocytopoiesis through the TNFAIP3/NF- κ B/SMAD pathway in patients with immune thrombocytopenia. <i>British Journal of Haematology</i> , 2018, 180, 395-411.	2.5	32
116	Identification of a novel CPSF6-RARG fusion transcript in acute myeloid leukemia resembling acute promyelocytic leukemia. <i>Leukemia</i> , 2018, 32, 2285-2287.	7.2	32
117	Prognostic factors and long-term follow-up of basiliximab for steroid-refractory acute graft-versus-host disease: Updated experience from a large-scale study. <i>American Journal of Hematology</i> , 2020, 95, 927-936.	4.1	32
118	Allogeneic stem cell transplant may improve the outcome of adult patients with inv(16) acute myeloid leukemia in first complete remission with poor molecular responses to chemotherapy. <i>Leukemia and Lymphoma</i> , 2015, 56, 3116-3123.	1.3	31
119	Prevalence and outcomes of uncommon BCR-ABL1 fusion transcripts in patients with chronic myeloid leukaemia: data from a single centre. <i>British Journal of Haematology</i> , 2018, 182, 693-700.	2.5	31
120	Arsenic trioxide replacing or reducing chemotherapy in consolidation therapy for acute promyelocytic leukemia (APL2012 trial). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	7.1	31
121	Allogeneic Hematopoietic Stem Cell Transplantation, Especially Haploidentical, May Improve Long-Term Survival for High-Risk Pediatric Patients with Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia in the Tyrosine Kinase Inhibitor Era. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1611-1620.	2.0	30
122	First-line Therapy With Donor-derived Human Cytomegalovirus (HCMV)-specific T Cells Reduces Persistent HCMV Infection by Promoting Antiviral Immunity After Allogeneic Stem Cell Transplantation. <i>Clinical Infectious Diseases</i> , 2020, 70, 1429-1437.	5.8	30
123	Homoharringtonine, aclarubicin and cytarabine (HAA) regimen as the first course of induction therapy is highly effective for acute myeloid leukemia with t(8;21). <i>Leukemia Research</i> , 2016, 44, 40-44.	0.8	29
124	N-acetylcysteine improves bone marrow endothelial progenitor cells in prolonged isolated thrombocytopenia patients post allogeneic hematopoietic stem cell transplantation. <i>American Journal of Hematology</i> , 2018, 93, 931-942.	4.1	29
125	First-line choice for severe aplastic anemia in children: Transplantation from a haploidentical donor vs immunosuppressive therapy. <i>Clinical Transplantation</i> , 2018, 32, e13179.	1.6	29
126	Haploidentical Hematopoietic Stem Cell Transplantation without In Vitro T Cell Depletion for Treatment of Hematologic Malignancies in Children. <i>Biology of Blood and Marrow Transplantation</i> , 2009, 15, 91-94.	2.0	28

#	ARTICLE	IF	CITATIONS
127	Monitoring Mixed Lineage Leukemia Expression May Help Identify Patients with Mixed Lineage Leukemia—Rearranged Acute Leukemia Who Are at High Risk of Relapse after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 929-936.	2.0	28
128	Low-dose post-transplant cyclophosphamide can mitigate GVHD and enhance the G-CSF/ATG induced GVHD protective activity and improve haploidentical transplant outcomes. <i>Oncolmmunology</i> , 2017, 6, e1356152.	4.6	28
129	Update of the “Beijing Protocol” haplo-identical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 703-707.	2.4	28
130	miRNA-98-5p Targeting IGF2BP1 Induces Mesenchymal Stem Cell Apoptosis by Modulating PI3K/Akt and p53 in Immune Thrombocytopenia. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 20, 764-776.	5.1	28
131	Decitabine for Treatment of Myelodysplastic Syndromes in Chinese Patients: An Open-Label, Phase-3b Study. <i>Advances in Therapy</i> , 2015, 32, 1140-1159.	2.9	27
132	Genome-wide analyses identify KLF4 as an important negative regulator in T-cell acute lymphoblastic leukemia through directly inhibiting T-cell associated genes. <i>Molecular Cancer</i> , 2015, 14, 26.	19.2	27
133	Clinical characteristics and risk factors of Intracranial hemorrhage in patients following allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2016, 95, 1637-1643.	1.8	27
134	The impact of minimal residual disease prior to unmanipulated haploidentical hematopoietic stem cell transplantation in patients with acute myeloid leukemia in complete remission. <i>Leukemia and Lymphoma</i> , 2017, 58, 1135-1143.	1.3	27
135	Impact of pre-transplantation minimal residual disease determined by multiparameter flow cytometry on the outcome of AML patients with FLT3-ITD after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2018, 97, 967-975.	1.8	27
136	Donor and host coexpressing KIR ligands promote NK education after allogeneic hematopoietic stem cell transplantation. <i>Blood Advances</i> , 2019, 3, 4312-4325.	5.2	27
137	Mesenchymal Stem Cells versus Mesenchymal Stem Cells Combined with Cord Blood for Engraftment Failure after Autologous Hematopoietic Stem Cell Transplantation: A Pilot Prospective, Open-Label, Randomized Trial. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 236-242.	2.0	26
138	miR-153-3p, a new bio-target, is involved in the pathogenesis of acute graft-versus-host disease via inhibition of indoleamine-2,3-dioxygenase. <i>Oncotarget</i> , 2016, 7, 48321-48334.	1.8	26
139	Varying responses of PML-RARA with different genetic mutations to arsenic trioxide. <i>Blood</i> , 2016, 127, 243-250.	1.4	26
140	Monitoring of post-transplant <i>CBFβ</i> and <i>MYH11</i> as minimal residual disease, rather than <i>KIT</i> mutations, can predict relapse after allogeneic haematopoietic cell transplantation in adults with inv(16) acute myeloid leukaemia. <i>British Journal of Haematology</i> , 2018, 180, 448-451.	2.5	26
141	Dysfunctional Bone Marrow Mesenchymal Stem Cells in Patients with Poor Graft Function after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1981-1989.	2.0	26
142	Myeloablative Haploidentical Transplantation Is Superior to Chemotherapy for Patients with Intermediate-risk Acute Myelogenous Leukemia in First Complete Remission. <i>Clinical Cancer Research</i> , 2019, 25, 1737-1748.	7.0	26
143	Everyone has a donor: contribution of the Chinese experience to global practice of haploidentical hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2019, 13, 45-56.	3.4	26
144	Comparison of the clinical outcomes of hematologic malignancies after myeloablative haploidentical transplantation with G-CSF/ATG and posttransplant cyclophosphamide: results from the Chinese Bone Marrow Transplantation Registry Group (CBMTRG). <i>Science China Life Sciences</i> , 2020, 63, 571-581.	4.9	26

#	ARTICLE	IF	CITATIONS
145	Abnormalities of the Bone Marrow Immune Microenvironment in Patients with Prolonged Isolated Thrombocytopenia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 906-912.	2.0	25
146	Comparative Analysis of Flow Cytometry and RQ-PCR for the Detection of Minimal Residual Disease in Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia after Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1936-1943.	2.0	25
147	All-trans retinoic acid protects mesenchymal stem cells from immune thrombocytopenia by regulating the complement-interleukin-1 ² loop. <i>Haematologica</i> , 2019, 104, 1661-1675.	3.5	25
148	Differential impact of two doses of antithymocyte globulin conditioning on lymphocyte recovery upon haploidentical hematopoietic stem cell transplantation. <i>Journal of Translational Medicine</i> , 2015, 13, 391.	4.4	24
149	Reduced medical costs and hospital days when using oral arsenic plus ATRA as the first-line treatment of acute promyelocytic leukemia. <i>Leukemia Research</i> , 2015, 39, 1319-1324.	0.8	24
150	Rituximab-based treatments followed by adoptive cellular immunotherapy for biopsy-proven EBV-associated post-transplant lymphoproliferative disease in recipients of allogeneic hematopoietic stem cell transplantation. <i>OncImmunity</i> , 2016, 5, e1139274.	4.6	24
151	T cell exhaustion characterized by compromised MHC class I and II restricted cytotoxic activity associates with acute B lymphoblastic leukemia relapse after allogeneic hematopoietic stem cell transplantation. <i>Clinical Immunology</i> , 2018, 190, 32-40.	3.2	24
152	Quantity and Quality Reconstitution of NKG2A+ Natural Killer Cells Are Associated with Graft-versus-Host Disease after Allogeneic Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1-11.	2.0	24
153	Who is the best haploidentical donor for acquired severe aplastic anemia? Experience from a multicenter study. <i>Journal of Hematology and Oncology</i> , 2019, 12, 87.	17.0	24
154	Sorafenib Therapy Is Associated with Improved Outcomes for FMS-like Tyrosine Kinase 3 Internal Tandem Duplication Acute Myeloid Leukemia Relapsing after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1674-1681.	2.0	24
155	An Updated Safety and Efficacy Results of Phase 1 Study of HQP1351, a Novel 3rd Generation of BCR-ABL Tyrosine Kinase Inhibitor (TKI), in Patients with TKI Resistant Chronic Myeloid Leukemia. <i>Blood</i> , 2019, 134, 493-493.	1.4	24
156	PRAME and WT1 transcripts constitute a good molecular marker combination for monitoring minimal residual disease in myelodysplastic syndromes. <i>Leukemia and Lymphoma</i> , 2013, 54, 1442-1449.	1.3	23
157	Inverse correlation of T cell recovery with EBV reactivation after haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2018, 180, 276-285.	2.5	23
158	Haploidentical stem cell transplantation for aplastic anemia: the current advances and future challenges. <i>Bone Marrow Transplantation</i> , 2021, 56, 779-785.	2.4	23
159	Long-term survival of acute promyelocytic leukaemia patients treated with arsenic and retinoic acid. <i>British Journal of Haematology</i> , 2016, 174, 820-822.	2.5	22
160	Viral encephalitis after haploidentical hematopoietic stem cell transplantation: Causative viral spectrum, characteristics, and risk factors. <i>European Journal of Haematology</i> , 2017, 98, 450-458.	2.2	22
161	N-acetylcysteine improves mesenchymal stem cell function in prolonged isolated thrombocytopenia postallotransplant. <i>British Journal of Haematology</i> , 2018, 180, 863-878.	2.5	22
162	Expanded clinical-grade membrane-bound IL-2/4-1BBL NK cell products exhibit activity against acute myeloid leukemia in vivo. <i>European Journal of Immunology</i> , 2020, 50, 1374-1385.	2.9	22

#	ARTICLE	IF	CITATIONS
163	Unmanipulated haploidentical hematopoietic stem cell transplantation is an excellent option for children and young adult relapsed/refractory Philadelphia chromosome-negative B-cell acute lymphoblastic leukemia after CAR-T-cell therapy. <i>Leukemia</i> , 2021, 35, 3092-3100.	7.2	22
164	Total Body Irradiation and Cyclophosphamide Plus Antithymocyte Globulin Regimen Is Well Tolerated and Promotes Stable Engraftment as a Preparative Regimen before T Cellâ€œReplete Haploidentical Transplantation for Acute Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2014, 20, 1176-1182.	2.0	21
165	Prophylactic use of low-dose interleukin-2 and the clinical outcomes of hematopoietic stem cell transplantation: A randomized study. <i>Oncolmmunology</i> , 2016, 5, e1250992.	4.6	21
166	Risk factors for cytomegalovirus DNAemia following haploidentical stem cell transplantation and its association with host hepatitis B virus serostatus. <i>Journal of Clinical Virology</i> , 2016, 75, 10-15.	3.1	21
167	Recipientâ€œdonor KIR ligand matching prevents CMV reactivation postâ€œhaploidentical T cellâ€œreplete transplantation. <i>British Journal of Haematology</i> , 2017, 177, 766-781.	2.5	21
168	Tâ€œcell replete haploidentical stem cell transplantation attenuates the prognostic impact of FLT3â€œITD in acute myeloid leukemia: A report from the Acute Leukemia Working Party of the European Society for Blood and Marrow Transplantation. <i>American Journal of Hematology</i> , 2018, 93, 736-744.	4.1	21
169	Plerixafor and granulocyteâ€œcolonyâ€œstimulating factor for mobilization of hematopoietic stem cells for autologous transplantation in Chinese patients with nonâ€œHodgkin's lymphoma: a randomized Phase 3 study. <i>Transfusion</i> , 2018, 58, 81-87.	1.6	21
170	The impact of oral arsenic and all-trans-retinoic acid on coagulopathy in acute promyelocytic leukemia. <i>Leukemia Research</i> , 2018, 65, 14-19.	0.8	21
171	Heterogeneous prognosis among KIT mutation types in adult acute myeloid leukemia patients with t(8;21). <i>Blood Cancer Journal</i> , 2018, 8, 76.	6.2	21
172	Allogeneic hematopoietic stem cell transplantation can improve the prognosis of high-risk pediatric t(8;21) acute myeloid leukemia in first remission based on MRD-guided treatment. <i>BMC Cancer</i> , 2020, 20, 553.	2.6	21
173	Ethnic and geographic diversity of chronic lymphocytic leukaemia. <i>Leukemia</i> , 2021, 35, 433-439.	7.2	21
174	Co-Reactivation of Cytomegalovirus and Epstein-Barr Virus Was Associated With Poor Prognosis After Allogeneic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2020, 11, 620891.	4.8	21
175	Antifungal prophylaxis of patients undergoing allogeneic hematopoietic stem cell transplantation in China: a multicenter prospective observational study. <i>Journal of Hematology and Oncology</i> , 2016, 9, 97.	17.0	20
176	Update on current research into haploidentical hematopoietic stem cell transplantation. <i>Expert Review of Hematology</i> , 2018, 11, 273-284.	2.2	20
177	Virus reactivation and low dose of CD34+ cell, rather than haploidentical transplantation, were associated with secondary poor graft function within the first 100Âdays after allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2019, 98, 1877-1883.	1.8	20
178	Basiliximab as Treatment for Steroid-Refractory Acute Graft-versus-Host Disease in Pediatric Patients after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 351-357.	2.0	20
179	Haploidenticalâ€œversus identicalâ€œsibling transplant for highâ€œrisk pediatric AML: A multiâ€œcenter study. <i>Cancer Communications</i> , 2020, 40, 93-104.	9.2	20
180	Improved outcomes using <sc>Gâ€œCSF</sc>â€œmobilized blood and bone marrow grafts as the source of stem cells compared with <sc>Gâ€œPB</sc> after <sc>HLA</sc>â€œidentical sibling transplantation in patients with acute leukemia. <i>Clinical Transplantation</i> , 2013, 27, 844-851.	1.6	19

#	ARTICLE	IF	CITATIONS
181	Poor CMV-specific CD8+ T central memory subset recovery at early stage post-HSCT associates with refractory and recurrent CMV reactivation. <i>Journal of Infection</i> , 2016, 73, 261-270.	3.3	19
182	Meis1 is critical to the maintenance of human acute myeloid leukemia cells independent of MLL rearrangements. <i>Annals of Hematology</i> , 2017, 96, 567-574.	1.8	19
183	Effects of pre- and post-transplantation minimal residual disease on outcomes in pediatric patients with acute myeloid leukemia receiving human leukocyte antigen-matched or mismatched related donor allografts. <i>American Journal of Hematology</i> , 2017, 92, E659-E661.	4.1	19
184	The significance of peri-transplantation minimal residual disease assessed by multiparameter flow cytometry on outcomes for adult AML patients receiving haploidentical allografts. <i>Bone Marrow Transplantation</i> , 2019, 54, 567-577.	2.4	19
185	Daratumumab, Bortezomib, and Dexamethasone Versus Bortezomib and Dexamethasone in Chinese Patients with Relapsed or Refractory Multiple Myeloma: Phase 3 LEPUS (MMY3009) Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e699-e709.	0.4	19
186	All-trans retinoic acid plus high-dose dexamethasone as first-line treatment for patients with newly diagnosed immune thrombocytopenia: a multicentre, open-label, randomised, controlled, phase 2 trial. <i>Lancet Haematology</i> , 2021, 8, e688-e699.	4.6	19
187	Haploidentical Hematopoietic Stem Cell Transplantation for Myelodysplastic Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 2143-2150.	2.0	19
188	Basiliximab for steroid-refractory acute graft-versus-host disease: A real-world analysis. <i>American Journal of Hematology</i> , 2022, 97, 458-469.	4.1	19
189	A comprehensive model to predict severe acute graft-versus-host disease in acute leukemia patients after haploidentical hematopoietic stem cell transplantation. <i>Experimental Hematology and Oncology</i> , 2022, 11, 25.	5.0	19
190	A multicenter, open-label study of posaconazole oral suspension in the treatment of invasive fungal infections in patients refractory to or intolerant of first-line therapy. <i>Future Microbiology</i> , 2012, 7, 201-209.	2.0	18
191	The impact of donor characteristics on the immune cell composition of mixture allografts of granulocyte-colony-stimulating factor-mobilized marrow harvests and peripheral blood harvests. <i>Transfusion</i> , 2015, 55, 2874-2881.	1.6	18
192	B-cell acute lymphoblastic leukemia associated with SET-NUP214 rearrangement: A case report and review of the literature. <i>Oncology Letters</i> , 2016, 11, 2644-2650.	1.8	18
193	Abnormalities of the bone marrow immune microenvironment in patients with immune thrombocytopenia. <i>Annals of Hematology</i> , 2016, 95, 959-965.	1.8	18
194	Busulfan, Fludarabine, and Cyclophosphamide (BFC) conditioning allowed stable engraftment after haplo-identical allogeneic stem cell transplantation in children with adrenoleukodystrophy and mucopolysaccharidosis. <i>Bone Marrow Transplantation</i> , 2018, 53, 770-773.	2.4	18
195	Dysregulated megakaryocyte distribution associated with nestin+ mesenchymal stem cells in immune thrombocytopenia. <i>Blood Advances</i> , 2019, 3, 1416-1428.	5.2	18
196	Interferon- γ salvage treatment is effective for patients with acute leukemia/myelodysplastic syndrome with unsatisfactory response to minimal residual disease-directed donor lymphocyte infusion after allogeneic hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2019, 13, 238-249.	3.4	18
197	The Quantification of Minimal Residual Disease Pre- and Post-Unmanipulated Haploidentical Allograft by Multiparameter Flow Cytometry in Pediatric Acute Lymphoblastic Leukemia. <i>Cytometry Part B - Clinical Cytometry</i> , 2020, 98, 75-87.	1.5	18
198	Mutation topography and risk stratification for <i>de novo</i> acute myeloid leukaemia with normal cytogenetics and no nucleophosmin 1 (NPM1) mutation or Fms-like tyrosine kinase 3 internal tandem duplication (FLT3-ITD). <i>British Journal of Haematology</i> , 2020, 190, 274-283.	2.5	18

#	ARTICLE	IF	CITATIONS
199	Incidence, risk factors, and outcomes of cytomegalovirus retinitis after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 1147-1160.	2.4	18
200	Immunosuppressant indulges EBV reactivation and related lymphoproliferative disease by inhibiting VÎ2+T cells activities after hematopoietic transplantation for blood malignancies. , 2020, 8, e000208.		18
201	Novel BCR-ABL1 Tyrosine Kinase Inhibitor (TKI) HQP1351 (Olverembatinib) Is Efficacious and Well Tolerated in Patients with T315I-Mutated Chronic Myeloid Leukemia (CML): Results of Pivotal (Phase II) Trials. <i>Blood</i> , 2020, 136, 50-51.	1.4	18
202	An LSC-based MRD assay to complement the traditional MFC method for prediction of AML relapse: a prospective study. <i>Blood</i> , 2022, 140, 516-520.	1.4	18
203	Interferon-Î± Is Effective for Treatment of Minimal Residual Disease in Patients with t(8;21) Acute Myeloid Leukemia After Allogeneic Hematopoietic Stem Cell Transplantation: Results of a Prospective Registry Study. <i>Oncologist</i> , 2018, 23, 1349-1357.	3.7	17
204	Impact of conditioning intensity on outcomes of haploidentical stem cell transplantation for patients with acute myeloid leukemia 45 years of age and over. <i>Cancer</i> , 2019, 125, 1499-1506.	4.1	17
205	Myeloid Neoplasms with Elevated Plasmacytoid Dendritic Cell Differentiation Reflect the Maturation Process of Dendritic Cells. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2020, 97, 61-69.	1.5	17
206	Superior survival of unmanipulated haploidentical haematopoietic stem cell transplantation compared with intensive chemotherapy as postâ€remission treatment for children with very highâ€risk philadelphia chromosome negative Bâ€cell acute lymphoblastic leukaemia in first complete remission. <i>British Journal of Haematology</i> , 2020, 188, 757-767.	2.5	17
207	Different Effects of Pre-transplantation Measurable Residual Disease on Outcomes According to Transplant Modality in Patients With Philadelphia Chromosome Positive ALL. <i>Frontiers in Oncology</i> , 2020, 10, 320.	2.8	17
208	Is the Sokal or EUTOS long-term survival (ELTS) score a better predictor of responses and outcomes in persons with chronic myeloid leukemia receiving tyrosine-kinase inhibitors?. <i>Leukemia</i> , 2022, 36, 482-491.	7.2	17
209	High EVI1 Expression Predicts Poor Outcomes in Adult Acute Myeloid Leukemia Patients with Intermediate Cytogenetic Risk Receiving Chemotherapy. <i>Medical Science Monitor</i> , 2018, 24, 758-767.	1.1	17
210	Lowâ€dose methotrexate may preserve a stronger antileukemic effect than that of cyclosporine after modified donor lymphocyte infusion in unmanipulated haploidentical <scp>HSCCT</scp>. <i>Clinical Transplantation</i> , 2015, 29, 594-605.	1.6	16
211	Febrile reaction associated with the infusion of haploidentical peripheral blood stem cells: incidence, clinical features, and risk factors. <i>Transfusion</i> , 2015, 55, 2023-2031.	1.6	16
212	Allogeneic Stem Cell Transplantation for Patients with T315I BCR-ABL Mutated Chronic Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 1080-1086.	2.0	16
213	Minimal residual disease monitoring and preemptive immunotherapy in myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2016, 95, 1233-1240.	1.8	16
214	CD38+ CD58âˆ™ is an independent adverse prognostic factor in paediatric Philadelphia chromosome negative B cell acute lymphoblastic leukaemia patients. <i>Leukemia Research</i> , 2016, 43, 33-38.	0.8	16
215	Comparison analysis between haplo identical stem cell transplantation and matched sibling donor stem cell transplantation for high-risk acute myeloid leukemia in first complete remission. <i>Science China Life Sciences</i> , 2019, 62, 691-697.	4.9	16
216	Comparable survival outcome between transplantation from haploidentical donor and matched related donor or unrelated donor for severe aplastic anemia patients aged 40 years and older: A retrospective multicenter cohort study. <i>Clinical Transplantation</i> , 2020, 34, e13810.	1.6	16

#	ARTICLE	IF	CITATIONS
217	Immunosuppression for 6-8 weeks after modified donor lymphocyte infusion reduced acute graft-versus-host disease without influencing graft-versus-leukemia effect in haploidentical transplant. <i>Chinese Medical Journal</i> , 2014, 127, 3602-9.	2.3	16
218	Examination of copy number variations of CHST9 in multiple types of hematologic malignancies. <i>Cancer Genetics and Cytogenetics</i> , 2010, 203, 176-179.	1.0	15
219	Treatment outcomes in relapsed acute promyelocytic leukemia patients initially treated with all-trans retinoic acid and arsenic compound-based combined therapies. <i>Oncology Letters</i> , 2014, 7, 177-182.	1.8	15
220	Standardized fluorescence in situ hybridization testing based on an appropriate panel of probes more effectively identifies common cytogenetic abnormalities in myelodysplastic syndromes than conventional cytogenetic analysis: A multicenter prospective study of 2302 patients in China. <i>Leukemia Research</i> , 2015, 39, 530-535.	0.8	15
221	ADAM28 overexpression regulated via the PI3K/Akt pathway is associated with relapse in de novo adult B-cell acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2015, 39, 1229-1238.	0.8	15
222	Effect of the in vivo application of granulocyte colony-stimulating factor on NK cells in bone marrow and peripheral blood. <i>Journal of Cellular and Molecular Medicine</i> , 2018, 22, 3025-3034.	3.6	15
223	Integrated mRNA and miRNA profiling revealed deregulation of cellular stress response in bone marrow mesenchymal stem cells derived from patients with immune thrombocytopenia. <i>Functional and Integrative Genomics</i> , 2018, 18, 287-299.	3.5	15
224	The prognostic role of E2A-PBX1 expression detected by real-time quantitative reverse transcriptase polymerase chain reaction (RQ-PCR) in B cell acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2018, 97, 1547-1554.	1.8	15
225	Impairment of bone marrow endothelial progenitor cells in acute graft-versus-host disease patients after allotransplant. <i>British Journal of Haematology</i> , 2018, 182, 870-886.	2.5	15
226	Minimal residual disease detected by multiparameter flow cytometry is complementary to genetics for risk stratification treatment in acute myeloid leukemia with biallelic CEBPA mutations. <i>Leukemia and Lymphoma</i> , 2019, 60, 2181-2189.	1.3	15
227	Haploidentical hematopoietic cell transplantation for severe acquired aplastic anemia: a case-control study of post-transplant cyclophosphamide included regimen vs. anti-thymocyte globulin & colony-stimulating factor-based regimen. <i>Science China Life Sciences</i> , 2020, 63, 940-942.	4.9	15
228	The predictive value of minimal residual disease when facing the inconsistent results detected by real-time quantitative PCR and flow cytometry in NPM1-mutated acute myeloid leukemia. <i>Annals of Hematology</i> , 2020, 99, 73-82.	1.8	15
229	Risk Factors for Graft-Versus-Host Disease After Transplantation of Hematopoietic Stem Cells from Unrelated Donors in the China Marrow Donor Program. <i>Annals of Transplantation</i> , 2017, 22, 384-401.	0.9	15
230	Comparable anti-CMV responses of transplant donor and third-party CMV-specific T cells for treatment of CMV infection after allogeneic stem cell transplantation. <i>Cellular and Molecular Immunology</i> , 2022, 19, 482-491.	10.5	15
231	Haploidentical stem cell transplantation in patients aged 50 years and older with leukemia: similar outcomes compared to younger adults. <i>Clinical Transplantation</i> , 2015, 29, 523-530.	1.6	14
232	CTLA-4 polymorphisms are associated with treatment outcomes of patients with multiple myeloma receiving bortezomib-based regimens. <i>Annals of Hematology</i> , 2018, 97, 485-495.	1.8	14
233	Rapid reconstitution of NK1 cells after allogeneic transplantation is associated with a reduced incidence of graft-versus-host disease. <i>Science China Life Sciences</i> , 2018, 61, 902-911.	4.9	14
234	Assessment of chronic renal injury in patients with chronic myeloid leukemia in the chronic phase receiving tyrosine kinase inhibitors. <i>Annals of Hematology</i> , 2019, 98, 1627-1640.	1.8	14

#	ARTICLE	IF	CITATIONS
235	Planned Pregnancy in Female Patients with Chronic Myeloid Leukemia Receiving Tyrosine Kinase Inhibitor Therapy. <i>Oncologist</i> , 2019, 24, e1141-e1147.	3.7	14
236	Arsenic trioxide alleviates acute graft-versus-host disease by modulating macrophage polarization. <i>Science China Life Sciences</i> , 2020, 63, 1744-1754.	4.9	14
237	Detection of measurable residual disease may better predict outcomes than mutations based on next-generation sequencing in acute myeloid leukaemia with biallelic mutations of CEBPA. <i>British Journal of Haematology</i> , 2020, 190, 533-544.	2.5	14
238	Ruxolitinib is an effective salvage treatment for multidrug-resistant graft-versus-host disease after haploidentical allogeneic hematopoietic stem cell transplantation without posttransplant cyclophosphamide. <i>Annals of Hematology</i> , 2021, 100, 169-180.	1.8	14
239	Preemptive donor-derived anti-CD19 CAR T-cell infusion showed a promising anti-leukemia effect against relapse in MRD-positive B-ALL after allogeneic hematopoietic stem cell transplantation. <i>Leukemia</i> , 2022, 36, 267-270.	7.2	14
240	Interferon- γ as maintenance therapy can significantly reduce relapse in patients with favorable-risk acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2021, 62, 2949-2956.	1.3	14
241	The Potential Roles of Mucosa-Associated Invariant T Cells in the Pathogenesis of Gut Graft-Versus-Host Disease After Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2021, 12, 720354.	4.8	14
242	An improved anti-leukemic effect achieved with donor progenitor cell infusion for relapse patients after allogeneic bone marrow transplantation. <i>Chinese Medical Journal</i> , 2003, 116, 736-41.	2.3	14
243	Interferon γ : the salvage therapy for patients with unsatisfactory response to minimal residual disease-directed modified donor lymphocyte infusion. <i>Chinese Medical Journal</i> , 2014, 127, 2583-7.	2.3	14
244	Adoptive therapy with <i>cytomegalovirus</i> -specific T cells for <i>cytomegalovirus</i> infection after haploidentical stem cell transplantation and factors affecting efficacy. <i>American Journal of Hematology</i> , 2022, 97, 762-769.	4.1	14
245	Outpatient Oral Treatment for Acute Promyelocytic Leukemia. <i>New England Journal of Medicine</i> , 2015, 372, 884-885.	27.0	13
246	The clinical significance of monitoring the expression of the <i>SIL</i> - <i>TAL</i> 1 fusion gene in <i>T</i> -cell acute lymphoblastic leukemia after allogeneic hematopoietic stem cell transplantation. <i>International Journal of Laboratory Hematology</i> , 2017, 39, 613-619.	1.3	13
247	Thrombotic microangiopathy with concomitant <i>GI</i> -aGVHD after allogeneic hematopoietic stem cell transplantation: Risk factors and outcome. <i>European Journal of Haematology</i> , 2018, 100, 171-181.	2.2	13
248	Is there an epidemic of chronic lymphocytic leukaemia (CLL) in China?. <i>Leukemia Research</i> , 2018, 73, 16-20.	0.8	13
249	Achieving optimal response at 12 months is associated with a better health-related quality of life in patients with chronic myeloid leukemia: a prospective, longitudinal, single center study. <i>BMC Cancer</i> , 2018, 18, 782.	2.6	13
250	Adverse effects of dasatinib on glucose-lipid metabolism in patients with chronic myeloid leukaemia in the chronic phase. <i>Scientific Reports</i> , 2019, 9, 17601.	3.3	13
251	Comparison of different cytomegalovirus diseases following haploidentical hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2020, 99, 2659-2670.	1.8	13
252	Comparison of haplo-SCT and chemotherapy for young adults with standard-risk Ph-negative acute lymphoblastic leukemia in CR1. <i>Journal of Hematology and Oncology</i> , 2020, 13, 52.	17.0	13

#	ARTICLE	IF	CITATIONS
253	Autophagy in endothelial cells regulates their haematopoiesis-supporting ability. <i>EBioMedicine</i> , 2020, 53, 102677.	6.1	13
254	The loss or absence of minimal residual disease of $\leq 1\%$ at any time after two cycles of consolidation chemotherapy in <i>CBFB</i>MYH11</i>-positive acute myeloid leukaemia indicates poor prognosis. <i>British Journal of Haematology</i> , 2021, 192, 265-271.	2.5	13
255	Graft Failure in Patients With Hematological Malignancies: A Successful Salvage With a Second Transplantation From a Different Haploidentical Donor. <i>Frontiers in Medicine</i> , 2021, 8, 604085.	2.6	13
256	Preemptive Interferon- γ Therapy Could Protect Against Relapse and Improve Survival of Acute Myeloid Leukemia Patients After Allogeneic Hematopoietic Stem Cell Transplantation: Long-Term Results of Two Registry Studies. <i>Frontiers in Immunology</i> , 2022, 13, 757002.	4.8	13
257	The initial level of MLL-partial tandem duplication affects the clinical outcomes in patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2018, 59, 967-972.	1.3	12
258	Homeostatic $\gamma\delta$ T Cell Contents Are Preserved by Granulocyte Colony-Stimulating Factor Priming and Correlate with the Early Recovery of $\gamma\delta$ T Cell Subsets after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 252-259.	2.0	12
259	ADAM28 promotes tumor growth and dissemination of acute myeloid leukemia through IGFBP-3 degradation and IGF-I-induced cell proliferation. <i>Cancer Letters</i> , 2019, 442, 193-201.	7.2	12
260	Chemotherapy plus DLI for relapse after haploidentical HSCT: the biological characteristics of relapse influences clinical outcomes of acute leukemia patients. <i>Bone Marrow Transplantation</i> , 2019, 54, 1198-1207.	2.4	12
261	Impact of prophylactic/preemptive donor lymphocyte infusion and intensified conditioning for relapsed/refractory leukemia: a real-world study. <i>Science China Life Sciences</i> , 2020, 63, 1552-1564.	4.9	12
262	The incidence, clinical outcome, and protective factors of mixed chimerism following hematopoietic stem cell transplantation for severe aplastic anemia. <i>Clinical Transplantation</i> , 2021, 35, e14160.	1.6	12
263	Meta-Analysis of Interleukin-2 Receptor Antagonists as the Treatment for Steroid-Refractory Acute Graft-Versus-Host Disease. <i>Frontiers in Immunology</i> , 2021, 12, 749266.	4.8	12
264	Intracranial Hemorrhage and Mortality In 1461 Patients After Allogeneic Hematopoietic Stem Cell Transplantation For 6-Year Follow-Up: Study Of 44 Cases. <i>Blood</i> , 2013, 122, 3322-3322.	1.4	12
265	Efficacy of anti-CD19 chimeric antigen receptor modified T(CAR-T) cell therapy in Chinese patients with relapsed/refractory acute lymphocytic leukemia in a multicenter trial.. <i>Journal of Clinical Oncology</i> , 2017, 35, 7028-7028.	1.6	12
266	Individualized Intervention Guided by BCR-ABL Transcript Levels after HLA-Identical Sibling Donor Transplantation Improves HSCT Outcomes for Patients with Chronic Myeloid Leukemia. <i>Biology of Blood and Marrow Transplantation</i> , 2011, 17, 649-656.	2.0	11
267	Fighting against hematological malignancy in China: from unique system to global impact. <i>Science China Life Sciences</i> , 2015, 58, 1183-1190.	4.9	11
268	Infusion-related febrile reaction after haploidentical stem cell transplantation in children is associated with higher rates of engraftment syndrome and acute graft-versus-host disease. <i>Pediatric Transplantation</i> , 2015, 19, 918-924.	1.0	11
269	IL-35 inhibits acute graft-versus-host disease in a mouse model. <i>International Immunopharmacology</i> , 2015, 29, 383-392.	3.8	11
270	Transplantation from haploidentical donor is not inferior to that from identical sibling donor for patients with chronic myeloid leukemia in blast crisis or chronic phase from blast crisis. <i>Clinical Transplantation</i> , 2016, 30, 994-1001.	1.6	11

#	ARTICLE	IF	CITATIONS
271	GII.4 Sydney_2012 norovirus infection in immunocompromised patients in Beijing and its rapid evolution in vivo. <i>Journal of Medical Virology</i> , 2016, 88, 224-233.	5.0	11
272	Unmanipulated Haploidentical Hematopoietic Stem Cell Transplantation in First Complete Remission Can Abrogate the Poor Outcomes of Children with Acute Myeloid Leukemia Resistant to the First Course of Induction Chemotherapy. <i>Biology of Blood and Marrow Transplantation</i> , 2016, 22, 2235-2242.	2.0	11
273	Low WT1 transcript levels at diagnosis predicted poor outcomes of acute myeloid leukemia patients with t(8;21) who received chemotherapy or allogeneic hematopoietic stem cell transplantation. <i>Chinese Journal of Cancer</i> , 2016, 35, 46.	4.9	11
274	Characterization of thrombopoietin kinetics within 60 days after allogeneic hematopoietic stem cell transplantation and its correlation with megakaryocyte ploidy distribution. <i>Clinical Transplantation</i> , 2016, 30, 170-178.	1.6	11
275	Ruxolitinib/nilotinib cotreatment inhibits leukemia-propagating cells in Philadelphia chromosome-positive ALL. <i>Journal of Translational Medicine</i> , 2017, 15, 184.	4.4	11
276	Acute kidney injury following haplo stem cell transplantation: incidence, risk factors and outcome. <i>Bone Marrow Transplantation</i> , 2018, 53, 483-486.	2.4	11
277	Prevalence and risk factors of antibodies to human leukocyte antigens in haploidentical stem cell transplantation candidates: A multi-center study. <i>Human Immunology</i> , 2018, 79, 672-677.	2.4	11
278	Clinical risk score for invasive fungal diseases in patients with hematological malignancies undergoing chemotherapy: China Assessment of Antifungal Therapy in Hematological Diseases (CAESAR) study. <i>Frontiers of Medicine</i> , 2019, 13, 365-377.	3.4	11
279	Posterior reversible encephalopathy syndrome (PRES) after haploidentical haematopoietic stem cell transplantation: incidence, risk factors and outcomes. <i>Bone Marrow Transplantation</i> , 2020, 55, 2035-2042.	2.4	11
280	DPEP1 expression promotes proliferation and survival of leukaemia cells and correlates with relapse in adults with common B cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2020, 190, 67-78.	2.5	11
281	Prognosis of haploidentical hematopoietic stem cell transplantation in non-infant children with t(v;11q23)/MLL-rearranged B-cell acute lymphoblastic leukemia. <i>Leukemia Research</i> , 2020, 91, 106333.	0.8	11
282	Haploidentical Stem Cell Transplantation for Acute Myeloid Leukemia: Current Therapies, Challenges and Future Prospective. <i>Frontiers in Oncology</i> , 2021, 11, 758512.	2.8	11
283	A predictive scoring system for therapy-failure in persons with chronic myeloid leukemia receiving initial imatinib therapy. <i>Leukemia</i> , 2022, 36, 1336-1342.	7.2	11
284	Potentiating effects of L-type Ca ²⁺ channel blockers on pentobarbital-induced hypnosis are influenced by serotonergic system. <i>Journal of Neural Transmission</i> , 2006, 113, 1395-1402.	2.8	10
285	More frequent IgD and reduced CD200 expression in Chinese patients younger than 50 years old with multiple myeloma: a multicenter analysis. <i>Drug Design, Development and Therapy</i> , 2016, Volume 10, 3673-3679.	4.3	10
286	Epidemiology and treatment of invasive fungal diseases in patients with multiple myeloma: findings from a multicenter prospective study from China. <i>Tumor Biology</i> , 2016, 37, 7893-7900.	1.8	10
287	Risk factors for herpes simplex virus-1/2 viremia and clinical outcomes following unmanipulated haploidentical haematopoietic stem cell transplantation. <i>Journal of Clinical Virology</i> , 2017, 95, 20-25.	3.1	10
288	Treatment of late-onset hemorrhagic cystitis after allogeneic hematopoietic stem cell transplantation: the role of corticosteroids. <i>Annals of Hematology</i> , 2018, 97, 1209-1217.	1.8	10

#	ARTICLE	IF	CITATIONS
289	Dendritic Cells Are Critical for the Activation and Expansion of VÎ2+ T Cells After Allogeneic Hematopoietic Transplantation. <i>Frontiers in Immunology</i> , 2018, 9, 2528.	4.8	10
290	Early BCR-ABL1 decline in imatinib-treated patients with chronic myeloid leukemia: results from a multicenter study of the Chinese CML alliance. <i>Blood Cancer Journal</i> , 2018, 8, 61.	6.2	10
291	Is human leukocyte antigen-matched sibling donor transplant always better than haploidentical allograft?. <i>Seminars in Hematology</i> , 2019, 56, 201-208.	3.4	10
292	A novel recombinant human thrombopoietin for treating prolonged isolated thrombocytopenia after allogeneic stem cell transplantation. <i>Platelets</i> , 2019, 30, 994-1000.	2.3	10
293	Serum Lactate Dehydrogenase Can Be Used as a Factor for Re-Evaluating First-Relapsed Multiple Myeloma. <i>Acta Haematologica</i> , 2020, 143, 559-566.	1.4	10
294	Activated inducible co-stimulator-positive programmed cell death 1-positive follicular helper T cells indicate disease activity and severity in ulcerative colitis patients. <i>Clinical and Experimental Immunology</i> , 2020, 202, 106-118.	2.6	10
295	Incidence, Risk Factors, and Outcomes of Primary Prolonged Isolated Thrombocytopenia after Haploidentical Hematopoietic Stem Cell Transplant. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1452-1458.	2.0	10
296	Gut microbiome alterations and its link to corticosteroid resistance in immune thrombocytopenia. <i>Science China Life Sciences</i> , 2021, 64, 766-783.	4.9	10
297	Both the subtypes of KIT mutation and minimal residual disease are associated with prognosis in core binding factor acute myeloid leukemia: a retrospective clinical cohort study in single center. <i>Annals of Hematology</i> , 2021, 100, 1203-1212.	1.8	10
298	CD20 expression sub-stratifies standard-risk patients with B cell precursor acute lymphoblastic leukemia. <i>Oncotarget</i> , 2017, 8, 105397-105406.	1.8	10
299	All-trans retinoic acid plus low-dose rituximab vs low-dose rituximab in corticosteroid-resistant or relapsed ITP. <i>Blood</i> , 2021, , .	1.4	10
300	Hemorrhagic cystitis following hematopoietic stem cell transplantation: incidence, risk factors and association with CMV reactivation and graft-versus-host disease. <i>Chinese Medical Journal</i> , 2007, 120, 1666-71.	2.3	10
301	Early Influence of Valve-Related Anticoagulation on False Lumen Thrombosis in Aortic Dissection Patients after Stented Elephant Trunk Surgery. <i>Thoracic and Cardiovascular Surgeon</i> , 2010, 58, 271-275.	1.0	9
302	Immunomodulatory strategies for relapse after haploidentical hematopoietic stem cell transplantation in hematologic malignancy patients. <i>Best Practice and Research in Clinical Haematology</i> , 2011, 24, 351-358.	1.7	9
303	Diminished expression of Î2-GPI is associated with a reduced ability to mitigate complement activation in anti-GPIIb/IIIa-mediated immune thrombocytopenia. <i>Annals of Hematology</i> , 2018, 97, 641-654.	1.8	9
304	Impact of HLA allele mismatch at HLA-A, -B, -C, -DRB1, and -DQB1 on outcomes in haploidentical stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2018, 53, 600-608.	2.4	9
305	FLT3 internal tandem duplication does not impact prognosis after haploidentical allogeneic hematopoietic stem cell transplantation in AML patients. <i>Bone Marrow Transplantation</i> , 2019, 54, 1462-1470.	2.4	9
306	Incidence and predictors of severe cardiotoxicity in patients with severe aplastic anaemia after haploidentical haematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2019, 54, 1694-1700.	2.4	9

#	ARTICLE	IF	CITATIONS
307	Impact of ABO incompatibility on outcomes after haploidentical hematopoietic stem cell transplantation for severe aplastic anemia. <i>Bone Marrow Transplantation</i> , 2020, 55, 1068-1075.	2.4	9
308	Frequency, Risk Factors, and Outcome of Active Tuberculosis following Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1203-1209.	2.0	9
309	The Prognostic Significance of ZNF384 Fusions in Adult Ph-Negative B-Cell Precursor Acute Lymphoblastic Leukemia: A Comprehensive Cohort Study From a Single Chinese Center. <i>Frontiers in Oncology</i> , 2021, 11, 632532.	2.8	9
310	Risk factors and outcomes of diffuse alveolar haemorrhage after allogeneic haematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2021, 56, 2097-2107.	2.4	9
311	The impact of the combination of KIT mutation and minimal residual disease on outcome in t(8;21) acute myeloid leukemia. <i>Blood Cancer Journal</i> , 2021, 11, 67.	6.2	9
312	Optimizing Allogeneic Grafts in Hematopoietic Stem Cell Transplantation. <i>Stem Cells Translational Medicine</i> , 2021, 10, S41-S47.	3.3	9
313	Medication therapy of high-dose methotrexate: An evidence-based practice guideline of the Division of Therapeutic Drug Monitoring, Chinese Pharmacological Society. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 2456-2472.	2.4	9
314	Updated Results of Pivotal Phase 2 Trials of Olverembatinib (HQP1351) in Patients (Pts) with Tyrosine Kinase Inhibitor (TKI)-Resistant <i>t(8;21) BCR-ABL1 T315I</i> -Mutated Chronic- and Accelerated-Phase Chronic Myeloid Leukemia (CML-CP and CML-AP). <i>Blood</i> , 2021, 138, 3598-3598.	1.4	9
315	Haploidentical hematopoietic stem cell transplantation for paediatric high-risk <i>T</i> -cell acute lymphoblastic leukaemia. <i>Pediatric Transplantation</i> , 2016, 20, 572-580.	1.0	8
316	High incidence of engraftment syndrome after haploidentical allogeneic stem cell transplantation. <i>European Journal of Haematology</i> , 2016, 96, 517-526.	2.2	8
317	Increased prostacyclin levels inhibit the aggregation and activation of platelets via the PI3K-AKT pathway in prolonged isolated thrombocytopenia after allogeneic hematopoietic stem cell transplantation. <i>Thrombosis Research</i> , 2016, 139, 1-9.	1.7	8
318	Combined model of the EBMT score modified model and the HCT-CI improves the stratification of high-risk patients undergoing unmanipulated haploidentical blood and marrow transplantation. <i>Leukemia and Lymphoma</i> , 2016, 57, 2133-2139.	1.3	8
319	A Retrospective Study of Central Nervous System Invasive Fungal Disease after Allogeneic Stem Cell Transplantation: Risk Factors, Clinical Characteristics, and Outcomes. <i>Biology of Blood and Marrow Transplantation</i> , 2017, 23, 1158-1164.	2.0	8
320	Haploidentical hematopoietic stem cell transplantation for pediatric Philadelphia chromosome-positive acute lymphoblastic leukemia in the imatinib era. <i>Leukemia Research</i> , 2017, 59, 136-141.	0.8	8
321	The long-term outcome of reduced-intensity allogeneic stem cell transplantation from a matched related or unrelated donor, or haploidentical family donor in patients with leukemia: a retrospective analysis of data from the China RIC Cooperative Group. <i>Annals of Hematology</i> , 2017, 96, 279-288.	1.8	8
322	Utility of flexible bronchoscopy with polymerase chain reaction in the diagnosis and management of pulmonary infiltrates in allogeneic <i>HSCT</i> patients. <i>Clinical Transplantation</i> , 2018, 32, e13146.	1.6	8
323	The prognostic significance of Wilms' tumor gene 1 (WT1) expression at diagnosis in adults with Ph-negative B cell precursor acute lymphoblastic leukemia. <i>Annals of Hematology</i> , 2019, 98, 2551-2559.	1.8	8
324	Minimal residual disease-directed immunotherapy for high-risk myelodysplastic syndrome after allogeneic hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2019, 13, 354-364.	3.4	8

#	ARTICLE	IF	CITATIONS
325	Overexpression of WT1 and PRAME predicts poor outcomes of patients with myelodysplastic syndromes with thrombocytopenia. <i>Blood Advances</i> , 2019, 3, 3406-3418.	5.2	8
326	Hepatitis E virus infection after haploidentical haematopoietic stem cell transplantation: incidence and clinical course. <i>British Journal of Haematology</i> , 2019, 184, 788-796.	2.5	8
327	Improved survival after offspring donor transplant compared with older aged-matched siblings for older leukaemia patients. <i>British Journal of Haematology</i> , 2020, 189, 153-161.	2.5	8
328	Incidence, Risk Factors, Outcomes, and Risk Score Model of Acute Pancreatitis after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1171-1178.	2.0	8
329	Incidence, Risk Factors, and Outcomes of Chronic Graft-versus-Host Disease in Pediatric Patients with Hematologic Malignancies after T Cell-Replete Myeloablative Haploidentical Hematopoietic Stem Cell Transplantation with Antithymocyte Globulin/Granulocyte Colony-Stimulating Factor. <i>Biology of Blood and Marrow Transplantation</i> . 2020, 26, 1655-1662.	2.0	8
330	Comparison of hemorrhagic and ischemic stroke after allogeneic hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 2087-2097.	2.4	8
331	Haploidentical stem cell transplantation in patients with chronic myelomonocytic leukemia. <i>Science China Life Sciences</i> , 2020, 63, 1261-1264.	4.9	8
332	Staged horizontal bone augmentation for dental implants in aesthetic zones: A prospective randomized controlled clinical trial comparing a half-columnar bone block harvested from the ramus versus a rectangular bone block from the symphysis. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2020, 49, 1326-1334.	1.5	8
333	Impact of stopping therapy during the SARS-CoV-2 pandemic in persons with lymphoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021, 147, 1469-1479.	2.5	8
334	G-CSF-Primed Peripheral Blood Stem Cell Haploidentical Transplantation Could Achieve Satisfactory Clinical Outcomes for Acute Leukemia Patients in the First Complete Remission: A Registered Study. <i>Frontiers in Oncology</i> , 2021, 11, 631625.	2.8	8
335	Overt gastrointestinal bleeding following haploidentical haematopoietic stem cell transplantation: incidence, outcomes and predictive models. <i>Bone Marrow Transplantation</i> , 2021, 56, 1341-1351.	2.4	8
336	Hematopoietic stem cell transplantation in China: current status and prospects. <i>American Journal of Blood Research</i> , 2011, 1, 90-7.	0.6	8
337	Efficacy and safety of mesenchymal stem cells treatment for multidrug-resistant graft-versus-host disease after haploidentical allogeneic hematopoietic stem cell transplantation. <i>Therapeutic Advances in Hematology</i> , 2022, 13, 204062072110728.	2.5	8
338	Preemptive Immunotherapy for Minimal Residual Disease in Patients With t(8;21) Acute Myeloid Leukemia After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Frontiers in Oncology</i> , 2021, 11, 773394.	2.8	8
339	Integrated genomic analyses identify high-risk factors and actionable targets in T-cell acute lymphoblastic leukemia. <i>Blood Science</i> , 2022, 4, 16-28.	0.9	8
340	HLA-mismatched/haploidentical hematopoietic stem cell transplantation: a field in which Chinese doctors are making great contributions. <i>Chinese Medical Journal</i> , 2010, 123, 1235-40.	2.3	8
341	The glycolytic enzyme PFKFB3 determines bone marrow endothelial progenitor cell damage after chemotherapy and irradiation. <i>Haematologica</i> , 2022, 107, 2365-2380.	3.5	8
342	Prophylactic NAC promoted hematopoietic reconstitution by improving endothelial cells after haploidentical HSCT: a phase 3, open-label randomized trial. <i>BMC Medicine</i> , 2022, 20, 140.	5.5	8

#	ARTICLE	IF	CITATIONS
343	Haploidentical hematopoietic stem cell transplantation without in vitro T-cell-depletion for the treatment of hematologic diseases. <i>Chimerism</i> , 2013, 4, 26-28.	0.7	7
344	Molecular Detection of BCR-ABL in Chronic Myeloid Leukemia. <i>Methods in Molecular Biology</i> , 2016, 1465, 1-15.	0.9	7
345	Allogeneic hematopoietic cell transplantation for adult patients with treatment-related acute myeloid leukemia during first remission: Comparable to de novo acute myeloid leukemia. <i>Leukemia Research</i> , 2016, 47, 8-15.	0.8	7
346	<i>Helicobacter pylori</i> infection influences the severity of thrombocytopenia and its treatment response in chronic hepatitis B patients with compensatory cirrhosis: A multicenter, observational study. <i>Platelets</i> , 2016, 27, 223-229.	2.3	7
347	Association of Persistent Minimal Residual Disease with Poor Outcomes of Patients with Acute Myeloid Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Chinese Medical Journal</i> , 2018, 131, 2808-2816.	2.3	7
348	A seven-color panel including CD34 and TdT could be applied in >97% patients with T cell lymphoblastic leukemia for minimal residual disease detection independent of the initial phenotype. <i>Leukemia Research</i> , 2018, 72, 12-19.	0.8	7
349	Monoclonal gammopathy of undetermined significance in Chinese population: A prospective epidemiological study. <i>Hematological Oncology</i> , 2019, 37, 75-79.	1.7	7
350	High aldehyde dehydrogenase activity at diagnosis predicts relapse in patients with t(8;21) acute myeloid leukemia. <i>Cancer Medicine</i> , 2019, 8, 5459-5467.	2.8	7
351	<i>S100A16</i> suppresses the growth and survival of leukaemia cells and correlates with relapse and relapse free survival in adults with Philadelphia chromosome-negative B-cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2019, 185, 836-851.	2.5	7
352	Variables associated with patient-reported symptoms in persons with chronic phase chronic myeloid leukemia receiving tyrosine kinase inhibitor therapy. <i>Medicine (United States)</i> , 2019, 98, e18079.	1.0	7
353	Therapeutic Approaches for Acute Promyelocytic Leukaemia: Moving Towards an Orally Chemotherapy-Free Era. <i>Frontiers in Oncology</i> , 2020, 10, 586004.	2.8	7
354	Preemptive interferon- γ treatment could protect against relapse and improve long-term survival of ALL patients after allo-HSCT. <i>Scientific Reports</i> , 2020, 10, 20148.	3.3	7
355	Measurable residual disease of acute lymphoblastic leukemia in allograft settings: how to evaluate and intervene. <i>Expert Review of Anticancer Therapy</i> , 2020, 20, 453-464.	2.4	7
356	Clinical risk score for predicting invasive fungal disease after allogeneic hematopoietic stem cell transplantation: Analysis of the China Assessment of Antifungal Therapy in Hematological Diseases (CAESAR) study. <i>Transplant Infectious Disease</i> , 2021, 23, e13611.	1.7	7
357	Long-Term Follow-up of a Randomized Trial of Two Dose Levels of Antithymocyte Globulin in Haploidentical Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2020, 136, 20-20.	1.4	7
358	A Predicted Model for Refractory/Recurrent Cytomegalovirus Infection in Acute Leukemia Patients After Haploidentical Hematopoietic Stem Cell Transplantation. <i>Frontiers in Cellular and Infection Microbiology</i> , 2022, 12, 862526.	3.9	7
359	Multimomics Analysis Identifies SOCS1 as Restraining T Cell Activation and Preventing Graft-versus-Host Disease. <i>Advanced Science</i> , 2022, 9, e2200978.	11.2	7
360	Pharmacokinetic Properties and Safety Profile of Histamine Dihydrochloride Injection in Chinese Healthy Volunteers: A Phase I, Single-center, Open-label, Randomized Study. <i>Clinical Therapeutics</i> , 2015, 37, 2352-2364.	2.5	6

#	ARTICLE	IF	CITATIONS
361	Primary fungal prophylaxis in acute leukemia patients with different risk factors: retrospective analysis from the CAESAR study. <i>International Journal of Hematology</i> , 2017, 106, 221-228.	1.6	6
362	IgG synthesis rate and anti-myelin oligodendrocyte glycoprotein antibody in CSF may be associated with the onset of CNS demyelination after haplo-HSCT. <i>Annals of Hematology</i> , 2018, 97, 1399-1406.	1.8	6
363	Outcome and Minimal Residual Disease Monitoring in Patients with t(16;21) Acute Myelogenous Leukemia Undergoing Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 163-168.	2.0	6
364	Comparison of efficacy between HLA6/6- and HLA3/6-matched haploidentical hematopoietic stem cell transplant in T-cell-replete transplants between parents and children. <i>Science China Life Sciences</i> , 2019, 62, 104-111.	4.9	6
365	Modification of donor lymphocyte infusion: how to improve the outcome?. <i>Science China Life Sciences</i> , 2019, 62, 1253-1256.	4.9	6
366	MAGE genes: Prognostic indicators in AL amyloidosis patients. <i>Journal of Cellular and Molecular Medicine</i> , 2019, 23, 5672-5678.	3.6	6
367	Delay expression of NKp30 on NK cells correlates with long-term mycophenolate mofetil treatment and higher EBV viremia post allogeneic hematological stem cells transplantation. <i>Clinical Immunology</i> , 2019, 205, 49-56.	3.2	6
368	Incidence, risk factors and outcomes of sinusoidal obstruction syndrome after haploidentical allogeneic stem cell transplantation. <i>Annals of Hematology</i> , 2019, 98, 1733-1742.	1.8	6
369	Incidence, Risk Factors, and Outcome of Immune-Mediated Neuropathies (IMNs) following Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1629-1636.	2.0	6
370	Comparable Efficacy and Safety of Generic Imatinib and Branded Imatinib in Patients With Newly Diagnosed Chronic Myeloid Leukemia With a Consideration of Socioeconomic Characteristics: A Retrospective Study From a Single Center. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2020, 20, e304-e315.	0.4	6
371	Cellular immunotherapy for hematological malignancy: recent progress and future perspectives. <i>Cancer Biology and Medicine</i> , 2021, 18, 0-0.	3.0	6
372	Ibrutinib in Advanced Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma: Lower Risk of Hepatitis B Virus Reactivation. <i>Acta Haematologica</i> , 2022, 145, 54-62.	1.4	6
373	A prognostic model (BATAP) with external validation for patients with transplant-associated thrombotic microangiopathy. <i>Blood Advances</i> , 2021, 5, 5479-5489.	5.2	6
374	Prognostic significance of SET-NUP214 fusion gene in acute leukemia after allogeneic hematopoietic stem cell transplantation. <i>Medicine (United States)</i> , 2020, 99, e23569.	1.0	6
375	Long-Term Safety of Dasatinib in Chinese Chronic Phase Chronic Myeloid Leukemia Patients with Imatinib-Resistance or -Intolerance: Results from a 6-Year Follow-up of a Multicenter Phase II Study. <i>Blood</i> , 2016, 128, 1928-1928.	1.4	6
376	The Importance of FISH Signal Cut-off Value and Copy Number Variation for 1q21 in Newly Diagnosed Multiple Myeloma: Is it Underestimated?. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2022, 22, 535-544.	0.4	6
377	Negative association of donor age with CD34 ⁺ cell dose in mixture allografts of G-CSF-primed bone marrow and G-CSF-mobilized peripheral blood harvests. <i>Chinese Medical Journal</i> , 2014, 127, 3597-601.	2.3	6
378	Co-variates associated with outcomes of tyrosine kinase-inhibitor therapy in persons with chronic myeloid leukaemia initially presenting in accelerated phase. <i>Leukemia</i> , 2022, 36, 1818-1824.	7.2	6

#	ARTICLE	IF	CITATIONS
379	CMV infection combined with acute GVHD associated with poor CD8+ T-cell immune reconstitution and poor prognosis post-HLA-matched allo-HSCT. <i>Clinical and Experimental Immunology</i> , 2022, 208, 332-339.	2.6	6
380	Immune-related late-onset hemorrhagic cystitis post allogeneic hematopoietic stem cell transplantation. <i>Chinese Medical Journal</i> , 2008, 121, 1766-1769.	2.3	5
381	The cell composition of infused donor lymphocyte has different impact in different types of allogeneic hematopoietic stem cell transplantation. <i>Clinical Transplantation</i> , 2014, 28, 926-934.	1.6	5
382	High-dose corticosteroid associated with catheter-related thrombosis after allogeneic hematopoietic stem cell transplantation. <i>Thrombosis Research</i> , 2016, 144, 6-11.	1.7	5
383	Relationship of Cell Compositions in Allografts with Outcomes after Haploidentical Transplantation for Acquired Severe Aplastic Anemia. <i>Chinese Medical Journal</i> , 2018, 131, 2185-2192.	2.3	5
384	Positive stool culture could predict the clinical outcomes of haploidentical hematopoietic stem cell transplantation. <i>Frontiers of Medicine</i> , 2019, 13, 492-503.	3.4	5
385	Four-year follow-up of patients with imatinib-resistant or intolerant chronic myeloid leukemia receiving dasatinib: efficacy and safety. <i>Frontiers of Medicine</i> , 2019, 13, 344-353.	3.4	5
386	NK cell reconstitution following unmanipulated HLA-mismatched/haploidentical transplantation compared with matched sibling transplantation. <i>Science China Life Sciences</i> , 2020, 63, 781-784.	4.9	5
387	Unmanipulated haploidentical hematopoietic stem cell transplantation for children with myelodysplastic syndrome. <i>Pediatric Transplantation</i> , 2020, 24, e13864.	1.0	5
388	A risk score for predicting hospitalization for community-acquired pneumonia in ITP using nationally representative data. <i>Blood Advances</i> , 2020, 4, 5846-5857.	5.2	5
389	Development and validation of a prediction model (AHC) for early identification of refractory thrombotic thrombocytopenic purpura using nationally representative data. <i>British Journal of Haematology</i> , 2020, 191, 269-281.	2.5	5
390	Human herpesvirus 6 reactivation in unmanipulated haploidentical hematopoietic stem cell transplantation predicts the occurrence of grade II to IV acute graft-versus-host disease. <i>Transplant Infectious Disease</i> , 2021, 23, e13544.	1.7	5
391	Efficacy of Haploidentical Hematopoietic Stem Cell Transplantation Compared With Chemotherapy as Postremission Treatment of Children With Intermediate-risk Acute Myeloid Leukemia in First Complete Remission. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e126-e136.	0.4	5
392	Pre-transplantation cytoreduction does not benefit advanced myelodysplastic syndrome patients after myeloablative transplantation with grafts from family donors. <i>Cancer Communications</i> , 2021, 41, 333-344.	9.2	5
393	Wilms tumor gene 1 is an independent prognostic factor for pediatric acute myeloid leukemia following allogeneic hematopoietic stem cell transplantation. <i>BMC Cancer</i> , 2021, 21, 292.	2.6	5
394	Overcoming graft failure after haploidentical transplantation: Is this a possibility?. <i>Best Practice and Research in Clinical Haematology</i> , 2021, 34, 101255.	1.7	5
395	Prediction of postpartum hemorrhage in pregnant women with immune thrombocytopenia: Development and validation of the MONITOR model in a nationwide multicenter study. <i>American Journal of Hematology</i> , 2021, 96, 561-570.	4.1	5
396	Optimizing outcomes for haploidentical hematopoietic stem cell transplantation in severe aplastic anemia with intensive GVHD prophylaxis: a review of current findings. <i>Expert Review of Hematology</i> , 2021, 14, 449-455.	2.2	5

#	ARTICLE	IF	CITATIONS
397	Î³Î± T Cells May Aggravate Acute Graft-Versus-Host Disease Through CXCR4 Signaling After Allogeneic Hematopoietic Transplantation. <i>Frontiers in Immunology</i> , 2021, 12, 687961.	4.8	5
398	Clinical risk factors and prognostic model for idiopathic inflammatory demyelinating diseases after haploidentical hematopoietic stem cell transplantation in patients with hematological malignancies. <i>American Journal of Hematology</i> , 2021, 96, 1407-1419.	4.1	5
399	Targeting IFN-Î³-inducible lysosomal thiol reductase overcomes chemoresistance in AML through regulating the ROS-mediated mitochondrial damage. <i>Translational Oncology</i> , 2021, 14, 101159.	3.7	5
400	Allogeneic hematopoietic stem cell transplantation for intermediate-risk acute myeloid leukemia in the first remission: outcomes using haploidentical donors are similar to those using matched siblings. <i>Annals of Hematology</i> , 2021, 100, 555-562.	1.8	5
401	Treatment outcome and efficacy of therapeutic plasma exchange for transplant-associated thrombotic microangiopathy in a large real-world cohort study. <i>Bone Marrow Transplantation</i> , 2022, , .	2.4	5
402	Immune-related late-onset hemorrhagic cystitis post allogeneic hematopoietic stem cell transplantation. <i>Chinese Medical Journal</i> , 2008, 121, 1766-9.	2.3	5
403	Higher proportions of peripheral CD19+CD5+ B cells predict the effect of corticosteroid in patients with late-onset hemorrhagic cystitis after allogeneic hematopoietic stem cell transplantation. <i>Chinese Medical Journal</i> , 2011, 124, 1517-23.	2.3	5
404	Functional Competence of NK Cells via the KIR/MHC Class I Interaction Correlates with DNAM-1 Expression. <i>Journal of Immunology</i> , 2022, 208, 492-500.	0.8	5
405	Prednisone plus IVIg compared with prednisone or IVIg for immune thrombocytopenia in pregnancy: a national retrospective cohort study. <i>Therapeutic Advances in Hematology</i> , 2022, 13, 204062072210952.	2.5	5
406	Bulsufan decreases the incidence of mixed chimaerism in HLA-matched donor transplantation for severe aplastic anaemia. <i>Bone Marrow Transplantation</i> , 2022, 57, 1204-1206.	2.4	5
407	Late-onset Epstein-Barr virus-related disease in acute leukemia patients after haploidentical hematopoietic stem cell transplantation is associated with impaired early recovery of T and B lymphocytes. <i>Clinical Transplantation</i> , 2015, 29, 904-910.	1.6	4
408	Higher dose of CD34+ peripheral blood stem cells is associated with better survival after haploidentical stem cell transplantation in pediatric patients. <i>Clinical Transplantation</i> , 2017, 31, e12880.	1.6	4
409	Prognostic value of lactate dehydrogenase in Chinese patients with newly diagnosed transplant eligible multiple myeloma. <i>Leukemia and Lymphoma</i> , 2017, 58, 1740-1742.	1.3	4
410	Safety and efficacy of haploidentical stem cell transplantation for multiple myeloma. <i>Bone Marrow Transplantation</i> , 2018, 53, 507-510.	2.4	4
411	Comparison of outcomes after human leukocyte antigen-matched and haploidentical hematopoietic stem-cell transplantation for multiple myeloma. <i>Chinese Medical Journal</i> , 2019, 132, 1765-1772.	2.3	4
412	Occurrence and Severity of Donor Lymphocyte Infusion-Associated Chronic Graft-versus-Host Disease Influence the Clinical Outcomes in Relapsed Acute Leukemia after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 912-920.	2.0	4
413	Influence of the degree of donor bone marrow hyperplasia on patient clinical outcomes after allogeneic hematopoietic stem cell transplantation. <i>Science China Life Sciences</i> , 2020, 63, 138-147.	4.9	4
414	Subgroup Analysis Can Optimize the Relapse-Prediction Cutoff Value for WT1 Expression After Allogeneic Hematologic Stem Cell Transplantation in Acute Myeloid Leukemia. <i>Journal of Molecular Diagnostics</i> , 2020, 22, 188-195.	2.8	4

#	ARTICLE	IF	CITATIONS
415	Th2 polarization in target organs is involved in the alleviation of pathological damage mediated by transplanting granulocyte colony-stimulating factor-primed donor T cells. <i>Science China Life Sciences</i> , 2020, 64, 1087-1096.	4.9	4
416	Prognosis and risk factors for central nervous system relapse after allogeneic hematopoietic stem cell transplantation in acute myeloid leukemia. <i>Annals of Hematology</i> , 2021, 100, 505-516.	1.8	4
417	Haploidentical Stem Cell Transplantation With a Novel Conditioning Regimen in Older Patients: A Prospective Single-Arm Phase 2 Study. <i>Frontiers in Oncology</i> , 2021, 11, 639502.	2.8	4
418	Real-world assessment of the effectiveness of posaconazole for the prophylaxis and treatment of invasive fungal infections in hematological patients. <i>Medicine (United States)</i> , 2021, 100, e26772.	1.0	4
419	Comparison of the clinical outcomes between NIMA-mismatched and NIPA-mismatched haploidentical hematopoietic stem cell transplantation for patients with hematological malignancies. <i>Bone Marrow Transplantation</i> , 2021, 56, 2723-2731.	2.4	4
420	Profiles of NK cell subsets are associated with successful tyrosine kinase inhibitor discontinuation in chronic myeloid leukemia and changes following interferon treatment. <i>Annals of Hematology</i> , 2021, 100, 2557-2566.	1.8	4
421	Improved function and balance in T cell modulation by endothelial cells in young people. <i>Clinical and Experimental Immunology</i> , 2021, 206, 196-207.	2.6	4
422	Predicting mortality from intracranial hemorrhage in patients who undergo allogeneic hematopoietic stem cell transplantation. <i>Blood Advances</i> , 2021, 5, 4910-4921.	5.2	4
423	Haploidentical transplantation has a superior graft-versus-leukemia effect than HLA-matched sibling transplantation for Ph ⁺ high-risk B-cell acute lymphoblastic leukemia. <i>Chinese Medical Journal</i> , 2021, Publish Ahead of Print, .	2.3	4
424	Donor activating killer cell immunoglobulin-like receptors genes correlated with Epstein-Barr virus reactivation after haploidentical haematopoietic stem cell transplantation. <i>British Journal of Haematology</i> , 2022, 196, 1007-1017.	2.5	4
425	Chimeric Antigen Receptor T Cell Therapy Improve the Prognosis of Pediatric Acute Lymphoblastic Leukemia With Persistent/Recurrent Minimal Residual Disease in First Complete Remission. <i>Frontiers in Immunology</i> , 2021, 12, 731435.	4.8	4
426	Non-T depleted haploidentical stem cell transplantation in AML patients achieving first complete remission after one versus two induction courses: a study from the ALWP/EBMT. <i>Bone Marrow Transplantation</i> , 2022, 57, 572-578.	2.4	4
427	Recombinant human thrombopoietin increases platelet count in severe thrombocytopenic patients with hepatitis B-related cirrhosis: Multicentre real-world observational study. <i>Journal of Viral Hepatitis</i> , 2022, 29, 306-316.	2.0	4
428	Bortezomib improves progression-free survival in multiple myeloma patients overexpressing preferentially expressed antigen of melanoma. <i>Chinese Medical Journal</i> , 2014, 127, 1666-71.	2.3	4
429	Independent prognostic significance of TP53 mutations in adult acute myeloid leukaemia with complex karyotype. <i>International Journal of Laboratory Hematology</i> , 2022, , .	1.3	4
430	Predictive scoring systems for molecular responses in persons with chronic phase chronic myeloid leukemia receiving initial imatinib therapy. <i>Leukemia</i> , 2022, 36, 2042-2049.	7.2	4
431	Potential immunosuppressive function of plasma indoleamine 2,3-dioxygenase in patients with aGVHD after allo-HSCT. <i>Clinical Transplantation</i> , 2011, 25, E304-11.	1.6	3
432	Combination of FVIII and low-dose rFVIIa improves haemostasis in acquired haemophilia A patients: a collaborative controlled study. <i>Thrombosis Research</i> , 2015, 135, 835-840.	1.7	3

#	ARTICLE	IF	CITATIONS
433	Concordant optimal molecular and cytogenetic responses at both 3 and 6 months predict a higher probability of MR4.5 achievement in patients with chronic myeloid leukemia treated with imatinib. <i>Leukemia and Lymphoma</i> , 2017, 58, 1384-1393.	1.3	3
434	The impact of donor characteristics on the invariant natural killer T cells of granulocyte-colony-stimulating factor-mobilized marrow grafts and peripheral blood grafts. <i>Transplant Immunology</i> , 2018, 48, 55-59.	1.2	3
435	The prognostic significance of ^{18}F SUVmax assessed by PET/CT scan after 2 cycles of chemotherapy in patients with classic Hodgkin's lymphoma. <i>Annals of Hematology</i> , 2020, 99, 293-299.	1.8	3
436	CD8+CD161hi T cells are associated with acute graft-versus-host disease after haploidentical hematopoietic stem cell transplantation. <i>Bone Marrow Transplantation</i> , 2020, 55, 1652-1654.	2.4	3
437	Monosomal karyotype is associated with poor outcomes in patients with Philadelphia chromosome-negative acute lymphoblastic leukemia receiving chemotherapy but not allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2020, 99, 1833-1843.	1.8	3
438	Fluorescence in situ hybridisation combined with CD138 immunomagnetic sorting is effective to identify cytogenetic abnormalities which play significant prognostic roles in Chinese AL amyloidosis patients. <i>Amyloid: the International Journal of Experimental and Clinical Investigation: the Official Journal of the International Society of Amyloidosis</i> , 2020, 27, 208-209.	3.0	3
439	A risk score system for stratifying the risk of relapse in B cell acute lymphocytic leukemia patients after allogeneic stem cell transplantation. <i>Chinese Medical Journal</i> , 2021, 134, 1199-1208.	2.3	3
440	Minimal residual disease monitoring and preemptive immunotherapies for frequent 11q23 rearranged acute leukemia after allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2021, 100, 1267-1281.	1.8	3
441	Impact of socio-demographic co-variables on prognosis, tyrosine kinase-inhibitor use and outcomes in persons with newly-diagnosed chronic myeloid leukaemia. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 449-459.	2.5	3
442	Predictive Value of Dynamic Peri-Transplantation MRD Assessed By MFC Either Alone or in Combination with Other Variables for Outcomes of Patients with T-Cell Acute Lymphoblastic Leukemia. <i>Current Medical Science</i> , 2021, 41, 443-453.	1.8	3
443	Risk Stratification of Cytogenetically Normal Acute Myeloid Leukemia With Biallelic CEBPA Mutations Based on a Multi-Gene Panel and Nomogram Model. <i>Frontiers in Oncology</i> , 2021, 11, 706935.	2.8	3
444	PML-RARA transcript levels at the end of induction therapy are associated with prognosis in non-high-risk acute promyelocytic leukaemia with all-trans retinoic acid plus arsenic in front-line therapy: long-term follow-up of a single-centre cohort study. <i>British Journal of Haematology</i> , 2021, 195, 722-730.	2.5	3
445	Hepatitis B Seropositive Status in Recipients or Donors Is Not Related to Worse Outcomes after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 668.e1-668.e9.	1.2	3
446	Comparison of central nervous system relapse outcomes following haploidentical vs identical-sibling transplant for acute lymphoblastic leukemia. <i>Annals of Hematology</i> , 2020, 99, 1643-1653.	1.8	3
447	A modified conditioning regimen based on low-dose cyclophosphamide and fludarabine for haploidentical hematopoietic stem cell transplant in severe aplastic anemia patients at risk of severe cardiotoxicity. <i>Clinical Transplantation</i> , 2021, , e14514.	1.6	3
448	Development and validation of a mortality predicting scoring system for severe aplastic anaemia patients receiving haploidentical allogeneic transplantation. <i>British Journal of Haematology</i> , 2022, 196, 735-742.	2.5	3
449	Tacrolimus Plus High-Dose Dexamethasone Versus High-Dose Dexamethasone Alone As First-Line Treatment for Adult Immune Thrombocytopenia: The Phase 2, Open Label, Randomized Trial (TARGET) Tj ETQq1 1 Q.784314 r gBT /Overl	1.7	3
450	Significance of WT1 and multiparameter flow cytometry assessment in patients with chronic myelomonocytic leukemia receiving allogeneic hematopoietic stem cell transplantation. <i>International Journal of Laboratory Hematology</i> , 2022, 44, 510-517.	1.3	3

#	ARTICLE	IF	CITATIONS
451	Dysfunctional bone marrow endothelial progenitor cells are involved in patients with myelodysplastic syndromes. <i>Journal of Translational Medicine</i> , 2022, 20, 144.	4.4	3
452	The Interaction of HLA-C1/KIR2DL2/L3 Promoted KIR2DL2/L3 Single-Positive/NKG2C-Positive Natural Killer Cell Reconstitution, Raising the Incidence of aGVHD after Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2022, 13, 814334.	4.8	3
453	Comparisons of Long-Term Survival and Safety of Haploidentical Hematopoietic Stem Cell Transplantation After CAR-T Cell Therapy or Chemotherapy in Pediatric Patients With First Relapse of B-Cell Acute Lymphoblastic Leukemia Based on MRD-Guided Treatment. <i>Frontiers in Immunology</i> , 0, 13, .	4.8	3
454	Impact of pre-transplant pulmonary infection developed in horizontal laminar flow unit on the outcome of subsequent allogeneic hematopoietic stem cell transplantation. <i>Journal of Thoracic Disease</i> , 2016, 8, 2219-2225.	1.4	2
455	Factors affecting the CD34+ cell yields from the second donations of healthy donors: The steady-state lymphocyte count is a good predictive factor. <i>Transfusion and Apheresis Science</i> , 2016, 55, 311-317.	1.0	2
456	Caspofungin Treatment for Pulmonary Invasive Fungal Disease in Hematology Patients: A Retrospective Study in a Clinical Practice Setting in China. <i>Clinical Therapeutics</i> , 2017, 39, 1758-1768.	2.5	2
457	Risk factors for chronic graft-versus-host disease after anti-thymocyte globulin-based haploidentical hematopoietic stem cell transplantation in acute myeloid leukemia. <i>Frontiers of Medicine</i> , 2019, 13, 667-679.	3.4	2
458	Reduced β 2-GPI is associated with increased platelet aggregation and activation in patients with prolonged isolated thrombocytopenia after allo-HSCT. <i>Science China Life Sciences</i> , 2019, 62, 921-929.	4.9	2
459	Comparable Outcomes after Hematopoietic Stem Cell Transplantation from Mother Donors and Matched Unrelated Donors in Patients with Hematopoietic Malignancies. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 1210-1217.	2.0	2
460	Valproic acid enhances pamidronate-sensitized cytotoxicity of $\gamma\delta$ T cells against EBV-related lymphoproliferative cells. <i>International Immunopharmacology</i> , 2020, 88, 106890.	3.8	2
461	Monocyte subsets in bone marrow grafts may contribute to a low incidence of acute graft-versus-host disease for young donors. <i>Journal of Cellular and Molecular Medicine</i> , 2020, 24, 9204-9216.	3.6	2
462	Outcomes of symptomatic venous thromboembolism after haploidentical donor hematopoietic stem cell transplantation and comparison with human leukocyte antigen-identical sibling transplantation. <i>Thrombosis Research</i> , 2020, 194, 168-175.	1.7	2
463	A retrospective analysis on anti-CD20 antibody-treated Epstein-Barr virus-related posttransplantation lymphoproliferative disorder following ATG-based haploidentical T-replete hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2020, 99, 2649-2657.	1.8	2
464	Osteoclast stimulatory transmembrane protein (OC-STAMP) is a promising molecular prognostic indicator for multiple myeloma. <i>European Journal of Haematology</i> , 2020, 105, 185-195.	2.2	2
465	Haploidentical hematopoietic stem cell transplantation for patients with myeloid sarcoma: a single center retrospective study. <i>Annals of Hematology</i> , 2021, 100, 799-808.	1.8	2
466	Potential Applications in Sewage Bioremediation of the Highly Efficient Pyridine-Transforming <i>Paenochrobactrum</i> sp.. <i>Applied Biochemistry and Microbiology</i> , 2021, 57, 344-350.	0.9	2
467	Efficacy of Caspofungin in Unclassified Invasive Fungal Infection Cases: A Retrospective Analysis of Patients with Hematological Malignancies in China. <i>Medical Science Monitor</i> , 2018, 24, 5258-5270.	1.1	2
468	Monitoring of post-transplant MLL-PTD as minimal residual disease can predict relapse after allogeneic HSCT in patients with acute myeloid leukemia and myelodysplastic syndrome. <i>BMC Cancer</i> , 2022, 22, 11.	2.6	2

#	ARTICLE	IF	CITATIONS
469	Recipient and donor PTX3 rs2305619 polymorphisms increase the susceptibility to invasive fungal disease following haploidentical stem cell transplantation: a prospective study. <i>BMC Infectious Diseases</i> , 2022, 22, 292.	2.9	2
470	Combination of <i>KIT</i> and <i>FLT3-ITD</i> mutation status with minimal residual disease levels guides treatment strategy for adult patients with inv(16) acute myeloid leukemia in first complete remission. <i>Hematological Oncology</i> , 2022, 40, 724-733.	1.7	2
471	Imaging and Pathological Findings of Solid Pseudopapillary Tumors of the Pancreas: A Report of 53 Cases. <i>Practical Radiation Oncology</i> , 2013, 3, S13-S14.	2.1	1
472	Association between C-reactive protein levels in the first 1–3 days post-transplant and allogeneic immune reactions. <i>Biomarkers in Medicine</i> , 2017, 11, 117-124.	1.4	1
473	Combined prednisone and levothyroxine improve treatment of severe thrombocytopenia in hepatitis B with compensatory cirrhosis accompanied by subclinical and overt hypothyroidism. <i>Science China Life Sciences</i> , 2018, 61, 924-933.	4.9	1
474	Evaluation of HistoCheck as a Predictor of Clinical Outcomes after Haploidentical Hematopoietic Stem Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2018, 24, 1866-1872.	2.0	1
475	The incidence, risk factors, and outcomes of acute graft-versus-host disease in pediatric cell-replete haploidentical hematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2020, 24, e13793.	1.0	1
476	HCMV modulates <i>Mpl/IL-1</i> pathway-mediated megakaryo/thrombopoiesis via PDGFR α and β 23 receptors after allo-HSCT. <i>Journal of Cellular Physiology</i> , 2021, 236, 6726-6741.	4.1	1
477	Acute Cholecystitis Following Allogeneic Hematopoietic Stem Cell Transplantation: Clinical Features, Outcomes, Risk Factors, and Prediction Model. <i>Transplantation and Cellular Therapy</i> , 2021, 27, 253.e1-253.e9.	1.2	1
478	Cell therapy of chronic lymphocytic leukaemia: Transplants and chimeric antigen receptor (CAR)-T cells. <i>Blood Reviews</i> , 2021, 51, 100884.	5.7	1
479	ATRA Could Correct the Defective S1P-Mediated Cytoskeletal Reorganization in Proplatelet Formation of ITP. <i>Blood</i> , 2019, 134, 218-218.	1.4	1
480	Oral Realgar-Indigo Naturalis Formula Achieved Comparably High Rate of Remission and Survival to Intravenous Arsenic Trioxide As a Front-Line Treatment in Newly Diagnosed Acute Promyelocytic Leukemia: A Multi-Center Randomized Trial APL07. <i>Blood</i> , 2012, 120, 140-140.	1.4	1
481	Haplo-Identical Hematopoietic Stem Cell Transplantation in Patients with Myelodysplastic Syndrome: Similar Survival in Comparison with HLA-Identical Siblings: Multi-Center, Prospective Study. <i>Blood</i> , 2014, 124, 1231-1231.	1.4	1
482	Which Should be Pursued, Cumulative Dose or Dose Intensity: A Real-World Effectiveness Analysis of Bortezomib-Based First Line Treatment for Untreated Multiple Myeloma Patients. <i>Blood</i> , 2015, 126, 4247-4247.	1.4	1
483	Philadelphia Chromosome-Positive Acute Lymphoblastic Leukemia: To Allogeneic Stem Cell Transplantation or Not? a Single Center Experience. <i>Blood</i> , 2016, 128, 2308-2308.	1.4	1
484	Aberrant TNFAIP3 Induces Mesenchymal Stem Cell Impairment Via the NF-Kb/SMAD7 Signaling Pathway in Immune Thrombocytopenia. <i>Blood</i> , 2016, 128, 364-364.	1.4	1
485	Risk-Stratification Treatment Directed by Minimal Residual Disease Improves the Outcome of Acute Myeloid Leukemia with t(8;21) in First Complete Remission: Results of the AML05 Multicentre Trial. <i>Blood</i> , 2012, 120, 139-139.	1.4	1
486	Two Doses of Antithymocyte globulin As Graft-Versus-Host Disease Prophylaxis in Haploidentical Allogeneic Stem Cell Transplantation: A Multicenter Prospective Study. <i>Blood</i> , 2016, 128, 4603-4603.	1.4	1

#	ARTICLE	IF	CITATIONS
487	Baseline Characteristics and Early Monitoring of Chinese CML Patients Treated with Dasatinib: Report from a Multicenter, Observational, Registry-Based Study. <i>Blood</i> , 2016, 128, 5439-5439.	1.4	1
488	Oral Arsenic Plus Retinoic Acid Versus Intravenous Arsenic Plus Retinoic Acid for Non-High Risk Acute Promyelocytic Leukemia: A Multicenter Randomized Controlled Trials. <i>Blood</i> , 2017, 130, 641-641.	1.4	1
489	PRDM1 Is Sufficient for Inducing Human Primary T Cell Hyporesponsiveness and Implicates Low Gvhd Occurrence after Allo-HSCT. <i>Blood</i> , 2021, 138, 197-197.	1.4	1
490	The impact of pretransplant serum ferritin on haploidentical hematopoietic stem cell transplant for acquired severe aplastic anemia in children and adolescents. <i>Pediatric Blood and Cancer</i> , 2022, 69, .	1.5	1
491	CT Findings, Clinicopathologic Features, and Treatment Modalities of Anorectal Melanoma: A Report of 10 Cases. <i>Practical Radiation Oncology</i> , 2013, 3, S14.	2.1	0
492	Leukemia-propagating cells demonstrate distinctive gene expression profiles compared with other cell fractions from patients with de novo Philadelphia chromosome-positive ALL. <i>Annals of Hematology</i> , 2018, 97, 799-811.	1.8	0
493	The clinical features and prognosis of the monoclonal gammopathy undetermined significance: A single center study. <i>Blood Cells, Molecules, and Diseases</i> , 2018, 73, 9-13.	1.4	0
494	Donor selection for haploidentical hematopoietic cell transplantation—practice guidance. <i>Advances in Cell and Gene Therapy</i> , 2019, 2, e42.	0.9	0
495	Comments on the article: “Donor-derived CD19-targeted T cell infusion induces minimal residual disease—negative remission in relapsed B-cell acute lymphoblastic leukaemia with no response to donor lymphocyte infusions after haploidentical haematopoietic stem cell transplantation” TM . Response to Pan <i>et al</i> . <i>British Journal of Haematology</i> . 2019. 184. 882-883.	2.5	0
496	Reply to M. Shibusawa et al. <i>Journal of Clinical Oncology</i> , 2020, 38, 4224-4225.	1.6	0
497	Production of lentiviral vectors in suspension cells using low proportion of supercoiled circular plasmid DNA. <i>Cytotechnology</i> , 2020, 72, 897-905.	1.6	0
498	Residual disease by flow cytometry in patients with nucleophosmin-mutated acute myeloblastic leukemia. <i>Annals of Hematology</i> , 2020, 99, 2703-2704.	1.8	0
499	Will New Drugs Replace Transplants for Chronic Lymphocytic Leukaemia?. <i>Journal of Clinical Medicine</i> , 2021, 10, 2516.	2.4	0
500	Second unmanipulated allogeneic transplantation could be used as a salvage option for patients with relapsed acute leukemia post-chemotherapy plus modified donor lymphocyte infusion. <i>Frontiers of Medicine</i> , 2021, 15, 728-739.	3.4	0
501	Contrasting the Long-Term Outcome of Reduced-Intensity Allogeneic Stem Cell Transplantation From Related Matched and Mismatched or Unrelated Matched Donor. <i>Blood</i> , 2011, 118, 2029-2029.	1.4	0
502	Superiority of Haploidentical Related Hematopoietic Stem-Cell Transplantation Over Chemotherapy Alone for Patients with Intermediate- or Poor- Risk Acute Myeloid Leukemia in First Complete Remission,. <i>Blood</i> , 2011, 118, 4161-4161.	1.4	0
503	Leukemia Initiating Cells: New Markers for Minimal Residual Disease Monitoring in B-Precursor Acute Lymphoblastic Leukemia. <i>Blood</i> , 2011, 118, 2528-2528.	1.4	0
504	Pre-Emptive Therapy with Modified Donor Lymphocyte Infusion Could Reduce Relapse and Improve Survival in Standard-Risk Acute Leukemia Patients After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2011, 118, 659-659.	1.4	0

#	ARTICLE	IF	CITATIONS
505	CD34 Expression On the Blasts of Bone Marrow Is a Novel Predictor of Poor Prognosis Independent of FLT3-ITD in Acute Myeloid Leukemia with NPM1-Mutation.. Blood, 2012, 120, 2491-2491.	1.4	0
506	Serum 2-Hydroxyglutarate Level Is a Prognostic Marker in Acute Myeloid Leukemia. Blood, 2012, 120, 1433-1433.	1.4	0
507	A Clinical Study On Rituximab for Probable and Proven EBV Disease Post Haematopoietic Stem-Cell Transplantation. Blood, 2012, 120, 4512-4512.	1.4	0
508	Low WT1 Expression At Diagnosis Is a Strong Predictor On Poor Outcome In Patients With t(8;21) Acute Myeloid Leukemia. Blood, 2013, 122, 1346-1346.	1.4	0
509	Graft-Versus-Host Disease Following Myeloablative Busulfan Plus Fludarabine and Busulfan Plus Cyclophosphamide For Allogeneic Hematopoietic Stem Cell Transplantation In Acute Myeloid Leukemia In First Complete Remission. Blood, 2013, 122, 3290-3290.	1.4	0
510	Increased ADAM28 Levels In Plasma And Bone Marrow Cells Of Patients With Adult Acute Leukemia. Blood, 2013, 122, 4990-4990.	1.4	0
511	Philadelphia-Positive Leukemia Patients With The Y253H Or F359V Mutations Have a High Risk Of Developing New Mutations In The Setting Of Dasatinib Resistance. Blood, 2013, 122, 5188-5188.	1.4	0
512	Prevalence and Prognostic Significance of c-KIT Mutations in Core Binding Factor Acute Myeloid Leukemia: A Comprehensive Large-Scale Study from a Single Chinese Center. Blood, 2014, 124, 1000-1000.	1.4	0
513	Abnormalities of Bone Marrow Immune Micro-Environment in Patients with Immune Thrombocytopenia. Blood, 2015, 126, 3464-3464.	1.4	0
514	Abnormalities of the Bone Marrow Immune Microenvironment in Patients with Prolonged Isolated Thrombocytopenia after Allogeneic Hematopoietic Stem Cell Transplantation. Blood, 2016, 128, 4602-4602.	1.4	0
515	Desialylation of Megakaryocytes Diminishes Platelet Production By Disrupting Megakaryocyte Adhesion, Migration and Proplatelet Formation in Chronic Immune Thrombocytopenia. Blood, 2016, 128, 165-165.	1.4	0
516	Polymorphisms of CTLA-4 Are Associated with Treatment Outcome in Multiple Myeloma Patients Receiving Bortezomib-Based Regimens. Blood, 2016, 128, 3323-3323.	1.4	0
517	ADAM28 Enhanced the Growth and Dissemination of AML and Identified a Subgroup of AML Patients with a High Risk of Relapse in a Prospective Clinical Study. Blood, 2016, 128, 2902-2902.	1.4	0
518	Crucial Role of Complement Activation and IL-1 β in Bone Marrow Niche of Immune Thrombocytopenia. Blood, 2016, 128, 166-166.	1.4	0
519	Evolving Criteria for Donor Selection for Transplants in Acute Myeloid Leukemia. Blood, 2016, 128, 5846-5846.	1.4	0
520	Association Between C-Reactive Protein in the First 1-3 Days Post-Transplant and Allogeneic Immune Reactions in Pediatric Haploidentical Stem Cell Transplantation. Blood, 2016, 128, 5794-5794.	1.4	0
521	Dysfunction of Bone Marrow Endothelial Progenitor Cells from Subjects with Poor Graft Function Following Allogeneic Hematopoietic Stem Cell Transplantation Can be Improved By Atorvastatin. Blood, 2016, 128, 3386-3386.	1.4	0
522	The Real World of Arsenic Uses in Chinese with Acute Promyelocytic Leukemia: A Cross-Sectional Survey. Blood, 2016, 128, 5955-5955.	1.4	0

#	ARTICLE	IF	CITATIONS
523	Hepatitis E Virus Infection after Haploidentical Hematopoietic Stem Cell Transplantation: Incidence and Clinical Course. <i>Blood</i> , 2018, 132, 5734-5734.	1.4	0
524	Comparable Outcomes after Hematopoietic Stem Cell Transplantation from Mother Donors and Matched Unrelated Donors in Patients with Hematopoietic Malignancies. <i>Blood</i> , 2018, 132, 3463-3463.	1.4	0
525	Haplo-SCT Mediates Stronger GVL Effect Than HLA-Matched Sibling Allograft By Significantly Reducing Leukemia Burden. <i>Blood</i> , 2018, 132, 2186-2186.	1.4	0
526	Influences of Mycophenolate Mofetil and Cyclosporine-a on the Ex Vivo-Expanded V β 2 T Cells. <i>Blood</i> , 2018, 132, 5686-5686.	1.4	0
527	Positive Stool Cultures Could Predict the Clinical Outcomes of Haploidentical Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2018, 132, 5757-5757.	1.4	0
528	Clonal Trajectories in Persons with Acute Myeloid Leukemia and Normal Cytogenetics Relapsing after Intensive Chemotherapy and after Allografts. Does Pretransplant Conditioning Contribute to Mutation Topography?. <i>Blood</i> , 2018, 132, 2813-2813.	1.4	0
529	Poor NKG2C+ Adaptive NK Cell Recovery at Early Stage after Allo-HSCT Increased the Occurrence of Refractory Cytomegalovirus Infection. <i>Blood</i> , 2018, 132, 360-360.	1.4	0
530	The Lost or Absence of MRD<0.1% at Any Time after 2 Cycles of Consolidation Chemotherapy in CBF β -MYH11-Positive Acute Myeloid Leukemia Indicates Poor Prognosis. <i>Blood</i> , 2019, 134, 2616-2616.	1.4	0
531	Haploidentical Hematopoietic Stem Cell Transplantation May Improve Prognosis in Non-Infant Children with t(v;11q23)/MLL-Rearranged B-Acute Lymphoblastic Leukemia. <i>Blood</i> , 2019, 134, 2049-2049.	1.4	0
532	Autophagy in Endothelial Cells Regulates Their Hematopoiesis Supporting Ability. <i>Blood</i> , 2019, 134, 4425-4425.	1.4	0
533	A case of iron deficiency anemia with extremely hyperferritinemia responds well to oral iron: the first identified hereditary hyperferritinemia cataract syndrome in China. <i>Annals of Hematology</i> , 2021, 100, 2407-2410.	1.8	0
534	Prognostic value of RASD1 transcript levels in adult Philadelphia-negative B-cell acute lymphoblastic leukemia. <i>Hematology</i> , 2021, 26, 9-15.	1.5	0
535	Treatment Outcome and Efficacy of Therapeutic Plasma Exchange for Transplant-Associated Thrombotic Microangiopathy in a Real-World Large Cohort Study. <i>Blood</i> , 2021, 138, 1013-1013.	1.4	0
536	Sex Differences in EBV Viremia after Haplo-HSCT Imply Sex Bias during Immune Reconstitution. <i>Blood</i> , 2021, 138, 2886-2886.	1.4	0
537	Detection of CSRP2 Transcript Levels By Real-Time Quantitative PCR May be a Useful Tool for Monitoring Minimal Residual Disease in B-Cell ALL. <i>Blood</i> , 2021, 138, 3998-3998.	1.4	0
538	A Predictive Score for Failure-Free Survival in Persons with Chronic Myeloid Leukemia Receiving Imatinib. <i>Blood</i> , 2021, 138, 632-632.	1.4	0
539	A Predictive Score for Outcomes of Tyrosine Kinase-Inhibitor Therapy in Persons with Chronic Myeloid Leukaemia Presenting in Accelerated Phase. <i>Blood</i> , 2021, 138, 636-636.	1.4	0
540	Comparison of Transplant Donor and Third-Party Donor Derived CMV-Specific T Cells for CMV Infection after Allogeneic Stem Cell Transplantation. <i>Blood</i> , 2021, 138, 1701-1701.	1.4	0

#	ARTICLE	IF	CITATIONS
541	MEKK3 Regulates Angiogenesis through Smad Signaling. <i>Blood</i> , 2020, 136, 7-7.	1.4	0
542	M2 Macrophages, but Not M1 Macrophages, Support Megakaryopoiesis Via up-Regulating PI3K-AKT Pathway. <i>Blood</i> , 2020, 136, 1-1.	1.4	0
543	Induced CD25 ⁺ CD127 ^{dim} Tregs in Acute Myeloid Leukemia Suppress the Activity of Normal T Cells. <i>Blood</i> , 2020, 136, 27-28.	1.4	0
544	M1 and M2 Macrophages Play Different Roles in the Pathogenesis of Acute Graft-Versus-Host Disease Post-Allotransplant By Modulating Immune Microenvironment. <i>Blood</i> , 2020, 136, 19-20.	1.4	0
545	Development and Validation of a Prognostic Model for Transplant-Associated Thrombotic Microangiopathy Following Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2020, 136, 16-17.	1.4	0
546	Fluconazole is as effective as other anti-mold agents in preventing early invasive fungal disease after allogeneic stem cell transplantation: assessment of antifungal therapy in haematological disease in China. <i>Translational Cancer Research</i> , 2020, 9, 6900-6911.	1.0	0
547	Daratumumab, Bortezomib, Dexamethasone (D-Vd) Versus Bortezomib and Dexamethasone (Vd) in Relapsed or Refractory (RR) Multiple Myeloma (MM): Pooled Subgroup Analysis of Lepus and Castor. <i>Blood</i> , 2020, 136, 38-41.	1.4	0
548	Abrupt reduction of c-myc expression by antisense RNA inducing terminal differentiation and apoptosis of a human esophageal cancer cell line. <i>Science in China Series B, Chemistry, Life Sciences & Earth Sciences</i> , 1995, 38, 580-9.	0.0	0
549	Plasma Soluble Fas Ligand Levels in Hemopathic Patients Undergoing Allogeneic Bone Marrow Transplantation. <i>Zhongguo Shi Yan Xue Ye Xue Za Zhi / Zhongguo Bing Li Sheng Li Xue Hui = Journal of Experimental Hematology / Chinese Association of Pathophysiology</i> , 2001, 9, 247-250.	0.2	0
550	Donor CSF3R with the rs3917980A/G or G/G genotype is correlated with better leukemia-free survival after allogeneic hematopoietic stem cell transplantation. <i>Genes and Immunity</i> , 0, , .	4.1	0
551	Prognostic value of post-transplantation Wilms' tumor gene 1 expression in acute myeloid leukaemia subgroup according to different pre-transplant disease status. <i>International Journal of Laboratory Hematology</i> , 2022, 44, .	1.3	0