

Giovanni Tarantino

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1317457/giovanni-tarantino-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

3,672
citations

36
h-index

56
g-index

137
ext. papers

4,199
ext. citations

4.3
avg, IF

5.75
L-index

#	Paper	IF	Citations
124	Could inflammatory markers help diagnose nonalcoholic steatohepatitis?. <i>European Journal of Gastroenterology and Hepatology</i> , 2009 , 21, 504-11	2.2	133
123	Hepatic steatosis, low-grade chronic inflammation and hormone/growth factor/adipokine imbalance. <i>World Journal of Gastroenterology</i> , 2010 , 16, 4773-83	5.6	130
122	What is the role of adiponectin in obesity related non-alcoholic fatty liver disease?. <i>World Journal of Gastroenterology</i> , 2013 , 19, 802-12	5.6	130
121	Non-alcoholic fatty liver disease: further expression of the metabolic syndrome. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 293-303	4	123
120	A prospective study of acute drug-induced liver injury in patients suffering from non-alcoholic fatty liver disease. <i>Hepatology Research</i> , 2007 , 37, 410-5	5.1	122
119	Omega-3 fatty acids for the treatment of non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2012 , 18, 5839-47	5.6	121
118	What about non-alcoholic fatty liver disease as a new criterion to define metabolic syndrome?. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3375-84	5.6	117
117	JNKs, insulin resistance and inflammation: A possible link between NAFLD and coronary artery disease. <i>World Journal of Gastroenterology</i> , 2011 , 17, 3785-94	5.6	98
116	Liver-spleen axis: intersection between immunity, infections and metabolism. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3534-42	5.6	85
115	Spleen: A new role for an old player?. <i>World Journal of Gastroenterology</i> , 2011 , 17, 3776-84	5.6	85
114	Systematic review on intervention with prebiotics/probiotics in patients with obesity-related nonalcoholic fatty liver disease. <i>Future Microbiology</i> , 2015 , 10, 889-902	2.9	79
113	Nonalcoholic Fatty Liver Disease: A Challenge from Mechanisms to Therapy. <i>Journal of Clinical Medicine</i> , 2019 , 9,	5.1	75
112	Inhibition of the mTOR pathway: a possible protective role in coronary artery disease. <i>Annals of Medicine</i> , 2013 , 45, 348-56	1.5	73
111	Bisphenol-A plasma levels are related to inflammatory markers, visceral obesity and insulin-resistance: a cross-sectional study on adult male population. <i>Journal of Translational Medicine</i> , 2015 , 13, 169	8.5	72
110	What are the implications of the spontaneous spleno-renal shunts in liver cirrhosis?. <i>BMC Gastroenterology</i> , 2009 , 9, 89	3	72
109	Should visceral fat be reduced to increase longevity?. <i>Ageing Research Reviews</i> , 2013 , 12, 996-1004	12	69
108	Blood ammonia levels in liver cirrhosis: a clue for the presence of portosystemic collateral veins. <i>BMC Gastroenterology</i> , 2009 , 9, 21	3	66

107	Bisphenol A in polycystic ovary syndrome and its association with liver-spleen axis. <i>Clinical Endocrinology</i> , 2013 , 78, 447-53	3.4	65
106	Enhanced serum concentrations of transforming growth factor-beta1 in simple fatty liver: is it really benign?. <i>Journal of Translational Medicine</i> , 2008 , 6, 72	8.5	60
105	Young adult obese subjects with and without insulin resistance: what is the role of chronic inflammation and how to weigh it non-invasively?. <i>Journal of Inflammation</i> , 2009 , 6, 6	6.7	55
104	Serum Bcl-2 concentrations in overweight-obese subjects with nonalcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2011 , 17, 5280-8	5.6	52
103	Have guidelines addressing physical activity been established in nonalcoholic fatty liver disease?. <i>World Journal of Gastroenterology</i> , 2012 , 18, 6790-800	5.6	52
102	Pathogenesis of hepatic steatosis: the link between hypercortisolism and non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2013 , 19, 6735-43	5.6	51
101	Is serum Interleukin-17 associated with early atherosclerosis in obese patients?. <i>Journal of Translational Medicine</i> , 2014 , 12, 214	8.5	47
100	Could metabolic syndrome lead to hepatocarcinoma via non-alcoholic fatty liver disease?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 9217-28	5.6	47
99	Nutrition: a key environmental dietary factor in clinical severity and cardio-metabolic risk in psoriatic male patients evaluated by 7-day food-frequency questionnaire. <i>Journal of Translational Medicine</i> , 2015 , 13, 303	8.5	46
98	High prevalence of nonalcoholic fatty liver in patients with idiopathic venous thromboembolism. <i>World Journal of Gastroenterology</i> , 2010 , 16, 6119-22	5.6	46
97	Circulating levels of sirtuin 4, a potential marker of oxidative metabolism, related to coronary artery disease in obese patients suffering from NAFLD, with normal or slightly increased liver enzymes. <i>Oxidative Medicine and Cellular Longevity</i> , 2014 , 2014, 920676	6.7	44
96	Are hepatic steatosis and carotid intima media thickness associated in obese patients with normal or slightly elevated gamma-glutamyl-transferase?. <i>Journal of Translational Medicine</i> , 2012 , 10, 50	8.5	43
95	Metabolic factors involved in the therapeutic response of patients with hepatitis C virus-related chronic hepatitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2006 , 21, 1266-8	4	42
94	Liver-spleen axis, insulin-like growth factor-(IGF)-I axis and fat mass in overweight/obese females. <i>Journal of Translational Medicine</i> , 2011 , 9, 136	8.5	41
93	Drug-induced liver injury due to "natural products" used for weight loss: a case report. <i>World Journal of Gastroenterology</i> , 2009 , 15, 2414-7	5.6	40
92	Nutrition, inflammation and liver-spleen axis. <i>Critical Reviews in Food Science and Nutrition</i> , 2018 , 58, 3141-3158	11.5	38
91	Serum concentrations of the tissue polypeptide specific antigen in patients suffering from non-alcoholic steatohepatitis. <i>European Journal of Clinical Investigation</i> , 2007 , 37, 48-53	4.6	37
90	Abnormally high prevalence of major components of the metabolic syndrome in subjects with early-onset idiopathic venous thromboembolism. <i>Thrombosis Research</i> , 2011 , 127, 193-7	8.2	34

89	Is there any consensus as to what diet or lifestyle approach is the right one for NAFLD patients?. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2012 , 21, 293-302	1.4	33
88	Effects of voriconazole on tacrolimus metabolism in a kidney transplant recipient. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2010 , 35, 121-4	2.2	32
87	Hepatic steatosis and disease activity in subjects with psoriatic arthritis receiving tumor necrosis factor- β blockers. <i>Journal of Rheumatology</i> , 2012 , 39, 1042-6	4.1	32
86	Adherence to the Mediterranean Diet and Circulating Levels of Sirtuin 4 in Obese Patients: A Novel Association. <i>Oxidative Medicine and Cellular Longevity</i> , 2017 , 2017, 6101254	6.7	31
85	Exposure to ambient air particulate matter and non-alcoholic fatty liver disease. <i>World Journal of Gastroenterology</i> , 2013 , 19, 3951-6	5.6	31
84	Nonalcoholic fatty liver disease, spleen and psoriasis: New aspects of low-grade chronic inflammation. <i>World Journal of Gastroenterology</i> , 2015 , 21, 6892-7	5.6	31
83	Prediction of carotid intima-media thickness in obese patients with low prevalence of comorbidities by serum copper bioavailability. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1511-1517	4.1	30
82	Could SCGF-Beta Levels Be Associated with Inflammation Markers and Insulin Resistance in Male Patients Suffering from Obesity-Related NAFLD?. <i>Diagnostics</i> , 2020 , 10,	3.8	29
81	Hepatic steatosis, carotid plaques and achieving MDA in psoriatic arthritis patients starting TNF- β blockers treatment: a prospective study. <i>Arthritis Research and Therapy</i> , 2012 , 14, R211	5.7	28
80	Circulating levels of cytochrome C, gamma-glutamyl transferase, triglycerides and unconjugated bilirubin in overweight/obese patients with non-alcoholic fatty liver disease. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 2011 , 25, 47-56	0.7	28
79	A pharmacokinetic interaction between clarithromycin and sirolimus in kidney transplant recipient. <i>Current Drug Metabolism</i> , 2007 , 8, 379-81	3.5	26
78	Preliminary data on the relationship between circulating levels of Sirtuin 4, anthropometric and metabolic parameters in obese subjects according to growth hormone/insulin-like growth factor-1 status. <i>Growth Hormone and IGF Research</i> , 2015 , 25, 28-33	2	25
77	EC-MPS permits lower gastrointestinal symptom burden despite higher MPA exposure in patients with severe MMF-related gastrointestinal side-effects. <i>Fundamental and Clinical Pharmacology</i> , 2009 , 23, 617-24	3.1	25
76	Evaluation of mycophenolic acid systemic exposure by limited sampling strategy in kidney transplant recipients receiving enteric-coated mycophenolate sodium (EC-MPS) and cyclosporine. <i>Nephrology Dialysis Transplantation</i> , 2011 , 26, 3019-25	4.3	25
75	Oleuropein Induces AMPK-Dependent Autophagy in NAFLD Mice, Regardless of the Gender. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	25
74	Serum 25-Hydroxyvitamin D Levels, phosphoprotein enriched in diabetes gene product (PED/PEA-15) and leptin-to-adiponectin ratio in women with PCOS. <i>Nutrition and Metabolism</i> , 2011 , 8, 84	4.6	24
73	Could the improvement of obesity-related co-morbidities depend on modified gut hormones secretion?. <i>World Journal of Gastroenterology</i> , 2014 , 20, 16649-64	5.6	23
72	Analytical and pharmacological aspects of therapeutic drug monitoring of mTOR inhibitors. <i>Current Drug Metabolism</i> , 2011 , 12, 253-67	3.5	22

71	Relationships of PAI-1 levels to central obesity and liver steatosis in a sample of adult male population in southern Italy. <i>Internal and Emergency Medicine</i> , 2009 , 4, 315-23	3.7	22
70	Carotid intima-media thickness is predicted by combined eotaxin levels and severity of hepatic steatosis at ultrasonography in obese patients with Nonalcoholic Fatty Liver Disease. <i>PLoS ONE</i> , 2014 , 9, e105610	3.7	22
69	Basal metabolic rate in morbidly obese patients with non-alcoholic fatty liver disease. <i>Clinical and Investigative Medicine</i> , 2008 , 31, E24-9	0.9	20
68	Hype or Reality: Should Patients with Metabolic Syndrome-related NAFLD be on the Hunter-Gatherer (Paleo) Diet to Decrease Morbidity?. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2015 , 24, 359-68	1.4	19
67	Association of NAFLD and Insulin Resistance with Non Metastatic Bladder Cancer Patients: A Cross-Sectional Retrospective Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	18
66	Extensive psoriasis induced by pegylated interferon: a case report. <i>Journal of Medical Case Reports</i> , 2007 , 1, 86	1.2	16
65	What does irritable bowel syndrome share with non-alcoholic fatty liver disease?. <i>World Journal of Gastroenterology</i> , 2013 , 19, 5402-20	5.6	15
64	Reliability of total overnight salivary caffeine assessment (TOSCA) for liver function evaluation in compensated cirrhotic patients. <i>European Journal of Clinical Pharmacology</i> , 2006 , 62, 605-12	2.8	15
63	The contribution of omental adipose tissue to adipokine concentrations in patients with the metabolic syndrome. <i>Clinical and Investigative Medicine</i> , 2007 , 30, E192-9	0.9	15
62	Mammalian Target of Rapamycin in Inflammatory Skin Conditions. <i>European Journal of Inflammation</i> , 2014 , 12, 341-350	0.3	14
61	Non-alcoholic fatty liver disease, diet and gut microbiota. <i>EXCLI Journal</i> , 2014 , 13, 461-90	2.4	14
60	Is visceral fat reduction necessary to favour metabolic changes in the liver?. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2012 , 21, 205-8	1.4	14
59	Effects of Ambient Air Pollution on Birth Outcomes: An Overview. <i>Critical Reviews in Environmental Science and Technology</i> , 2013 , 43, 1223-1245	11.1	12
58	Recreational Drugs: a New Health Hazard for Patients with Concomitant Chronic Liver Diseases. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020 , 23, 79-84	1.4	12
57	Hepatic steatosis in overweight/obese females: new screening method for those at risk. <i>World Journal of Gastroenterology</i> , 2009 , 15, 5693-9	5.6	12
56	Urinary excretion of 5-hydroxy-3-indoleacetic acid in dystimic/depressed, adult obese women: what correlations to hepatic steatosis?. <i>International Journal of Immunopathology and Pharmacology</i> , 2011 , 24, 769-79	3	11
55	Long-term assessment of plasma lipids in transplant recipients treated with tacrolimus in relation to fatty liver. <i>International Journal of Immunopathology and Pharmacology</i> , 2010 , 23, 1303-8	3	11
54	Age and Interleukin-15 Levels Are Independently Associated With Intima-Media Thickness in Obesity-Related NAFLD Patients. <i>Frontiers in Medicine</i> , 2021 , 8, 634962	4.9	11

53	Interferon-alpha 2 but not Interferon-gamma serum levels are associated with intramuscular fat in obese patients with nonalcoholic fatty liver disease. <i>Journal of Translational Medicine</i> , 2019 , 17, 8	8.5	11
52	Should visceral fat, strictly linked to hepatic steatosis, be depleted to improve survival?. <i>Hepatology International</i> , 2013 , 7, 413-28	8.8	10
51	Similar serum levels of IL-6 and its soluble receptors in patients with HCV-related arthritis and rheumatoid arthritis: a pilot study. <i>International Journal of Immunopathology and Pharmacology</i> , 2012 , 25, 281-5	3	10
50	Effects of Ambient Air Pollution on Birth Outcomes: An Overview. <i>Critical Reviews in Environmental Science and Technology</i> , 2013 , 43, 752-774	11.1	9
49	Can serum TGF-beta 1 be used to evaluate the response to antiviral therapy of haemophilic patients with HCV-related chronic hepatitis?. <i>International Journal of Immunopathology and Pharmacology</i> , 2008 , 21, 1007-12	3	9
48	Non-alcoholic fatty liver disease, obesity and other illnesses. <i>Clinical and Investigative Medicine</i> , 2008 , 31, E290-5	0.9	8
47	Oleuropein overrides liver damage in steatotic mice. <i>Journal of Functional Foods</i> , 2020 , 65, 103756	5.1	7
46	Absence of pharmacokinetic interference of moxifloxacin on cyclosporine and tacrolimus in kidney transplant recipients. <i>Journal of Clinical Pharmacology</i> , 2010 , 50, 576-80	2.9	7
45	Abnormally high resistive index of central retinal artery by ultrasound color Doppler in patients with viral chronic liver disease: correlation with worsening liver staging. <i>Ultrasound in Medicine and Biology</i> , 2004 , 30, 599-604	3.5	7
44	Low daily dosage of interferon for 1 year after HCV-related end-therapy response. A randomized-controlled study. <i>Liver International</i> , 2003 , 23, 413-9	7.9	7
43	It Is High Time Physicians Thought of Natural Products for Alleviating NAFLD. Is There Sufficient Evidence to Use Them?. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	7
42	Is There a Link between Basal Metabolic Rate, Spleen Volume and Hepatic Growth Factor Levels in Patients with Obesity-Related NAFLD?. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
41	Does spleen volume play a role in patients with HCV-related chronic hepatitis?. <i>International Journal of Immunopathology and Pharmacology</i> , 2009 , 22, 1009-17	3	6
40	HCV infection and chronic arthritis: Does viral replication matter?. <i>Hepatology Research</i> , 2006 , 35, 238-41	5.1	6
39	Nesfatin-1: role as possible new anti-obesity treatment. <i>EXCLI Journal</i> , 2014 , 13, 586-91	2.4	6
38	Hematocrit Values Predict Carotid Intimal-Media Thickness in Obese Patients With Non-Alcoholic Fatty Liver Disease: A Cross-Sectional Study. <i>Frontiers in Endocrinology</i> , 2018 , 9, 203	5.7	5
37	Successful and Safe Long-Term Standard Antiviral Therapy in a Patient with "Explosive" Immune Response in Course of HCV-Related Liver Cirrhosis. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 14075-85	6.3	5
36	Is Assessing the Presence of NASH by Liver Histology or Surrogate Markers Always Advisable?. <i>Hepatitis Monthly</i> , 2013 , 13, e7560	1.8	5

35	Is spleen circulation impaired in systemic sclerosis and what is the role of liver fibrosis?. <i>World Journal of Gastroenterology</i> , 2011 , 17, 1606-13	5.6	5
34	Sublingual administration improves systemic exposure of tacrolimus in kidney transplant recipients: comparison with oral administration. <i>European Journal of Clinical Investigation</i> , 2016 , 46, 651-7	4.6	5
33	Do Transferrin Levels Predict Haemodialysis Adequacy in Patients with End-Stage Renal Disease?. <i>Nutrients</i> , 2019 , 11,	6.7	4
32	Troponin Levels Relate to CRP Concentrations in Patients With NAFLD on Maintenance Haemodialysis: A Retrospective Study. <i>Advances in Therapy</i> , 2020 , 37, 3337-3347	4.1	4
31	"Obesity paradox" or "metabolically benign obesity"?. <i>Eating and Weight Disorders</i> , 2013 , 18, 337-8	3.6	4
30	Noninvasive assessment of liver fibrosis in patients with chronic hepatitis C (and congenital bleeding disorders): where do we stand?. <i>Seminars in Thrombosis and Hemostasis</i> , 2013 , 39, 803-15	5.3	4
29	What non-alcoholic fatty liver disease has got to do with obstructive sleep apnoea syndrome and viceversa?. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2014 , 23, 291-9	1.4	4
28	Endocrine changes (beyond diabetes) after bariatric surgery in adult life. <i>Journal of Endocrinological Investigation</i> , 2013 , 36, 267-79	5.2	4
27	Gastrointestinal peptides and nonalcoholic fatty liver disease. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2020 , 27, 11-15	4	4
26	Clinical factors affecting prostate-specific antigen levels in prostate cancer patients undergoing radical prostatectomy: a retrospective study. <i>Future Science OA</i> , 2021 , 7, FSO643	2.7	4
25	Findings from Studies Are Congruent with Obesity Having a Viral Origin, but What about Obesity-Related NAFLD?. <i>Viruses</i> , 2021 , 13,	6.2	4
24	Nutrition: a promising route for prevention and management of obesity-related nonalcoholic fatty liver disease. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2014 , 20, 39-41	1.3	3
23	Polycystic Ovary Syndrome and Hepatic Steatosis: Could Low-Grade Chronic Inflammation Be Mediated by the Spleen?. <i>European Journal of Inflammation</i> , 2013 , 11, 179-191	0.3	3
22	Circulating levels of interferon-gamma in course of hepatitis C virus-related arthritis. <i>Journal of Interferon and Cytokine Research</i> , 2009 , 29, 389-92	3.5	3
21	Insulin-like Growth Factor-1, Psoriasis, and Inflammation: A MAGE Trois?. <i>European Journal of Inflammation</i> , 2011 , 9, 277-283	0.3	3
20	Could the depression of obese patients suffering from chronic hepatitis C be temporarily improved?. <i>Journal of Viral Hepatitis</i> , 2008 , 15, 646-50	3.4	3
19	A Comparative Study of the Triglycerides/HDL Ratio and Pseudocholinesterase Levels in Patients with Bladder Cancer.. <i>Diagnostics</i> , 2022 , 12,	3.8	3
18	Could high levels of tissue polypeptide specific antigen, a marker of apoptosis detected in nonalcoholic steatohepatitis, improve after weight loss?. <i>Disease Markers</i> , 2009 , 26, 55-63	3.2	3

17	Reticulocyte Hemoglobin Content Helps Avoid Iron Overload in Hemodialysis Patients: A Retrospective Observational Study. <i>In Vivo</i> , 2017 , 31, 709-712	2.3	3
16	Does protracted antiviral therapy impact on HCV-related liver cirrhosis progression?. <i>World Journal of Gastroenterology</i> , 2007 , 13, 4903-8	5.6	3
15	PaO ₂ /FiO ₂ ratio forecasts COVID-19 patients Outcome regardless of age: a cross-sectional, monocentric study. <i>Internal and Emergency Medicine</i> , 2021 , 1	3.7	3
14	Phenotyping of CYP 4501A2 Activity by Total Overnight Salivary Caffeine Assessment (TOSCA) in Patients on Warfarin Treatment: A Cross-Sectional Study. <i>Clinical and Applied Thrombosis/Hemostasis</i> , 2018 , 24, 928-935	3.3	2
13	Serum levels of Lp(a) are related to waist circumference in NAFLD patients with low prevalence of co-morbidities. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2016 , 76, 544-552	2	2
12	Exaggerated immune reactions predict the outcome of interferon therapy in patients with chronic hepatitis C. <i>International Journal of Immunopathology and Pharmacology</i> , 2007 , 20, 837-40	3	2
11	New Avenues for Treatment and Prevention of Drug-Induced Steatosis and Steatohepatitis: Much More Than Antioxidants. <i>Advances in Therapy</i> , 2021 , 38, 2094-2113	4.1	2
10	Liver-spleen axis in nonalcoholic fatty liver disease. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021 , 15, 759-769	4.2	2
9	Lipids Nutrition and Epigenetic Modification in Obesity-Related Co-Morbidities * *All authors equally contributed to draft the manuscript. All authors gave final approval of the version to be published. Disclosure statement: The authors declare that there are no conflicts of interest. 2016 , 85-110		0
8	Comparison of the everolimus concentrations measured in whole blood with everolimus QMS or sirolimus CMIA. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2018 , 78, 275-280	2	0
7	Hepatitis C virus-related arthritis and rheumatoid arthritis: could they be different aspects of the same disease?. <i>International Journal of Immunopathology and Pharmacology</i> , 2012 , 25, 293-6	3	0
6	Beyond Nutrition Is There Any Role for Physical Activity in Nonalcoholic Fatty Liver Disease Therapy? 2014 , 79-87		
5	Synchronous Onset of Secondary Raynaud Phenomenon in Monozygotic Twins. <i>European Journal of Inflammation</i> , 2012 , 10, 535-537	0.3	
4	Copper-catalyzed dicarbonyl stress in NAFLD mice: protective effects of Oleuropein treatment on liver damage.. <i>Nutrition and Metabolism</i> , 2022 , 19, 9	4.6	
3	Lipids, Low-Grade Chronic Inflammation and NAFLD 2016 , 731-759		
2	Suggestive hypothesis on a case report: Patient presenting with cyclical ovarian cysts coupled to increased cholestatic enzymes. <i>Journal of Obstetrics and Gynaecology Research</i> , 2019 , 45, 477-481	1.9	
1	Copper concentrations are prevalently associated with antithrombin III, but also with prothrombin time and fibrinogen in patients with liver cirrhosis: A cross-sectional retrospective study. <i>Journal of Trace Elements in Medicine and Biology</i> , 2021 , 68, 126802	4.1	