

Bin Sun

List of Publications by Citations

Source: <https://exaly.com/author-pdf/1319534/bin-sun-publications-by-citations.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

50
papers

3,267
citations

23
h-index

52
g-index

52
ext. papers

4,042
ext. citations

7.7
avg, IF

5.77
L-index

#	Paper	IF	Citations
50	Advances in three-dimensional nanofibrous macrostructures via electrospinning. <i>Progress in Polymer Science</i> , 2014 , 39, 862-890	29.6	486
49	Highly Thermally Conductive Yet Electrically Insulating Polymer/Boron Nitride Nanosheets Nanocomposite Films for Improved Thermal Management Capability. <i>ACS Nano</i> , 2019 , 13, 337-345	16.7	293
48	Recent advances in large-scale assembly of semiconducting inorganic nanowires and nanofibers for electronics, sensors and photovoltaics. <i>Chemical Society Reviews</i> , 2012 , 41, 4560-80	58.5	254
47	High-k polymer nanocomposites with 1D filler for dielectric and energy storage applications. <i>Progress in Materials Science</i> , 2019 , 100, 187-225	42.2	251
46	Synergistic effect of graphene nanosheet and BaTiO ₃ nanoparticles on performance enhancement of electrospun PVDF nanofiber mat for flexible piezoelectric nanogenerators. <i>Nano Energy</i> , 2018 , 52, 153-162	17.1	206
45	Recent advances in solar cells based on one-dimensional nanostructure arrays. <i>Nanoscale</i> , 2012 , 4, 2783-96	9.6	191
44	Vertically Aligned and Interconnected Boron Nitride Nanosheets for Advanced Flexible Nanocomposite Thermal Interface Materials. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 30909-30917	9.5	186
43	A high performance wearable strain sensor with advanced thermal management for motion monitoring. <i>Nature Communications</i> , 2020 , 11, 3530	17.4	141
42	Recent advances in flexible and stretchable electronic devices via electrospinning. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 1209-1219	7.1	127
41	Cellulose/BaTiO ₃ aerogel paper based flexible piezoelectric nanogenerators and the electric coupling with triboelectricity. <i>Nano Energy</i> , 2019 , 57, 450-458	17.1	121
40	Color Manipulation of Intense Multiluminescence from CaZnOS:Mn ²⁺ by Mn ²⁺ Concentration Effect. <i>Chemistry of Materials</i> , 2015 , 27, 7481-7489	9.6	114
39	Self-assembly of a three-dimensional fibrous polymer sponge by electrospinning. <i>Nanoscale</i> , 2012 , 4, 2134-7	7.7	101
38	Wireless piezoelectric devices based on electrospun PVDF/BaTiO NW nanocomposite fibers for human motion monitoring. <i>Nanoscale</i> , 2018 , 10, 17751-17760	7.7	97
37	Eu ²⁺ /Eu ³⁺ -emission-ratio-tunable CaZr(PO ₄) ₂ :Eu phosphors synthesized in air atmosphere for potential white light-emitting deep UV LEDs. <i>Journal of Materials Chemistry C</i> , 2014 , 2, 312-318	7.1	93
36	Fabrication of curled conducting polymer microfibrillar arrays via a novel electrospinning method for stretchable strain sensors. <i>Nanoscale</i> , 2013 , 5, 7041-5	7.7	85
35	Dielectric Modulated Cellulose Paper/PDMS-Based Triboelectric Nanogenerators for Wireless Transmission and Electropolymerization Applications. <i>Advanced Functional Materials</i> , 2020 , 30, 1904536	15.6	71
34	Electrospun anisotropic architectures and porous structures for tissue engineering. <i>Journal of Materials Chemistry B</i> , 2015 , 3, 5389-5410	7.3	62

33	Interface induced performance enhancement in flexible BaTiO ₃ /PVDF-TrFE based piezoelectric nanogenerators. <i>Nano Energy</i> , 2021 , 80, 105515	17.1	52
32	Mechanical and electrical properties of electrospun PVDF/MWCNT ultrafine fibers using rotating collector. <i>Nanoscale Research Letters</i> , 2014 , 9, 522	5	45
31	Solventless electrospinning of ultrathin polycyanoacrylate fibers. <i>Polymer Chemistry</i> , 2013 , 4, 5696	4.9	36
30	Fabrication of comb-like ZnO nanostructures for room-temperature CO gas sensing application. <i>Vacuum</i> , 2014 , 101, 113-117	3.7	31
29	Fabrication and biocompatibility of poly(l-lactic acid) and chitosan composite scaffolds with hierarchical microstructures. <i>Materials Science and Engineering C</i> , 2016 , 64, 341-345	8.3	29
28	Fabrication of highly ordered porous anodic alumina membrane with ultra-large pore intervals in ethylene glycol-modified citric acid solution. <i>Journal of Porous Materials</i> , 2013 , 20, 785-788	2.4	23
27	Hierarchical PVDF-HFP/ZnO composite nanofiber based highly sensitive piezoelectric sensor for wireless workout monitoring. <i>Advanced Composites and Hybrid Materials</i> , 1	8.7	22
26	A stretchable laminated GNRs/BNNSs nanocomposite with high electrical and thermal conductivity. <i>Nanoscale</i> , 2019 , 11, 20648-20658	7.7	21
25	Polymer nanofibers prepared by low-voltage near-field electrospinning. <i>Chinese Physics B</i> , 2012 , 21, 048102	10.2	20
24	Assembly of Oriented Ultrafine Polymer Fibers by Centrifugal Electrospinning. <i>Journal of Nanomaterials</i> , 2013 , 2013, 1-9	3.2	18
23	Preparation of Curled Microfibers by Electrospinning with Tip Collector. <i>Chinese Physics Letters</i> , 2011 , 28, 056801	1.8	14
22	Elastico-mechanoluminescent enhancement with Gd ³⁺ codoping in diphase (Ba,Ca)TiO ₃ :Pr ³⁺ . <i>Optical Materials Express</i> , 2014 , 4, 2300	2.6	13
21	Seeking advanced thermal management for stretchable electronics. <i>Npj Flexible Electronics</i> , 2021 , 5,	10.7	10
20	Needleless electrospinning for large scale production of ultrathin polymer fibres. <i>Materials Research Innovations</i> , 2014 , 18, S4-833-S4-837	1.9	9
19	Electrospun fluorescein/polymer composite nanofibers and their photoluminescent properties. <i>Chinese Physics B</i> , 2012 , 21, 097805	1.2	7
18	Synthesis, Structural and Gas Sensing Properties of Nano-Branched Coaxial Polyaniline Fibers by Electrospinning. <i>Advanced Materials Research</i> , 2012 , 562-564, 308-311	0.5	6
17	Fabrication of Nanofibers by Low-Voltage Near-Field Electrospinning. <i>Advanced Materials Research</i> , 2012 , 486, 60-64	0.5	6
16	Magnetic-Electrospinning Synthesis of Fe ₃ O ₄ Nanoparticle-Embedded Flexible Nanofibrous Films for Electromagnetic Shielding. <i>Polymers</i> , 2020 , 12,	4.5	5

15	Highly conductive, flexible and functional multi-channel graphene microtube fabricated by electro spray deposition technique. <i>Journal of Materials Science</i> , 2019 , 54, 14378-14387	4.3	5
14	Aligned Nanofiber Arrays and Twisted Nanofiber Ropes via Electrospinning with Two Frames Collector. <i>Advanced Materials Research</i> , 2013 , 690-693, 523-526	0.5	3
13	Thermal effect on the efficiency and stability of luminescent solar concentrators based on colloidal quantum dots. <i>Journal of Materials Chemistry C</i> , 2021 , 9, 5723-5731	7.1	3
12	Ultrafast Response Humidity Sensor Based on Electrospun Porous BaTiO ₃ Nanofibers. <i>Applied Mechanics and Materials</i> , 2013 , 319, 43-48	0.3	2
11	Fabrication of Fluorescent Polymer Crossbar Arrays and Microropes via Centrifugal Electrospinning. <i>Advanced Materials Research</i> , 2013 , 785-786, 517-522	0.5	2
10	Fabrication and Formation Mechanism of Electrospun Spatially Defined Fibrous Patterning Structures on Conductive and Insulating Substrates. <i>Key Engineering Materials</i> , 2014 , 609-610, 842-848	0.4	2
9	Synthesis, Electrical and Humidity Sensing Properties of BaTiO ₃ Nanofibers via Electrospinning. <i>Advanced Materials Research</i> , 2011 , 418-420, 684-687	0.5	2
8	Preparation and Electrochemical Properties of LiMn ₂ O ₄ Nanofibers via Electrospinning for Lithium Ion Batteries. <i>Advanced Materials Research</i> , 2012 , 562-564, 799-802	0.5	2
7	Stretchable Phosphor/Boron Nitride Nanosheet/Polydimethylsiloxane Films for Thermal Management and Rapid Monitoring. <i>ACS Applied Polymer Materials</i> , 2022 , 4, 1431-1439	4.3	0
6	Fabrication of Microfibrous Patterns via Electrospinning. <i>Materials Science Forum</i> , 2014 , 789, 32-35	0.4	
5	Thickness dependence of stress in La _{0.9} Sr _{0.1} MnO ₃ monocrystalline nanofilms using synchrotron radiation X-ray diffraction. <i>Journal of Crystal Growth</i> , 2013 , 366, 39-42	1.6	
4	Electrical Properties of Electrospun Flexible and Stretchable PVDF/PANI Nanoropes. <i>Applied Mechanics and Materials</i> , 2014 , 687-691, 4218-4222	0.3	
3	Synthesis, Structural and Photoelectrical Properties of Self-Assembled Gold-Poly(3,4-Ethylenedioxythiophene) Nanowires and Nanocables. <i>Advanced Materials Research</i> , 2013 , 650, 200-205	0.5	
2	Assembly of Well-Aligned Electrospun Nanofibers via Contact-Transfer Printing. <i>Advanced Materials Research</i> , 2012 , 562-564, 277-280	0.5	
1	Preparation, Electrical Conductivity, Photocurrent and Wettability of Carbon Microcoils. <i>Advanced Materials Research</i> , 2012 , 465, 125-131	0.5	