
Helen Fifer

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/1320026/publications.pdf Version: 2024-02-01



#	ARTICLE	lF	CITATIONS
1	ls there an association between previous infection with <i>Neisseria gonorrhoeae</i> and gonococcal AMR? A cross-sectional analysis of national and sentinel surveillance data in England, 2015–2019. Sexually Transmitted Infections, 2023, 99, 1-6.	1.9	11
2	No widespread dissemination of <i>Chlamydia trachomatis</i> diagnostic-escape variants and the impact of <i>Neisseria gonorrhoeae</i> positivity on the Aptima Combo 2 assay. Sexually Transmitted Infections, 2022, 98, 366-370.	1.9	3
3	Antimicrobial resistance in bacterial sexually transmitted infections. Medicine, 2022, , .	0.4	2
4	BASHH updated position statement on doxycycline as prophylaxis for sexually transmitted infections. Sexually Transmitted Infections, 2022, 98, 235-236.	1.9	13
5	Significant increase in azithromycin "resistance―and susceptibility to ceftriaxone and cefixime in Neisseria gonorrhoeae isolates in 26 European countries, 2019. BMC Infectious Diseases, 2022, 22, .	2.9	16
6	Factors associated with reporting antibiotic use as STI prophylaxis among HIV PrEP users: findings from a cross-sectional online community survey, May–July 2019, UK. Sexually Transmitted Infections, 2021, 97, 429-433.	1.9	19
7	Shining the light on congenital syphilis: from TORCH to SCORTCH. Archives of Disease in Childhood, 2021, 106, 937-938.	1.9	4
8	What's left in the cupboard? Older antimicrobials for treating gonorrhoea. Journal of Antimicrobial Chemotherapy, 2021, 76, 1215-1220.	3.0	8
9	Detection of markers predictive of macrolide and fluoroquinolone resistance in Mycoplasma genitalium from patients attending sexual health services. Sexually Transmitted Infections, 2021, , sextrans-2020-054897.	1.9	9
10	Developing a model to predict individualised treatment for gonorrhoea: a modelling study. BMJ Open, 2021, 11, e042893.	1.9	2
11	Oropharyngeal Neisseria gonorrhoeae infections: should women be routinely tested?. Lancet Infectious Diseases, The, 2021, 21, 754-756.	9.1	1
12	Frequency and Correlates of Mycoplasma genitalium Antimicrobial Resistance Mutations and Their Association With Treatment Outcomes: Findings From a National Sentinel Surveillance Pilot in England. Sexually Transmitted Diseases, 2021, 48, 951-954.	1.7	11
13	OUP accepted manuscript. Journal of Antimicrobial Chemotherapy, 2021, , .	3.0	1
14	2018 UK national guideline for the management of infection with <i>Neisseria gonorrhoeae</i> . International Journal of STD and AIDS, 2020, 31, 4-15.	1.1	159
15	Prevalence of Chlamydia trachomatis and Mycoplasma genitalium coinfections and M. genitalium antimicrobial resistance in rectal specimens. Sexually Transmitted Infections, 2020, 97, sextrans-2020-054803.	1.9	1
16	Genomic and Phenotypic Variability in <i>Neisseria gonorrhoeae</i> Antimicrobial Susceptibility, England. Emerging Infectious Diseases, 2020, 26, 505-515.	4.3	26
17	Lessons learnt from ceftriaxone-resistant gonorrhoea in the UK and Australia. Lancet Infectious Diseases, The, 2020, 20, 276-278.	9.1	21
18	Phylogenomic analysis of Neisseria gonorrhoeae transmission to assess sexual mixing and HIV transmission risk in England: a cross-sectional, observational, whole-genome sequencing study. Lancet Infectious Diseases, The, 2020, 20, 478-486.	9.1	22

Helen Fifer

#	Article	IF	CITATIONS
19	Detection of the United States Neisseria meningitidis urethritis clade in the United Kingdom, August and December 2019 – emergence of multiple antibiotic resistance calls for vigilance. Eurosurveillance, 2020, 25, .	7.0	16
20	British Association for Sexual Health and HIV national guideline for the management of infection with <i>Mycoplasma genitalium</i> (2018). International Journal of STD and AIDS, 2019, 30, 938-950.	1.1	117
21	Gentamicin, azithromycin and ceftriaxone in the treatment of gonorrhoea: the relationship between antibiotic MIC and clinical outcome. Journal of Antimicrobial Chemotherapy, 2019, 75, 449-457.	3.0	14
22	Just Google it! Impact of media coverage of an outbreak of high-level azithromycin-resistant <i>Neisseria gonorrhoeae</i> on online searches, and attendances, testing and diagnoses at sexual health clinics in England between 2015 and 2016: an interrupted time series analysis using surveillance data. Sexually Transmitted Infections, 2019, 95, 594-601.	1.9	5
23	Amendment to the UK guidelines on the management of syphilis 2015: Management of syphilis in pregnant women. International Journal of STD and AIDS, 2019, 30, 1344-1345.	1.1	5
24	Detection in the United Kingdom of the Neisseria gonorrhoeae FC428 clone, with ceftriaxone resistance and intermediate resistance to azithromycin, October to December 2018. Eurosurveillance, 2019, 24, .	7.0	107
25	Prevalence of new variants of Chlamydia trachomatis escaping detection by the Aptima Combo 2 assay, England, June to August 2019. Eurosurveillance, 2019, 24, .	7.0	8
26	Genetic relatedness of ceftriaxone-resistant and high-level azithromycin resistant Neisseria gonorrhoeae cases, United Kingdom and Australia, February to April 2018. Eurosurveillance, 2019, 24, .	7.0	77
27	Sustained transmission of high-level azithromycin-resistant Neisseria gonorrhoeae in England: an observational study. Lancet Infectious Diseases, The, 2018, 18, 573-581.	9.1	99
28	ls previous azithromycin treatment associated with azithromycin resistance in <i>Neisseria gonorrhoeae</i> ? A cross-sectional study using national surveillance data in England. Sexually Transmitted Infections, 2018, 94, 421-426.	1.9	20
29	Prevalence of and factors associated with MDR Neisseria gonorrhoeae in England and Wales between 2004 and 2015: analysis of annual cross-sectional surveillance surveys. Journal of Antimicrobial Chemotherapy, 2018, 73, 923-932.	3.0	21
30	Detection of markers predictive of macrolide and fluoroquinolone resistance in Mycoplasma genitalium from patients attending sexual health services in England. Sexually Transmitted Infections, 2018, 94, 9-13.	1.9	31
31	Gonorrhoea treatment failure caused by a Neisseria gonorrhoeae strain with combined ceftriaxone and high-level azithromycin resistance, England, February 2018. Eurosurveillance, 2018, 23, .	7.0	255
32	Treatment for pharyngeal gonorrhoea under threat. Lancet Infectious Diseases, The, 2018, 18, 1175-1177.	9.1	9
33	Persistence of an outbreak of gonorrhoea with high-level resistance to azithromycin in England, November 2014‒May 2018. Eurosurveillance, 2018, 23, .	7.0	19
34	Congenital syphilis in England and amendments to the BASHH guideline for management of affected infants. International Journal of STD and AIDS, 2017, 28, 1361-1362.	1.1	4
35	Analysis of the potential for point-of-care test to enable individualised treatment of infections caused by antimicrobial-resistant and susceptible strains of <i>Neisseria gonorrhoeae</i> : a modelling study. BMJ Open, 2017, 7, e015447.	1.9	43
36	Factors associated with four atypical cases of congenital syphilis in England, 2016 to 2017: an ecological analysis. Eurosurveillance, 2017, 22, .	7.0	19

#	Article	IF	CITATIONS
37	Failure of Dual Antimicrobial Therapy in Treatment of Gonorrhea. New England Journal of Medicine, 2016, 374, 2504-2506.	27.0	283
38	An outbreak of high-level azithromycin resistant <i>Neisseria gonorrhoeae</i> in England. Sexually Transmitted Infections, 2016, 92, 365-367.	1.9	87