

Barbara Castelnovo

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/1320074/barbara-castelnovo-publications-by-year.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

105
papers

1,737
citations

21
h-index

39
g-index

128
ext. papers

2,168
ext. citations

4.9
avg, IF

4.32
L-index

#	Paper	IF	Citations
105	Willingness to pay for an mHealth anti-retroviral therapy adherence and information tool: Transitioning to sustainability, Call for life randomised study experience in Uganda.. <i>BMC Medical Informatics and Decision Making</i> , 2022 , 22, 52	3.6	0
104	Association between integrase strand transfer inhibitor (INSTIs) use with insulin resistance and incident diabetes mellitus in persons living with HIV: A systematic review and meta-analysis protocol.. <i>PLoS ONE</i> , 2022 , 17, e0264792	3.7	0
103	"I felt very small and embarrassed by the health care provider when I requested to be tested for syphilis": barriers and facilitators of regular syphilis and HIV testing among female sex workers in Uganda. <i>BMC Public Health</i> , 2021 , 21, 1982	4.1	0
102	Spectrum of antibiotic resistance in UTI caused by Escherichia coli among HIV-infected patients in Uganda: a cross-sectional study. <i>BMC Infectious Diseases</i> , 2021 , 21, 1179	4	0
101	Patient experiences of switching from Efavirenz- to Dolutegravir-based antiretroviral therapy: a qualitative study in Uganda. <i>BMC Infectious Diseases</i> , 2021 , 21, 1154	4	0
100	Global estimates of viral suppression in children and adolescents and adults on antiretroviral therapy adjusted for missing viral load measurements: a multiregional, retrospective cohort study in 31 countries. <i>Lancet HIV,the</i> , 2021 , 8, e766-e775	7.8	3
99	Cost-Effectiveness of Peer-Delivered HIV Self-Tests for MSM in Uganda. <i>Frontiers in Public Health</i> , 2021 , 9, 651325	6	2
98	Text message reminders and peer education increase HIV and Syphilis testing among female sex workers: a pilot quasi-experimental study in Uganda. <i>BMC Health Services Research</i> , 2021 , 21, 436	2.9	3
97	Circulating levels of angiogenic factors and their association with preeclampsia among pregnant women at Mulago National Referral Hospital in Uganda. <i>PLoS ONE</i> , 2021 , 16, e0251227	3.7	0
96	Outcomes of retained and disengaged pregnant women living with HIV in Uganda. <i>PLoS ONE</i> , 2021 , 16, e0251413	3.7	1
95	Gaps in TB preventive therapy for persons initiating antiretroviral therapy in Uganda: an explanatory sequential cascade analysis. <i>International Journal of Tuberculosis and Lung Disease</i> , 2021 , 25, 388-394	2.1	1
94	Acceptability of a Mobile Phone Support Tool (Call for Life Uganda) for Promoting Adherence to Antiretroviral Therapy Among Young Adults in a Randomized Controlled Trial: Exploratory Qualitative Study. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e17418	5.5	3
93	Dolutegravir or Darunavir in Combination with Zidovudine or Tenofovir to Treat HIV. <i>New England Journal of Medicine</i> , 2021 , 385, 330-341	59.2	13
92	Out of sight, out of mind? PA follow-up on HIV-infected patients with drug-resistant pulmonary tuberculosis in Uganda: A case series. <i>SAGE Open Medical Case Reports</i> , 2021 , 9, 2050313X211019790	0.7	
91	Comparison of different cardiovascular risk tools used in HIV patient cohorts in sub-Saharan Africa; do we need to include laboratory tests?. <i>PLoS ONE</i> , 2021 , 16, e0243552	3.7	2
90	Low bone mass in people living with HIV on long-term anti-retroviral therapy: A single center study in Uganda. <i>PLoS ONE</i> , 2021 , 16, e0246389	3.7	0
89	An Interactive Voice Response Software to Improve the Quality of Life of People Living With HIV in Uganda: Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e22229	5.5	5

88	Heme oxygenase-1 and neopterin plasma/serum levels and their role in diagnosing active and latent TB among HIV/TB co-infected patients: a cross sectional study. <i>BMC Infectious Diseases</i> , 2021 , 21, 711	4	0
87	Adoption of evidence-informed guidelines in prescribing protease inhibitors for HIV-Tuberculosis co-infected patients on rifampicin and effects on HIV treatment outcomes in Uganda. <i>BMC Infectious Diseases</i> , 2021 , 21, 822	4	
86	Chronic obstructive pulmonary disease prevalence and associated factors in an urban HIV clinic in a low income country. <i>PLoS ONE</i> , 2021 , 16, e0256121	3.7	0
85	Virologic suppression and associated factors in HIV infected Ugandan female sex workers: a cross-sectional study. <i>African Health Sciences</i> , 2021 , 21, 603-613	1.1	0
84	A situation analysis of competences of research ethics committee members regarding review of research protocols with complex and emerging study designs in Uganda. <i>BMC Medical Ethics</i> , 2021 , 22, 132	2.9	0
83	Gaps related to screening and diagnosis of tuberculosis in care cascade in selected health facilities in East Africa countries: A retrospective study. <i>Journal of Clinical Tuberculosis and Other Mycobacterial Diseases</i> , 2021 , 25, 100278	2.1	2
82	Intrapreneurship and technological innovation in optimizing qualitative research as evidenced at Infectious Diseases Institute, Uganda.. <i>Journal of Innovation and Entrepreneurship</i> , 2021 , 10, 47	3.2	
81	Dolutegravir-associated hyperglycaemia in patients with HIV. <i>Lancet HIV,the</i> , 2020 , 7, e461-e462	7.8	24
80	Calcaneal Quantitative Ultrasonography and Urinary Retinol-Binding Protein in Antiretroviral-Treated Patients With Human Immunodeficiency Virus in Uganda: A Pilot Study. <i>Journal of Infectious Diseases</i> , 2020 , 222, 263-272	7	1
79	Peer distribution of HIV self-test kits to men who have sex with men to identify undiagnosed HIV infection in Uganda: A pilot study. <i>PLoS ONE</i> , 2020 , 15, e0227741	3.7	26
78	Estimating the effect of pretreatment loss to follow up on TB associated mortality at public health facilities in Uganda. <i>PLoS ONE</i> , 2020 , 15, e0241611	3.7	4
77	Hyperglycaemia and pharmacokinetics of rifampicin/isoniazid among TB-HIV co-infected patients in Kampala, Uganda. <i>International Journal of Tuberculosis and Lung Disease</i> , 2020 , 24, 1234-1240	2.1	
76	Implementing routine physical function screening among elderly HIV-positive patients in Uganda. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020 , 32, 1467-1470	2.2	1
75	A high prevalence of hepatitis B virus infection in pregnant, South-South migrating African women: The need for routine screening, vaccination and follow up. <i>Travel Medicine and Infectious Disease</i> , 2020 , 37, 101650	8.4	
74	Patient and health system factors associated with pretreatment loss to follow up among patients diagnosed with tuberculosis using Xpert [®] MTB/RIF testing in Uganda. <i>BMC Public Health</i> , 2020 , 20, 18554	4.1	0
73	HIV and syphilis testing behaviors among heterosexual male and female sex workers in Uganda. <i>AIDS Research and Therapy</i> , 2020 , 17, 48	3	
72	The Potential Teratogenicity Alert for Women Conceiving on Dolutegravir-Based Regimens: An Assessment of Risk Communication by an Urban HIV Clinic in Uganda and Choices made by Women. <i>Drug Safety</i> , 2020 , 43, 1133-1140	5.1	3
71	Psychosocial correlates of regular syphilis and HIV screening practices among female sex workers in Uganda: a cross-sectional survey. <i>AIDS Research and Therapy</i> , 2019 , 16, 28	3	4

70	Incidence rate of sexually transmitted infections among HIV infected patients on long-term ART in an urban and a rural clinic in Uganda. <i>BMC Public Health</i> , 2019 , 19, 87	4.1	4
69	Research priorities to inform "Treat All" policy implementation for people living with HIV in sub-Saharan Africa: a consensus statement from the International epidemiology Databases to Evaluate AIDS (IeDEA). <i>Journal of the International AIDS Society</i> , 2019 , 22, e25218	5.4	18
68	Acceptability, perceived reliability and challenges associated with distributing HIV self-test kits to young MSM in Uganda: a qualitative study. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25269	5.4	27
67	An observational study in an urban Ugandan clinic comparing virological outcomes of patients switched from first-line antiretroviral regimens to second-line regimens containing ritonavir-boosted atazanavir or ritonavir-boosted lopinavir. <i>BMC Infectious Diseases</i> , 2019 , 19, 280	4	4
66	Longer-term effectiveness of protease-inhibitor-based second line antiretroviral therapy in four large sub-Saharan African clinics. <i>Journal of Infection</i> , 2019 , 78, 402-408	18.9	1
65	Low Antituberculosis Drug Concentrations in HIV-Tuberculosis-Coinfected Adults with Low Body Weight: Is It Time To Update Dosing Guidelines?. <i>Antimicrobial Agents and Chemotherapy</i> , 2019 , 63,	5.9	4
64	The Influence of Pharmacogenetic Variants in HIV/Tuberculosis Coinfected Patients in Uganda in the SOUTH Study. <i>Clinical Pharmacology and Therapeutics</i> , 2019 , 106, 450-457	6.1	7
63	A decade of antiretroviral therapy in Uganda: what are the emerging causes of death?. <i>BMC Infectious Diseases</i> , 2019 , 19, 77	4	12
62	Implementation of "Treat-all" at adult HIV care and treatment sites in the Global IeDEA Consortium: results from the Site Assessment Survey. <i>Journal of the International AIDS Society</i> , 2019 , 22, e25331	5.4	13
61	Increasing retention of HIV positive pregnant and breastfeeding mothers on option-b plus by upgrading and providing full time HIV services at a lower health facility in rural Uganda. <i>BMC Public Health</i> , 2019 , 19, 950	4.1	4
60	Evaluation of the Management of Patients with Detectable Viral Load after the Implementation of Routine Viral Load Monitoring in an Urban HIV Clinic in Uganda. <i>AIDS Research and Treatment</i> , 2019 , 2019, 9271450	2.3	2
59	Bending the Arc towards Equitable Partnerships in Global Health and Applied Training. <i>Annals of Global Health</i> , 2019 , 85, 130	3.3	6
58	Virological Outcome of Patients With HIV Drug Resistance Attending an Urban Outpatient Clinic in Uganda: A Need for Structured Adherence Counseling and Third-Line Treatment Options. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2019 , 80, 481-487	3.1	2
57	Antiretroviral concentration measurements as an additional tool to manage virologic failure in resource limited settings: a case control study. <i>AIDS Research and Therapy</i> , 2019 , 16, 39	3	1
56	Importance of routine viral load monitoring: higher levels of resistance at ART failure in Uganda and Lesotho compared with Switzerland. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 468-472	5.1	6
55	High efavirenz serum concentrations in TB/HIV-coinfected Ugandan adults with a CYP2B6 516 TT genotype on anti-TB treatment. <i>Journal of Antimicrobial Chemotherapy</i> , 2019 , 74, 135-138	5.1	5
54	Global Trends in CD4 Cell Count at the Start of Antiretroviral Therapy: Collaborative Study of Treatment Programs. <i>Clinical Infectious Diseases</i> , 2018 , 66, 893-903	11.6	75
53	Antiretroviral treatment Long-Term (ALT) cohort: a prospective cohort of 10 years of ART-experienced patients in Uganda. <i>BMJ Open</i> , 2018 , 8, e015490	3	6

52	Delayed Sputum Culture Conversion in Tuberculosis-Human Immunodeficiency Virus-Coinfected Patients With Low Isoniazid and Rifampicin Concentrations. <i>Clinical Infectious Diseases</i> , 2018 , 67, 708-716	11.6	21
51	High mobile phone ownership but low internet access and use among young adults attending an urban HIV clinic in Uganda. <i>Vulnerable Children and Youth Studies</i> , 2018 , 13, 207-220	1.3	8
50	Significant rates of risky sexual behaviours among HIV-infected patients failing first-line ART: A sub-study of the Europe-Africa Research Network for the Evaluation of Second-line Therapy trial. <i>International Journal of STD and AIDS</i> , 2018 , 29, 287-297	1.4	1
49	The utility of pharmacokinetic studies for the evaluation of exposure-response relationships for standard dose anti-tuberculosis drugs. <i>Tuberculosis</i> , 2018 , 108, 77-82	2.6	9
48	Ten years of antiretroviral therapy: Incidences, patterns and risk factors of opportunistic infections in an urban Ugandan cohort. <i>PLoS ONE</i> , 2018 , 13, e0206796	3.7	16
47	Describing the retention in care of human immunodeficiency virus-positive young adults who transition from adolescent to adult care. <i>International Health</i> , 2018 , 10, 318-320	2.4	3
46	Retention of HIV infected pregnant and breastfeeding women on option B+ in Gomba District, Uganda: a retrospective cohort study. <i>BMC Infectious Diseases</i> , 2018 , 18, 533	4	26
45	Risky sexual behavior among patients on long-term antiretroviral therapy: a prospective cohort study in urban and rural Uganda. <i>AIDS Research and Therapy</i> , 2018 , 15, 15	3	7
44	HIV-1 Drug Resistance Among Ugandan Adults Attending an Urban Out-Patient Clinic. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018 , 78, 566-573	3.1	7
43	Early virological failure and HIV drug resistance in Ugandan adults co-infected with tuberculosis. <i>AIDS Research and Therapy</i> , 2017 , 14, 1	3	21
42	Persons living with HIV infection on antiretroviral therapy also consulting traditional healers: a study in three African countries. <i>International Journal of STD and AIDS</i> , 2017 , 28, 1018-1027	1.4	11
41	Treatment decisions and mortality in HIV-positive presumptive smear-negative TB in the Xpert MTB/RIF era: a cohort study. <i>BMC Infectious Diseases</i> , 2017 , 17, 433	4	10
40	Challenges in Assessing Outcomes among Infants of Pregnant HIV-Positive Women Receiving ART in Uganda. <i>AIDS Research and Treatment</i> , 2017 , 2017, 3202737	2.3	
39	Describing Point of Entry into Care and Being Lost to Program in a Cohort of HIV Positive Pregnant Women in a Large Urban Centre in Uganda. <i>AIDS Research and Treatment</i> , 2017 , 2017, 3527563	2.3	6
38	Rates of switching to second-line antiretroviral therapy and impact of delayed switching on immunologic, virologic, and mortality outcomes among HIV-infected adults with virologic failure in Rakai, Uganda. <i>BMC Infectious Diseases</i> , 2017 , 17, 582	4	24
37	Different modalities of entry in a large urban clinic in Uganda and impact on outcomes of patients assessing HIV care and treatment. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2017 , 29, 259-262	2.2	1
36	A survey of machine learning applications in HIV clinical research and care. <i>Computers in Biology and Medicine</i> , 2017 , 91, 366-371	7	24
35	Cohort profile of a study on outcomes related to tuberculosis and antiretroviral drug concentrations in Uganda: design, methods and patient characteristics of the SOUTH study. <i>BMJ Open</i> , 2017 , 7, e014679	3	6

34	Elevated Aspergillus-specific antibody levels among HIV infected Ugandans with pulmonary tuberculosis. <i>BMC Pulmonary Medicine</i> , 2017 , 17, 149	3.5	15
33	First-line antiretroviral therapy durability in a 10-year cohort of naïve adults started on treatment in Uganda. <i>Journal of the International AIDS Society</i> , 2016 , 19, 20773	5.4	15
32	Implementation of Tuberculosis Intensive Case Finding, Isoniazid Preventive Therapy, and Infection Control ("Three I ³ ") and HIV-Tuberculosis Service Integration in Lower Income Countries. <i>PLoS ONE</i> , 2016 , 11, e0153243	3.7	17
31	Reevaluating Cumulative HIV-1 Viral Load as a Prognostic Predictor: Predicting Opportunistic Infection Incidence and Mortality in a Ugandan Cohort. <i>American Journal of Epidemiology</i> , 2016 , 184, 67-77	3.8	11
30	A prospective ascertainment of cancer incidence in sub-Saharan Africa: The case of Kaposi sarcoma. <i>Cancer Medicine</i> , 2016 , 5, 914-28	4.8	33
29	Strengthening the "Viral Failure Pathway": Clinical Decision and Outcomes of Patients With Confirmed Viral Failure in a Large HIV Care Clinic in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2015 , 70, e174-6	3.1	6
28	Outcomes in a Cohort of Patients Started on Antiretroviral Treatment and Followed up for a Decade in an Urban Clinic in Uganda. <i>PLoS ONE</i> , 2015 , 10, e0142722	3.7	19
27	Multi-Media Educational Tool Increases Knowledge of Clinical Trials in Uganda. <i>Journal of Clinical Research & Bioethics</i> , 2014 , 5, 165		8
26	Low isoniazid and rifampicin concentrations in TB/HIV co-infected patients in Uganda. <i>Journal of the International AIDS Society</i> , 2014 , 17, 19585	5.4	6
25	Among patients with sustained viral suppression in a resource-limited setting, CD4 gains are continuous although gender-based differences occur. <i>PLoS ONE</i> , 2013 , 8, e73190	3.7	11
24	Tuberculosis in antiretroviral treatment programs in lower income countries: availability and use of diagnostics and screening. <i>PLoS ONE</i> , 2013 , 8, e77697	3.7	18
23	Comparison of methods for correction of mortality estimates for loss to follow-up after ART initiation: a case of the Infectious Diseases Institute, Uganda. <i>PLoS ONE</i> , 2013 , 8, e83524	3.7	19
22	Cost-effectiveness of early initiation of first-line combination antiretroviral therapy in Uganda. <i>BMC Public Health</i> , 2012 , 12, 736	4.1	12
21	Evaluation of portable point-of-care CD4 counter with high sensitivity for detecting patients eligible for antiretroviral therapy. <i>PLoS ONE</i> , 2012 , 7, e34319	3.7	49
20	Evaluating the cost-effectiveness of combination antiretroviral therapy for the prevention of mother-to-child transmission of HIV in Uganda. <i>Bulletin of the World Health Organization</i> , 2012 , 90, 595-603	8.2	49
19	Integration of HIV and TB services results in improved TB treatment outcomes and earlier prioritized ART initiation in a large urban HIV clinic in Uganda. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2012 , 60, e29-35	3.1	65
18	Rifampicin for continuation phase tuberculosis treatment in Uganda: a cost-effectiveness analysis. <i>PLoS ONE</i> , 2012 , 7, e39187	3.7	11
17	Implementation of provider-based electronic medical records and improvement of the quality of data in a large HIV program in Sub-Saharan Africa. <i>PLoS ONE</i> , 2012 , 7, e51631	3.7	47

16	Evaluation of WHO Criteria for Viral Failure in Patients on Antiretroviral Treatment in Resource-Limited Settings. <i>AIDS Research and Treatment</i> , 2011 , 2011, 736938	2.3	14
15	Cost effectiveness of a pharmacy-only refill program in a large urban HIV/AIDS clinic in Uganda. <i>PLoS ONE</i> , 2011 , 6, e18193	3.7	37
14	Quality of data collection in a large HIV observational clinic database in sub-Saharan Africa: implications for clinical research and audit of care. <i>Journal of the International AIDS Society</i> , 2011 , 14, 3	5.4	29
13	Cost-effectiveness of serum cryptococcal antigen screening to prevent deaths among HIV-infected persons with a CD4+ cell count <i>Clinical Infectious Diseases</i> , 2010 , 51, 448-55	11.6	241
12	Three-year outcome data of second-line antiretroviral therapy in Ugandan adults: good virological response but high rate of toxicity. <i>Journal of the International Association of Providers of AIDS Care</i> , 2009 , 8, 52-9		19
11	High rate of misclassification of treatment failure based on WHO immunological criteria. <i>Aids</i> , 2009 , 23, 1295-6; author reply 1296	3.5	10
10	Cause-specific mortality and the contribution of immune reconstitution inflammatory syndrome in the first 3 years after antiretroviral therapy initiation in an urban African cohort. <i>Clinical Infectious Diseases</i> , 2009 , 49, 965-72	11.6	104
9	Reply to van Griensven et al. <i>Clinical Infectious Diseases</i> , 2008 , 46, 322-322	11.6	
8	Can response of a pruritic papular eruption to antiretroviral therapy be used as a clinical parameter to monitor virological outcome?. <i>Aids</i> , 2008 , 22, 269-73	3.5	24
7	Symptomatic hyperlactatemia associated with nucleoside analogue reverse-transcriptase inhibitor use in HIV-infected patients: a report of 24 cases in a resource-limited setting (Uganda). <i>Clinical Infectious Diseases</i> , 2007 , 45, 514-7	11.6	26
6	Predictors of long-term viral failure among ugandan children and adults treated with antiretroviral therapy. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2007 , 46, 187-93	3.1	185
5	Belief in divine healing can be a barrier to antiretroviral therapy adherence in Uganda. <i>Aids</i> , 2007 , 21, 1486-7	3.5	62
4	Response to Does immune reconstitution promote active tuberculosis in patients receiving highly active antiretroviral therapy? <i>PAIDS</i> , 22 July 2005. <i>Aids</i> , 2005 , 19, 2049-50	3.5	15
3	Free antiretrovirals must not be restricted only to treatment-naive patients. Experience in Uganda suggests that restricting access is not the way forward. <i>PLoS Medicine</i> , 2005 , 2, e276	11.6	9
2	Simplification of Protease Inhibitor-Containing Regimens with Efavirenz, Nevirapine or Abacavir: Safety and Efficacy Outcomes. <i>Antiviral Therapy</i> , 2003 , 8, 27-35	1.6	9
1	CD4 cell counts at the third month of HAART may predict clinical failure. <i>Aids</i> , 1999 , 13, 1669-76	3.5	43