

Jun Mao

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/132040/publications.pdf>

Version: 2024-02-01

87
papers

7,046
citations

53660

45
h-index

58464

82
g-index

87
all docs

87
docs citations

87
times ranked

3775
citing authors

#	ARTICLE	IF	CITATIONS
1	High thermoelectric cooling performance of n-type Mg ₃ Bi ₂ -based materials. <i>Science</i> , 2019, 365, 495-498.	6.0	457
2	Advances in thermoelectrics. <i>Advances in Physics</i> , 2018, 67, 69-147.	35.9	383
3	Thermoelectric cooling materials. <i>Nature Materials</i> , 2021, 20, 454-461.	13.3	360
4	Tuning the carrier scattering mechanism to effectively improve the thermoelectric properties. <i>Energy and Environmental Science</i> , 2017, 10, 799-807.	15.6	326
5	Recent progress and future challenges on thermoelectric Zintl materials. <i>Materials Today Physics</i> , 2017, 1, 74-95.	2.9	275
6	Manipulation of ionized impurity scattering for achieving high thermoelectric performance in n-type Mg ₃ Sb ₂ -based materials. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 10548-10553.	3.3	267
7	Discovery of ZrCoBi based half Heuslers with high thermoelectric conversion efficiency. <i>Nature Communications</i> , 2018, 9, 2497.	5.8	243
8	Discovery of TaFeSb-based half-Heuslers with high thermoelectric performance. <i>Nature Communications</i> , 2019, 10, 270.	5.8	227
9	Achieving high power factor and output power density in p-type half-Heuslers Nb _{1-x} Ti _x FeSb. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 13576-13581.	3.3	213
10	Studies on thermoelectric figure of merit of Na-doped p-type polycrystalline SnSe. <i>Journal of Materials Chemistry A</i> , 2016, 4, 1848-1854.	5.2	210
11	Size effect in thermoelectric materials. <i>Npj Quantum Materials</i> , 2016, 1, .	1.8	205
12	Deep defect level engineering: a strategy of optimizing the carrier concentration for high thermoelectric performance. <i>Energy and Environmental Science</i> , 2018, 11, 933-940.	15.6	188
13	Phase-transition temperature suppression to achieve cubic GeTe and high thermoelectric performance by Bi and Mn codoping. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 5332-5337.	3.3	183
14	Defect Engineering for Realizing High Thermoelectric Performance in n-Type Mg ₃ Sb ₂ -Based Materials. <i>ACS Energy Letters</i> , 2017, 2, 2245-2250.	8.8	181
15	Improved thermoelectric performance of n-type half-Heusler MCo _{1-x} Ni _x Sb (M=Hf, Zr). <i>Materials Today Physics</i> , 2017, 1, 24-30.	2.9	148
16	High thermoelectric performance of \pm -MgAgSb for power generation. <i>Energy and Environmental Science</i> , 2018, 11, 23-44.	15.6	127
17	Significant Role of Mg Stoichiometry in Designing High Thermoelectric Performance for Mg ₃ (Sb,Bi) ₂ -Based n-Type Zintl. <i>Journal of the American Chemical Society</i> , 2018, 140, 1910-1915.	6.6	125
18	Lithium Doping to Enhance Thermoelectric Performance of MgAgSb with Weak Electron-Phonon Coupling. <i>Advanced Energy Materials</i> , 2016, 6, 1502269.	10.2	122

#	ARTICLE	IF	CITATIONS
19	Towards tellurium-free thermoelectric modules for power generation from low-grade heat. <i>Nature Communications</i> , 2021, 12, 1121.	5.8	118
20	Nano-microstructural control of phonon engineering for thermoelectric energy harvesting. <i>MRS Bulletin</i> , 2018, 43, 181-186.	1.7	111
21	Large thermoelectric power factor from crystal symmetry-protected non-bonding orbital in half-Heuslers. <i>Nature Communications</i> , 2018, 9, 1721.	5.8	111
22	Thermoelectric properties of materials near the band crossing line in Mg_2Sn - Mg_2Ge - Mg_2Si system. <i>Acta Materialia</i> , 2016, 103, 633-642.	3.8	104
23	Thermoelectric properties of Bi-based Zintl compounds $\text{Ca}_{1-x}\text{Yb}_x\text{Mg}_2\text{Bi}$. <i>Journal of Materials Chemistry A</i> , 2016, 4, 4312-4320.	5.2	92
24	Anomalous electrical conductivity of n-type Te-doped $\text{Mg}_{3.2}\text{Sb}_{1.5}\text{Bi}_{0.5}$. <i>Materials Today Physics</i> , 2017, 3, 1-6.	2.9	82
25	Significantly enhanced thermoelectric properties of p-type Mg_3Sb_2 via co-doping of Na and Zn. <i>Acta Materialia</i> , 2018, 143, 265-271.	3.8	82
26	Joint effect of magnesium and yttrium on enhancing thermoelectric properties of n-type Zintl $\text{Mg}_{3+Y}\text{O}_2\text{Sb}_{1.5}\text{Bi}_{0.5}$. <i>Materials Today Physics</i> , 2019, 8, 25-33.	2.9	82
27	High thermoelectric power factor in Cu - Ni alloy originate from potential barrier scattering of twin boundaries. <i>Nano Energy</i> , 2015, 17, 279-289.	8.2	81
28	Design of High-Performance Disordered Half-Heusler Thermoelectric Materials Using 18-Electron Rule. <i>Advanced Functional Materials</i> , 2019, 29, 1905044.	7.8	81
29	Phonon scattering by nanoscale twin boundaries. <i>Nano Energy</i> , 2017, 32, 174-179.	8.2	77
30	Dilute Cu_2Te -alloying enables extraordinary performance of r-GeTe thermoelectrics. <i>Materials Today Physics</i> , 2019, 9, 100096.	2.9	74
31	Mechanical properties of nanostructured thermoelectric materials MgAgSb . <i>Scripta Materialia</i> , 2017, 127, 72-75.	2.6	72
32	Thermoelectric Properties of n-type ZrNiPb -Based Half-Heuslers. <i>Chemistry of Materials</i> , 2017, 29, 867-872.	3.2	69
33	Enhancement of thermoelectric performance of phase pure Zintl compounds $\text{Ca}_{1-x}\text{Yb}_x\text{Zn}_2\text{Sb}_2$, $\text{Ca}_{1-x}\text{Eu}_x\text{Zn}_2\text{Sb}_2$, and $\text{Eu}_{1-x}\text{Yb}_x\text{Zn}_2\text{Sb}_2$ by mechanical alloying and hot pressing. <i>Nano Energy</i> , 2016, 25, 136-144.	8.2	67
34	Tellurium doped n-type Zintl $\text{Zr}_3\text{Ni}_3\text{Sb}_4$ thermoelectric materials: Balance between carrier-scattering mechanism and bipolar effect. <i>Materials Today Physics</i> , 2017, 2, 54-61.	2.9	64
35	Reliable N-type $\text{Mg}_{3.2}\text{Sb}_{1.5}\text{Bi}_{0.49}\text{Te}_{0.01/304}$ stainless steel junction for thermoelectric applications. <i>Acta Materialia</i> , 2020, 198, 25-34.	3.8	62
36	N-type $\text{Mg}_3\text{Sb}_2\text{-Bi}$ with improved thermal stability for thermoelectric power generation. <i>Acta Materialia</i> , 2020, 201, 572-579.	3.8	60

#	ARTICLE	IF	CITATIONS
37	Thermoelectric performance of Li doped, p-type Mg ₂ (Ge,Sn) and comparison with Mg ₂ (Si,Sn). Acta Materialia, 2016, 120, 273-280.	3.8	56
38	Thermoelectric properties of n-type half-Heusler compounds (Hf _{0.25} Zr _{0.75}) _{1-x} Nb _x NiSn. Acta Materialia, 2016, 113, 41-47.	3.8	54
39	Scalable solution-phase epitaxial growth of symmetry-mismatched heterostructures on two-dimensional crystal soft template. Science Advances, 2016, 2, e1600993.	4.7	52
40	The influence of doping sites on achieving higher thermoelectric performance for nanostructured $\hat{\Gamma}$ -MgAgSb. Nano Energy, 2017, 31, 194-200.	8.2	52
41	Understanding the asymmetrical thermoelectric performance for discovering promising thermoelectric materials. Science Advances, 2019, 5, eaav5813.	4.7	52
42	High thermoelectric energy conversion efficiency of a uncouple of n-type Mg ₃ Bi ₂ and p-type Bi ₂ Te ₃ . Materials Today Physics, 2021, 19, 100413.	2.9	51
43	Understanding and manipulating the intrinsic point defect in $\hat{\Gamma}$ -MgAgSb for higher thermoelectric performance. Journal of Materials Chemistry A, 2016, 4, 16834-16840.	5.2	49
44	The microscopic origin of low thermal conductivity for enhanced thermoelectric performance of Yb doped MgAgSb. Acta Materialia, 2017, 128, 227-234.	3.8	49
45	The effect of nickel doping on electron and phonon transport in the n-type nanostructured thermoelectric material CoSbS. Journal of Materials Chemistry C, 2015, 3, 10442-10450.	2.7	47
46	Effects of antimony content in MgAg _{0.97} Sb _x on output power and energy conversion efficiency. Acta Materialia, 2016, 102, 17-23.	3.8	45
47	Ultrahigh Power Factor in Thermoelectric System Nb _{0.95} M _{0.05} FeSb (M = Hf, Tj ETQq1 1,0.784314rgBT /Cov 5.6 45		
48	n-Type TaCoSn-Based Half-Heuslers as Promising Thermoelectric Materials. ACS Applied Materials & Interfaces, 2019, 11, 41321-41329.	4.0	44
49	Seeded growth of boron arsenide single crystals with high thermal conductivity. Applied Physics Letters, 2018, 112, .	1.5	43
50	Comparative studies on thermoelectric properties of p-type Mg ₂ Sn _{0.75} Ge _{0.25} doped with lithium, sodium, and gallium. Acta Materialia, 2017, 141, 154-162.	3.8	40
51	Thermoelectric Properties of Zintl Phase YbMg ₂ Sb ₂ . Chemistry of Materials, 2020, 32, 776-784.	3.2	40
52	Study on anisotropy of n-type Mg ₃ Sb ₂ -based thermoelectric materials. Applied Physics Letters, 2018, 112, .	1.5	36
53	Passive Radiative Cooling Enables Improved Performance in Wearable Thermoelectric Generators. Small, 2022, 18, e2106875.	5.2	33
54	Manipulation of Ni Interstitials for Realizing Large Power Factor in TiNiSn-Based Materials. Advanced Electronic Materials, 2019, 5, 1900166.	2.6	32

#	ARTICLE	IF	CITATIONS
55	Thermoelectric performance enhancement of Mg ₂ Sn based solid solutions by band convergence and phonon scattering via Pb and Si/Ge substitution for Sn. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 20726-20737.	1.3	30
56	Self-compensation induced vacancies for significant phonon scattering in InSb. <i>Nano Energy</i> , 2018, 48, 189-196.	8.2	30
57	Contrasting the Role of Mg and Ba Doping on the Microstructure and Thermoelectric Properties of p-Type AgSbSe ₂ . <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 23047-23055.	4.0	29
58	Achieving High Thermoelectric Performance by NaSbTe ₂ Alloying in GeTe for Simultaneous Suppression of Ge Vacancies and Band Tailoring. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	28
59	Scalable synthesis of n-type Mg ₃ Sb _{2-x} Bi _x for thermoelectric applications. <i>Materials Today Physics</i> , 2021, 17, 100336.	2.9	27
60	Large reduction of thermal conductivity leading to enhanced thermoelectric performance in p-type Mg ₃ Bi ₂ â€“YbMg ₂ Bi ₂ solid solutions. <i>Journal of Materials Chemistry C</i> , 2019, 7, 434-440.	2.7	26
61	N-Type Mg ₃ Sb _{2-x} Bi _x Alloys as Promising Thermoelectric Materials. <i>Research</i> , 2020, 2020, 1219461.	2.8	26
62	Balancing the anionic framework polarity for enhanced thermoelectric performance in YbMg ₂ Sb ₂ Zintl compounds. <i>Journal of Materiomics</i> , 2019, 5, 583-589.	2.8	25
63	Unsupervised machine learning for discovery of promising half-Heusler thermoelectric materials. <i>Npj Computational Materials</i> , 2022, 8, .	3.5	24
64	Carrier distribution in multi-band materials and its effect on thermoelectric properties. <i>Journal of Materiomics</i> , 2016, 2, 203-211.	2.8	23
65	The effect of charge carrier and doping site on thermoelectric properties of Mg ₂ Sn _{0.75} Ge _{0.25} . <i>Acta Materialia</i> , 2017, 124, 528-535.	3.8	21
66	Suppressed phase transition and enhanced thermoelectric performance in iodine-doped AgCuTe. <i>Nano Energy</i> , 2020, 77, 105297.	8.2	21
67	Intermediate-level doping strategy to simultaneously optimize power factor and phonon thermal conductivity for improving thermoelectric figure of merit. <i>Materials Today Physics</i> , 2020, 15, 100250.	2.9	20
68	Defect Engineering for Realizing p-Type AgBiSe ₂ with a Promising Thermoelectric Performance. <i>Chemistry of Materials</i> , 2020, 32, 3528-3536.	3.2	17
69	Stabilizing the Optimal Carrier Concentration in Al/Sb-Codoped GeTe for High Thermoelectric Performance. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 45717-45725.	4.0	16
70	Tuning the Carrier Scattering Mechanism by Rare-Earth Element Doping for High Average $\langle zT \rangle$ in Mg ₃ Sb ₂ -Based Compounds. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 7022-7029.	4.0	16
71	Organic/Inorganic Hybrid Design as a Route for Promoting the Bi _{0.5} Sb _{1.5} Te ₃ for Highâ€“Performance Thermoelectric Power Generation. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	13
72	Band Modulation and Strain Fluctuation for Realizing High Average $\langle zT \rangle$ in GeTe. <i>Advanced Energy Materials</i> , 2022, 12, .	10.2	13

#	ARTICLE	IF	CITATIONS
73	Low contact resistivity and excellent thermal stability of p-type YbMg _{0.8} Zn _{1.2} Sb ₂ /FeSb junction for thermoelectric applications. <i>Acta Materialia</i> , 2022, 235, 118066.	3.8	11
74	Entropy engineering in CaZn ₂ Sb ₂ –YbMg ₂ Sb ₂ Zintl alloys for enhanced thermoelectric performance. <i>Rare Metals</i> , 2022, 41, 2998-3004.	3.6	11
75	Mobility enhancement in heavily doped semiconductors via electron cloaking. <i>Nature Communications</i> , 2022, 13, 2482.	5.8	9
76	Improved Thermoelectric Performance of Tellurium by Alloying with a Small Concentration of Selenium to Decrease Lattice Thermal Conductivity. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 511-516.	4.0	8
77	Using materials quality factor $B^* \mu^2$ for design of thermoelectric materials with multiple bands. <i>Materials Today Physics</i> , 2021, 18, 100371.	2.9	8
78	A sketch for super-thermoelectric materials. <i>Materials Today Physics</i> , 2022, 22, 100618.	2.9	8
79	Filling fraction of Yb in CoSb ₃ Skutterudite studied by electron microscopy. <i>Applied Physics Letters</i> , 2017, 110, .	1.5	7
80	Infinite coordination polymer for enhancing the thermoelectric performance of Bi _{0.5} Sb _{1.5} Te ₃ for low-grade waste heat recovery. <i>Materials Today Energy</i> , 2022, 26, 100994.	2.5	7
81	Electronic Topological Transition as a Route to Improve Thermoelectric Performance in Bi _{0.5} Sb _{1.5} Te ₃ . <i>Advanced Science</i> , 2022, 9, e2105709.	5.6	6
82	Achieving High Thermoelectric Performance in Severely Distorted YbCd ₂ Sb ₂ . <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	6
83	Thermodynamic approaches to determine the vacancy concentration in defective Nb ₁ -CoSb half-Heusler thermoelectric materials. <i>Acta Materialia</i> , 2022, 228, 117736.	3.8	5
84	Boosting Total Conversion Efficiency of Hybrid PVT via a Spectral Splitter/Absorber Based on Lossy Periodic Structured Media. <i>Solar Rrl</i> , 0, .	3.1	3
85	Band convergence and phonon engineering to optimize the thermoelectric performance of CaCd ₂ Sb ₂ . <i>Applied Physics Letters</i> , 2022, 120, .	1.5	2
86	Lead Chalcogenide Thermoelectric Materials. , 2019, , 83-104.		1
87	1-2-2 Layered Zintl-Phase Thermoelectric Materials. , 2019, , 159-175.		0